


[\[Team LiB \]](#)



- [Table of Contents](#)
- [Index](#)
- [Reviews](#)
- [Examples](#)
- [Reader Reviews](#)
- [Errata](#)

Python in a Nutshell


By [Alex Martelli](#)

Publisher : O'Reilly
Pub Date : March 2003
ISBN : 0-596-00188-6
Pages : 654

In the tradition of O'Reilly's "In a Nutshell" series, *Python in a Nutshell* offers Python programmers one place to look when they need help remembering or deciphering the syntax of this open source language and its many modules. This comprehensive reference guide makes it easy to look up all the most frequently needed information--not just about the Python language itself, but also the most frequently used parts of the standard library and the most important third-party extensions.

[\[Team LiB \]](#)

[[Team LiB](#)]



- [Table of Contents](#)
- [Index](#)
- [Reviews](#)
- [Examples](#)
- [Reader Reviews](#)
- [Errata](#)

Python in a Nutshell

By [Alex Martelli](#)

Publisher : O'Reilly
Pub Date : March 2003
ISBN : 0-596-00188-6
Pages : 654

[Copyright](#)

[Preface](#)

[How This Book Is Organized](#)

[Conventions Used in This Book](#)

[How to Contact Us](#)

[Acknowledgments](#)

[Part I: Getting Started with Python](#)

[Chapter 1. Introduction to Python](#)

[Section 1.1. The Python Language](#)

[Section 1.2. The Python Standard Library and Extension Modules](#)

[Section 1.3. Python Implementations](#)

[Section 1.4. Python Development and Versions](#)

[Section 1.5. Python Resources](#)

[Chapter 2. Installation](#)

[Section 2.1. Installing Python from Source Code](#)

[Section 2.2. Installing Python from Binaries](#)

[Section 2.3. Installing Jython](#)

[Chapter 3. The Python Interpreter](#)

[Section 3.1. The python Program](#)

[Section 3.2. Python Development Environments](#)

[Section 3.3. Running Python Programs](#)

[Section 3.4. The Jython Interpreter](#)

[Part II: Core Python Language and Built-ins](#)

[Chapter 4. The Python Language](#)

[Section 4.1. Lexical Structure](#)

[Section 4.2. Data Types](#)

[Section 4.3. Variables and Other References](#)

[Section 4.4. Expressions and Operators](#)

[Section 4.5. Numeric Operations](#)

[Section 4.6. Sequence Operations](#)

[Section 4.7. Dictionary Operations](#)

[Section 4.8. The print Statement](#)

[Section 4.9. Control Flow Statements](#)

[Section 4.10. Functions](#)

[Chapter 5. Object-Oriented Python](#)

[Section 5.1. Classic Classes and Instances](#)

[Section 5.2. New-Style Classes and Instances](#)

[Section 5.3. Special Methods](#)

[Section 5.4. Metaclasses](#)

[Chapter 6. Exceptions](#)

[Section 6.1. The try Statement](#)

[Section 6.2. Exception Propagation](#)

[Section 6.3. The raise Statement](#)

[Section 6.4. Exception Objects](#)

[Section 6.5. Custom Exception Classes](#)

[Section 6.6. Error-Checking Strategies](#)

[Chapter 7. Modules](#)

[Section 7.1. Module Objects](#)

[Section 7.2. Module Loading](#)

[Section 7.3. Packages](#)

[Section 7.4. The Distribution Utilities \(distutils\)](#)

[Chapter 8. Core Built-ins](#)

[Section 8.1. Built-in Types](#)

[Section 8.2. Built-in Functions](#)

[Section 8.3. The sys Module](#)

[Section 8.4. The getopt Module](#)

[Section 8.5. The copy Module](#)

[Section 8.6. The bisect Module](#)

[Section 8.7. The UserList, UserDict, and UserString Modules](#)

[Chapter 9. Strings and Regular Expressions](#)

[Section 9.1. Methods of String Objects](#)

[Section 9.2. The string Module](#)

[Section 9.3. String Formatting](#)

[Section 9.4. The pprint Module](#)

[Section 9.5. The repr Module](#)

[Section 9.6. Unicode](#)

[Section 9.7. Regular Expressions and the re Module](#)

[Part III: Python Library and Extension Modules](#)

[Chapter 10. File and Text Operations](#)

[Section 10.1. The os Module](#)

[Section 10.2. Filesystem Operations](#)

[Section 10.3. File Objects](#)

[Section 10.4. Auxiliary Modules for File I/O](#)

[Section 10.5. The StringIO and cStringIO Modules](#)

[Section 10.6. Compressed Files](#)

[Section 10.7. Text Input and Output](#)

[Section 10.8. Richer-Text I/O](#)

[Section 10.9. Interactive Command Sessions](#)

[Section 10.10. Internationalization](#)

[Chapter 11. Persistence and Databases](#)

[Section 11.1. Serialization](#)

[Section 11.2. DBM Modules](#)

[Section 11.3. The Berkeley DB Module](#)

[Section 11.4. The Python Database API \(DBAPI\) 2.0](#)

[Chapter 12. Time Operations](#)

[Section 12.1. The time Module](#)

[Section 12.2. The sched Module](#)

[Section 12.3. The calendar Module](#)

[Section 12.4. The mx.DateTime Module](#)

[Chapter 13. Controlling Execution](#)

[Section 13.1. Dynamic Execution and the exec Statement](#)

[Section 13.2. Restricted Execution](#)

[Section 13.3. Internal Types](#)

[Section 13.4. Garbage Collection](#)

[Section 13.5. Termination Functions](#)

[Section 13.6. Site and User Customization](#)

[Chapter 14. Threads and Processes](#)

- [Section 14.1. Threads in Python](#)
- [Section 14.2. The thread Module](#)
- [Section 14.3. The Queue Module](#)
- [Section 14.4. The threading Module](#)
- [Section 14.5. Threaded Program Architecture](#)
- [Section 14.6. Process Environment](#)
- [Section 14.7. Running Other Programs](#)
- [Section 14.8. The mmap Module](#)

[Chapter 15. Numeric Processing](#)

- [Section 15.1. The math and cmath Modules](#)
- [Section 15.2. The operator Module](#)
- [Section 15.3. The random Module](#)
- [Section 15.4. The array Module](#)
- [Section 15.5. The Numeric Package](#)
- [Section 15.6. Array Objects](#)
- [Section 15.7. Universal Functions \(ufuncs\)](#)
- [Section 15.8. Optional Numeric Modules](#)

[Chapter 16. Tkinter GUIs](#)

- [Section 16.1. Tkinter Fundamentals](#)
- [Section 16.2. Widget Fundamentals](#)
- [Section 16.3. Commonly Used Simple Widgets](#)
- [Section 16.4. Container Widgets](#)
- [Section 16.5. Menus](#)
- [Section 16.6. The Text Widget](#)
- [Section 16.7. The Canvas Widget](#)
- [Section 16.8. Geometry Management](#)
- [Section 16.9. Tkinter Events](#)

[Chapter 17. Testing, Debugging, and Optimizing](#)

- [Section 17.1. Testing](#)
- [Section 17.2. Debugging](#)
- [Section 17.3. The warnings Module](#)
- [Section 17.4. Optimization](#)

[Part IV: Network and Web Programming](#)

[Chapter 18. Client-Side Network Protocol Modules](#)

- [Section 18.1. URL Access](#)
- [Section 18.2. Email Protocols](#)
- [Section 18.3. The HTTP and FTP Protocols](#)
- [Section 18.4. Network News](#)
- [Section 18.5. Telnet](#)
- [Section 18.6. Distributed Computing](#)

[Chapter 19. Sockets and Server-Side Network Protocol Modules](#)

[Section 19.1. The socket Module](#)

[Section 19.2. The SocketServer Module](#)

[Section 19.3. Event-Driven Socket Programs](#)

[Chapter 20. CGI Scripting and Alternatives](#)

[Section 20.1. CGI in Python](#)

[Section 20.2. Cookies](#)

[Section 20.3. Other Server-Side Approaches](#)

[Chapter 21. MIME and Network Encodings](#)

[Section 21.1. Encoding Binary Data as Text](#)

[Section 21.2. MIME and Email Format Handling](#)

[Chapter 22. Structured Text: HTML](#)

[Section 22.1. The sgmlib Module](#)

[Section 22.2. The htmllib Module](#)

[Section 22.3. The HTMLParser Module](#)

[Section 22.4. Generating HTML](#)

[Chapter 23. Structured Text: XML](#)

[Section 23.1. An Overview of XML Parsing](#)

[Section 23.2. Parsing XML with SAX](#)

[Section 23.3. Parsing XML with DOM](#)

[Section 23.4. Changing and Generating XML](#)

[Part V: Extending and Embedding](#)

[Chapter 24. Extending and Embedding Classic Python](#)

[Section 24.1. Extending Python with Python's C API](#)

[Section 24.2. Extending Python Without Python's C API](#)

[Section 24.3. Embedding Python](#)

[Chapter 25. Extending and Embedding Jython](#)

[Section 25.1. Importing Java Packages in Jython](#)

[Section 25.2. Embedding Jython in Java](#)

[Section 25.3. Compiling Python into Java](#)

[Chapter 26. Distributing Extensions and Programs](#)

[Section 26.1. Python's distutils](#)

[Section 26.2. The py2exe Tool](#)

[Section 26.3. The Installer Tool](#)

[Colophon](#)

[Index](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Copyright

Copyright © 2003 O'Reilly & Associates, Inc.

Printed in the United States of America.

Published by O'Reilly & Associates, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472.

O'Reilly & Associates books may be purchased for educational, business, or sales promotional use. Online editions are also available for most titles (<http://safari.oreilly.com>). For more information, contact our corporate/institutional sales department: (800) 998-9938 or corporate@oreilly.com.

Nutshell Handbook, the Nutshell Handbook logo, and the O'Reilly logo are registered trademarks of O'Reilly & Associates, Inc. Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and O'Reilly & Associates, Inc. was aware of a trademark claim, the designations have been printed in caps or initial caps. The association between the image of an African rock python and the topic of Python is a trademark of O'Reilly & Associates, Inc.

While every precaution has been taken in the preparation of this book, the publisher and author assume no responsibility for errors or omissions, or for damages resulting from the use of the information contained herein.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Preface

The Python programming language manages to reconcile many apparent contradictions: it's both elegant and pragmatic, simple and powerful, a high-level language that doesn't get in your way when you want to fiddle with bits and bytes, suitable for programming novices and great for experts too.

This book is aimed at programmers with some previous exposure to Python, as well as experienced programmers coming to Python for the first time from other programming languages. The book is a quick reference to Python itself, the most important parts of its vast standard library, and some of the most popular and useful third-party modules, covering a range of applications including web and network programming, GUIs, XML handling, database interactions, and high-speed numeric computing. It focuses on Python's cross-platform capabilities and covers the basics of extending Python and embedding it in other applications, using either C or Java.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

How This Book Is Organized

This book has five parts, as follows:

[Part I](#), *Getting Started with Python*

- [Chapter 1](#) covers the general characteristics of the Python language and its implementations, and discusses where to get help and information.
- [Chapter 2](#) explains how to obtain and install Python.
- [Chapter 3](#) covers the Python interpreter program, its command-line options, and its use for running Python programs and in interactive sessions. The chapter also mentions text editors that are particularly suitable for editing Python programs, and examines some full-fledged integrated development environments, including IDLE, which comes free with standard Python.

[Part II](#), *Core Python Language and Built-ins*

- [Chapter 4](#) covers Python syntax, built-in data types, expressions, statements, and how to write and call functions.
- [Chapter 5](#) explains object-oriented programming in Python.
- [Chapter 6](#) covers how to deal with errors and abnormal conditions in Python programs.
- [Chapter 7](#) covers the ways in which Python lets you group code into modules and packages, and how to define and import modules.
- [Chapter 8](#) is a reference to built-in data types and functions, and some of the most fundamental modules in the standard Python library.
- [Chapter 9](#) covers Python's powerful string-processing facilities, including regular expressions.

[Part III](#), *Python Library and Extension Modules*

- [Chapter 10](#) explains how to deal with files and text processing using built-in Python file objects, modules from Python's standard library, and platform-specific extensions for rich text I/O.
- [Chapter 11](#) introduces Python's serialization and persistence mechanisms, as well as Python's interfaces to DBM databases and relational (SQL-based) databases.
- [Chapter 12](#) covers how to deal with times and dates in Python, using the standard library and popular extensions.
- [Chapter 13](#) explains how to achieve advanced execution control in Python, including execution of dynamically generated code, restricted execution environments, and control of garbage collection.
- [Chapter 14](#) covers Python's functionality for concurrent execution, both via multiple threads

running within one process and via multiple processes running on a single machine.

- [Chapter 15](#) shows Python's features for numeric computations, both in standard library modules and in the popular extension package called `Numeric`.
- [Chapter 16](#) explains how to develop graphical user interfaces in Python with the Tkinter package included with the standard Python distribution, and mentions other alternative Python GUI frameworks.
- [Chapter 17](#) deals with Python tools and approaches that help ensure your programs do what they're meant to do, find and correct errors in your programs, and check and enhance performance.

[Part IV](#), *Network and Web Programming*

- [Chapter 18](#) covers many modules in Python's standard library that help you write network client programs.
- [Chapter 19](#) explains Python's interfaces to low-level network mechanisms (sockets), standard Python library modules that help you write network server programs, and asynchronous (event-driven) network programming with standard modules and popular extensions.
- [Chapter 20](#) covers the basics of CGI programming and how to perform CGI programming in Python with standard Python library modules. The chapter also mentions alternatives to CGI programming for server-side web programming through Python extensions.
- [Chapter 21](#) shows how to process email and other network-structured and encoded documents in Python.
- [Chapter 22](#) covers Python library modules that let you process and generate HTML documents.
- [Chapter 23](#) covers Python library modules and popular extensions that let you process, modify, and generate XML documents.

[Part V](#), *Extending and Embedding*

- [Chapter 24](#) shows how to code Python extension modules using C and other classic compiled languages, and how to embed Python in applications coded in such languages.
- [Chapter 25](#) shows how to use Java classes from the Jython implementation of Python, and how to embed Jython in applications coded in Java.
- [Chapter 26](#) covers the tools that let you package Python extensions, modules, and applications for distribution.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Conventions Used in This Book

The following conventions are used throughout this book.

Reference Conventions

In the function/method reference entries, when feasible, each optional parameter is shown with a default value using the Python syntax *name=value*. Built-in functions need not accept named parameters, so parameter names are not significant. Some optional parameters are best explained in terms of their presence or absence, rather than through default values. In such cases, a parameter is indicated as being optional by enclosing it in brackets ([]). When more than one argument is optional, the brackets are nested.

Typographic Conventions

Italic

Used for filenames, program names, URLs, and to introduce new terms.

Constant Width

Used for all code examples, as well as for commands and all items that appear in code, including keywords, methods, functions, classes, and modules.

Constant Width Italic

Used to show text that can be replaced with user-supplied values in code examples.

Constant Width Bold

Used for commands that must be typed on the command line, and occasionally for emphasis in code examples or to indicate code output.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

How to Contact Us

We have tested and verified the information in this book to the best of our ability, but you may find that features have changed (or even that we have made mistakes!). Please let us know about any errors you find, as well as your suggestions for future editions, by writing to:

O'Reilly & Associates
1005 Gravenstein Highway North
Sebastopol, CA 95472
(800) 928-9938 (in the United States or Canada)
(707) 829-0515 (international or local)
(707) 829-0104 (fax)

There is a web page for this book, which lists errata, examples, and any additional information. You can access this page at:

<http://www.oreilly.com/catalog/pythonian/>

To ask technical questions or comment on the book, send email to:

bookquestions@oreilly.com

For more information about books, conferences, resource centers, and the O'Reilly Network, see the O'Reilly web site at:

<http://www.oreilly.com>

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Acknowledgments

My heartfelt thanks to everybody who helped me out on this book. Many Python beginners, practitioners, and experts have read drafts of parts of the book and have given me feedback to help make it clearer and more precise, accurate, and readable. Out of those, for the quality and quantity of their feedback, I must single out for special thanks Andrea Babini, Andrei Raevsky, Anna Ravenscroft, and my fellow Python Business Forum board members Jacob Hallén and Laura Creighton.

Some Python experts gave me indispensable help in specific areas: Aahz on threading, Itamar Shtull-Trauring on Twisted, Mike Orr on Cheetah, Eric Jones and Paul Dubois on Numeric, and Tim Peters on threading, testing, performance issues, and optimization.

I was also blessed with a wonderful group of technical reviewers: Fred Drake of Python Labs, co-author of *Python & XML* (O'Reilly) and Grand Poobah of Python's excellent free documentation; Magnus Lie Hetland, author of *Practical Python* (Apress); Steve Holden, author of *Python Web Programming* (New Riders); and last but not least Sue Giller, whose observations as a sharp-eyed, experienced, non-Pythonista programmer were particularly useful in the pursuit of clarity and precision. The book's editor, Paula Ferguson, went above and beyond the call of duty in her work to make this book clearer and more readable.

My family and friends have been patient and supportive throughout the time it took me to write this book: particular thanks for that to my children Flavia and Lucio, my partner Marina, my sister Elisabetta, and my father Lanfranco.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Part I: Getting Started with Python

[Chapter 1](#)

[Chapter 2](#)

[Chapter 3](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 1. Introduction to Python

Python is a general-purpose programming language. It has been around for quite a while: Guido van Rossum, Python's creator, started developing Python back in 1990. This stable and mature language is very high level, dynamic, object-oriented, and cross-platform-all characteristics that are very attractive to developers. Python runs on all major hardware platforms and operating systems, so it doesn't constrain your platform choices.

Python offers high productivity for all phases of the software life cycle: analysis, design, prototyping, coding, testing, debugging, tuning, documentation, deployment, and, of course, maintenance. Python's popularity has seen steady, unflagging growth over the years. Today, familiarity with Python is an advantage for every programmer, as Python is likely to have some useful role to play as a part of any software solution.

Python provides a unique mix of elegance, simplicity, and power. You'll quickly become productive with Python, thanks to its consistency and regularity, its rich standard library, and the many other modules that are readily available for it. Python is easy to learn, so it is quite suitable if you are new to programming, yet at the same time it is powerful enough for the most sophisticated expert.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

1.1 The Python Language

The Python language, while not minimalist, is rather spare, for good pragmatic reasons. When a language offers one good way to express a design idea, supplying other ways has only modest benefits, while the cost in terms of language complexity grows with the number of features. A complicated language is harder to learn and to master (and to implement efficiently and without bugs) than a simpler one. Any complications and quirks in a language hamper productivity in software maintenance, particularly in large projects, where many developers cooperate and often maintain code originally written by others.

Python is simple, but not simplistic. It adheres to the idea that if a language behaves a certain way in some contexts, it should ideally work similarly in all contexts. Python also follows the principle that a language should not have convenient shortcuts, special cases, ad hoc exceptions, overly subtle distinctions, or mysterious and tricky under-the-covers optimizations. A good language, like any other designed artifact, must balance such general principles with taste, common sense, and a high degree of practicality.

Python is a general-purpose programming language, so Python's traits are useful in any area of software development. There is no area where Python cannot be part of an optimal solution. "Part" is an important word here-while many developers find that Python fills all of their needs, Python does not have to stand alone. Python programs can cooperate with a variety of other software components, making it an ideal language for gluing together components written in other languages.

Python is a very-high-level language. This means that Python uses a higher level of abstraction, conceptually farther from the underlying machine, than do classic compiled languages, such as C, C++, and Fortran, which are traditionally called high-level languages. Python is also simpler, faster to process, and more regular than classic high-level languages. This affords high programmer productivity and makes Python an attractive development tool. Good compilers for classic compiled languages can often generate binary machine code that runs much faster than Python code. However, in most cases, the performance of Python-coded applications proves sufficient. When it doesn't, you can apply the optimization techniques covered in [Chapter 17](#) to enhance your program's performance while keeping the benefits of high programming productivity.

Python is an object-oriented programming language, but it lets you develop code using both object-oriented and traditional procedural styles, mixing and matching as your application requires. Python's object-oriented features are like those of C++, although they are much simpler to use.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

1.2 The Python Standard Library and Extension Modules

There is more to Python programming than just the Python language: the standard Python library and other extension modules are almost as important for effective Python use as the language itself. The Python standard library supplies many well-designed, solid, 100% pure Python modules for convenient reuse. It includes modules for such tasks as data representation, string and text processing, interacting with the operating system and filesystem, and web programming. Because these modules are written in Python, they work on all platforms supported by Python.

Extension modules, from the standard library or from elsewhere, let Python applications access functionality supplied by the underlying operating system or other software components, such as graphical user interfaces (GUIs), databases, and networks. Extensions afford maximal speed in computationally intensive tasks, such as XML parsing and numeric array computations. Extension modules that are not coded in Python, however, do not necessarily enjoy the same cross-platform portability as pure Python code.

You can write special-purpose extension modules in lower-level languages to achieve maximum performance for small, computationally intensive parts that you originally prototyped in Python. You can also use tools such as SWIG to make existing C/C++ libraries into Python extension modules, as we'll see in [Chapter 24](#). Finally, you can embed Python in applications coded in other languages, exposing existing application functionality to Python scripts via dedicated Python extension modules.

This book documents many modules, both from the standard library and from other sources, in areas such as client- and server-side network programming, GUIs, numerical array processing, databases, manipulation of text and binary files, and interaction with the operating system.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

1.3 Python Implementations

Python currently has two production-quality implementations, CPython and Jython, and one experimental implementation, Python .NET. This book primarily addresses CPython, which I refer to as just Python for simplicity. However, the distinction between a language and its implementations is an important one.

1.3.1 CPython

Classic Python (a.k.a., CPython, often just called Python) is the fastest, most up-to-date, most solid and complete implementation of Python. CPython is a compiler, interpreter, and set of built-in and optional extension modules, coded in standard C. CPython can be used on any platform where the C compiler complies with the ISO/IEC 9899:1990 standard (i.e., all modern, popular platforms). In [Chapter 2](#), I'll explain how to download and install CPython. All of this book, except [Chapter 24](#) and a few sections explicitly marked otherwise, applies to CPython.

1.3.2 Jython

Jython is a Python implementation for any Java Virtual Machine (JVM) compliant with Java 1.2 or better. Such JVMs are available for all popular, modern platforms. To use Jython well, you need some familiarity with fundamental Java classes. You do not have to code in Java, but documentation and examples for existing Java classes are couched in Java terms, so you need a nodding acquaintance with Java to read and understand them. You also need to use Java supporting tools for tasks such as manipulating *.jar* files and signing applets. This book deals with Python, not with Java. For Jython usage, you should complement this book with *Jython Essentials*, by Noel Rappin and Samuele Pedroni (O'Reilly), possibly *Java in a Nutshell*, by David Flanagan (O'Reilly), and, if needed, some of the many other Java resources available.

1.3.3 Choosing Between CPython and Jython

If your platform is able to run both CPython and Jython, how do you choose between them? First of all, don't choose-download and install them both. They coexist without problems, and they're free. Having them both on your machine costs only some download time and a little extra disk space.

To experiment, learn, and try things out, you will most often use CPython, as it's faster. To develop and deploy, your best choice depends on what extension modules you want to use and how you want to distribute your programs. CPython applications are generally faster, particularly if they can make good use of suitable extension modules, such as `Numeric` (covered in [Chapter 15](#)). The development of CPython versions is faster than that of Jython versions: at the time of writing, for example, the next scheduled release is 2.2 for Jython, but 2.3 for CPython.

However, as you'll see in [Chapter 25](#), Jython can use any Java class as an extension module, whether the class comes from a standard Java library, a third-party library, or a library you develop yourself. A Jython-coded application is a 100% pure Java application, with all of Java's deployment advantages and issues, and runs on any target machine having a suitable JVM. Packaging opportunities are also identical to Java's.

Jython and CPython are both good, faithful implementations of Python, reasonably close in terms of usability and performance. Given these pragmatic issues, either one may enjoy decisive practical advantages in a specific scenario. Thus, it is wise to become familiar with the strengths and weaknesses of each, to be able to choose optimally for each development task.

1.3.4 Python .NET

The experimental Python .NET is a Python implementation for the Microsoft .NET platform, with an architecture similar to Jython's, but targeting Microsoft Intermediate Language (MSIL) rather than JVM bytecode. Python .NET is not as mature as CPython or Jython, but when it is ready for production use, Python .NET may become a great way to develop for .NET, like Jython is for the JVM. For information on Python .NET and links to download it, see <http://www.activestate.com/Initiatives/.NET/Research.html>.

1.3.5 Licensing and Price Issues

Current releases of CPython are covered by the CNRI Open Source GPL-Compatible License, allowing free use of Python for both commercial and free-software development (<http://www.python.org/2.2.1/license.html>). Jython's license is similarly liberal. Anything you download from the main Python and Jython sites will not cost you a penny. These licenses do not constrain what licensing and pricing conditions you can use for software you develop using the tools, libraries, and documentation they cover.

However, not everything Python-related is totally free from licensing costs or hassles. Many third-party Python sources, tools, and extension modules that you can freely download have liberal licenses, similar to that of Python itself. Others, however, are covered by the GNU Public License (GPL) or Lesser GPL (LGPL), constraining the licensing conditions you are allowed to place on derived works. Commercially developed modules and tools may require you to pay a fee, either unconditionally or if you use them for profit.

There is no substitute for careful examination of licensing conditions and prices. Before you invest time and energy into any software component, check that you can live with its license. Often, especially in a corporate environment, such legal matters may involve consulting a lawyer. Modules and tools covered in this book, unless I explicitly say otherwise, can be taken to be, at the time of this writing, freely downloadable, open source, and covered by a liberal license akin to Python's. However, I claim no legal expertise, and licenses can change over time, so double-checking is always prudent.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

1.4 Python Development and Versions

Python is developed by the Python Labs of Zope Corporation, which consists of half a dozen core developers headed by Guido van Rossum, Python's inventor, architect, and Benevolent Dictator For Life (BDFL). This title means that Guido has the final say on what becomes part of the Python language and standard libraries.

Python intellectual property is vested in the Python Software Foundation (PSF), a non-profit corporation devoted to promoting Python, with dozens of individual members (nominated for their contributions to Python, and including all of the Python core team) and corporate sponsors. Most PSF members have commit privileges to Python's CVS tree on SourceForge (http://sf.net/cvs/?group_id=5470), and most Python CVS committers are members of the PSF.

Proposed changes to Python are detailed in public documents called Python Enhancement Proposals (PEPs), debated (and sometimes advisably voted upon) by Python developers and the wider Python community, and finally approved or rejected by Guido, who takes debate and votes into account but is not bound by them. Hundreds of people contribute to Python development, through PEPs, discussion, bug reports, and proposed patches to Python sources, libraries, and documentation.

Python Labs releases minor versions of Python (2.*x*, for growing values of *x*) about once or twice a year. 2.0 was released in October 2000, 2.1 in April 2001, and 2.2 in December 2001. Python 2.3 is scheduled to be released in early 2003. Each minor release adds features that make Python more powerful and simpler to use, but also takes care to maintain backward compatibility. One day there will be a Python 3.0 release, which will be allowed to break backward compatibility to some extent. However, that release is still several years in the future, and no specific plans for it currently exist.

Each minor release 2.*x* starts with alpha releases, tagged as 2.*xa*0, 2.*xa*1, and so on. After the alphas comes at least one beta release, 2.*xb*1, and after the betas at least one release candidate, 2.*xc*1. By the time the final release of 2.*x* comes out, it is always solid, reliable, and well tested on all major platforms. Any Python programmer can help ensure this by downloading alphas, betas, and release candidates, trying them out on existing Python programs, and filing bug reports for any problem that might emerge.

Once a minor release is out, most of the attention of the core team switches to the next minor release. However, a minor release normally gets successive point releases (i.e., 2.*x*.1, 2.*x*.2 and so on) that add no functionality but can fix errors, port Python to new platforms, enhance documentation, and add optimizations and tools.

The Python Business Forum (<http://python-in-business.org>) is an international society of companies that base their business on Python. The Forum, among other activities, tests and maintains special Python releases (known as "Python-in-a-tie") that Python Labs certifies for industrial-strength robustness.

This book focuses on Python 2.2 (and all its point releases), the most stable and widespread release at the time of this writing, and the basis of the current "Python-in-a-tie" efforts. It also mentions a few changes scheduled to appear in Python 2.3, and documents the parts of the language and libraries that are new in 2.2 and thus cannot be used with the previous 2.1 release. Python 2.1 is still important because it's used in widely deployed Zope 2.*x* releases (the current Zope releases, 3.*x*, rely on Python 2.2 and later). Also, at the time of this writing, the released version of Jython supports only Python 2.1, not yet Python 2.2.

Among older releases of Python, the only one with a large installed base is 1.5.2, which is part of most installations of Red Hat Linux Releases 6.*x* and 7.*x*. However, this book does not address Python 1.5.2, which

is over three years old and should not be used for any new development. Python's backward compatibility is good: current versions of Python are able to properly process just about any valid Python 1.5.2 program.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

1.5 Python Resources

The richest of all Python resources is the Internet. The starting point is Python's site, <http://www.python.org>, which is full of interesting links that you will want to explore. And <http://www.jython.org> is a must if you have any interest in Jython.

1.5.1 Documentation

Python and Jython come with good documentation. The manuals are available in many formats, suitable for viewing, searching, and printing. You can browse the manuals on the Web at <http://www.python.org/doc/current/>. You can find links to the various formats you can download at <http://www.python.org/doc/current/download.html>, and <http://www.python.org/doc/> has links to a large variety of documents. For Jython, <http://www.jython.org/docs/> has links to Jython-specific documents as well as general Python ones. The Python FAQ (Frequently Asked Questions) is at <http://www.python.org/doc/FAQ.html>, and the Jython-specific FAQ is at <http://www.jython.org/cgi-bin/faqw.py?req=index>.

Most Python documentation (including this book) assumes some software development knowledge. However, Python is quite suitable for first-time programmers, so there are exceptions to this rule. A few good introductory online texts are:

- Josh Cogliati's "Non-Programmers Tutorial For Python," available at <http://www.honors.montana.edu/~jjc/easytut/easytut/>
- Alan Gauld's "Learning to Program," available at <http://www.crosswinds.net/~agauld/>
- Allen Downey and Jeffrey Elkner's "How to Think Like a Computer Scientist (Python Version)," available at <http://www.ibiblio.org/obp/thinkCSpy/>

1.5.2 Newsgroups and Mailing Lists

The URL <http://www.python.org/psa/MailingLists.html> has links to Python-related mailing lists and newsgroups. Always use plain-text format, not HTML, in all messages to mailing lists and newsgroups.

The Usenet newsgroup for Python discussions is *comp.lang.python*. The newsgroup is also available as a mailing list. To subscribe, send a message whose body is the word **subscribe** to python-list-request@python.org. Python-related announcements are posted to comp.lang.python.announce. To subscribe to its mailing-list equivalent, send a message whose body is the word **subscribe** to python-announce-list-request@python.org. To subscribe to Jython's mailing list, visit <http://lists.sf.net/lists/listinfo/jython-users>. To ask for individual help with Python, email your question to python-help@python.org. For questions and discussions about using Python to teach or learn programming, write to tutor@python.org.

1.5.3 Special Interest Groups

Discussions on specialized subjects related to Python take place on the mailing lists of Python Special Interest Groups (SIGs). <http://www.python.org/sigs/> has a list of active SIGs and pointers to general and specific information about them. Over a dozen SIGs are active at the time of this writing. Here are a few examples:

<http://www.python.org/sigs/c++-sig/>

Bindings between C++ and Python

<http://www.python.org/sigs/i18n-sig/>

Internationalization and localization of Python programs

<http://www.python.org/sigs/image-sig/>

Image processing in Python

1.5.4 Python Business Forum

The Python Business Forum (PBF), at <http://www.python-in-business.org/>, is an international society of companies that base their business on Python. The PBF was formed quite recently, but the site already offers interesting information about business uses of Python.

1.5.5 Python Journal

The Python Journal, <http://pythonjournal.cognizor.com/>, is a free online publication focusing on Python, how to use it, and its applications.

1.5.6 Extension Modules and Python Sources

A good starting point to explore the world of available Python extensions and sources is "The Vaults of Parnassus," available at <http://www.vex.net/parnassus/>. It contains over 1,000 classified and commented links. By following these links, you can find and download most freely available Python modules and tools.

The standard Python source distribution contains excellent Python source code in the standard library and in the Demos and Tools directories, as well as C source for the many built-in extension modules. Even if you have no interest in building Python from source, I suggest you download and unpack the Python source distribution for study purposes.

Many Python modules and tools covered in this book also have dedicated sites. References to these sites are included in the appropriate chapters in this book.

1.5.7 The Python Cookbook

ActiveState has built a collaborative web site at <http://www.activestate.com/ASPN/Python/Cookbook> that contains a living collection of Python recipes. Each recipe contains some Python code, with comments and discussion, contributed by volunteers and enriched with the contributions of readers, under the editorial supervision of David Ascher. All code is covered by a license similar to Python's. Everyone is invited to participate as author and reader in this interesting and useful community endeavor. Hundreds of recipes

from the site, edited, commented, and grouped into chapters with introductions by well-known Python experts, are published by O'Reilly as the *Python Cookbook*, edited by Alex Martelli and David Ascher.

1.5.8 Books and Magazines

Although the Net is a rich source of information, books and magazines still have their place (if you and I didn't agree on this, I wouldn't be writing this book, and you wouldn't be reading it). At the time of this writing, the only magazine entirely devoted to Python is *Py* (for updated information, visit <http://www.pyzine.com/>).

Books about Python and Jython are more numerous. Here are a few that I recommend:

- If you are just starting to learn Python (but have some previous programming experience), *Learning Python*, by Mark Lutz and David Ascher (O'Reilly), will serve you well. It sticks to the basics of Python's language and core libraries, covering clearly and in depth each of the subjects it touches.
- *Python Web Programming*, by Steve Holden (New Riders), teaches the basics of both Python and many other technologies that help you build dynamic web sites, including TCP/IP, HTTP, HTML, XML, and relational databases. The book offers substantial examples, including a complete database-backed site.
- *Python Programming on Win32*, by Mark Hammond and Andy Robinson (O'Reilly), is indispensable for optimal Python use on Windows. The book details platform-specific extensions to Python for COM, ActiveScripting, Win32 API calls, and integration with Windows applications. The current edition uses Python's old 1.5.2 version, but everything also applies to Python's current version.
- *Jython Essentials*, by Samuele Pedroni and Noel Rappin (O'Reilly), is a rich and concise book on Jython, suitable if you already have some Java knowledge. For effective Jython use, I also suggest *Java in a Nutshell*, by David Flanagan (O'Reilly).
- *Python Essential Reference*, by David Beazley (New Riders), is a concise but complete reference to the Python language and its standard libraries.
- *Python Standard Library*, by Fredrik Lundh (O'Reilly), offers terse and usable coverage of all modules in the standard Python library, with over 300 well-commented scripts to show how you can use each module. The amount and quality of examples stands out as the book's outstanding feature.
- For a massive, wide-ranging treatise on Python applications and techniques, including many large examples, you can't beat *Programming Python*, by Mark Lutz (O'Reilly).
- For a very concise summary reference and reminder of Python's essentials, check out *Python Pocket Reference*, also by Mark Lutz (O'Reilly).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 2. Installation

You can install Python, in both classic (CPython) and JVM (Jython) versions, on most platforms. With a suitable development system (C for CPython, Java for Jython), you can install Python from its source code distribution. On popular platforms, you also have the alternative of installing from a prebuilt binary distribution.

Installing CPython from a binary distribution is faster, saves you substantial work on some platforms, and is the only possibility if you have no suitable C development system. Installing from a source code distribution gives you more control and flexibility, and is the only possibility if you can't find a suitable prebuilt binary distribution for your platform. Even if you install from binaries, I recommend you also download the source distribution, which includes examples and demos that may be missing from prebuilt binary packages.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

2.1 Installing Python from Source Code

To install Python from source code, you need a platform with an ISO-compliant C compiler and ancillary tools such as *make*. On Windows, the normal way to build Python is with the Microsoft product Visual C++.

To download Python source code, visit <http://www.python.org> and follow the link labeled Download. The latest version at the time of this writing is:

<http://www.python.org/ftp/python/2.2.2/Python-2.2.2.tgz>

The *.tgz* file extension is equivalent to *.tar.gz* (i.e., a *tar* archive of files, compressed by the powerful and popular *gzip* compressor).

2.1.1 Windows

On Windows, installing Python from source code can be a chore unless you are already familiar with Microsoft Visual C++ and used to working at the Windows command line (i.e., in the text-oriented windows known as MS-DOS Prompt or Command Prompt, depending on your version of Windows).

If the following instructions give you trouble, I suggest you skip ahead to the material on installing Python from binaries later in this chapter. It may be a good idea, on Windows, to do an installation from binaries anyway, even if you also install from source code. This way, if you notice anything strange while using the version you installed from source code, you can double-check with the installation from binaries. If the strangeness goes away, it must have been due to some quirk in your installation from source code, and then you know you must double-check the latter.

In the following sections, for clarity, I assume you have made a new directory named *C:\Py* and downloaded *Python-2.2.2.tgz* there. Of course, you can choose to name and place the directory as it best suits you.

2.1.1.1 Uncompressing and unpacking the Python source code

You can uncompress and unpack a *.tgz* file with programs *tar* and *gunzip*. If you do not have *tar* and *gunzip*, you can download the collection of utilities <ftp://ftp.objectcentral.com/winutils.zip> into *C:\Py*. If you do not have other ways to unpack a ZIP file, download <ftp://ftp.th-soft.com/UNZIP.EXE> into *C:\Py*. Open an MS-DOS Prompt window and give the following commands:

```
C:\> My Documents>cd \Py
C:\Py> unzip winutils
    [unzip lists the files it is unpacking - omitted here]
C:\Py> gunzip Python-2.2.2.tgz
C:\Py> tar xvf Python-2.2.2.tar
    [tar lists the files it is unpacking - omitted here]
C:\Py>
```

Commercial programs WinZip (<http://www.winzip.com>) and PowerArchiver (<http://www.powerarchiver.com>) can also uncompress and unpack *.tgz* archives. Whether via *gunzip* and *tar*, a commercial program, or some

other program, you now have a directory *C:\Py\Python-2.2.2*, the root of a tree that contains the entire standard Python distribution in source form.

2.1.1.2 Building the Python source code with Microsoft Visual C++

Open the workspace file *C:\Py\Python-2.2.2\PCbuild\pcbuild.dsw* with Microsoft Visual C++, for example by starting Windows Explorer, going to directory *C:\Py\Python-2.2.2\PCbuild*, and double-clicking on file *pcbuild.dsw*.

Choose Build → Set Active Configuration → python Win32 Release, then Build → Build python.exe. Visual C++ builds projects *pythoncore* and *python*, making files *python22.dll* and *python.exe* in *C:\Py\Python-2.2.2\PCbuild*. You can also build other subprojects (for example with Build → Batch Build...). However, to build subprojects *_tkinter*, *bsddb*, *pyexpat*, and *zlib*, you first need to download other open source packages and install them in the *C:\Py* directory. Follow the instructions in *C:\Py\Python-2.2.2\PCbuild\readme.txt* if you want to build every Python package that is in the distribution.

2.1.1.3 Building Python for debugging

You can also, optionally, build the debug versions, as well as the release versions, of the Python packages.

With Visual C++, an executable (*.exe*) built for release can interoperate fully only with dynamic load libraries (DLLs) also built for release, while an executable built for debugging interoperates fully only with DLLs also built for debugging. Trying to mix and match can cause program crashes and assorted strangeness. To help you avoid accidentally mixing parts built for release with others built for debugging, the Python workspace appends a *_d* to the name of debugging executables and DLLs. For example, when you build for debugging, *pythoncore* produces *python22_d.dll* and *python* produces *python22_d.exe*.

What makes the debugging and release Visual C++ builds incompatible is the choice of runtime library. Executables and DLLs can fully interoperate only by using the same runtime library, and the runtime library must in turn be a DLL. You can tweak Project Settings → C/C++ → Code Generation → Use runtime library, setting all projects to use Multithreaded DLL (*MSVCRT.DLL*) (also remove the **_DEBUG** definition in C/C++ → Code Generation → Preprocessor). I recommend you do this only if you are experienced with Microsoft Visual C++ and have special, advanced requirements. Otherwise, resigning yourself to keeping two separate and distinct release and debugging "worlds" is the simplest approach.

2.1.1.4 Installing after the build

python22.dll (or *python22_d.dll*, if you want to run a debug-mode *python_d.exe*) must be in a directory from which Windows loads DLLs when needed. Suitable directories depend on your version of Windows: for example, *c:\windows\system* is one possibility. If you don't copy *python22.dll* to a suitable directory, you can run Python only when the current directory is the directory in which *python22.dll* resides.

Similarly, *python.exe* must be in a directory in which Windows looks for executables, normally a directory listed in the Windows environment variable named **PATH**. How to set **PATH** and other environment variables depends on your version of Windows, as mentioned in [Chapter 3](#). Python can locate other files, such as the standard library modules, according to various strategies. *C:\Py\Python-2.2.2\PC\readme.txt* documents the various possibilities.

2.1.1.5 Building Python for Cygwin

Python 2.2 is also available as a part of the free Cygwin Unix-like environment for Windows-see <http://cygwin.com/> for more information. Cygwin runs on top of Windows. However, Cygwin is quite similar to Linux and other free Unix-like environments in many respects. In particular, Cygwin uses the popular, free *gcc* C/C++ compiler and associated tools, such as *make*. Building Python from source code on Cygwin is therefore similar to building from source code on Unix-like environments, even though Cygwin runs on Windows.

2.1.2 Unix-like Platforms

On Unix-like platforms, installing Python from source code is not a particularly complicated procedure. In the following sections, for clarity, I assume you have created a new directory named *~/Py* and downloaded *Python-2.2.2.tgz* there. Of course, you can choose to name and place the directory as it best suits you.

2.1.2.1 Uncompressing and unpacking the Python source code

You can uncompress and unpack a *.tgz* file with programs *tar* and *gunzip*. If you have the popular GNU version of *tar*, you can just type the following at a shell prompt:

```
$ cd ~/Py
$ tar xzf Python-2.2.2.tgz
```

You now have a directory *~/Py/Python-2.2.2*, the root of a tree that contains the entire standard Python distribution in source form.

2.1.2.2 Configuring, building, and testing

You will find detailed notes in file *~/Py/Python-2.2.2/README* under the heading "Build instructions," and I strongly suggest reading those notes. In the simplest case, however, all you need to get started may be to give the following commands at a shell prompt:

```
$ cd ~/Py/Python-2.2.2
$ ./configure
  [configure writes much information - snipped here]
$ make
  [make takes quite a while, and emits much information]
```

If you run *make* without running *./configure* first, *make* will implicitly run *./configure* for you. When *make* finishes, you should test that the Python you have just built works as expected, as follows:

```
$ make test
  [takes quite a while, emits much information]
```

Most likely, *make test* will confirm that your build is working, but also inform you that some tests have been skipped because optional modules were missing.

Some of the modules are platform-specific (e.g., some only work on machines running SGI's Irix operating system), so you should not worry about them if your machine just doesn't support them. However, other

modules get skipped during the build procedure because they depend on other open source packages that may not be installed on your machine. For example, module `_tkinter`, needed to run the Tkinter GUI package covered in [Chapter 16](#), can be built only if `./configure` is able to find an installation of Tcl/Tk 8.0 or later on your machine. See `~/Py/Python-2.2.2/README` for more details, and also for specific caveats regarding many different Unix and Unix-like platforms.

Building from source code lets you tweak your configuration in several useful ways. For example, you can build Python in a special way that will help you track down memory leaks if you develop C-coded Python extensions, covered in [Chapter 24](#). Again, `~/Py/Python-2.2.2/README` is a good source of information about the configuration options you can use.

2.1.2.3 Installing after the build

By default, `./configure` prepares Python for installation in `/usr/local/bin` and `/usr/local/lib`. You can change these settings by running `./configure` with option `--prefix` before running `make`. For example, if you want a private installation of Python in subdirectory `py22` of your home directory, run:

```
$ cd ~/Py/Python-2.2.2
$ ./configure --prefix=~/py22
```

and continue with `make` as in the previous section. Once you're done building and testing Python, to perform the actual installation of all files, run:

```
$ make install
```

The user running `make install` must have write permissions on the target directories. Depending on your choice of target directories and the permissions set on those directories, you may therefore need to `su` to `root`, `bin`, or some other special user when you run `make install`.

2.1.3 Apple Macintosh

Jack Jansen's page on MacPython, <http://www.cwi.nl/~jack/macpython.html>, is an indispensable resource for any Macintosh Python user. The page includes pointers to specially packaged Python 2.2.2 source code for Macintosh (requiring the CodeWarrior Pro 7 C compiler), prebuilt binaries for both Mac OS X and older Mac OS 9, and a wealth of other Macintosh-specific resources.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

2.2 Installing Python from Binaries

If your platform is popular and current, you may find a prebuilt and packaged binary version of Python ready for installation. Binary packages are typically self-installing, either directly as executable programs, or via appropriate system tools, such as the RedHat Package Manager (RPM) on Linux and the Microsoft Installer (MSI) on Windows. Once you have downloaded a package, install it by running the program and interactively choosing installation parameters, such as the directory where Python is to be installed.

To download Python binaries, visit <http://www.python.org> and follow the link labeled Download. At the time of this writing, the only binary installer directly available from the main Python site is a Windows installer executable:

<http://www.python.org/ftp/python/2.2.2/Python-2.2.2.exe>

Many third parties supply free binary Python installers for other platforms. For Linux distributions, see <http://rpmfind.net> if your distribution is RPM-based (RedHat, Mandrake, SUSE, and so on) or <http://www.debian.org> for Debian. The site <http://www.python.org/download/> provides links to binary distributions for Macintosh, OS/2, Amiga, RISC OS, QNX, VxWorks, IBM AS/400, Sony PlayStation 2, and Sharp Zaurus. Older Python versions, mainly 1.5.2, are also usable and functional, though not as powerful and polished as the current Python 2.2.2. The download page provides links to 1.5.2 installers for older or less popular platforms (MS-DOS, Windows 3.1, Psion, BeOS, etc.).

ActivePython (<http://www.activestate.com/Products/ActivePython>) is a binary package of Python 2.2 for 32-bit versions of Windows and x86 Linux.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

2.3 Installing Jython

To install Jython, you need a Java Virtual Machine (JVM) that complies with Java 1.1 or higher. See <http://www.jython.org/platform.html> for advice on JVMs for your platform.

To download Jython, visit <http://www.jython.org> and follow the link labeled Download. The latest version at the time of this writing is:

<http://prdownloads.sf.net/jython/jython-21.class>

In the following section, for clarity, I assume you have created a new directory named *C:\Jy* and downloaded *jython-21.class* there. Of course, you can choose to name and place the directory as it best suits you. On Unix-like platforms, in particular, the directory name will more likely be something like *~/Jy*.

The Jython installer *.class* file is a self-installing program. Open an MS-DOS Prompt window (or a shell prompt on a Unix-like platform), change directory to *C:\Jy*, and run your Java interpreter on the Jython installer. Make sure to include directory *C:\Jy* in the Java **CLASSPATH**. With most releases of Sun's Java Development Kit (JDK), for example, you can run:

```
C:\Jy> java -cp . jython-21
```

This runs a GUI installer that lets you choose destination directory and options. If you want to avoid the GUI, you can use the **-o** switch on the command line. The switch lets you specify the installation directory and options directly on the command line. For example:

```
C:\Jy> java -cp . jython-21 -o C:\Jython-2.1 demo lib source
```

installs Jython, with all optional components (demos, libraries, and source code), in directory *C:\Jython-2.1*. The Jython installation builds two small, useful command files. One, run as *jython* (named *jython.bat* on Windows), runs the interpreter. The other, run as *jythonc*, compiles Python source into JVM bytecode. You can add the Jython installation directory to your **PATH**, or copy these command files into any directory on your **PATH**.

You may want to use Jython with different JDKs on the same machine. For example, while JDK 1.4 is best for most development, you may also need to use JDK 1.1 occasionally in order to compile applets that can run on browsers that support only Java 1.1. In such cases, you could share a single Jython installation among multiple JVMs. However, to avoid confusion and accidents, I suggest you perform separate installations from the same Jython download on each JVM you want to support. Suppose, for example, that you have JDK 1.4 installed in *C:\Jdk14* and JDK 1.1 installed in *C:\Jdk11*. In this case, you could use the commands:

```
C:\Jy> \Jdk14\java -cp . jython-21 -o C:\Jy21-14 demo lib source
```

```
C:\Jy> \Jdk11\java -cp . jython-21 -o C:\Jy21-11 demo lib source
```

With these installations, you could then choose to work off *C:\Jy21-14* most of the time (e.g., by placing it in your **PATH**), and *cd* to *C:\Jy21-11* when you specifically need to compile applets with JDK 1.1.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 3. The Python Interpreter

To develop software systems in Python, you produce text files that contain Python source code and documentation. You can use any text editor, including those in Integrated Development Environments (IDEs). You then process the source files with the Python compiler and interpreter. You can do this directly, or implicitly inside an IDE, or via another program that embeds Python. The Python interpreter also lets you execute Python code interactively, as do IDEs.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

3.1 The python Program

The Python interpreter program is run as *python* (it's named *python.exe* on Windows). *python* includes both the interpreter itself and the Python compiler, which is implicitly invoked, as needed, on imported modules. Depending on your system, the program may have to be in a directory listed in your `PATH` environment variable. Alternatively, as with any other program, you can give a complete pathname to it at the command (shell) prompt, or in the shell script (or *.BAT* file, shortcut target, etc.) that runs it.^[1] On Windows, you can also use Start → Programs → Python 2.2 → Python (command line).

[1] This may involve using quotes, if the pathname contains spaces—again, this depends on your operating system.

3.1.1 Environment Variables

Besides `PATH`, other environment variables affect the *python* program. Some environment variables have the same effects as options passed to *python* on the command line; these are documented in the next section. A few provide settings not available via command-line options:

`PYTHONHOME`

The Python installation directory. A *lib* subdirectory, containing the standard Python library modules, should exist under this directory. On Unix-like systems, the standard library modules should be in subdirectory *lib/python-2.2* for Python 2.2, *lib/python-2.3* for Python 2.3, and so on.

`PYTHONPATH`

A list of directories, separated by colons on Unix-like systems and by semicolons on Windows. Modules are imported from these directories. This extends the initial value for Python's `sys.path` variable. Modules, importing, and the `sys.path` variable are covered in [Chapter 7](#).

`PYTHONSTARTUP`

The name of a Python source file that is automatically executed each time an interactive interpreter session starts. No such file is run if this variable is not set, or if it is set to the path of a file that is not found. The `PYTHONSTARTUP` file is not used when you run a Python script: it is used only when you start an interactive session.

How you set and examine environment variables depends on your operating system: shell commands, persistent startup shell files (e.g., *AUTOEXEC.BAT* on Windows), or other approaches (e.g., Start Settings Control Panel System Environment on Windows/NT, 2000, and XP). Some Python versions for Windows also look for this information in the registry, in addition to the environment. On Macintosh systems, the Python interpreter is started through the PythonInterpreter icon and configured through the EditPythonPrefs icon. See <http://www.python.org/doc/current/mac/mac.html> for information about Python on the Mac.

3.1.2 Command-Line Syntax and Options

The Python interpreter command-line syntax can be summarized as follows:

```
[path]python {options} [ -c command | file | - ] {arguments}
```

Here, brackets ([]) denote something that is optional, braces ({ }) enclose items of which 0 or more may be present, and vertical bars (|) show a choice between alternatives (with none of them also being a possibility).

options are case-sensitive short strings, starting with a hyphen, that ask *python* for a non-default behavior. Unlike most Windows programs, *python* only accepts options starting with a hyphen, not with a slash. Python consistently uses slashes for file paths, as in Unix. The most useful options are listed in [Table 3-1](#). Each option's description gives the environment variable (if any) that, when set to any value, requests the same behavior.

Table 3-1. Python frequently used command-line options

Option	Meaning (and equivalent environment variable)
<code>-h</code>	Prints a full list of options and summary help, then terminates
<code>-i</code>	Ensures an interactive session, no matter what (<code>PYTHONINSPECT</code>)
<code>-O</code>	Optimizes generated bytecode (<code>PYTHONOPTIMIZE</code>)
<code>-OO</code>	Like <code>-O</code> , but also removes documentation strings from the bytecode
<code>-Q arg</code>	Controls the behavior of division operator <code>/</code> on integers
<code>-S</code>	Omits the normally implicit <code>import site</code> on startup
<code>-t</code>	Warns about inconsistent usage of tabs and blank spaces
<code>-tt</code>	Like <code>-t</code> , but raises an error rather than a warning
<code>-u</code>	Uses unbuffered binary files for standard output and standard error (<code>PYTHONUNBUFFERED</code>)
<code>-U</code>	Treats all literal strings as Unicode literals
<code>-v</code>	Verbosely traces import and cleanup actions (<code>PYTHONVERBOSE</code>)
<code>-V</code>	Prints the Python version number, then terminates
<code>-W arg</code>	Adds an entry to the warnings filter (covered in Chapter 17)
<code>-x</code>	Excludes (skips) the first line of the main script's source

`-i` is used to get an interactive session immediately after running some script, with variables still intact and available for inspection. You do not need it for normal interactive sessions. `-t` and `-tt` ensure that your tabs and spaces in Python sources are used consistently (see [Chapter 4](#) for more information about whitespace usage in Python).

`-O` and `-OO` yield small savings of time and space in bytecode generated for modules you import: expect about 10% to 20% improvement in runtime, depending on your platform and coding style. However, with `-OO`, documentation strings will not be available. `-Q` determines the behavior of division operator `/` used between two integer operands (division is covered in [Chapter 4](#)). `-W` adds an entry to the warnings filter (warnings are covered in [Chapter 17](#)).

`-u` uses binary mode for standard output (and standard error). Some platforms, such as Windows, distinguish binary and text modes. Binary mode is needed when binary data is emitted to standard output, as in some Common Gateway Interface (CGI) scripts. `-u` also ensures that output is performed immediately,

rather than buffered to enhance performance. This is necessary when delays due to buffering could cause problems, as in certain Unix pipelines.

After the options, if any, comes an indication of what Python program is to be run. A file path is that of a Python source or bytecode file to run, complete with file extension, if any. On any platform, you may use a slash (/) as the separator between components in this path. On Windows only, you may alternatively use a backslash (\). Instead of a file path, you can use `-c command` to execute a Python code string *command*. *command* normally contains spaces, so you need quotes around it to satisfy your operating system's shell or command-line processor. Some shells (e.g., *bash*) let you enter multiple lines as a single argument, so that *command* can be a series of Python statements. Other shells (e.g., Windows shells) limit you to a single line; *command* can then be one or more simple statements separated by semicolons (;), as discussed in [Chapter 4](#). A hyphen, or the lack of any token in this position, tells the interpreter to read program source from standard input—normally, an interactive session. You need an explicit hyphen only if arguments follow. *arguments* are arbitrary strings: the Python application being run can access the strings as `sys.argv`.

For example, on a standard Windows installation of Python 2.2, you can enter the following at an MS-DOS Prompt (or Command Prompt):

```
C:\> python22\python -c "import time; print time.asctime( )"
```

to have Python emit the current date and time. On an installation of Python from sources, on Cygwin, Linux, OpenBSD, or other Unix-like systems, you can enter the following at a shell prompt:

```
$ /usr/local/bin/python -v
```

to start an interactive session with verbose tracing of import and cleanup. In each case, you can start the command with just *python* (you do not have to specify the full path to the Python executable) if the directory of the Python executable is in your `PATH` environment variable.

3.1.3 Interactive Sessions

When you run *python* without a script argument, *python* enters an interactive session and prompts you to enter Python statements or expressions. Interactive sessions are useful to explore, to check things out, and to use Python as a very powerful, extensible interactive calculator.

When you enter a complete statement, Python executes it. When you enter a complete expression, Python evaluates it. If the expression has a result, Python outputs a string representing the result, and also assigns the result to the variable named `_` (a single underscore) so that you can easily use that result in another expression. The prompt string is `>>>` when Python expects a statement or expression, and `...` when a statement or expression has been started but not yet completed. For example, Python prompts you with `...` when you have opened a parenthesis on a previous line and have not closed it yet.

An interactive session is terminated by end-of-file on standard input (Ctrl-Z on Windows, Ctrl-D on Unix-like systems). The statement `raise SystemExit` also ends the session, as does a call to `sys.exit()`, either interactively or in code being run (`SystemExit` and Python exception handling are covered in [Chapter 6](#)).

Line-editing and history facilities depend in part on how Python was built: if the optional `readline` module was included, the features of the GNU readline library are available. Windows NT, 2000, and XP have a simple but usable history facility for interactive text-mode programs like *python*. Windows 95, 98, and ME don't. You can use other line-editing and history facilities by installing the Alternative ReadLine package for Windows (<http://newcenturycomputers.net/projects/readline.html>) or `pyrepl` for Unix (<http://starship.python.net/crew/mwh/hacks/pyrepl.html>).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

3.2 Python Development Environments

The Python interpreter's built-in interactive mode is the simplest development environment for Python. It is a bit primitive, but it is lightweight, has a small footprint, and starts fast. Together with an appropriate text editor (as discussed later in this chapter) and line-editing and history facilities, it is a usable and popular development environment. However, there are a number of other development environments that you can also use.

3.2.1 IDLE

Python's Integrated DeveLopment Environment (IDLE) comes with the standard Python distribution. IDLE is a cross-platform, 100% pure Python application based on Tkinter (see [Chapter 16](#)). IDLE offers a Python shell, similar to interactive Python interpreter sessions but richer in functionality. It also includes a text editor optimized to edit Python source code, an integrated interactive debugger, and several specialized browsers/viewers.

3.2.2 Other Free Cross-Platform Python IDEs

IDLE is mature, stable, easy to use, and rich in functionality. Promising new Python IDEs that share IDLE's free and cross-platform nature are emerging. Red Hat's Source Navigator (<http://sources.redhat.com/sourcnav/>) supports many languages. It runs on Linux, Solaris, HP-UX, and Windows. Boa Constructor (<http://boa-constructor.sf.net/>) is Python-only and still beta-level, but well worth trying out. Boa Constructor includes a GUI builder for the wxWindows cross-platform GUI toolkit.

3.2.3 Platform-Specific Free Python IDEs

Python is cross-platform, and this book focuses on cross-platform tools and components. However, Python also provides good platform-specific facilities, including IDEs, on many platforms it supports. For the Macintosh, MacPython includes an IDE (see <http://www.python.org/doc/current/mac/mac.html>). On Windows, ActivePython includes the PythonWin IDE. PythonWin is also available as a free add-on to the standard Python distribution for Windows, part of Mark Hammond's powerful `win32all` extensions (see <http://starship.python.net/crew/mhammond>).

3.2.4 Commercial Python IDEs

Several companies sell commercial Python IDEs, both cross-platform and platform-specific. You must pay for them if you use them for commercial development and, in most cases, even if you develop free software. However, they offer support contracts and rich arrays of tools. If you have funding for software tool purchases, it is worth looking at these in detail and trying out their free demos or evaluations. Most work on Linux and Windows.

Secret Labs (<http://www.pythonware.com>) offers a Python IDE called PythonWorks. It includes a GUI designer for Tkinter (covered in [Chapter 16](#)). Archaeopteryx sells a Python IDE, Wing, notable for its powerful

source-browsing and remote-debugging facilities (<http://archaeopterix.com/wingide>). theKompany sells a Python IDE, BlackAdder, that includes a GUI builder for the PyQt GUI toolkit (<http://www.thekompany.com/products/blackadder>).

ActiveState (<http://www.activestate.com>) has two Python IDE products. Komodo is built on top of Mozilla (<http://www.mozilla.org>) and includes remote debugging capabilities. Visual Python is for Windows only, and lets you use Microsoft's multi-language Visual Studio .NET IDE for Python development.

3.2.5 Free Text Editors with Python Support

You can edit Python source code with any text editor, even simplistic ones such as *notepad* on Windows or *ed* on Linux. Powerful free editors also support Python, with extra features such as syntax-based colorization and automatic indentation. Cross-platform editors let you work in uniform ways on different platforms. Good programmers' text editors also let you run, from within the editor, tools of your choice on the source code you're editing.

Top of the league for sheer editing power is a classic, *emacs* (<http://www.emacs.org>, and <http://www.python.org/emacs> for Python-specific add-ons). However, *emacs* is not the easiest editor to use, nor is it lightweight. My personal favorite is another classic, *vim* (<http://www.vim.org>), the modern, improved version of the traditional Unix editor *vi*. *vim* is fast, lightweight, Python-programmable, and runs everywhere in both text-mode and GUI versions. *vim*, like *vi*, has a modal design, which lets you use normal keys for cursor movement and text changes when in command mode. Some love this as an ergonomic trait, minimizing finger travel. Others find it confusing and detest it. Newer editors challenge the classic ones. SciTE (<http://www.scintilla.org>) builds on the Scintilla programming language editor component. FTE (<http://fte.sf.net>) is also worth trying.

Other advanced free editors with Python syntax support are platform-specific. On Windows, try SynEdit (<http://www.mkidesign.com/syneditinfo.html>). On Unix-like systems, try Glimmer (<http://glimmer.sf.net>), and Cooledit (<http://cooledit.sf.net>), which also offers Python programmability, like *vim*, but without *vim*'s modal architecture.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

3.3 Running Python Programs

Whatever tools you use to produce your Python application, you can see your application as a set of Python source files. A *script* is a file that you can run directly. A *module* is a file that you can import (as covered in [Chapter 7](#)) to provide functionality to other files or to interactive sessions. A Python file can be both a module and a script, exposing functionality when imported, but also suitable for being run directly. A useful and widespread convention is that Python files that are primarily meant to be imported as modules, when run directly, should execute self-test operations. Testing is covered in [Chapter 17](#).

The Python interpreter automatically compiles Python source files as needed. Python source files normally have extension `.py`. Python saves the compiled bytecode file for each module in the same directory as the module's source, with the same basename and extension `.pyc` (or `.pyo` if Python is run with option `-O`). Python does not save the compiled bytecode form of a script when you run the script directly; rather, Python recompiles the script each time you run it. Python saves bytecode files only for modules you import. It automatically rebuilds each module's bytecode file whenever necessary, for example when you edit the module's source. Eventually, for deployment, you may package Python modules using tools covered in [Chapter 26](#).

You can run Python code interactively, with the Python interpreter or an IDE. Normally, however, you initiate execution by running a top-level script. To run a script, you give its path as an argument to `python`, as covered earlier in this chapter. Depending on your operating system, you can invoke `python` directly, from a shell script, or in a command file. On Unix-like systems, you can make a Python script directly executable by setting the file's permission bits `x` and `r` and beginning the script with a so-called *shebang* line, which is a first line of the form:

```
#!/usr/bin/env python {options}
```

providing a path to the `python` program.

On Windows, you can associate file extensions `.py`, `.pyc`, and `.pyo` with the Python interpreter in the Windows registry. Most Python versions for Windows perform this association when installed. You can then run Python scripts with the usual Windows mechanisms, such as double-clicking on their icons. On Windows, when you run a Python script by double-clicking on the script's icon, Windows automatically closes the text-mode console associated with the script as soon as the script terminates. If you want the console to linger in order to allow the user to read the script's output on the screen, you need to ensure the script doesn't terminate too soon, for example by using the following as the script's last statement:

```
raw_input('Press Enter to terminate')
```

This is not necessary when you run the script from a pre-existing console (also known as a MS-DOS Prompt or Command Prompt window).

On Windows, you can also use extension `.pyw` and interpreter program `pythonw.exe` instead of `.py` and `python.exe`. The *w* variants run Python without a text-mode console, and thus without standard input and output. These variants are appropriate for scripts that rely on GUIs. You normally use them only when the script is fully debugged, to keep standard output and error available for information, warnings, and error messages during development.

Applications coded in other languages may embed Python, controlling the execution of Python code for their

own purposes. We examine this subject further in [Chapter 24](#).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

3.4 The Jython Interpreter

The *jython* interpreter built during installation (see [Chapter 2](#)) is run similarly to the *python* program:

```
[path]jython {options} [ -j jar | -c command | file | - ] {arguments}
```

`-j jar` tells *jython* that the main script to run is `__run__.py` in the *.jar* file. Options `-i`, `-S`, and `-v` are the same as for *python*. `--help` is like *python's* `-h`, and `--version` is like *python's* `--V`. Instead of environment variables, *jython* uses a text file named *registry* in the installation directory to record properties with structured names. Property `python.path`, for example, is the Jython equivalent of Python's environment variable `PYTHONPATH`. You can also set properties with *jython* command-line options, in the form `-D name=value`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Part II: Core Python Language and Built-ins

[Chapter 4](#)

[Chapter 5](#)

[Chapter 6](#)

[Chapter 7](#)

[Chapter 8](#)

[Chapter 9](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 4. The Python Language

This chapter is a quick guide to the Python language. To learn Python from scratch, I suggest you start with *Learning Python*, by Mark Lutz and David Ascher (O'Reilly). If you already know other programming languages and just want to learn the specifics of Python, this chapter is for you. I'm not trying to teach Python here, so we're going to cover a lot of ground at a pretty fast pace.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.1 Lexical Structure

The lexical structure of a programming language is the set of basic rules that govern how you write programs in that language. It is the lowest-level syntax of the language and specifies such things as what variable names look like and what characters are used for comments. Each Python source file, like any other text file, is a sequence of characters. You can also usefully see it as a sequence of lines, tokens, or statements. These different syntactic views complement and reinforce each other. Python is very particular about program layout, especially with regard to lines and indentation, so you'll want to pay attention to this information if you are coming to Python from another language.

4.1.1 Lines and Indentation

A Python program is composed of a sequence of *logical lines*, each made up of one or more *physical lines*. Each physical line may end with a comment. A pound sign (#) that is not inside a string literal begins a comment. All characters after the # and up to the physical line end are part of the comment, and the Python interpreter ignores them. A line containing only whitespace, possibly with a comment, is called a *blank line*, and is ignored by the interpreter. In an interactive interpreter session, you must enter an empty physical line (without any whitespace or comment) to terminate a multiline statement.

In Python, the end of a physical line marks the end of most statements. Unlike in other languages, Python statements are not normally terminated with a delimiter, such as a semicolon (;). When a statement is too long to fit on a single physical line, you can join two adjacent physical lines into a logical line by ensuring that the first physical line has no comment and ends with a backslash (\). Python also joins adjacent physical lines into one logical line if an open parenthesis ((), bracket ([), or brace ({} has not yet been closed. Triple-quoted string literals can also span physical lines. Physical lines after the first one in a logical line are known as *continuation lines*. The indentation issues covered next do not apply to continuation lines, but only to the first physical line of each logical line.

Python uses indentation to express the block structure of a program. Unlike other languages, Python does not use braces or begin/end delimiters around blocks of statements: indentation is the only way to indicate such blocks. Each logical line in a Python program is indented by the whitespace on its left. A block is a contiguous sequence of logical lines, all indented by the same amount; the block is ended by a logical line with less indentation. All statements in a block must have the same indentation, as must all clauses in a compound statement. Standard Python style is to use four spaces per indentation level. The first statement in a source file must have no indentation (i.e., it must not begin with any whitespace). Additionally, statements typed at the interactive interpreter prompt >>> (covered in [Chapter 3](#)) must have no indentation.

A tab is logically replaced by up to 8 spaces, so that the next character after the tab falls into logical column 9, 17, 25, etc. Don't mix spaces and tabs for indentation, since different tools (e.g., editors, email systems, printers) treat tabs differently. The `-t` and `-tt` options to the Python interpreter (covered in [Chapter 3](#)) ensure against inconsistent tab and space usage in Python source code. You can configure any good editor to expand tabs to spaces so that all Python source code you write contains only spaces, not tabs. You then know that all tools, including Python itself, are going to be consistent in handling the crucial matter of indentation in your source files.

4.1.2 Tokens

Python breaks each logical line into a sequence of elementary lexical components, called *tokens*. Each token corresponds to a substring of the logical line. The normal token types are *identifiers*, *keywords*, *operators*, *delimiters*, and *literals*, as covered in the following sections. Whitespace may be freely used between tokens to separate them. Some whitespace separation is needed between logically adjacent identifiers or keywords; otherwise, they would be parsed as a single, longer identifier. For example, `printx` is a single identifier—to write the keyword `print` followed by identifier `x`, you need to insert some whitespace (e.g., `print x`).

4.1.2.1 Identifiers

An *identifier* is a name used to identify a variable, function, class, module, or other object. An identifier starts with a letter (`A` to `Z` or `a` to `z`) or underscore (`_`) followed by zero or more letters, underscores, and digits (`0` to `9`). Case is significant in Python: lowercase and uppercase letters are distinct. Punctuation characters such as `@`, `$`, and `%` are not allowed in identifiers.

Normal Python style is to start class names with an uppercase letter and other identifiers with a lowercase letter. Starting an identifier with a single leading underscore indicates by convention that the identifier is meant to be private. Starting an identifier with two leading underscores indicates a strongly private identifier; if the identifier also ends with two trailing underscores, the identifier is a language-defined special name. The identifier `_` (a single underscore) is special in interactive interpreter sessions: the interpreter binds `_` to the result of the last expression statement evaluated interactively, if any.

4.1.2.2 Keywords

Python has 28 keywords (29 in Python 2.3 and later), which are identifiers that Python reserves for special syntactic uses. Keywords are composed of lowercase letters only. You cannot use keywords as regular identifiers. Some keywords begin simple statements or clauses of compound statements, while other keywords are used as operators. All the keywords are covered in detail in this book, either later in this chapter or in [Chapter 5](#), [Chapter 6](#), or [Chapter 7](#). The keywords in Python are:

<code>and</code>	<code>del</code>	<code>for</code>	<code>is</code>	<code>raise</code>
<code>assert</code>	<code>elif</code>	<code>from</code>	<code>lambda</code>	<code>return</code>
<code>break</code>	<code>else</code>	<code>global</code>	<code>not</code>	<code>try</code>
<code>class</code>	<code>except</code>	<code>if</code>	<code>or</code>	<code>while</code>
<code>continue</code>	<code>exec</code>	<code>import</code>	<code>pass</code>	<code>yield</code> ^[1]
<code>def</code>	<code>finally</code>	<code>in</code>	<code>print</code>	

^[1] Only in Python 2.3 and later (or Python 2.2 with `from __future__ import generators`).

4.1.2.3 Operators

Python uses non-alphanumeric characters and character combinations as operators. Python recognizes the following operators, which are covered in detail later in this chapter:

+	-	*	/	%	**	//	<<	>>	&
	^	~	<	<=	>	>=	<>	!=	= =

4.1.2.4 Delimiters

Python uses the following symbols and symbol combinations as delimiters in expressions, lists, dictionaries, various aspects of statements, and strings, among other purposes:

()	[]	{	}
,	:	.	`	=	;
+=	-=	*=	/=	//=	%=
&=	=	^=	>>=	<<=	**=

The period (.) can also appear in floating-point and imaginary literals. A sequence of three periods (...) has a special meaning in slices. The last two rows of the table list the augmented assignment operators, which serve lexically as delimiters but also perform an operation. I'll discuss the syntax for the various delimiters when I introduce the objects or statements with which they are used.

The following characters have special meanings as part of other tokens:

'	"	#	\
---	---	---	---

The characters @, \$, and ?, all control characters except whitespace, and all characters with ISO codes above 126 (i.e., non-ASCII characters, such as accented letters), can never be part of the text of a Python program except in comments or string literals.

4.1.2.5 Literals

A *literal* is a data value that appears directly in a program. The following are all literals in Python:

```
42           # Integer literal
3.14        # Floating-point literal
1.0J        # Imaginary literal
'hello'     # String literal
"world"     # Another string literal
"""Good
night"""    # Triple-quoted string literal
```

Using literals and delimiters, you can create data values of other types:

```
[ 42, 3.14, 'hello' ] # List
( 100, 200, 300 )    # Tuple
{ 'x':42, 'y':3.14 } # Dictionary
```

The syntax for literals and other data values is covered in detail later in this chapter, when we discuss the various data types supported by Python.

4.1.3 Statements

You can consider a Python source file as a sequence of simple and compound statements. Unlike other languages, Python has no declarations or other top-level syntax elements.

4.1.3.1 Simple statements

A *simple statement* is one that contains no other statements. A simple statement lies entirely within a logical line. As in other languages, you may place more than one simple statement on a single logical line, with a semicolon (;) as the separator. However, one statement per line is the usual Python style, as it makes programs more readable.

Any expression can stand on its own as a simple statement; we'll discuss expressions in detail later in this chapter. The interactive interpreter shows the result of an expression statement entered at the prompt (>>>), and also binds the result to a variable named `_`. Apart from interactive sessions, expression statements are useful only to call functions (and other callables) that have side effects (e.g., that perform output or change global variables).

An *assignment* is a simple statement that assigns a value to a variable, as we'll discuss later in this chapter. Unlike in some other languages, an assignment in Python is a statement, and therefore can never be part of an expression.

4.1.3.2 Compound statements

A *compound statement* contains other statements and controls their execution. A compound statement has one or more *clauses*, aligned at the same indentation. Each clause has a *header* that starts with a keyword and ends with a colon (:), followed by a *body*, which is a sequence of one or more statements. When the body contains multiple statements, also known as a *block*, these statements should be placed on separate logical lines after the header line and indented rightward from the header line. The block terminates when the indentation returns to that of the clause header (or further left from there). Alternatively, the body can be a single simple statement, following the : on the same logical line as the header. The body may also be several simple statements on the same line with semicolons between them, but as I've already indicated, this is not good Python style.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.2 Data Types

The operation of a Python program hinges on the data it handles. All data values in Python are represented by objects, and each object, or value, has a *type*. An object's type determines what operations the object supports, or, in other words, what operations you can perform on the data value. The type also determines the object's attributes and items (if any) and whether the object can be altered. An object that can be altered is known as a *mutable object*, while one that cannot be altered is an *immutable object*. I cover object attributes and items in detail later in this chapter.

The built-in `type(obj)` accepts any object as its argument and returns the type object that represents the type of `obj`. Another built-in function, `isinstance(obj, type)`, returns `True` if object `obj` is represented by type object `type`; otherwise, it returns `False` (built-in names `True` and `False` were introduced in Python 2.2.1; in older versions, `1` and `0` are used instead).

Python has built-in objects for fundamental data types such as numbers, strings, tuples, lists, and dictionaries, as covered in the following sections. You can also create user-defined objects, known as *classes*, as discussed in detail in [Chapter 5](#).

4.2.1 Numbers

The built-in number objects in Python support integers (plain and long), floating-point numbers, and complex numbers. All numbers in Python are immutable objects, meaning that when you perform an operation on a number object, you always produce a new number object. Operations on numbers, called arithmetic operations, are covered later in this chapter.

Integer literals can be decimal, octal, or hexadecimal. A decimal literal is represented by a sequence of digits where the first digit is non-zero. An octal literal is specified with a `0` followed by a sequence of octal digits (`0` to `7`). To indicate a hexadecimal literal, use `0x` followed by a sequence of hexadecimal digits (`0` to `9` and `A` to `F`, in either upper- or lowercase). For example:

```
1, 23, 3493           # Decimal integers
01, 027, 06645       # Octal integers
0x1, 0x17, 0xDA5     # Hexadecimal integers
```

Any kind of integer literal may be followed by the letter `L` or `l` to denote a long integer. For instance:

```
1L, 23L, 99999333493L # Long decimal integers
01L, 027L, 01351033136165L # Long octal integers
0x1L, 0x17L, 0x17486CBC75L # Long hexadecimal integers
```

Use uppercase `L` here, not lowercase `l`, which may look like the digit `1`. The difference between a long integer and a plain integer is that a long integer has no predefined size limit: it may be as large as memory allows. A plain integer takes up a few bytes of memory and has minimum and maximum values that are dictated by machine architecture. `sys.maxint` is the largest available plain integer, while `-sys.maxint-1` is the largest negative one. On typical 32-bit machines, `sys.maxint` is 2147483647.

A floating-point literal is represented by a sequence of decimal digits that includes a decimal point (`.`), an

exponent part (an `e` or `E`, optionally followed by `+` or `-`, followed by one or more digits), or both. The leading character of a floating-point literal cannot be `e` or `E`: it may be any digit or a period (`.`) (prior to Python 2.2, a leading `0` had to be immediately followed by a period). For example:

```
0., 0.0, .0, 1., 1.0, 1e0, 1.e0, 1.0e0
```

A Python floating-point value corresponds to a C `double` and shares its limits of range and precision, typically 53 bits of precision on modern platforms. (Python currently offers no way to find out this range and precision.)

A complex number is made up of two floating-point values, one each for the real and imaginary parts. You can access the parts of a complex object `z` as read-only attributes `z.real` and `z.imag`. You can specify an imaginary literal as a floating-point or decimal literal followed by a `j` or `J`:

```
0j, 0.j, 0.0j, .0j, 1j, 1.j, 1.0j, 1e0j, 1.e0j, 1.0e0j
```

The `j` at the end of the literal indicates the square root of `-1`, as commonly used in electrical engineering (some other disciplines use `i` for this purpose, but Python has chosen `j`). There are no other complex literals; constant complex numbers are denoted by adding or subtracting a floating-point literal and an imaginary one.

Note that numeric literals do not include a sign: a leading `+` or `-`, if present, is a separate operator, as discussed later in this chapter.

4.2.2 Sequences

A *sequence* is an ordered container of items, indexed by non-negative integers. Python provides built-in sequence types for strings (plain and Unicode), tuples, and lists. Library and extension modules provide other sequence types, and you can write yet others yourself (as discussed in [Chapter 5](#)). Sequences can be manipulated in a variety of ways, as discussed later in this chapter.

4.2.2.1 Strings

A built-in string object is an ordered collection of characters used to store and represent text-based information. Strings in Python are *immutable*, meaning that when you perform an operation on a string, you always produce a new string object rather than mutating the existing string. String objects provide numerous methods, as discussed in detail in [Chapter 9](#).

A string literal can be quoted or triple-quoted. A quoted string is a sequence of zero or more characters enclosed in matching quote characters, single (`'`) or double (`"`). For example:

```
'This is a literal string'
"This is another string"
```

The two different kinds of quotes function identically; having both allows you to include one kind of quote inside of a string specified with the other kind without needing to escape them with the backslash character (`\`):

```
'I\'m a Python fanatic'      # a quote can be escaped
"I'm a Python fanatic"      # this way is more readable
```

To have a string span multiple lines, you can use a backslash as the last character of the line to indicate that the next line is a continuation:

```
"A not very long string\  
that spans two lines"          # comment not allowed on previous line
```

To make the string output on two lines, you must embed a newline in the string:

```
"A not very long string\  
that prints on two lines"      # comment not allowed on previous line
```

Another approach is to use a triple-quoted string, which is enclosed by matching triplets of quote characters ('' or '''):

```
"""An even bigger  
string that spans  
three lines"""                # comments not allowed on previous lines
```

In a triple-quoted string literal, line breaks in the literal are preserved as newline characters in the resulting string object.

The only character that cannot be part of a triple-quoted string is an unescaped backslash, while a quoted string cannot contain an unescaped backslash, a line-end, and the quote character that encloses it. The backslash character starts an escape sequence, which lets you introduce any character in either kind of string. Python's string escape sequences are listed in [Table 4-1](#).

Table 4-1. String escape sequences

Sequence	Meaning	ASCII/ISO code
<code>\<newline></code>	End of line is ignored	None
<code>\\</code>	Backslash	<code>0x5c</code>
<code>\'</code>	Single quote	<code>0x27</code>
<code>\"</code>	Double quote	<code>0x22</code>
<code>\a</code>	Bell	<code>0x07</code>
<code>\b</code>	Backspace	<code>0x08</code>
<code>\f</code>	Form feed	<code>0x0c</code>
<code>\n</code>	Newline	<code>0x0a</code>
<code>\r</code>	Carriage return	<code>0x0d</code>
<code>\t</code>	Tab	<code>0x09</code>
<code>\v</code>	Vertical tab	<code>0x0b</code>
<code>\DDD</code>	Octal value <i>DDD</i>	As given
<code>\xXX</code>	Hexadecimal value <i>XX</i>	As given
<code>\other</code>	Any other character	<code>0x5c</code> + as given

A variant of a string literal is a raw string. The syntax is the same as for quoted or triple-quoted string literals, except that an `r` or `R` immediately precedes the leading quote. In raw strings, escape sequences are not interpreted as in [Table 4-1](#), but are literally copied into the string, including backslashes and newline

characters. Raw string syntax is handy for strings that include many backslashes, as in regular expressions (see [Chapter 9](#)). A raw string cannot end with an odd number of backslashes: the last one would be taken as escaping the terminating quote.

Unicode string literals have the same syntax as other string literals, plus a `u` or `U` immediately before the leading quote character. Unicode string literals can use `\u` followed by four hexadecimal digits to denote Unicode characters, and can also include the kinds of escape sequences listed in [Table 4-1](#). Unicode literals can also include the escape sequence `\N{name}`, where `name` is a standard Unicode name as per the list at <http://www.unicode.org/charts/>. For example, `\N{Copyright Sign}` indicates a Unicode copyright sign character (©). Raw Unicode string literals start with `ur`, not `ru`.

Multiple string literals of any kind (quoted, triple-quoted, raw, Unicode) can be adjacent, with optional whitespace in between. The compiler concatenates such adjacent string literals into a single string object. If any literal in the concatenation is Unicode, the whole result is Unicode. Writing a long string literal in this way lets you present it readably across multiple physical lines, and gives you an opportunity to insert comments about parts of the string. For example:

```
marypop = ('supercalifragilistic'   # Open paren -> logical line continues
          'expialidocious')      # Indentation ignored in continuation
```

The result here is a single word of 34 characters.

4.2.2.2 Tuples

A *tuple* is an immutable ordered sequence of items. The items of a tuple are arbitrary objects and may be of different types. To specify a tuple, use a series of expressions (the *items* of the tuple) separated by commas (`,`). You may optionally place a redundant comma after the last item. You may group tuple items with parentheses, but the parentheses are needed only where the commas would otherwise have another meaning (e.g., in function calls) or to denote empty or nested tuples. A tuple with exactly two items is also often called a pair. To create a tuple of one item (a singleton), add a comma to the end of the expression. An empty tuple is denoted by an empty pair of parentheses. Here are some tuples, all enclosed in optional parentheses:

```
(100,200,300)           # Tuple with three items
(3.14,)                 # Tuple with one item
( )                     # Empty tuple
```

You can also call the built-in `tuple` to create a tuple. For example:

```
tuple('wow')
```

This builds a tuple equal to:

```
('w', 'o', 'w')
```

`tuple()` without arguments creates and returns an empty tuple. When `x` is a sequence, `tuple(x)` returns a tuple whose items are the same as the items in sequence `x`.

4.2.2.3 Lists

A *list* is a mutable ordered sequence of items. The items of a list are arbitrary objects and may be of

different types. To specify a list, use a series of expressions (the *items* of the list) separated by commas (,) and within brackets ([]). You may optionally place a redundant comma after the last item. An empty list is denoted by an empty pair of brackets. Here are some example lists:

```
[42,3.14,'hello']      # List with three items
[100]                  # List with one item
[ ]                   # Empty list
```

You can also call the built-in `list` to create a list. For example:

```
list('wow')
```

This builds a list equal to:

```
['w', 'o', 'w']
```

`list()` without arguments creates and returns an empty list. When `x` is a sequence, `list(x)` creates and returns a new list whose items are the same as the items in sequence `x`. You can also build lists with list comprehensions, as discussed later in this chapter.

4.2.3 Dictionaries

A *mapping* is an arbitrary collection of objects indexed by nearly arbitrary values called *keys*. Mappings are mutable and, unlike sequences, are unordered.

Python provides a single built-in mapping type, the dictionary type. Library and extension modules provide other mapping types, and you can write others yourself (as discussed in [Chapter 5](#)). Keys in a dictionary may be of different types, but they must be *hashable* (see function [hash](#) in [Section 8.2](#) in [Chapter 8](#)). Values in a dictionary are arbitrary objects and may be of different types. An *item* in a dictionary is a key/value pair. You can think of a dictionary as an associative array (also known in some other languages as a hash).

To specify a dictionary, use a series of pairs of expressions (the pairs are the items of the dictionary) separated by commas (,) within braces ({ }). You may optionally place a redundant comma after the last item. Each item in a dictionary is written *key:value*, where *key* is an expression giving the item's key and *value* is an expression giving the item's value. If a key appears more than once in a dictionary, only one of the items with that key is kept in the dictionary. In other words, dictionaries do not allow duplicate keys. An empty dictionary is denoted by an empty pair of braces. Here are some dictionaries:

```
{ 'x':42, 'y':3.14, 'z':7 }    # Dictionary with three items and string keys
{ 1:2, 3:4 }                  # Dictionary with two items and integer keys
{ }                           # Empty dictionary
```

In Python 2.2 and up, you can call the built-in `dict` to create a dictionary. For example:

```
dict([[1,2],[3,4]])
```

This builds a dictionary equal to:

```
{1:2,3:4}
```

`dict()` without arguments creates and returns an empty dictionary. When the argument `x` to `dict` is a

mapping, `dict` returns a new dictionary object with the same keys and values as `x`. When `x` is a sequence, the items in `x` must be pairs, and `dict(x)` returns a dictionary whose items (key/value pairs) are the same as the items in sequence `x`. If a key appears more than once in `x`, only the last item with that key is kept in the resulting dictionary.

4.2.4 None

The built-in type `None` denotes a null object. `None` has no methods or other attributes. You can use `None` as a placeholder when you need a reference but you don't care about what object you refer to, or when you need to indicate that no object is there. Functions return `None` as their result unless they have specific return statements coded to return other values.

4.2.5 Callables

In Python, callable types are those whose instances support the function call operation (see [Section 4.4](#) later in this chapter). Functions are obviously callable, and Python provides built-in functions (see [Chapter 8](#)) and also supports user-defined functions (see [Section 4.10](#) later in this chapter). Generators, which are new as of Python 2.2, are also callable (see [Section 4.10.8](#) later in this chapter).

Types are also callable. Thus, the `dict`, `list`, and `tuple` built-ins discussed earlier are in fact types. Prior to Python 2.2, these names referred to factory functions for creating objects of these types. As of Python 2.2, however, they refer to the type objects themselves. Since types are callable, this change does not break existing programs. See [Chapter 8](#) for a complete list of built-in types.

As we'll discuss in [Chapter 5](#), class objects are callable. So are methods, which are functions bound to class attributes. Finally, class instances whose classes supply `__call__` methods are also callable.

4.2.6 Boolean Values

Prior to Python 2.3, there is no explicit Boolean type in Python. However, every data value in Python can be evaluated as a truth value: true or false. Any non-zero number or non-empty string, tuple, list, or dictionary evaluates as true. Zero (of any numeric type), `None`, and empty strings, tuples, lists, and dictionaries evaluate as false. Python also has a number of built-in functions that return Boolean results.

Built-in names `True` and `False` were introduced in Python 2.2.1 to represent true and false; in older versions of Python, `1` and `0` are used instead. Throughout the rest of this book, I will use `True` and `False` to represent true and false. If you are using a version of Python older than 2.2.1, you'll need to substitute `1` and `0` when using examples from this book.

Python 2.2.1 also introduced a new built-in function named `bool`. When this function is called with any argument, it considers the argument's value in a Boolean context and returns `False` or `True` accordingly.

In Python 2.3, `bool` becomes a type (a subclass of `int`) and `True` and `False` are the values of that type. The only substantial effect of this innovation is that the string representations of Boolean values become `'True'` and `'False'`, while in earlier versions they are `'1'` and `'0'`.

The 2.2.1 and 2.3 changes are handy because they let you speak of functions and expressions as "returning `True` or `False`" or "returning a Boolean." The changes also let you write clearer code when you want to return a truth value (e.g., `return True` instead of `return 1`).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.3 Variables and Other References

A Python program accesses data values through references. A *reference* is a name that refers to the specific location in memory of a value (object). References take the form of variables, attributes, and items. In Python, a variable or other reference has no intrinsic type. The object to which a reference is bound at a given time does have a type, however. Any given reference may be bound to objects of different types during the execution of a program.

4.3.1 Variables

In Python, there are no declarations. The existence of a variable depends on a statement that *binds* the variable, or, in other words, that sets a name to hold a reference to some object. You can also *unbind* a variable by resetting the name so it no longer holds a reference. Assignment statements are the most common way to bind variables and other references. The `del` statement unbinds references.

Binding a reference that was already bound is also known as *rebinding* it. Whenever binding is mentioned in this book, rebinding is implicitly included except where it is explicitly excluded. Rebinding or unbinding a reference has no effect on the object to which the reference was bound, except that an object disappears when nothing refers to it. The automatic cleanup of objects to which there are no references is known as *garbage collection*.

You can name a variable with any identifier except the 29 that are reserved as Python's keywords (see [Section 4.1.2.2](#) earlier in this chapter). A variable can be global or local. A *global variable* is an attribute of a module object ([Chapter 7](#) covers modules). A *local variable* lives in a function's local namespace (see [Section 4.10](#) later in this chapter).

4.3.1.1 Object attributes and items

The distinction between attributes and items of an object is in the syntax you use to access them. An *attribute* of an object is denoted by a reference to the object, followed by a period (`.`), followed by an identifier called the *attribute name* (i.e., `x.y` refers to the attribute of object `x` that is named `y`).

An *item* of an object is denoted by a reference to the object, followed by an expression within brackets (`[]`). The expression in brackets is called the *index* or *key* to the item, and the object is called the *container* of the item (i.e., `x[y]` refers to the item at key or index `y` in container object `x`).

Attributes that are callable are also known as *methods*. Python draws no strong distinction between callable and non-callable attributes, as other languages do. General rules about attributes also apply to callable attributes (methods).

4.3.1.2 Accessing nonexistent references

A common programming error is trying to access a reference that does not exist. For example, a variable may be unbound, or an attribute name or item index may not be valid for the object to which you apply it. The Python compiler, when it analyzes and compiles source code, diagnoses only syntax errors. Compilation

does not diagnose semantic errors such as trying to access an unbound attribute, item, or variable. Python diagnoses semantic errors only when the errant code executes, i.e., at runtime. When an operation is a Python semantic error, attempting it raises an exception (see [Chapter 6](#)). Accessing a nonexistent variable, attribute, or item, just like any other semantic error, raises an exception.

4.3.2 Assignment Statements

Assignment statements can be plain or augmented. Plain assignment to a variable (e.g., `name=value`) is how you create a new variable or rebind an existing variable to a new value. Plain assignment to an object attribute (e.g., `obj.attr=value`) is a request to object `obj` to create or rebind attribute `attr`. Plain assignment to an item in a container (e.g., `obj[key]=value`) is a request to container `obj` to create or rebind the item with index `key`.

Augmented assignment (e.g., `name+=value`) cannot, per se, create new references. Augmented assignment can rebind a variable, ask an object to rebind one of its existing attributes or items, or request the target object to modify itself (an object may, of course, create arbitrary new references while responding to requests). When you make a request to an object, it is up to the object to decide whether to honor the request or raise an exception.

4.3.2.1 Plain assignment

A plain assignment statement in the simplest form has the syntax:

```
target = expression
```

The target is also known as the left-hand side, and the expression as the right-hand side. When the assignment statement executes, Python evaluates the right-hand side expression, then binds the expression's value to the left-hand side target. The binding does not depend on the type of the value. In particular, Python draws no strong distinction between callable and non-callable objects, as some other languages do, so you can bind functions, methods, types, and other callables to variables.

Details of the binding do depend on the kind of target, however. The target in an assignment may be an identifier, an attribute reference, an indexing, or a slicing:

- An identifier is a variable's name: assignment to an identifier binds the variable with this name.
- An attribute reference has the syntax `obj.name`. `obj` is an expression denoting an object, and `name` is an identifier, called an *attribute name* of the object. Assignment to an attribute reference asks object `obj` to bind its attribute named `name`.
- An indexing has the syntax `obj[expr]`. `obj` and `expr` are expressions denoting any objects. Assignment to an indexing asks container `obj` to bind its item selected by the value of `expr`, also known as the index or key of the item.
- A slicing has the syntax `obj[start:stop]` or `obj[start:stop:stride]`. `obj`, `start`, `stop`, and `stride` are expressions denoting any objects. `start`, `stop`, and `stride` are all optional (i.e., `obj[:stop:]` is also a syntactically correct slicing, equivalent to `obj[None:stop:None]`). Assignment to a slicing asks container `obj` to bind or unbind some of its items.

We'll come back to indexing and slicing targets later in this chapter when we discuss operations on lists and

dictionaries.

When the target of the assignment is an identifier, the assignment statement specifies the binding of a variable. This is never disallowed: when you request it, it takes place. In all other cases, the assignment statement specifies a request to an object to bind one or more of its attributes or items. An object may refuse to create or rebind some (or all) attributes or items, raising an exception if you attempt a disallowed creation or rebinding.

There can be multiple targets and equals signs (=) in a plain assignment. For example:

```
a = b = c = 0
```

binds variables `a`, `b`, and `c` to the value `0`. Each time the statement executes, the right-hand side expression is evaluated once. Each target gets bound to the single object returned by the expression, just as if several simple assignments executed one after the other.

The target in a plain assignment can list two or more references separated by commas, optionally enclosed in parentheses or brackets. For example:

```
a, b, c = x
```

This requires `x` to be a sequence with three items, and binds `a` to the first item, `b` to the second, and `c` to the third. This kind of assignment is called an unpacking assignment, and, in general, the right-hand side expression must be a sequence with exactly as many items as there are references in the target; otherwise, an exception is raised. Each reference in the target is bound to the corresponding item in the sequence. An unpacking assignment can also swap references:

```
a, b = b, a
```

This rebinds `a` to refer to what `b` was bound to, and vice versa.

4.3.2.2 Augmented assignment

An augmented assignment differs from a plain assignment in that, instead of an equals sign (=) between the target and the expression, it uses an *augmented operator*: a binary operator followed by =. The augmented operators are `+=`, `-=`, `*=`, `/=`, `//=`, `%=`, `**=`, `|=`, `>>=`, `<<=`, `&=`, and `^=`. An augmented assignment can have only one target on the left-hand side; that is, augmented assignment doesn't support multiple targets.

In an augmented assignment, just as in a plain one, Python first evaluates the right-hand side expression. Then, if the left-hand side refers to an object that has a special method for the appropriate in-place version of the operator, Python calls the method with the right-hand side value as its argument. It is up to the method to modify the left-hand side object appropriately and return the modified object ([Chapter 5](#) covers special methods). If the left-hand side object has no appropriate in-place special method, Python applies the corresponding binary operator to the left-hand side and right-hand side objects, then rebinds the target reference to the operator's result. For example, `x+=y` is like `x=x.__iadd__(y)` when `x` has special method `__iadd__`. Otherwise `x+=y` is like `x=x+y`.

Augmented assignment never creates its target reference: the target must already be bound when augmented assignment executes. Augmented assignment can re-bind the target reference to a new object or modify the same object to which the target reference was already bound. Plain assignment, in contrast, can create or rebind the left-hand side target reference, but it never modifies the object, if any, to which the target reference was previously bound. The distinction between objects and references to objects is crucial

here. For example, `x=x+y` does not modify the object to which name `x` was originally bound. Rather, it rebinds the name `x` to refer to a new object. `x+=y`, in contrast, modifies the object to which the name `x` is bound when that object has special method `__iadd__`; otherwise, `x+=y` rebinds the name `x`, just like `x=x+y`.

4.3.3 del Statements

Despite its name, a `del` statement does not delete objects: rather, it unbinds references. Object deletion may follow as a consequence, by garbage collection, when no more references to an object exist.

A `del` statement consists of the keyword `del`, followed by one or more target references separated by commas (`,`). Each target can be a variable, attribute reference, indexing, or slicing, just like for assignment statements, and must be bound at the time `del` executes. When a `del` target is an identifier, the `del` statement specifies the unbinding of the variable. As long as the identifier is bound, unbinding it is never disallowed: when requested, it takes place.

In all other cases, the `del` statement specifies a request to an object to unbind one or more of its attributes or items. An object may refuse to unbind some (or all) attributes or items, raising an exception if a disallowed unbinding is attempted (see also `__delattr__` in [Chapter 5](#)). Unbinding a slicing normally has the same effect as assigning an empty sequence to that slice, but it is up to the container object to implement this equivalence.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.4 Expressions and Operators

An *expression* is a phrase of code that the Python interpreter can evaluate to produce a value. The simplest expressions are literals and identifiers. You build other expressions by joining subexpressions with the operators and/or delimiters in [Table 4-2](#). This table lists the operators in decreasing order of precedence, so operators with higher precedence are listed before those with lower precedence. Operators listed together have the same precedence. The A column lists the associativity of the operator, which can be L (left-to-right), R (right-to-left), or NA (non-associative).

In [Table 4-2](#), *expr*, *key*, *f*, *index*, *x*, and *y* indicate any expression, while *attr* and *arg* indicate identifiers. The notation *, ...* indicates that commas join zero or more repetitions, except for string conversion, where one or more repetitions are allowed. A trailing comma is also allowed and innocuous in all such cases, except with string conversion, where it's forbidden.

Table 4-2. Operator precedence in expressions

Operator	Description	A
<code>`expr, ...`</code>	String conversion	NA
<code>{key: expr, ...}</code>	Dictionary creation	NA
<code>[expr, ...]</code>	List creation	NA
<code>(expr, ...)</code>	Tuple creation or simple parentheses	NA
<code>f(expr, ...)</code>	Function call	L
<code>x[index:index]</code>	Slicing	L
<code>x[index]</code>	Indexing	L
<code>x.attr</code>	Attribute reference	L
<code>x**y</code>	Exponentiation (<i>x</i> to <i>y</i> th power)	R
<code>~x</code>	Bitwise NOT	NA
<code>+x, -x</code>	Unary plus and minus	NA
<code>x*y, x/y, x//y, x%y</code>	Multiplication, division, truncating division, remainder	L
<code>x+y, x-y</code>	Addition, subtraction	L
<code>x<<y, x>>y</code>	Left-shift, right-shift	L
<code>x&y</code>	Bitwise AND	L
<code>x^y</code>	Bitwise XOR	L
<code>x y</code>	Bitwise OR	L
<code>x<y, x<=y, x>y, x>=y, x<>y, x!=y, x= =y</code>	Comparisons (less than, less than or equal, greater than, greater than or equal, inequality, equality) [2]	NA
<code>x is y, x is not y</code>	Identity tests	NA
<code>x in y, x not in y</code>	Membership tests	NA
<code>not x</code>	Boolean NOT	NA
<code>x and y</code>	Boolean AND	L

<code>x or y</code>	Boolean OR	L
<code>lambda arg,...: expr</code>	Anonymous simple function	NA

[2] Note that `<>` and `!=` are alternate forms of the same operator, where `!=` is the preferred version and `<>` is obsolete.

You can *chain* comparisons, implying a logical `and`. For example:

```
a < b <= c < d
```

has the same meaning as:

```
a < b and b <= c and c < d
```

The chained form is more readable and evaluates each subexpression only once.

Operators `and` and `or` short-circuit their operands' evaluation: the right-hand operand evaluates only if its value is needed to get the truth value of the entire `and` or `or` operation. In other words, `x and y` first evaluates `x` and if `x` is false, the result is `x`; otherwise, the result is `y`. By the same token, `x or y` first evaluates `x` and if `x` is true, the result is `x`; otherwise, the result is `y`. Note that `and` and `or` don't force their results to be `True` or `False`, but rather return one or the other of their operands. This lets you use these operators more generally, not just in Boolean contexts. `and` and `or`, because of their short-circuiting semantics, differ from all other operators, which fully evaluate all operands before performing the operation. As such, `and` and `or` let the left operand act as a guard for the right operand.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.5 Numeric Operations

Python supplies the usual numeric operations, as you've just seen in [Table 4-2](#). All numbers are immutable objects, so when you perform a numeric operation on a number object, you always produce a new number object. You can access the parts of a complex object `z` as read-only attributes `z.real` and `z.imag`. Trying to rebind these attributes on a complex object raises an exception.

Note that a number's optional `+` or `-` sign, and the `+` that joins a floating-point literal to an imaginary one to make a complex number, are not part of the literals' syntax. They are ordinary operators, subject to normal operator precedence rules (see [Table 4-2](#)). This is why, for example, `-2**2` evaluates to `-4`: exponentiation has higher precedence than unary minus, so the whole expression parses as `-(2**2)`, not as `(-2)**2`.

4.5.1 Coercion and Conversions

You can perform arithmetic operations and comparisons between any two numbers. If the operands' types differ, *coercion* applies: Python converts the operand with the smaller type to the larger type. The types, in order from smallest to largest, are integers, long integers, floating-point numbers, and complex numbers.

You can also perform an explicit conversion by passing a numeric argument to any of the built-ins: `int`, `long`, `float`, and `complex`. `int` and `long` drop their argument's fractional part, if any (e.g., `int(9.8)` is `9`). Converting from a complex number to any other numeric type drops the imaginary part. You can also call `complex` with two arguments, giving real and imaginary parts.

Each built-in type can also take a string argument with the syntax of an appropriate numeric literal with two small extensions: the argument string may start with a sign and, for complex numbers, may sum or subtract real and imaginary parts. `int` and `long` can also be called with two arguments: the first one a string to convert, and the second one the *radix*, an integer between 2 and 36 to use as the base for the conversion (e.g., `int('101', 2)` returns `5`, the value of `'101'` in base 2).

4.5.2 Arithmetic Operations

If the right operand of `/`, `//`, or `%` is `0`, Python raises a runtime exception. The `//` operator, introduced in Python 2.2, performs truncating division, which means it returns an integer result (converted to the same type as the wider operand) and ignores the remainder, if any. When both operands are integers, the `/` operator behaves like `//` if you are using Python 2.1 and earlier or if the switch `-Qold` was used on the Python command line (`-Qold` is the default in Python 2.2). Otherwise, `/` performs true division, returning a floating-point result (or a complex result, if either operand is a complex number). To have `/` perform true division on integer operands in Python 2.2, use the switch `-Qnew` on the Python command line or begin your source file with the statement:

```
from future import division
```

This ensures that operator `/` works without truncation on any type of operands.

To ensure that your program's behavior does not depend on the `-Q` switch, use `//` (in Python 2.2 and later) to get truncating division. When you do not want truncation, ensure that at least one operand is not an

integer. For example, instead of `a/b`, use `1.*a/b` to avoid making any assumption on the types of `a` and `b`. To check whether your program has version dependencies in its use of division, use the switch `-Qwarn` on the Python command line (in Python 2.2 and later) to get warnings about uses of `/` on integer operands.

The built-in `divmod` function takes two numeric arguments and returns a pair whose items are the quotient and remainder, thus saving you from having to use both `//` for the quotient and `%` for the remainder.

An exponentiation operation, `a**b`, raises an exception if `a` is less than zero and `b` is a floating-point value with a non-zero fractional part. The built-in `pow(a,b)` function returns the same result as `a**b`. With three arguments, `pow(a,b,c)` returns the same result as `(a**b)%c`, but faster.

4.5.3 Comparisons

All objects, including numbers, can also be compared for equality (`=`) and inequality (`!=`). Comparisons requiring order (`<`, `<=`, `>`, `>=`) may be used between any two numbers except complex ones, for which they raise runtime exceptions. All these operators return Boolean values (`True` or `False`).

4.5.4 Bitwise Operations on Integers

Integers and long integers can be considered strings of bits and used with the bitwise operations shown in [Table 4-2](#). Bitwise operators have lower priority than arithmetic operators. Positive integers are extended by an infinite string of `0` bits on the left. Negative integers are represented in two's complement notation, and therefore are extended by an infinite string of `1` bits on the left.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.6 Sequence Operations

Python supports a variety of operations that can be applied to sequence types, including strings, lists, and tuples.

4.6.1 Sequences in General

Sequences are containers with items accessible by indexing or slicing, as we'll discuss shortly. The built-in `len` function takes a container as an argument and returns the number of items in the container. The built-in `min` and `max` functions take one argument, a non-empty sequence (or other iterable) whose items are comparable, and they return the smallest and largest items in the sequence, respectively. You can also call `min` and `max` with multiple arguments, in which case they return the smallest and largest arguments, respectively.

4.6.1.1 Coercion and conversions

There is no implicit coercion between different sequence types except that normal strings are coerced to Unicode strings if needed. Conversion to strings is covered in detail in [Chapter 9](#). You can call the built-in `tuple` and `list` functions with a single argument (a sequence or other iterable) to get an instance of the type you're calling, with the same items in the same order as in the argument.

4.6.1.2 Concatenation

You can concatenate sequences of the same type with the `+` operator. You can also multiply any sequence `S` by an integer `n` with the `*` operator. The result of `S*n` or `n*S` is the concatenation of `n` copies of `S`. If `n` is zero or less than zero, the result is an empty sequence of the same type as `S`.

4.6.1.3 Sequence membership

The `x in S` operator tests to see whether object `x` equals any item in the sequence `S`. It returns `True` if it does and `False` if it doesn't. Similarly, the `x not in S` operator is just like `not (x in S)`.

4.6.1.4 Indexing a sequence

The `n`th item of a sequence `S` is denoted by an *indexing*: `S[n]`. Indexing in Python is zero-based (i.e., the first item in `S` is `S[0]`). If `S` has `L` items, the index `n` may be `0, 1, ...` up to and including `L-1`, but no larger. `n` may also be `-1, -2, ...` down to and including `-L`, but no smaller. A negative `n` indicates the same item in `S` as `L+n` does. In other words, `S[-1]` is the last element of `S`, `S[-2]` is the next-to-last one, and so on. For example:

```
x = [1, 2, 3, 4]
x[1]                # 2
```

```
x[-1]          # 4
```

Using an index greater than or equal to L or less than $-L$ raises an exception. Assigning to an item with an invalid index also raises an exception. You can add elements to a list, but to do so you assign to a slice, not an item, as we'll discuss shortly.

4.6.1.5 Slicing a sequence

You can denote a subsequence of S with a *slicing*, using the syntax $S[i:j]$, where i and j are integers. $S[i:j]$ is the subsequence of S from the i th item, included, to the j th item, excluded. Note that in Python, all ranges include the lower bound and exclude the upper bound. A slice can be an empty subsequence if j is less than i or if i is greater than or equal to L , the length of S . You can omit i if it is equal to 0 , so that the slice begins from the start of S , and you can omit j if it is greater than or equal to L , so that the slice extends all the way to the end of S . You can even omit both indices to mean the entire sequence: $S[:]$. Either or both indices may be less than 0 . A negative index indicates the same spot in S as $L+n$, just as in indexing. An index greater than or equal to L means the end of S , while a negative index less than or equal to $-L$ means the start of S . Here are some examples:

```
x = [1,2,3,4]
x[1:3]          # [2,3]
x[1:]          # [2,3,4]
x[:2]          # [1,2]
```

Slicing can also use the extended syntax $S[i:j:k]$. In Python 2.2, built-in sequences do not support extended-form slicing, but in Python 2.3 they do. Even in Python 2.2 and earlier, however, user-defined sequences can optionally support extended-form slicing. k is the *stride* of the slice, or the distance between successive indices. For example, $S[i:j]$ is equivalent to $S[i:j:1]$, $S[::2]$ is the subsequence of S that includes all items that have an even index in S , and $S[::-1]$ has the same items as S , but in reverse order.

4.6.2 Strings

String objects are immutable, so attempting to rebind or delete an item or slice of a string raises an exception. The items of a string object are strings of length 1 . The slices of a string object are its substrings. String objects have several methods, which are covered in [Chapter 9](#).

4.6.3 Tuples

Tuple objects are immutable, so attempting to rebind or delete an item or slice of a tuple raises an exception. The items of a tuple are arbitrary objects, and may be of different types. The slices of a tuple are also tuples. Tuples have no normal methods.

4.6.4 Lists

List objects are mutable, so you may rebind or delete items and slices of a list. The items of a list are arbitrary objects, and may be of different types. The slices of a list are also lists.

4.6.4.1 Modifying a list

You can modify a list by assigning to an indexing. For instance:

```
x = [1,2,3,4]
x[1] = 42          # x is now [1,42,2,3]
```

Another way to modify a list object L is to use a slice of L as the target (left-hand side) of an assignment statement. The right-hand side of the assignment must also be a list. The left-hand side slice and the right-hand side list may each be of any length, which means that assigning to a slice can add items to the list or remove items from the list. For example:

```
x = [1,2,3,4]
x[1:3] = [22,33,44]    # x is now [1,22,33,44,4]
x[1:4] = [2,3]        # x back to [1,2,3,4]
```

Here are some important special cases:

- Using the empty list `[]` as the right-hand side expression removes the target slice from L . In other words, `L[i:j]=[]` has the same effect as `del L[i:j]`.
- Using an empty slice of L as the left-hand side target inserts the items of the right-hand side list at the appropriate spot in L . In other words, `L[i:i]=['a','b']` inserts the items 'a' and 'b' after item i in L .
- Using a slice that covers the entire list object, `L[:]`, as the left-hand side target totally replaces the content of L .

You can delete an item or a slice from a list with `del`. For instance:

```
x = [1,2,3,4,5]
del x[1]          # x is now [1,3,4,5]
del x[1:3]        # x is now [1,5]
```

4.6.4.2 In-place operations on a list

List objects define in-place versions of the `+` and `*` operators, which are used via augmented assignment statements. The augmented assignment statement `L+=L1` has the effect of adding the items of list $L1$ to the end of L , while `L*=n` has the effect of adding n copies of L to the end of L .

4.6.4.3 List methods

List objects provide several methods, as shown in [Table 4-3](#). *Non-mutating methods* return a result without altering the object to which they apply, while *mutating methods* may alter the object to which they apply. Many of the mutating methods behave like assignments to appropriate slices of the list. In [Table 4-3](#), L and i indicate any list object, i any valid index in L , and x any object.

Table 4-3. List object methods

Method	Description
Non-mutating methods	
<code>L.count(x)</code>	Returns the number of occurrences of <code>x</code> in <code>L</code>
<code>L.index(x)</code>	Returns the index of the first occurrence of item <code>x</code> in <code>L</code> or raises an exception if <code>L</code> has no such item
Mutating methods	
<code>L.append(x)</code>	Appends item <code>x</code> to the end of <code>L</code>
<code>L.extend(l)</code>	Appends all the items of list <code>l</code> to the end of <code>L</code>
<code>L.insert(i, x)</code>	Inserts item <code>x</code> at index <code>i</code> in <code>L</code>
<code>L.remove(x)</code>	Removes the first occurrence of item <code>x</code> from <code>L</code>
<code>L.pop([i])</code>	Returns the value of the item at index <code>i</code> and removes it from <code>L</code> ; if <code>i</code> is omitted, removes and returns the last item
<code>L.reverse()</code>	Reverses, in-place, the items of <code>L</code>
<code>L.sort([f])</code>	Sorts, in-place, the items of <code>L</code> , comparing items by <code>f</code> ; if <code>f</code> is omitted, <code>cmp</code> is used as comparison function

All mutating methods of list objects except `pop` return `None`. The `sort` method takes one optional argument. If present, the argument must be a function that, when called with any two list items as arguments, returns `-1`, `0`, or `1`, depending on whether the first item is to be considered less than, equal to, or greater than the second item for sorting purposes. Passing the argument slows down the sort, although it makes it easy to sort small lists in flexible ways. The decorate-sort-undecorate idiom, presented in [Chapter 17](#), is faster (and often less error-prone) than passing an argument to `sort`, and it's at least as flexible.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.7 Dictionary Operations

Python provides a variety of operations that can be applied to dictionaries. Since dictionaries are containers, the built-in `len` function can take a dictionary as its single argument and return the number of items (key/value pairs) in the dictionary object.

4.7.1 Dictionary Membership

In Python 2.2 and later, the `k in D` operator tests to see whether object `k` is one of the keys of the dictionary `D`. It returns `True` if it is and `False` if it isn't. Similarly, the `k not in D` operator is just like `not (k in D)`.

4.7.2 Indexing a Dictionary

The value in a dictionary `D` that is currently associated with key `k` is denoted by an *indexing*, `D[k]`. Indexing with a key that is not present in the dictionary raises an exception. For example:

```
d = { 'x':42, 'y':3.14, 'z':7 }
d['x']           # 42
d['z']           # 7
d['a']           # raises exception
```

Plain assignment to a dictionary indexed with a key that is not yet in the dictionary (e.g., `D[newkey]=value`) is a valid operation that adds the key and value as a new item in the dictionary. For instance:

```
d = { 'x':42, 'y':3.14, 'z':7 }
d['a'] = 16      # d is now {'x':42,'y':3.14,'z':7,'a':16}
```

The `del` statement, in the form `del D[k]`, removes from the dictionary the item whose key is `k`. If `k` is not a key in dictionary `D`, `del D[k]` raises an exception.

4.7.3 Dictionary Methods

Dictionary objects provide several methods, as shown in [Table 4-4](#). Non-mutating methods return a result without altering the object to which they apply, while mutating methods may alter the object to which they apply. In [Table 4-4](#), `D` and `D1` indicate any dictionary object, `k` any valid key in `D`, and `x` any object.

Table 4-4. Dictionary object methods

Method	Description
Non-mutating methods	
<code>D.copy()</code>	Returns a (shallow) copy of the dictionary
<code>D.has_key(k)</code>	Returns <code>True</code> if <code>k</code> is a key in <code>D</code> , otherwise returns <code>False</code>
<code>D.items()</code>	Returns a copy of the list of all items (key/value pairs) in <code>D</code>
<code>D.keys()</code>	Returns a copy of the list of all keys in <code>D</code>
<code>D.values()</code>	Returns a copy of the list of all values in <code>D</code>
<code>D.iteritems()</code>	Returns an iterator on all items (key/value pairs) in <code>D</code>
<code>D.iterkeys()</code>	Returns an iterator on all keys in <code>D</code>
<code>D.itervalues()</code>	Returns an iterator on all values in <code>D</code>
<code>D.get(k[,x])</code>	Returns <code>D[k]</code> if <code>k</code> is a key in <code>D</code> , otherwise returns <code>x</code> (or <code>None</code> , if <code>x</code> is not given)
Mutating methods	
<code>D.clear()</code>	Removes all items from <code>D</code>
<code>D.update(D1)</code>	For each <code>k</code> in <code>D1</code> , sets <code>D[k]</code> equal to <code>D1[k]</code>
<code>D.setdefault(k[,x])</code>	Returns <code>D[k]</code> if <code>k</code> is a key in <code>D</code> ; otherwise sets <code>D[k]</code> equal to <code>x</code> and returns <code>x</code>
<code>D.popitem()</code>	Removes and returns an arbitrary item (key/value pair)

The `items`, `keys`, and `values` methods return their resulting lists in arbitrary order. If you call more than one of these methods without any intervening change to the dictionary, however, the order of the results is the same for all. The `iteritems`, `iterkeys`, and `itervalues` methods, which are new as of Python 2.2, return iterators equivalent to these lists (iterators are discussed later in this chapter). An iterator consumes less memory than a list, but you are not allowed to modify a dictionary while iterating on one of its iterators. Iterating on the list returned by `items`, `keys`, or `values` carries no such constraint. Iterating directly on a dictionary `D` is exactly like iterating on `D.iterkeys()`.

The `popitem` method can be used for destructive iteration on a dictionary. Both `items` and `popitem` return dictionary items as key/value pairs, but using `popitem` consumes less memory, as it does not rely on a separate list of items. The memory savings make the idiom usable for a loop on a huge dictionary, if it's okay to destroy the dictionary in the course of the loop. In Python 2.2 and later, iterating directly on the dictionary (or on `iterkeys` or `iteritems`) also consumes modest amounts of memory, and does not destroy the dictionary you're iterating on.

The `setdefault` method returns the same result as `get`, but if `k` is not a key in `D`, `setdefault` also has the side effect of binding `D[k]` to the value `x`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.8 The print Statement

A print statement is denoted by the keyword `print` followed by zero or more expressions separated by commas. `print` is a handy, simple way to output values in text form. `print` outputs each expression `x` as a string that's just like the result of calling `str(x)` (covered in [Chapter 8](#)). `print` implicitly outputs a space between expressions, and it also implicitly outputs `\n` after the last expression, unless the last expression is followed by a trailing comma (`,`). Here are some examples of `print` statements:

```
letter = 'c'  
print "give me a", letter, "..."  
answer = 42  
print "the answer is:", answer
```

prints: give me a c ...
prints: the answer is: 42

The destination of `print`'s output is the file or file-like object that is the value of the `stdout` attribute of the `sys` module (covered in [Chapter 8](#)). You can control output format more precisely by performing string formatting yourself, with the `%` operator or other string manipulation techniques, as covered in [Chapter 9](#). You can also use the `write` or `writelines` methods of file objects, as covered in [Chapter 10](#). However, `print` is very simple to use, and simplicity is an important advantage in the common case where all you need are the simple output strategies that `print` supplies.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.9 Control Flow Statements

A program's *control flow* is the order in which the program's code executes. The control flow of a Python program is regulated by conditional statements, loops, and function calls. This section covers the `if` statement and `for` and `while` loops; functions are covered later in this chapter. Raising and handling exceptions also affects control flow; exceptions are covered in [Chapter 6](#).

4.9.1 The if Statement

Often, you need to execute some statements only if some condition holds, or choose statements to execute depending on several mutually exclusive conditions. The Python compound statement `if`, which uses `if`, `elif`, and `else` clauses, lets you conditionally execute blocks of statements. Here's the syntax for the `if` statement:

```
if expression:
    statement(s)
elif expression:
    statement(s)
elif expression:
    statement(s)
...
else expression:
    statement(s)
```

The `elif` and `else` clauses are optional. Note that unlike some languages, Python does not have a `switch` statement, so you must use `if`, `elif`, and `else` for all conditional processing.

Here's a typical `if` statement:

```
if x < 0: print "x is negative"
elif x % 2: print "x is positive and odd"
else: print "x is even and non-negative"
```

When there are multiple statements in a clause (i.e., the clause controls a block of statements), the statements are placed on separate logical lines after the line containing the clause's keyword (known as the *header line* of the clause) and indented rightward from the header line. The block terminates when the indentation returns to that of the clause header (or further left from there). When there is just a single simple statement, as here, it can follow the `:` on the same logical line as the header, but it can also be placed on a separate logical line, immediately after the header line and indented rightward from it. Many Python practitioners consider the separate-line style more readable:

```
if x < 0:
    print "x is negative"
elif x % 2:
    print "x is positive and odd"
else:
    print "x is even and non-negative"
```

You can use any Python expression as the condition in an `if` or `elif` clause. When you use an expression this way, you are using it in a *Boolean context*. In a Boolean context, any value is taken as either true or false. As we discussed earlier, any non-zero number or non-empty string, tuple, list, or dictionary evaluates as true. Zero (of any numeric type), `None`, and empty strings, tuples, lists, and dictionaries evaluate as false. When you want to test a value `x` in a Boolean context, use the following coding style:

```
if x:
```

This is the clearest and most Pythonic form. Don't use:

```
if x is True:
if x == True:
if bool(x):
```

There is a crucial difference between saying that an expression "returns `True`" (meaning the expression returns the value `1` intended as a Boolean result) and saying that an expression "evaluates as true" (meaning the expression returns any result that is true in a Boolean context). When testing an expression, you care about the latter condition, not the former.

If the expression for the `if` clause evaluates as true, the statements following the `if` clause execute, and the entire `if` statement ends. Otherwise, the expressions for any `elif` clauses are evaluated in order. The statements following the first `elif` clause whose condition is true, if any, are executed, and the entire `if` statement ends. Otherwise, if an `else` clause exists, the statements following it are executed.

4.9.2 The while Statement

The `while` statement in Python supports repeated execution of a statement or block of statements that is controlled by a conditional expression. Here's the syntax for the `while` statement:

```
while expression:
    statement(s)
```

A `while` statement can also include an `else` clause and `break` and `continue` statements, as we'll discuss shortly.

Here's a typical `while` statement:

```
count = 0
while x > 0:
    x = x // 2          # truncating division
    count += 1
print "The approximate log2 is", count
```

First, *expression*, which is known as the *loop condition*, is evaluated. If the condition is false, the `while` statement ends. If the loop condition is satisfied, the statement or statements that comprise the *loop body* are executed. When the loop body finishes executing, the loop condition is evaluated again, to see if another iteration should be performed. This process continues until the loop condition is false, at which point the `while` statement ends.

The loop body should contain code that eventually makes the loop condition false, or the loop will never end unless an exception is raised or the loop body executes a `break` statement. A loop that is in a function's body also ends if a `return` statement executes in the loop body, as the whole function ends in this case.

4.9.3 The for Statement

The `for` statement in Python supports repeated execution of a statement or block of statements that is controlled by an iterable expression. Here's the syntax for the `for` statement:

```
for target in iterable:
    statement(s)
```

Note that the `in` keyword is part of the syntax of the `for` statement and is functionally unrelated to the `in` operator used for membership testing. A `for` statement can also include an `else` clause and `break` and `continue` statements, as we'll discuss shortly.

Here's a typical `for` statement:

```
for letter in "ciao":
    print "give me a", letter, "..."
```

iterable may be any Python expression suitable as an argument to built-in function `iter`, which returns an iterator object (explained in detail in the next section). *target* is normally an identifier that names the *control variable* of the loop; the `for` statement successively rebinds this variable to each item of the iterator, in order. The statement or statements that comprise the *loop body* execute once for each item in *iterable* (unless the loop ends because an exception is raised or a `break` or `return` statement is executed).

A target with multiple identifiers is also allowed, as with an unpacking assignment. In this case, the iterator's items must then be sequences, each with the same length, equal to the number of identifiers in the target. For example, when *d* is a dictionary, this is a typical way to loop on the items in *d*:

```
for key, value in d.items( ):
    if not key or not value: del d[key]    # keep only true keys and values
```

The `items` method returns a list of key/value pairs, so we can use a `for` loop with two identifiers in the target to unpack each item into `key` and `value`.

If the iterator has a mutable underlying object, that object must not be altered while a `for` loop is in progress on it. For example, the previous example cannot use `iteritems` instead of `items`. `iteritems` returns an iterator whose underlying object is *d*, so therefore the loop body cannot mutate *d* (by `del d[key]`). `items` returns a list, though, so *d* is not the underlying object of the iterator and the loop body can mutate *d*.

The control variable may be rebound in the loop body, but is rebound again to the next item in the iterator at the next iteration of the loop. The loop body does not execute at all if the iterator yields no items. In this case, the control variable is not bound or rebound in any way by the `for` statement. If the iterator yields at least one item, however, when the loop statement terminates, the control variable remains bound to the last value to which the loop statement has bound it. The following code is thus correct, as long as `someseq` is not empty:

```
for x in someseq:
    process(x)
print "Last item processed was", x
```

4.9.3.1 Iterators

An *iterator* is any object *i* such that you can call *i.next()* without any arguments. *i.next()* returns the next item of iterator *i*, or, when iterator *i* has no more items, raises a `StopIteration` exception. When you write a class (see [Chapter 5](#)), you can allow instances of the class to be iterators by defining such a method `next`. Most iterators are built by implicit or explicit calls to built-in function `iter`, covered in [Chapter 8](#). Calling a generator also returns an iterator, as we'll discuss later in this chapter.

The `for` statement implicitly calls `iter` to get an iterator. The following statement:

```
for x in c:
    statement(s)
```

is equivalent to:

```
_temporary_iterator = iter(c)
while True:
    try: x = _temporary_iterator.next( )
    except StopIteration: break
    statement(s)
```

Thus, if `iter(c)` returns an iterator *i* such that *i.next()* never raises `StopIteration` (an *infinite iterator*), the loop `for x in c:` never terminates (unless the statements in the loop body contain suitable `break` or `return` statements or propagate exceptions). `iter(c)`, in turn, calls special method `c.__iter__()` to obtain and return an iterator on *c*. We'll talk more about the special method `__iter__` in [Chapter 5](#).

Iterators were first introduced in Python 2.2. In earlier versions, `for x in S:` required *S* to be a sequence that was indexable with progressively larger indices `0, 1, ...`, and raised an `IndexError` when indexed with a too-large index. Thanks to iterators, the `for` statement can now be used on a container that is not a sequence, such as a dictionary, as long as the container is iterable (i.e., it defines an `__iter__` special method so that function `iter` can accept the container as the argument and return an iterator on the container). Built-in functions that used to require a sequence argument now also accept any iterable.

4.9.3.2 range and xrange

Looping over a sequence of integers is a common task, so Python provides built-in functions `range` and `xrange` to generate and return integer sequences. The simplest, most idiomatic way to loop *n* times in Python is:

```
for i in xrange(n):
    statement(s)
```

`range(x)` returns a list whose items are consecutive integers from `0` (included) up to *x* (excluded). `range(x,y)` returns a list whose items are consecutive integers from *x* (included) up to *y* (excluded). The result is the empty list if *x* is greater than or equal to *y*. `range(x,y,step)` returns a list of integers from *x* (included) up to *y* (excluded), such that the difference between each two adjacent items in the list is *step*. If *step* is less than `0`, `range` counts down from *x* to *y*. `range` returns the empty list when *x* is greater than or equal to *y* and *step* is greater than `0`, or when *x* is less than or equal to *y* and *step* is less than `0`. If *step* equals `0`, `range` raises an exception.

While `range` returns a normal list object, usable for all purposes, `xrange` returns a special-purpose object,

specifically intended to be used in iterations like the `for` statement shown previously. `xrange` consumes less memory than `range` for this specific use. Leaving aside memory consumption, you can use `range` wherever you could use `xrange`.

4.9.3.3 List comprehensions

A common use of a `for` loop is to inspect each item in a sequence and build a new list by appending the results of an expression computed on some or all of the items inspected. The expression form, called a *list comprehension*, lets you code this common idiom concisely and directly. Since a list comprehension is an expression (rather than a block of statements), you can use it directly wherever you need an expression (e.g., as an actual argument in a function call, in a `return` statement, or as a subexpression for some other expression).

A list comprehension has the following syntax:

```
[ expression for target in iterable lc-clauses ]
```

target and *iterable* are the same as in a regular `for` statement. You must enclose the *expression* in parentheses if it indicates a tuple.

lc-clauses is a series of zero or more clauses, each with one of the following forms:

```
for target in iterable
if expression
```

target and *iterable* in each `for` clause of a list comprehension have the same syntax as those in a regular `for` statement, and the *expression* in each `if` clause of a list comprehension has the same syntax as the *expression* in a regular `if` statement.

A list comprehension is equivalent to a `for` loop that builds the same list by repeated calls to the resulting list's `append` method. For example (assigning the list comprehension result to a variable for clarity):

```
result1 = [x+1 for x in some_sequence]
```

is the same as the `for` loop:

```
result2 = [ ]
for x in some_sequence:
    result2.append(x+1)
```

Here's a list comprehension that uses an `if` clause:

```
result3 = [x+1 for x in some_sequence if x>23]
```

which is the same as a `for` loop that contains an `if` statement:

```
result4 = [ ]
for x in some_sequence:
    if x>23:
        result4.append(x+1)
```

And here's a list comprehension that uses a `for` clause:

```
result5 = [x+y for x in alist for y in another]
```

which is the same as a `for` loop with another `for` loop nested inside:

```
result6 = [ ]
for x in alist:
    for y in another:
        result6.append(x+y)
```

As these examples show, the order of `for` and `if` in a list comprehension is the same as in the equivalent loop, but in the list comprehension the nesting stays implicit.

4.9.4 The `break` Statement

The `break` statement is allowed only inside a loop body. When `break` executes, the loop terminates. If a loop is nested inside other loops, `break` terminates only the innermost nested loop. In practical use, a `break` statement is usually inside some clause of an `if` statement in the loop body so that it executes conditionally.

One common use of `break` is in the implementation of a loop that decides if it should keep looping only in the middle of each loop iteration:

```
while True:                                # this loop can never terminate naturally
    x = get_next( )
    y = preprocess(x)
    if not keep_looping(x, y): break
    process(x, y)
```

4.9.5 The `continue` Statement

The `continue` statement is allowed only inside a loop body. When `continue` executes, the current iteration of the loop body terminates, and execution continues with the next iteration of the loop. In practical use, a `continue` statement is usually inside some clause of an `if` statement in the loop body so that it executes conditionally.

The `continue` statement can be used in place of deeply nested `if` statements within a loop. For example:

```
for x in some_container:
    if not seems_ok(x): continue
    lowbound, highbound = bounds_to_test( )
    if x<lowbound or x>=highbound: continue
    if final_check(x):
        do_processing(x)
```

This equivalent code does conditional processing without `continue`:

```
for x in some_container:
    if seems_ok(x):
        lowbound, highbound = bounds_to_test( )
        if lowbound<=x<highbound:
            if final_check(x):
```

```
do_processing(x)
```

Both versions function identically, so which one you use is a matter of personal preference.

4.9.6 The else Clause on Loop Statements

Both the `while` and `for` statements may optionally have a trailing `else` clause. The statement or statements after the `else` execute when the loop terminates naturally (at the end of the `for` iterator or when the `while` loop condition becomes false), but not when the loop terminates prematurely (via `break`, `return`, or an exception). When a loop contains one or more `break` statements, you often need to check whether the loop terminates naturally or prematurely. You can use an `else` clause on the loop for this purpose:

```
for x in some_container:
    if is_ok(x): break          # item x is satisfactory, terminate loop
else:
    print "Warning: no satisfactory item was found in container"
    x = None
```

4.9.7 The pass Statement

The body of a Python compound statement cannot be empty-it must contain at least one statement. The `pass` statement, which performs no action, can be used as a placeholder when a statement is syntactically required but you have nothing specific to do. Here's an example of using `pass` in a conditional statement as a part of somewhat convoluted logic, with mutually exclusive conditions being tested:

```
if condition1(x):
    process1(x)
elif x>23 or condition2(x) and x<5:
    pass                      # nothing to be done in this case
elif condition3(x):
    process3(x)
else:
    process_default(x)
```

4.9.8 The try Statement

Python supports exception handling with the `try` statement, which includes `try`, `except`, `finally`, and `else` clauses. A program can explicitly raise an exception with the `raise` statement. As we'll discuss in detail in [Chapter 6](#), when an exception is raised, normal control flow of the program stops and Python looks for a suitable exception handler.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

4.10 Functions

Most statements in a typical Python program are organized into functions. A *function* is a group of statements that executes upon request. Python provides many built-in functions and allows programmers to define their own functions. A request to execute a function is known as a *function call*. When a function is called, it may be passed arguments that specify data upon which the function performs its computation. In Python, a function always returns a result value, either `None` or a value that represents the results of its computation. Functions defined within `class` statements are also called *methods*. Issues specific to methods are covered in [Chapter 5](#); the general coverage of functions in this section, however, also applies to methods.

In Python, functions are objects (values) and are handled like other objects. Thus, you can pass a function as an argument in a call to another function. Similarly, a function can return another function as the result of a call. A function, just like any other object, can be bound to a variable, an item in a container, or an attribute of an object. Functions can also be keys into a dictionary. For example, if you need to quickly find a function's inverse given the function, you could define a dictionary whose keys and values are functions and then make the dictionary bidirectional (using some functions from module `math`, covered in [Chapter 15](#)):

```
inverse = {sin:asin, cos:acos, tan:atan, log:exp}
for f in inverse.keys( ): inverse[inverse[f]] = f
```

The fact that functions are objects in Python is often expressed by saying that functions are first-class objects.

4.10.1 The `def` Statement

The `def` statement is the most common way to define a function. `def` is a single-clause compound statement with the following syntax:

```
def function-name(parameters):
    statement(s)
```

function-name is an identifier. It is a variable that gets bound (or rebound) to the function object when `def` executes.

parameters is an optional list of identifiers, called *formal parameters* or just parameters, that are used to represent values that are supplied as arguments when the function is called. In the simplest case, a function doesn't have any formal parameters, which means the function doesn't take any arguments when it is called. In this case, the function definition has empty parentheses following *function-name*.

When a function does take arguments, *parameters* contains one or more identifiers, separated by commas (,). In this case, each call to the function supplies values, known as *arguments*, that correspond to the parameters specified in the function definition. The parameters are local variables of the function, as we'll discuss later in this section, and each call to the function binds these local variables to the corresponding values that the caller supplies as arguments.

The non-empty sequence of statements, known as the *function body*, does not execute when the `def`

statement executes. Rather, the function body executes later, each time the function is called. The function body can contain zero or more occurrences of the `return` statement, as we'll discuss shortly.

Here's an example of a simple function that returns a value that is double the value passed to it:

```
def double(x):
    return x*2
```

4.10.2 Parameters

Formal parameters that are simple identifiers indicate *mandatory parameters*. Each call to the function must supply a corresponding value (argument) for each mandatory parameter.

In the comma-separated list of parameters, zero or more mandatory parameters may be followed by zero or more *optional parameters*, where each optional parameter has the syntax:

identifier=expression

The `def` statement evaluates the *expression* and saves a reference to the value returned by the expression, called the *default value* for the parameter, among the attributes of the function object. When a function call does not supply an argument corresponding to an optional parameter, the call binds the parameter's identifier to its default value for that execution of the function.

Note that the same object, the default value, gets bound to the optional parameter whenever the caller does not supply a corresponding argument. This can be tricky when the default value is a mutable object and the function body alters the parameter. For example:

```
def f(x, y=[]):
    y.append(x)
    return y
print f(23)           # prints: [23]
print f(42)           # prints: [23,42]
```

The second `print` statement prints `[23,42]` because the first call to `f` altered the default value of `y`, originally an empty list `[]`, by appending `23` to it. If you want `y` to be bound to a new empty list object each time `f` is called with a single argument, use the following:

```
def f(x, y=None):
    if y is None: y = []
    y.append(x)
    return y
print f(23)           # prints: [23]
print f(42)           # prints: [42]
```

At the end of the formal parameters, you may optionally use either or both of the special forms **identifier1* and ***identifier2*. If both are present, the one with two asterisks must be last. **identifier1* indicates that any call to the function may supply extra positional arguments, while ***identifier2* specifies that any call to the function may supply extra named arguments (positional and named arguments are covered later in this chapter). Every call to the function binds *identifier1* to a tuple whose items are the extra positional arguments (or the empty tuple, if there are none). *identifier2* is bound to a dictionary whose items are the names and values of the extra named arguments (or the empty dictionary, if there are none). Here's how to write a function that accepts any number of arguments and returns their sum:

```
def sum(*numbers):
    result = 0
    for number in numbers: result += number
    return result
print sum(23,42)          # prints: 65
```

The `**` form also lets you construct a dictionary with string keys in a more readable fashion than with the standard dictionary creation syntax:

```
def adict(**kwds): return kwds
print adict(a=23, b=42)    # prints: {'a':23, 'b':42}
```

Note that the body of function `adict` is just one simple statement, and therefore we can exercise the option to put it on the same line as the `def` statement. Of course, it would be just as correct (and arguably more readable) to code function `adict` using two lines instead of one:

```
def adict(**kwds):
    return kwds
```

4.10.3 Attributes of Function Objects

The `def` statement defines some attributes of a function object. The attribute `func_name`, also accessible as `__name__`, is a read-only attribute (trying to rebind or unbind it raises a runtime exception) that refers to the identifier used as the function name in the `def` statement. The attribute `func_defaults`, which you may rebind or unbind, refers to the tuple of default values for the optional parameters (or the empty tuple, if the function has no optional parameters).

Another function attribute is the *documentation string*, also known as a *docstring*. You may use or rebind a function's docstring attribute as either `func_doc` or `__doc__`. If the first statement in the function body is a string literal, the compiler binds that string as the function's docstring attribute. A similar rule applies to classes (see [Chapter 5](#)) and modules (see [Chapter 7](#)). Docstrings most often span multiple physical lines, and are therefore normally specified in triple-quoted string literal form. For example:

```
def sum(*numbers):
    '''Accept arbitrary numerical arguments and return their sum.

    The arguments are zero or more numbers.  The result is their sum.'''

    result = 0
    for number in numbers: result += number
    return result
```

Documentation strings should be part of any Python code you write. They play a role similar to that of comments in any programming language, but their applicability is wider since they are available at runtime. Development environments and other tools may use docstrings from function, class, and module objects to remind the programmer how to use those objects. The `doctest` module (covered in [Chapter 17](#)) makes it easy to check that the sample code in docstrings is accurate and correct.

To make your docstrings as useful as possible, you should respect a few simple conventions. The first line of a docstring should be a concise summary of the function's purpose, starting with an uppercase letter and ending with a period. It should not mention the function's name, unless the name happens to be a natural-language word that comes naturally as part of a good, concise summary of the function's operation. If the

docstring is multiline, the second line should be empty, and the following lines should form one or more paragraphs, separated by empty lines, describing the function's expected arguments, preconditions, return value, and side effects (if any). Further explanations, bibliographical references, and usage examples (to be checked with `doctest`) can optionally follow toward the end of the docstring.

In addition to its predefined attributes, a function object may be given arbitrary attributes. To create an attribute of a function object, bind a value to the appropriate attribute references in an assignment statement after the `def` statement has executed. For example, a function could count how many times it is called:

```
def counter( ):
    counter.count += 1
    return counter.count
counter.count = 0
```

Note that this is not common usage. More often, when you want to group together some state (data) and some behavior (code), you should use the object-oriented mechanisms covered in [Chapter 5](#). However, the ability to associate arbitrary attributes with a function can sometimes come in handy.

4.10.4 The return Statement

The `return` statement in Python is allowed only inside a function body, and it can optionally be followed by an expression. When `return` executes, the function terminates and the value of the expression is returned. A function returns `None` if it terminates by reaching the end of its body or by executing a `return` statement that has no expression.

As a matter of style, you should not write a `return` statement without an expression at the end of a function body. If some `return` statements in a function have an expression, all `return` statements should have an expression. `return None` should only be written explicitly to meet this style requirement. Python does not enforce these stylistic conventions, but your code will be clearer and more readable if you follow them.

4.10.5 Calling Functions

A function call is an expression with the following syntax:

function-object(*arguments*)

function-object may be any reference to a function object; it is most often the function's name. The parentheses denote the function-call operation itself. *arguments*, in the simplest case, is a series of zero or more expressions separated by commas (,), giving values for the function's corresponding formal parameters. When a function is called, the parameters are bound to these values, the function body executes, and the value of the function-call expression is whatever the function returns.

4.10.5.1 The semantics of argument passing

In traditional terms, all argument passing in Python is *by value*. For example, if a variable is passed as an argument, Python passes to the function the object (value) to which the variable currently refers, not the variable itself. Thus, a function cannot rebind the caller's variables. However, if a mutable object is passed as an argument, the function may request changes to that object since Python passes the object itself, not a

copy. Rebinding a variable and mutating an object are totally different concepts in Python. For example:

```
def f(x, y):
    x = 23
    y.append(42)
a = 77
b = [99]
f(a, b)
print a, b                # prints: 77 [99, 42]
```

The `print` statement shows that `a` is still bound to `77`. Function `f`'s rebinding of its parameter `x` to `23` has no effect on `f`'s caller, and in particular on the binding of the caller's variable, which happened to be used to pass `77` as the parameter's value. However, the `print` statement also shows that `b` is now bound to `[99,42]`. `b` is still bound to the same list object as before the call, but that object has mutated, as `f` has appended `42` to that list object. In either case, `f` has not altered the caller's bindings, nor can `f` alter the number `77`, as numbers are immutable. However, `f` can alter a list object, as list objects are mutable. In this example, `f` does mutate the list object that the caller passes to `f` as the second argument by calling the object's `append` method.

4.10.5.2 Kinds of arguments

Arguments that are just expressions are called *positional arguments*. Each positional argument supplies the value for the formal parameter that corresponds to it by position (order) in the function definition.

In a function call, zero or more positional arguments may be followed by zero or more *named arguments* with the following syntax:

```
identifier=expression
```

The *identifier* must be one of the formal parameter names used in the `def` statement for the function. The *expression* supplies the value for the formal parameter of that name.

A function call must supply, via either a positional or a named argument, exactly one value for each mandatory parameter, and zero or one value for each optional parameter. For example:

```
def divide(divisor, dividend): return dividend // divisor
print divide(12,94)                # prints: 7
print divide(dividend=94, divisor=12) # prints: 7
```

As you can see, the two calls to `divide` are equivalent. You can pass named arguments for readability purposes when you think that identifying the role of each argument and controlling the order of arguments enhances your code's clarity.

A more common use of named arguments is to bind some optional parameters to specific values, while letting other optional parameters take their default values:

```
def f(middle, begin='init', end='finis'): return begin+middle+end
print f('tini', end='')                # prints: inittini
```

Thanks to named argument `end=''`, the caller can specify a value, the empty string `''`, for `f`'s third parameter, `end`, and still let `f`'s second parameter, `begin`, use its default value, the string `'init'`.

At the end of the arguments in a function call, you may optionally use either or both of the special forms `*seq` and `**dict`. If both are present, the one with two asterisks must be last. `*seq` passes the items of `seq` to the function as positional arguments (after the normal positional arguments, if any, that the call gives with the usual simple syntax). `seq` may be any sequence or iterable. `**dict` passes the items of `dict` to the function as named arguments, where `dict` must be a dictionary whose keys are all strings. Each item's key is a parameter name, and the item's value is the argument's value.

Sometimes you want to pass an argument of the form `*seq` or `**dict` when the formal parameters use similar forms, as described earlier under [Section 4.10.2](#). For example, using the function `sum` defined in that section (and shown again here), you may want to print the sum of all the values in dictionary `d`. This is easy with `*seq`:

```
def sum(*numbers):
    result = 0
    for number in numbers: result += number
    return result
print sum(*d.values( ))
```

However, you may also pass arguments of the form `*seq` or `**dict` when calling a function that does not use similar forms in its formal parameters.

4.10.6 Namespaces

A function's formal parameters, plus any variables that are bound (by assignment or by other binding statements) in the function body, comprise the function's *local namespace*, also known as *local scope*. Each of these variables is called a *local variable* of the function.

Variables that are not local are known as *global variables* (in the absence of nested definitions, which we'll discuss shortly). Global variables are attributes of the module object, as covered in [Chapter 7](#). If a local variable in a function has the same name as a global variable, whenever that name is mentioned in the function body, the local variable, not the global variable, is used. This idea is expressed by saying that the local variable hides the global variable of the same name throughout the function body.

4.10.6.1 The global statement

By default, any variable that is bound within a function body is a local variable of the function. If a function needs to rebind some global variables, the first statement of the function must be:

```
global identifiers
```

where `identifiers` is one or more identifiers separated by commas (`,`). The identifiers listed in a `global` statement refer to the global variables (i.e., attributes of the module object) that the function needs to rebind. For example, the function `counter` that we saw in [Section 4.10.3](#) could be implemented using `global` and a global variable rather than an attribute of the function object as follows:

```
_count = 0
def counter( ):
    global _count
    _count += 1
    return _count
```

Without the `global` statement, the `counter` function would raise an `UnboundLocalError` exception because `_count` would be an uninitialized (unbound) local variable. Note also that while the `global` statement does enable this kind of programming, it is neither elegant nor advisable. As I mentioned earlier, when you want to group together some state and some behavior, the object-oriented mechanisms covered in [Chapter 5](#) are typically the best approach.

You don't need `global` if the function body simply uses a global variable, including changing the object bound to that variable if the object is mutable. You need to use a `global` statement only if the function body rebinds a global variable. As a matter of style, you should not use `global` unless it's strictly necessary, as its presence will cause readers of your program to assume the statement is there for some useful purpose.

4.10.6.2 Nested functions and nested scopes

A `def` statement within a function body defines a *nested function*, and the function whose body includes the `def` is known as an *outer function* to the nested one. Code in a nested function's body may access (but not rebound) local variables of an outer function, also known as *free variables* of the nested function. This nested-scope access is automatic in Python 2.2 and later. To request nested-scope access in Python 2.1, the first statement of the module must be:

```
from __future__ import nested_scopes
```

The simplest way to let a nested function access a value is often not to rely on nested scopes, but rather to explicitly pass that value as one of the function's arguments. The argument's value can be bound when the nested function is defined by using the value as the default for an optional argument. For example:

```
def percent1(a, b, c):
    # works with any version
    def pc(x, total=a+b+c): return (x*100.0) / total
    print "Percentages are ", pc(a), pc(b), pc(c)
```

Here's the same functionality using nested scopes:

```
def percent2(a, b, c):
    # needs 2.2 or "from future import"
    def pc(x): return (x*100.0) / (a+b+c)
    print "Percentages are", pc(a), pc(b), pc(c)
```

In this specific case, `percent1` has a slight advantage: the computation of `a+b+c` happens only once, while `percent2`'s inner function `pc` repeats the computation three times. However, if the outer function were rebinding its local variables between calls to the nested function, repeating this computation might be an advantage. It's therefore advisable to be aware of both approaches, and choose the most appropriate one case by case.

A nested function that accesses values from outer local variables is known as a *closure*. The following example shows how to build a closure without nested scopes (using a default value):

```
def make_adder_1(augend):
    # works with any version
    def add(addend, _augend=augend): return addend+_augend
    return add
```

Here's the same closure functionality using nested scopes:

```
def make_adder_2(augend):
    # needs 2.2 or "from future import"
```

```
def add(addend): return addend+augend
return add
```

Closures are an exception to the general rule that the object-oriented mechanisms covered in [Chapter 5](#) are the best way to bundle together data and code. When you need to construct callable objects, with some parameters fixed at object construction time, closures can be simpler and more effective than classes. For example, the result of `make_adder_1(7)` is a function that accepts a single argument and adds 7 to that argument (the result of `make_adder_2(7)` behaves in just the same way). You can also express the same idea as `lambda x: x+7`, using the `lambda` form covered in the next section. A closure is a "factory" for any member of a family of functions distinguished by some parameters, such as the value of argument `augend` in the previous examples, and this may often help you avoid code duplication.

4.10.7 lambda Expressions

If a function body contains a single `return expression` statement, you may choose to replace the function with the special `lambda` expression form:

```
lambda parameters: expression
```

A `lambda` expression is the anonymous equivalent of a normal function whose body is a single `return` statement. Note that the `lambda` syntax does not use the `return` keyword. You can use a `lambda` expression wherever you would use a reference to a function. `lambda` can sometimes be handy when you want to use a simple function as an argument or return value. Here's an example that uses a `lambda` expression as an argument to the built-in `filter` function:

```
aList = [1,2,3,4,5,6,7,8,9]
low = 3
high = 7
filter(lambda x,l=low,h=high: h>x>l, aList)      # returns: [4, 5, 6]
```

As an alternative, you can always use a local `def` statement that gives the function object a name. You can then use this name as the argument or return value. Here's the same `filter` example using a local `def` statement:

```
aList = [1,2,3,4,5,6,7,8,9]
low = 3
high = 7
def test(value, l=low, h=high):
    return h>value>l
filter(test, aList)                          # returns: [4, 5, 6]
```

4.10.8 Generators

When the body of a function contains one or more occurrences of the keyword `yield`, the function is called a *generator*. When a generator is called, the function body does not execute. Instead, calling the generator returns a special iterator object that wraps the function body, the set of its local variables (including its parameters), and the current point of execution, which is initially the start of the function.

When the `next` method of this iterator object is called, the function body executes up to the next `yield` statement, which takes the form:

`yield expression`

When a `yield` statement executes, the function is frozen with its execution state and local variables intact, and the expression following `yield` is returned as the result of the `next` method. On the next call to `next`, execution of the function body resumes where it left off, again up to the next `yield` statement. If the function body ends or executes a `return` statement, the iterator raises a `StopException` to indicate that the iterator is finished. Note that `return` statements in a generator cannot contain expressions, as that is a syntax error.

`yield` is always a keyword in Python 2.3 and later. In Python 2.2, to make `yield` a keyword in a source file, use the following line as the first statement in the file:

```
from __future__ import generators
```

In Python 2.1 and earlier, you cannot define generators.

Generators are often handy ways to build iterators. Since the most common way to use an iterator is to loop on it with a `for` statement, you typically call a generator like this:

```
for avariable in somegenerator(arguments):
```

For example, say that you want a sequence of numbers counting up from `1` to `N` and then down to `1` again. A generator helps:

```
def updown(N):
    for x in xrange(1,N): yield x
    for x in xrange(N,0,-1): yield x
for i in updown(3): print i                # prints: 1 2 3 2 1
```

Here is a generator that works somewhat like the built-in `xrange` function, but returns a sequence of floating-point values instead of a sequence of integers:

```
def frange(start, stop, step=1.0):
    while start < stop:
        yield start
        start += step
```

`frange` is only somewhat like `xrange`, because, for simplicity, it makes arguments `start` and `stop` mandatory, and silently assumes `step` is positive (by default, like `xrange`, `frange` makes `step` equal to `1`).

Generators are more flexible than functions that return lists. A generator may build an iterator that returns an infinite stream of results that is usable only in loops that terminate by other means (e.g., via a `break` statement). Further, the generator-built iterator performs *lazy evaluation*: the iterator computes each successive item only when and if needed, just in time, while the equivalent function does all computations in advance and may require large amounts of memory to hold the results list. Therefore, in Python 2.2 and later, if all you need is the ability to iterate on a computed sequence, it is often best to compute the sequence in a generator, rather than in a function that returns a list. If the caller needs a list that contains all the items produced by a generator `G(arguments)`, the caller can use the following code:

```
resulting_list = list(G(arguments))
```

4.10.9 Recursion

Python supports recursion (i.e., a Python function can call itself), but there is a limit to how deep the recursion can be. By default, Python interrupts recursion and raises a `RecursionLimitExceeded` exception (covered in [Chapter 6](#)) when it detects that the stack of recursive calls has gone over a depth of 1,000. You can change the recursion limit with function `setrecursionlimit` of module `sys`, covered in [Chapter 8](#).

However, changing this limit will still not give you unlimited recursion; the absolute maximum limit depends on the platform, particularly on the underlying operating system and C runtime library, but it's typically a few thousand. When recursive calls get too deep, your program will crash. Runaway recursion after a call to `setrecursionlimit` that exceeds the platform's capabilities is one of the very few ways a Python program can crash—really crash, hard, without the usual safety net of Python's exception mechanisms. Therefore, be wary of trying to fix a program that is getting `RecursionLimitExceeded` exceptions by raising the recursion limit too high with `setrecursionlimit`. Most often, you'd be better advised to look for ways to remove the recursion or, at least, to limit the depth of recursion that your program needs.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 5. Object-Oriented Python

Python is an object-oriented programming language. Unlike some other object-oriented languages, Python doesn't force you to use the object-oriented paradigm exclusively. Python also supports procedural programming with modules and functions, so you can select the most suitable programming paradigm for each part of your program. Generally, the object-oriented paradigm is suitable when you want to group state (data) and behavior (code) together in handy packets of functionality. It's also useful when you want to use some of Python's object-oriented mechanisms covered in this chapter, such as inheritance or special methods. The procedural paradigm, based on modules and functions, tends to be simpler and is more suitable when you don't need any of the benefits of object-oriented programming. With Python, you often mix and match the two paradigms.

Python 2.2 and 2.3 are in transition between two slightly different object models. This chapter starts by describing the classic object model, which was the only one available in Python 2.1 and earlier and is still the default model in Python 2.2 and 2.3. The chapter then covers the small differences that define the powerful new-style object model and discusses how to use the new-style object model with Python 2.2 and 2.3. Because the new-style object model builds on the classic one, you'll need to understand the classic model before you can learn about the new model. Finally, the chapter covers special methods for both the classic and new-style object models, as well as metaclasses for Python 2.2 and later.

The new-style object model will become the default in a future version of Python. Even though the classic object model is still the default, I suggest you use the new-style object model when programming with Python 2.2 and later. Its advantages over the classic object model, while small, are measurable, and there are practically no compensating disadvantages. Therefore, it's simpler just to stick to the new-style object model, rather than try to decide which model to use each time you code a new class.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

5.1 Classic Classes and Instances

A *classic class* is a Python object with several characteristics:

- You can call a class object as if it were a function. The call creates another object, known as an *instance* of the class, that knows what class it belongs to.
- A class has arbitrarily named attributes that you can bind and reference.
- The values of class attributes can be data objects or function objects.
- Class attributes bound to functions are known as *methods* of the class.
- A method can have a special Python-defined name with two leading and two trailing underscores. Python invokes such *special methods*, if they are present, when various kinds of operations take place on class instances.
- A class can *inherit* from other classes, meaning it can delegate to other class objects the lookup of attributes that are not found in the class itself.

An instance of a class is a Python object with arbitrarily named attributes that you can bind and reference. An instance object implicitly delegates to its class the lookup of attributes not found in the instance itself. The class, in turn, may delegate the lookup to the classes from which it inherits, if any.

In Python, classes are objects (values), and are handled like other objects. Thus, you can pass a class as an argument in a call to a function. Similarly, a function can return a class as the result of a call. A class, just like any other object, can be bound to a variable (local or global), an item in a container, or an attribute of an object. Classes can also be keys into a dictionary. The fact that classes are objects in Python is often expressed by saying that classes are first-class objects.

5.1.1 The class Statement

The `class` statement is the most common way to create a class object. `class` is a single-clause compound statement with the following syntax:

```
class classname [(base-classes)]:  
    statement(s)
```

classname is an identifier. It is a variable that gets bound (or rebound) to the class object after the `class` statement finishes executing.

base-classes is an optional comma-delimited series of expressions whose values must be class objects. These classes are known by different names in different languages; you can think of them as the *base classes*, *superclasses*, or *parents* of the class being created. The class being created is said to *inherit* from, *derive* from, *extend*, or *subclass* its base classes, depending on what language you are familiar with. This class is also known as a *direct subclass* or *descendant* of its base classes.

The subclass relationship between classes is transitive. If *C1* subclasses *C2*, and *C2* subclasses *C3*, *C1* subclasses *C3*. Built-in function `issubclass(C1, C2)` accepts two arguments that are class objects: it returns `True` if *C1* subclasses *C2*, otherwise it returns `False`. Any class is considered a subclass of itself; therefore `issubclass(C, C)` returns `True` for any class *C*. The way in which the base classes of a class affect the functionality of the class is covered later in this chapter.

The syntax of the `class` statement has a small, tricky difference from that of the `def` statement covered in [Chapter 4](#). In a `def` statement, parentheses are mandatory between the function's name and the colon. To define a function without formal parameters, use a statement such as:

```
def name( ):
    statement(s)
```

In a `class` statement, the parentheses are mandatory if the class has one or more base classes, but they are forbidden if the class has no base classes. Thus, to define a class without base classes, use a statement such as:

```
class name:
    statement(s)
```

The non-empty sequence of statements that follows the `class` statement is known as the *class body*. A class body executes immediately, as part of the `class` statement's execution. Until the body finishes executing, the new class object does not yet exist and the *classname* identifier is not yet bound (or rebound). [Section 5.4](#) later in this chapter provides more details about what happens when a `class` statement executes.

Finally, note that the `class` statement does not create any instances of a class, but rather defines the set of attributes that are shared by all instances when they are created.

5.1.2 The Class Body

The body of a class is where you normally specify the attributes of the class; these attributes can be data objects or function objects.

5.1.2.1 Attributes of class objects

You typically specify an attribute of a class object by binding a value to an identifier within the class body. For example:

```
class C1:
    x = 23
print C1.x                # prints: 23
```

Class object *C1* now has an attribute named *x*, bound to the value *23*, and *C1.x* refers to that attribute.

You can also bind or unbind class attributes outside the class body. For example:

```
class C2: pass
C2.x = 23
print C2.x                # prints: 23
```

However, your program is more readable if you bind, and thus create, class attributes with statements inside

the class body. Any class attributes are implicitly shared by all instances of the class when those instances are created, as we'll discuss shortly.

The `class` statement implicitly defines some class attributes. Attribute `__name__` is the *classname* identifier string used in the `class` statement. Attribute `__bases__` is the tuple of class objects given as the base classes in the `class` statement (or the empty tuple, if no base classes are given). For example, using the class `C1` we just created:

```
print C1.__name__, C1.__bases__          # prints: C1, ( )
```

A class also has an attribute `__dict__`, which is the dictionary object that the class uses to hold all of its other attributes. For any class object `C`, any object `x`, and any identifier `S` (except `__name__`, `__bases__`, and `__dict__`), `C.S=x` is equivalent to `C.__dict__['S']=x`. For example, again referring to the class `C1` we just created:

```
C1.y = 45
C1.__dict__['z'] = 67
print C1.x, C1.y, C1.z                  # prints: 23, 45, 67
```

There is no difference between class attributes created in the class body, outside of the body by assigning an attribute, or outside of the body by explicitly binding an entry in `C.__dict__`.

In statements that are directly in a class's body, references to attributes of the class must use a simple name, not a fully qualified name. For example:

```
class C3:
    x = 23
    y = x + 22                          # must use just x, not C3.x
```

However, in statements that are in methods defined in a class body, references to attributes of the class must use a fully qualified name, not a simple name. For example:

```
class C4:
    x = 23
    def amethod(self):
        print C4.x                      # must use C4.x, not just x
```

Note that attribute references (i.e., an expression like `C.S`) have richer semantics than attribute binding. These references are covered in detail later in this chapter.

5.1.2.2 Function definitions in a class body

Most class bodies include `def` statements, as functions (called methods in this context) are important attributes for class objects. A `def` statement in a class body obeys the rules presented in [Section 4.10](#). In addition, a method defined in a class body always has a mandatory first parameter, conventionally named `self`, that refers to the instance on which you call the method. The `self` parameter plays a special role in method calls, as covered later in this chapter.

Here's an example of a class that includes a method definition:

```
class C5:
    def hello(self):
```

```
print "Hello"
```

A class can define a variety of special methods (methods with names that have two leading and two trailing underscores) relating to specific operations. We'll discuss special methods in great detail later in this chapter.

5.1.2.3 Class-private variables

When a statement in a class body (or in a method in the body) uses an identifier starting with two underscores (but not ending with underscores), such as `__ident`, the Python compiler implicitly changes the identifier into `__classname__ident`, where *classname* is the name of the class. This lets a class use private names for attributes, methods, global variables, and other purposes, without the risk of accidentally duplicating names used elsewhere.

By convention, all identifiers starting with a single underscore are also intended as private to the scope that binds them, whether that scope is or isn't a class. The Python compiler does not enforce privacy conventions, however: it's up to Python programmers to respect them.

5.1.2.4 Class documentation strings

If the first statement in the class body is a string literal, the compiler binds that string as the documentation string attribute for the class. This attribute is named `__doc__` and is known as the *docstring* of the class. See [Section 4.10.3](#) for more information on docstrings.

5.1.3 Instances

When you want to create an instance of a class, call the class object as if it were a function. Each call returns a new instance object of that class:

```
anInstance = C5( )
```

You can call built-in function `isinstance(I,C)` with a class object as argument *C*. In this case, `isinstance` returns `True` if object *I* is an instance of class *C* or any subclass of *C*. Otherwise, `isinstance` returns `False`.

5.1.3.1 `__init__`

When a class has or inherits a method named `__init__`, calling the class object implicitly executes `__init__` on the new instance to perform any instance-specific initialization that is needed. Arguments passed in the call must correspond to the formal parameters of `__init__`. For example, consider the following class:

```
class C6:
    def __init__(self,n):
        self.x = n
```

Here's how to create an instance of the `C6` class:

```
anotherInstance = C6(42)
```

As shown in the `C6` class, the `__init__` method typically contains statements that bind instance attributes. An `__init__` method must either not return a value or return the value `None`; any other return value raises a `TypeError` exception.

The main purpose of `__init__` is to bind, and thus create, the attributes of a newly created instance. You may also bind or unbind instance attributes outside `__init__`, as you'll see shortly. However, your code will be more readable if you initially bind all attributes of a class instance with statements in the `__init__` method.

When `__init__` is absent, you must call the class without arguments, and the newly generated instance has no instance-specific attributes. See [Section 5.3](#) later in this chapter for more details about `__init__`.

5.1.3.2 Attributes of instance objects

Once you have created an instance, you can access its attributes (data and methods) using the dot (`.`) operator. For example:

```
anInstance.hello( )           # prints: Hello
print anotherInstance.x      # prints: 42
```

Attribute references such as these have fairly rich semantics in Python and are covered in detail later in this section.

You can give an instance object an arbitrary attribute by binding a value to an attribute reference. For example:

```
class C7: pass
z = C7( )
z.x = 23
print z.x                       # prints: 23
```

Instance object `z` now has an attribute named `x`, bound to the value `23`, and `z.x` refers to that attribute. Note that the `__setattr__` special method, if present, intercepts every attempt to bind an attribute. `__setattr__` is covered in [Section 5.3](#) later in this chapter.

Creating an instance implicitly defines two instance attributes. For any instance `z`, `z.__class__` is the class object to which `z` belongs, and `z.__dict__` is the dictionary that `z` uses to hold all of its other attributes. For example, for the instance `z` we just created:

```
print z.__class__.__name__, z.__dict__      # prints: C7, {'x':23}
```

You may rebind (but not unbind) either or both of these attributes, but this is rarely necessary.

For any instance object `z`, any object `x`, and any identifier `S` (except `__class__` and `__dict__`), `z.S=x` is equivalent to `z.__dict__[S]=x` (unless a `__setattr__` special method intercepts the binding attempt). For example, again referring to the instance `z` we just created:

```
z.y = 45
z.__dict__['z'] = 67
print z.x, z.y, z.z           # prints: 23, 45, 67
```

There is no difference between instance attributes created in `__init__`, by assigning to attributes, or by explicitly binding an entry in `z.__dict__`.

5.1.3.3 The factory-function idiom

It is common to want to create instances of different classes depending upon some condition or to want to avoid creating a new instance if an existing one is available for reuse. You might consider implementing these needs by having `__init__` return a particular object, but that isn't possible because Python raises an exception when `__init__` returns any value other than `None`. The best way to implement flexible object creation is by using an ordinary function, rather than by calling the class object directly. A function used in this role is known as a *factory function*.

Calling a factory function is a more flexible solution, as such a function may return an existing reusable instance or create a new instance by calling whatever class is appropriate. Say you have two almost-interchangeable classes (`SpecialCase` and `NormalCase`) and you want to flexibly generate either one of them, depending on an argument. The following `appropriateCase` factory function allows you to do just that (the role of the `self` parameters is covered in [Section 5.1.5](#) later in this chapter):

```
class SpecialCase:
    def amethod(self): print "special"
class NormalCase:
    def amethod(self): print "normal"
def appropriateCase(isnormal=1):
    if isnormal: return NormalCase( )
    else: return SpecialCase( )
aninstance = appropriateCase(isnormal=0)
aninstance.amethod( ) # prints "special", as desired
```

5.1.4 Attribute Reference Basics

An *attribute reference* is an expression of the form `x.name`, where `x` is any expression and `name` is an identifier called the *attribute name*. Many kinds of Python objects have attributes, but an attribute reference has special rich semantics when `x` refers to a class or instance. Remember that methods are attributes too, so everything I say about attributes in general also applies to attributes that are callable (i.e., methods).

Say that `x` is an instance of class `C`, which inherits from base class `B`. Both classes and the instance have several attributes (data and methods) as follows:

```
class B:
    a = 23
    b = 45
    def f(self): print "method f in class B"
    def g(self): print "method g in class B"
class C(B):
    b = 67
    c = 89
    d = 123
    def g(self): print "method g in class C"
    def h(self): print "method h in class C"
x = C( )
x.d = 77
```

```
x.e = 88
```

Some attribute names are special. For example, `C.__name__` is the string 'C', the class name. `C.__bases__` is the tuple `(B,)`, the tuple of C's base classes. `x.__class__` is the class C, the class to which `x` belongs. When you refer to an attribute with one of these special names, the attribute reference looks directly into a special dedicated slot in the class or instance object and fetches the value it finds there. Thus, you can never unbind these attributes. Rebinding them is allowed, so you can change the name or base classes of a class or the class of an instance on the fly, but this is an advanced technique and rarely necessary.

Both class C and instance x each have one other special attribute, a dictionary named `__dict__`. All other attributes of a class or instance, except for the few special ones, are held as items in the `__dict__` attribute of the class or instance.

Apart from special names, when you use the syntax `x.name` to refer to an attribute of instance `x`, the lookup proceeds in two steps:

1. When 'name' is a key in `x.__dict__`, `x.name` fetches and returns the value at `x.__dict__['name']`
2. Otherwise, `x.name` delegates the lookup to `x`'s class (i.e., it works just the same as `x.__class__.name`)

Similarly, lookup for an attribute reference `C.name` on a class object C also proceeds in two steps:

1. When 'name' is a key in `C.__dict__`, `C.name` fetches and returns the value at `C.__dict__['name']`
2. Otherwise, `C.name` delegates the lookup to C's base classes, meaning it loops on `C.__bases__` and tries the `name` lookup on each

When these two lookup procedures do not find an attribute, Python raises an `AttributeError` exception. However, if `x`'s class defines or inherits special method `__getattr__`, Python calls `x.__getattr__('name')` rather than raising the exception.

Consider the following attribute references:

```
print x.e, x.d, x.c, x.b, x.a          # prints: 88, 77, 89, 67, 23
```

`x.e` and `x.d` succeed in step 1 of the first lookup process, since 'e' and 'd' are both keys in `x.__dict__`. Therefore, the lookups go no further, but rather return 88 and 77. The other three references must proceed to step 2 of the first process and look in `x.__class__` (i.e., C). `x.c` and `x.b` succeed in step 1 of the second lookup process, since 'c' and 'b' are both keys in `C.__dict__`. Therefore, the lookups go no further, but rather return 89 and 67. `x.a` gets all the way to step 2 of the second process, looking in `C.__bases__[0]` (i.e., B). 'a' is a key in `B.__dict__`, therefore `x.a` finally succeeds and returns 23.

Note that the attribute lookup steps happen only when you refer to an attribute, not when you bind an attribute. When you bind or unbind an attribute whose name is not special, only the `__dict__` entry for the attribute is affected. In other words, in the case of attribute binding, there is no lookup procedure involved.

5.1.5 Bound and Unbound Methods

Step 1 of the class attribute reference lookup process described in the previous section actually performs an additional task when the value found is a function. In this case, the attribute reference does not return the function object directly, but rather wraps the function into an *unbound method object* or a *bound method object*. The key difference between unbound and bound methods is that an unbound method is not associated with a particular instance, while a bound method is.

In the code in the previous section, attributes `f`, `g`, and `h` are functions; therefore an attribute reference to any one of them returns a method object wrapping the respective function. Consider the following:

```
print x.h, x.g, x.f, C.h, C.g, C.f
```

This statement outputs three bound methods, represented as strings like:

```
<bound method C.h of <_ _main_ _.C instance at 0x8156d5c>>
```

and then three unbound ones, represented as strings like:

```
<unbound method C.h>
```

We get bound methods when the attribute reference is on instance `x`, and unbound methods when the attribute reference is on class `C`.

Because a bound method is already associated with a specific instance, you call the method as follows:

```
x.h( ) # prints: method h in class C
```

The key thing to notice here is that you don't pass the method's first argument, `self`, by the usual argument-passing syntax. Rather, a bound method of instance `x` implicitly binds the `self` parameter to object `x`. Thus, the body of the method can access the instance's attributes as attributes of `self`, even though we don't pass an explicit argument to the method.

An unbound method, however, is not associated with a specific instance, so you must specify an appropriate instance as the first argument when you invoke an unbound method. For example:

```
C.h(x) # prints: method h in class C
```

You call unbound methods far less frequently than you call bound methods. The main use for unbound methods is for accessing overridden methods, as discussed in [Section 5.1.6](#) later in this chapter.

5.1.5.1 Unbound method details

As we've just discussed, when an attribute reference on a class refers to a function, a reference to that attribute returns an unbound method that wraps the function. An unbound method has three attributes in addition to those of the function object it wraps: `im_class` is the class object supplying the method, `im_func` is the wrapped function, and `im_self` is always `None`. These attributes are all read-only, meaning that trying to rebind or unbind any of them raises an exception.

You can call an unbound method just as you would call its `im_func` function, but the first argument in any call must be an instance of `im_class` or a descendant. In other words, a call to an unbound method must have at least one argument, which corresponds to the first formal parameter (conventionally named `self`).

5.1.5.2 Bound method details

As covered earlier in [Section 5.1.4](#), an attribute reference on an instance `x`, such as `x.f`, delegates the lookup to `x`'s class when `'f'` is not a key in `x.__dict__`. In this case, when the lookup finds a function object, the attribute reference operation creates and returns a bound method that wraps the function. Note that when the attribute reference finds a function object in `x.__dict__` or any other kind of callable object by whatever route, the attribute reference operation does not create a bound method. The bound method is created only when a function object is found as an attribute in the instance's class.

A bound method is similar an unbound method, in that it has three read-only attributes in addition to those of the function object it wraps. Like with an unbound method, `im_class` is the class object supplying the method, and `im_func` is the wrapped function. However, in a bound method object, attribute `im_self` refers to `x`, the instance from which the method was obtained.

A bound method is used like its `im_func` function, but calls to a bound method do not explicitly supply an argument corresponding to the first formal parameter (conventionally named `self`). When you call a bound method, the bound method passes `im_self` as the first argument to `im_func`, before other arguments (if any) are passed at the point of call.

Let's follow the conceptual steps in a typical method call with the normal syntax `x.name(arg)`. `x` is an instance object, `name` is an identifier naming one of `x`'s methods (a function-valued attribute of `x`'s class), and `arg` is any expression. Python checks if `'name'` is a key in `x.__dict__`, but it isn't. So Python finds `name` in `x.__class__` (possibly, by inheritance, in one of its `__bases__`). Python notices that the value is a function object, and that the lookup is being done on instance `x`. Therefore, Python creates a bound method object whose `im_self` attribute refers to `x`. Then, Python calls the bound method object with `arg` as the only actual argument. The bound method inserts `im_self` (i.e., `x`) as the first actual argument and `arg` becomes the second one. The overall effect is just like calling:

```
x.__class__.__dict__['name'](x, arg)
```

When a bound method's function body executes, it has no special namespace relationship to either its `self` object or any class. Variables referenced are local or global, just as for any other function, as covered in [Section 4.10.6](#). Variables do not implicitly indicate attributes in `self`, nor do they indicate attributes in any class object. When the method needs to refer to, bind, or unbind an attribute of its `self` object, it does so by standard attribute-reference syntax (e.g., `self.name`). The lack of implicit scoping may take some getting used to (since Python differs in this respect from many other object-oriented languages), but it results in clarity, simplicity, and the removal of potential ambiguities.

Bound method objects are first-class objects, and you can use them wherever you can use a callable object. Since a bound method holds references to the function it wraps and to the `self` object on which it executes, it's a powerful and flexible alternative to a closure (covered in [Section 4.10.6.2](#)). An instance object with special method `__call__` (covered in [Section 5.3](#) later in this chapter) offers another viable alternative. Each of these constructs lets you bundle some behavior (code) and some state (data) into a single callable object. Closures are simplest, but limited in their applicability. Here's the closure from [Chapter 4](#):

```
def make_adder_as_closure(augend):
    def add(addend, _augend=augend): return addend+_augend
    return add
```

Bound methods and callable instances are richer and more flexible. Here's how to implement the same functionality with a bound method:


```
def make_adder_as_bound_method(augend):
    class Adder:
        def __init__(self, augend): self.augend = augend
        def add(self, addend): return addend+self.augend
    return Adder(augend).add
```

Here's how to implement it with a callable instance (an instance with `__call__`):

```
def make_adder_as_callable_instance(augend):
    class Adder:
        def __init__(self, augend): self.augend = augend
        def __call__(self, addend): return addend+self.augend
    return Adder(augend)
```

From the viewpoint of the code that calls the functions, all of these functions are interchangeable, since all return callable objects that are polymorphic (i.e., usable in the same ways). In terms of implementation, the closure is simplest; the bound method and callable instance use more flexible and powerful mechanisms, but there is really no need for that extra power in this case.

5.1.6 Inheritance

When you use an attribute reference `C.name` on a class object `C`, and `'name'` is not a key in `C.__dict__`, the lookup implicitly proceeds on each class object that is in `C.__bases__`, in order. `C`'s base classes may in turn have their own base classes. In this case, the lookup recursively proceeds up the inheritance tree, stopping when `'name'` is found. The search is depth-first, meaning that it examines the ancestors of each base class of `C` before considering the next base class of `C`. Consider the following example:

```
class Base1:
    def amethod(self): print "Base1"
class Base2(Base1): pass
class Base3:
    def amethod(self): print "Base3"
class Derived(Base2, Base3): pass
aninstance = Derived( )
aninstance.amethod( ) # prints: "Base1"
```

In this case, the lookup for `amethod` starts in `Derived`. When it isn't found there, lookup proceeds to `Base2`. Since the attribute isn't found in `Base2`, lookup then proceeds to `Base2`'s ancestor, `Base1`, where the attribute is found. Therefore, the lookup stops at this point and never considers `Base3`, where it would also find an attribute with the same name.

5.1.6.1 Overriding attributes

As we've just seen, the search for an attribute proceeds up the inheritance tree and stops as soon as the attribute is found. Descendent classes are examined before their ancestors, meaning that when a subclass defines an attribute with the same name as one in a superclass, the search finds the definition when it looks at the subclass and stops there. This is known as the subclass *overriding* the definition in the superclass. Consider the following:

```
class B:
```

```

a = 23
b = 45
def f(self): print "method f in class B"
def g(self): print "method g in class B"
class C(B):
    b = 67
    c = 89
    d = 123
    def g(self): print "method g in class C"
    def h(self): print "method h in class C"

```

In this code, class `C` overrides attributes `b` and `g` of its superclass `B`.

5.1.6.2 Delegating to superclass methods

When a subclass `C` overrides a method `f` of its superclass `B`, the body of `C.f` often wants to delegate some part of its operation to the superclass's implementation of the method. This can be done using an unbound method, as follows:

```

class Base:
    def greet(self, name): print "Welcome ", name
class Sub(Base):
    def greet(self, name):
        print "Well Met and",
        Base.greet(self, name)
x = Sub( )
x.greet('Alex')

```

The delegation to the superclass, in the body of `Sub.greet`, uses an unbound method obtained by attribute reference `Base.greet` on the superclass, and therefore passes all attributes normally, including `self`. Delegating to a superclass implementation is the main use of unbound methods.

One very common use of such delegation occurs with special method `__init__`. When an instance is created in Python, the `__init__` methods of base classes are not automatically invoked, as they are in some other object-oriented languages. Thus, it is up to a subclass to perform the proper initialization by using delegation if necessary. For example:

```

class Base:
    def __init__(self):
        self.anattribute = 23
class Derived(Base):
    def __init__(self):
        Base.__init__(self)
        self.anotherattribute = 45

```

If the `__init__` method of class `Derived` didn't explicitly call that of class `Base`, instances of `Derived` would miss that portion of their initialization, and thus such instances would lack attribute `anattribute`.

5.1.6.3 "Deleting" class attributes

Inheritance and overriding provide a simple and effective way to add or modify class attributes (methods) non-invasively (i.e., without modifying the class in which the attributes are defined), by adding or overriding the attributes in subclasses. However, inheritance does not directly support similar ways to delete (hide) base classes' attributes non-invasively. If the subclass simply fails to define (override) an attribute, Python finds the base class's definition. If you need to perform such deletion, possibilities include:

- Overriding the method and raising an exception in the method's body
- Eschewing inheritance, holding the attributes elsewhere than in the subclass's `__dict__`, and defining `__getattr__` for selective delegation
- Using the new-style object model and overriding `__getattr__` to similar effect

The last two techniques here are demonstrated in "`__getattr__`" later in this chapter.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

5.2 New-Style Classes and Instances

Most of what I have covered so far in this chapter also holds for the new-style object model introduced in Python 2.2. New-style classes and instances are first-class objects just like classic ones, both can have arbitrary attributes, you call a class to create an instance of the class, and so on. In this section, I'm going to cover the few differences between the new-style and classic object models.

In Python 2.2 and 2.3, a class is new-style if it inherits from built-in type `object` directly or indirectly (i.e., if it subclasses any built-in type, such as `list`, `dict`, `file`, `object`, and so on). In Python 2.1 and earlier, a class cannot inherit from a built-in type, and built-in type `object` does not exist. In [Section 5.4](#) later in this chapter, I cover other ways to make a class new-style, ways that you can use in Python 2.2 or later whether a class has superclasses or not.

As I said at the beginning of this chapter, I suggest you get into the habit of using new-style classes when you program in Python 2.2 or later. The new-style object model has small but measurable advantages, and there are practically no compensating disadvantages. It's simpler just to stick to the new-style object model, rather than try to decide which model to use each time you code a new class.

5.2.1 The Built-in object Type

As of Python 2.2, the built-in `object` type is the ancestor of all built-in types and new-style classes. The `object` type defines some special methods (as documented in [Section 5.3](#) later in this chapter) that implement the default semantics of objects:

```
__new__ , __init__
```

You can create a direct instance of `object`, and such creation implicitly uses the static method `__new__` of type `object` to create the new instance, and then uses the new instance's `__init__` method to initialize the new instance. `object.__init__` ignores its arguments and performs no operation whatsoever, so you can pass arbitrary arguments to type `object` when you call it to create an instance of it: all such arguments will be ignored.

```
__delattr__ , __getattr__ , __setattr__
```

By default, an object handles attribute references as covered earlier in this chapter, using these methods of `object`.

```
__hash__ , __repr__ , __str__
```

An object can be passed to functions `hash` and `repr` and to type `str`.

A subclass of `object` may override any of these methods and/or add others.

5.2.2 Class-Level Methods

The new-style object model allows two kinds of class-level methods that do not exist in the classic object model: static methods and class methods. Class-level methods exist only in Python 2.2 and later, but in these versions you can also have such methods in classic classes. This is the only feature of the new-style

object model that is also fully functional with classic classes in Python 2.2 and later.

5.2.2.1 Static methods

A *static method* is a method that you can call on a class, or on any instance of the class, without the special behavior and constraints of ordinary methods, bound and unbound, on the first argument. A static method may have any signature: it may have no arguments, and the first argument, if any, plays no special role. You can think of a static method as an ordinary function that you're able to call normally, despite the fact that it happens to be bound to a class attribute. While it is never necessary to define static methods (you could always define a function instead), some programmers consider them to be an elegant alternative to such functions whose purpose is tightly bound to some specific class.

You build a static method by calling built-in type `staticmethod` and binding its result to a class attribute. Like all binding of class attributes, this is normally done in the body of the class, but you may also choose to perform it elsewhere. The only argument to `staticmethod` is the function to invoke when Python calls the static method. The following example shows how to define and call a static method:

```
class AClass(object):
    def astatic( ): print 'a static method'
    astatic = staticmethod(astatic)
anInstance = AClass( )
AClass.astatic( )           # prints: a static method
anInstance.astatic( )      # prints: a static method
```

This example uses the same name for the function passed to `staticmethod` and for the attribute bound to `staticmethod`'s result. This style is not mandatory, but it's a good idea, and I recommend that you use it.

5.2.2.2 Class methods

A *class method* is a method that you can call on a class or on any instance of the class. Python binds the method's first argument to the class on which you call the method, or the class of the instance on which you call the method; it does not bind it to the instance, as for normal bound methods. There is no equivalent of unbound methods for class methods. The first formal argument of a class method is conventionally named `cls`. While it is never necessary to define class methods (you could always alternatively define a function that takes the class object as its first argument), some programmers consider them to be an elegant alternative to such functions.

You build a class method by calling built-in type `classmethod` and binding its result to a class attribute. Like all binding of class attributes, this is normally done in the body of the class, but you may also choose to perform it elsewhere. The only argument to `classmethod` is the function to invoke when Python calls the class method. Here's how to define and call a class method:

```
class ABase(object):
    def aclassmet(cls): print 'a class method for', cls.__name__
    aclassmet = classmethod(aclassmet)
class ADeriv(ABase): pass
bInstance = ABase( )
dInstance = ADeriv( )
ABase.aclassmet( )           # prints: a class method for ABase
bInstance.aclassmet( )      # prints: a class method for ABase
```

```
ADeriv.aclassmethod( )           # prints: a class method for ADeriv
dInstance.aclassmethod( )       # prints: a class method for ADeriv
```

This example uses the same name for the function passed to `classmethod` and for the attribute bound to `classmethod`'s result. This style is not mandatory, but it's a good idea, and I recommend that you use it.

5.2.3 New-Style Classes

All features of classic classes, covered earlier in this chapter, also apply to new-style classes. New-style classes also have some additional features with regard to the `__init__` special method, and they all have a `__new__` static method.

5.2.3.1 `__init__`

A new-style class `C` that inherits `__init__` from `object` without overriding it lets you pass arbitrary arguments when you call `C`, but ignores all of those arguments. This behavior can be somewhat surprising. I suggest you override `__init__` in all new-style classes that directly subclass `object`, even in those rare cases in which your own class's `__init__` has no task to perform. For example:

```
class C(object):
    def __init__(self): pass
    # rest of class body omitted
```

Now instantiating `C()` without arguments works, but mistakenly trying to pass an argument (e.g., `C('xyz')`) raises an exception. If class `C` did not override `__init__`, a call `C('xyz')` would silently ignore the erroneous argument. It's generally best not to silently ignore errors.

5.2.3.2 `__new__`

Each new-style class has a static method named `__new__`. When you call `C(*args, **kwargs)` to create a new instance of a new-style class `C`, Python invokes `C.__new__(C, *args, **kwargs)`. Python uses `__new__`'s return value `x` as the newly created instance. Then, Python calls `C.__init__(x, *args, **kwargs)`, but only when `x` is indeed an instance of `C` (otherwise, `x`'s state is as `__new__` had left it). Thus, for a new-style class `C`, the statement `x=C(23)` is equivalent to the following code:

```
x = C.__new__(C, 23)
if isinstance(x, C): C.__init__(x, 23)
```

`object.__new__` creates a new, uninitialized instance of the class it receives as its first argument, and ignores any other arguments. When you override `__new__` within the class body, you do not need to add `__new__=staticmethod(__new__)`, as you normally would: Python recognizes the name `__new__` and treats it specially in this context. In those rare cases in which you rebind `C.__new__` later, outside the body of class `C`, you do need to use `C.__new__=staticmethod(whatever)`.

`__new__` has most of the flexibility of a factory function, as covered earlier in this chapter. `__new__` may choose to return an existing instance or to make a new one, as appropriate. When `__new__` does need to create a new instance, it most often delegates creation by calling `object.__new__` or the `__new__` method of another built-in type that is a superclass of `C`. The following example shows how to

override static method `__new__` in order to implement a version of the Singleton design pattern:

```
class Singleton(object):
    _singletons = { }
    def __new__(cls, *args, **kwargs):
        if not cls._singletons.has_key(cls):
            cls._singletons[cls] = object.__new__(cls)
        return cls._singletons[cls]
```

Any subclass of `Singleton` (that does not further override `__new__`) has exactly one instance. If the subclass defines an `__init__` method, the subclass must ensure its `__init__` is safe when called repeatedly (at each creation request) on the one and only class instance.

5.2.4 New-Style Instances

All features of instances of classic classes, covered earlier in this chapter, also apply to instances of new-style classes. In addition, new-style classes may define attributes called properties and a special attribute named `__slots__` that affects access to instance attributes. The new-style object model also adds a special method `__getattr__` that is more general than the `__getattribute__` special method present in both the classic and new-style object models. It also has different semantics for per-instance definition of special methods.

5.2.4.1 Properties

A property is an instance attribute with special functionality. You reference, bind, or unbind the attribute with the normal syntax (e.g., `print x.prop`, `x.prop=23`, `del x.prop`). However, rather than following the usual semantics for attribute reference, binding, and unbinding, these accesses call methods on instance `x` that you specify when defining the property using the built-in type `property`. Here's how to define a read-only property:

```
class Rectangle(object):
    def __init__(self, width, height):
        self.width = width
        self.height = height
    def getArea(self):
        return self.width * self.height
    area = property(getArea, doc='area of the rectangle')
```

Each instance `r` of class `Rectangle` has a synthetic read-only attribute `r.area`, computed on the fly in method `r.getArea()` by multiplying the sides of the rectangle. The docstring `Rectangle.area.__doc__` is `'area of the rectangle'`. The property is read-only (attempts to rebind or unbind it fail) because we only specify a `get` method in the call to `property`.

Properties perform tasks that are similar to those of special methods `__getattr__`, `__setattr__`, and `__delattr__` (covered in [Section 5.3](#) later in this chapter), but in a faster and simpler way. You build a property by calling built-in type `property` and binding its result to a class attribute. Like all binding of class attributes, this is normally done in the body of the class, but you may also choose to perform it elsewhere. Within the body of a class `C`, use the following syntax:

```
attrib = property(fget=None, fset=None, fdel=None, doc=None)
```

When `x` is an instance of `C` and you reference `x.attr`, Python calls on `x` the method you passed as argument `fget` to the property constructor, without arguments. When you assign `x.attr = value`, Python calls the method you passed as argument `fset`, with `value` as the only argument. When you perform `del x.attr`, Python calls the method you passed as argument `fdel`, without arguments. Python uses the argument you passed as `doc` as the docstring of the attribute. All arguments to `property` are optional. When an argument is missing, the corresponding operation is forbidden. For example, in the `Rectangle` example, we made property `area` read-only, because we passed only argument `fget`, not arguments `fset` and `fdel`.

To obtain similar results for a classic class in Python 2.1, we need to define special methods `__getattr__` and `__setattr__` and in each of them test for attribute name `'area'` and handle it specifically. The following example shows how to simulate a read-only property in Python 2.1:

```
class Rectangle:
    def __init__(self, width, height):
        self.width = width
        self.height = height
    def getArea(self):
        return self.width * self.height
    def __getattr__(self, name):
        if name == 'area': return self.getArea()
        raise AttributeError, name
    def __setattr__(self, name, value):
        if name == 'area':
            raise AttributeError, "can't bind attribute"
        self.__dict__[name] = value
```

5.2.4.2 `__slots__`

Normally, each instance object `x` of any class `C` has a dictionary `x.__dict__` that Python uses to let you bind arbitrary attributes on `x`. To save some memory (at the cost of letting `x` have only a predefined set of attribute names), you can define in class `C` a class attribute named `__slots__`, which is a sequence (normally a tuple) of strings (normally identifiers). When class `C` has an attribute `__slots__`, a direct instance `x` of class `C` has no `x.__dict__`, and any attempt to bind on `x` any attribute whose name is not in `C.__slots__` raises an exception. Using `__slots__` lets you reduce memory consumption for small instance objects that can do without the ability to have arbitrarily named attributes. Note that `__slots__` is worth adding only to classes that can have so many instances that saving a few tens of bytes per instance is important—typically classes that can have millions, not mere thousands, of instances alive at the same time. Unlike most other class attributes, `__slots__` works as I've just described only if some statement in the class body binds it as a class attribute. Any later alteration, rebinding, or unbinding of `__slots__` has no effect, nor does inheriting `__slots__` from a base class. Here's how to add `__slots__` to the `Rectangle` class defined earlier, to get smaller (though less flexible) instances:

```
class OptimizedRectangle(Rectangle):
    __slots__ = 'width', 'height'
```

We do not need to define a slot for the `area` property. `__slots__` does not constrain properties, only ordinary instance attributes—the attributes that would reside in the instance's `__dict__` if `__slots__` wasn't defined.

5.2.4.3 `__getattr__`

All references to instance attributes for new-style instances proceed through special method `__getattribute__`. This method is supplied by base class `object`, where it implements all the details of object attribute reference semantics as documented earlier in this chapter. However, you may override `__getattribute__` for special purposes, such as hiding inherited class attributes (e.g., methods) for your subclass's instances. The following example shows one way to implement a list without `append` in the new-style object model:

```
class listNoAppend(list):
    def __getattribute__(self, name):
        if name == 'append': raise AttributeError, name
        return list.__getattribute__(self, name)
```

An instance `x` of class `listNoAppend` is almost indistinguishable from a built-in list object, except that performance is substantially worse, and any reference to `x.append` raises an exception.

The following example shows how to implement `__getattr__`, `__setattr__`, and `__delattr__` so that `__getattr__` is called on every attribute reference, just like `__getattribute__` is for new-style instances:

```
class AttributeWatcher:
    def __init__(self):
        # note the caution to avoid triggering __setattr__, and the
        # emulation of Python's name-mangling for a private attribute
        self.__dict__['_AttributeWatcher_mydict'] = { }
    def __getattr__(self, name):
        # as well as tracing every call, for demonstration purposes we
        # also fake "having" any requested attribute, EXCEPT special
        # methods (__getattr__ is also invoked to ask for them: check by
        # trying a few operations on an AttributeWatcher instance).
        print "getattr", name
        try: return self.__mydict[name]
        except KeyError:
            if name.startswith('__') and name.endswith('__'):
                raise AttributeError, name
            else: return 'fake_'+name
    def __setattr__(self, name, value):
        print "setattr", name, value
        self.__mydict[name] = value
    def __delattr__(self, name):
        print "delattr", name
        try: del self.__mydict[name]
        except KeyError: pass
```

5.2.4.4 Per-instance methods

Both the classic and new-style object models allow an instance to have instance-specific bindings for all attributes, including callable attributes (methods). For a method, just like for any other attribute, an instance-specific binding hides a class-level binding: attribute lookup does not even look at the class if it finds a binding directly in the instance. In both object models, an instance-specific binding for a callable attribute does not perform any of the transformations detailed in [Section 5.1.5](#) earlier in this chapter. In other words, the attribute reference returns exactly the same callable object that was earlier bound directly

to the instance attribute.

Classic and new-style object models do differ on per-instance binding of the special methods that Python invokes implicitly as a result of various operations, as covered in [Section 5.3](#) later in this chapter. In the classic object model, an instance may usefully override a special method, and Python uses the per-instance binding even when invoking the method implicitly. In the new-style object model, implicit use of special methods always relies on the class-level binding of the special method, if any. The following code shows this difference between classic and new-style object models:

```
def fakeGetItem(idx): return idx
class Classic: pass
c = Classic( )
c.__getitem__ = fakeGetItem
print c[23] # prints: 23
class NewStyle(object): pass
n = NewStyle( )
n.__getitem__ = fakeGetItem
print n[23] # results in:
# Traceback (most recent call last):
#   File "<stdin>", line 1, in ?
# TypeError: unindexable object
```

The semantics of the classic object model in this regard are sometimes handy for tricky and somewhat obscure purposes. However, the new-style object model's approach regularizes and simplifies the relationship between classes and metaclasses, covered in [Section 5.4](#) later in this chapter.

5.2.5 Inheritance in the New-Style Object Model

In the new-style object model, inheritance works similarly to the way it works in the classic object model. One key difference is that a new-style class can inherit from a built-in type. The new-style object model, like the classic one, supports multiple inheritance. However, a class may directly or indirectly subclass multiple built-in types only if those types are specifically designed to allow this level of mutual compatibility. Python does not support unconstrained inheritance from multiple arbitrary built-in types. Normally, a new-style class only subclasses at most one substantial built-in type; this means at most one built-in type in addition to `object`, which is the superclass of all built-in types and new-style classes and imposes no constraints on multiple inheritance.


5.2.5.1 Method resolution order

In the classic object model, method and attribute lookup (also called *resolution order*) among direct and indirect base classes proceeds left-first, depth-first. While very simple, this rule may produce undesired results when multiple base classes inherit from the same common base class and override different subsets of the common base class's methods; in this case, the overrides of the rightmost base class are hidden in the lookup. For example, if `A` subclasses `B` and `C` in that order, and `B` and `C` each subclass `D`, the classic lookup proceeds in the conceptual order `A, B, D, C, D`. Since Python looks up `D` before `C`, any method defined in class `D`, even if class `C` overrides it, is therefore found only in the base class `D` version. This issue causes few practical problems only because such an inheritance pattern, also known as a diamond-shaped inheritance graph, is rarely used in the classic Python object model.

In the new-style object model, however, all types directly or indirectly subclass `object`. Therefore, any

multiple inheritance gives diamond-shaped inheritance graphs, and the classic resolution order would often produce problems. Python's new-style object model changes the resolution order by leaving in the lookup sequence only the rightmost occurrence of any given class. Using the example from the previous paragraph, when class `D` is new-style (e.g., `D` directly subclasses `object`), the resolution order for class `A` becomes `A, B, C, D, object`, and no anomalies arise. [Figure 5-1](#) shows the classic and new-style method resolution orders for the case of a diamond-shaped inheritance graph.

Figure 5-1. Classic and new-style method resolution order



Each new-style class and built-in type has a special read-only class attribute called `__mro__`, which is the tuple of types used for method resolution, in order. You can reference `__mro__` only on classes, not on instances, and, since `__mro__` is a read-only attribute, you cannot rebind or unbind it.

5.2.5.2 Cooperative superclass method calling

As we saw earlier in this chapter, when a subclass overrides a method, the overriding method often wants to delegate part of its operation to the superclass's implementation of the same method. The simple solution that is idiomatic in Python's classic object model (calling the superclass's version directly with unbound method syntax) is imperfect in cases of multiple inheritance with diamond-shaped graphs. Consider the following definitions:

```
class A(object):
    def met(self):
        print 'A.met'
class B(A):
    def met(self):
        print 'B.met'
        A.met(self)
class C(A):
    def met(self):
        print 'C.met'
        A.met(self)
class D(B,C):
```

```

def met(self):
    print 'D.met'
    B.met(self)
    C.met(self)

```

In this code, when we call `D().met()`, `A.met` ends up being called twice. How can we ensure that each ancestor's implementation of the method is called once, and only once? This problem turns out to be rather hard to solve without some special help. The special help that Python 2.2 provides is the new built-in type `super`. `super(aclass, obj)` returns a special superobject of object `obj`. When we look up an attribute (e.g., a method) in this superobject, the lookup begins after class `aclass` in `obj`'s method resolution order. We can therefore rewrite the previous code as:

```

class A(object):
    def met(self):
        print 'A.met'
class B(A):
    def met(self):
        print 'B.met'
        super(B,self).met( )
class C(A):
    def met(self):
        print 'C.met'
        super(C,self).met( )
class D(B,C):
    def met(self):
        print 'D.met'
        super(D,self).met( )

```

Now, `D().met()` results in exactly one call to each class's version of `met`. If you get into the habit of always coding superclass calls with `super`, your classes will fit smoothly even in complicated inheritance structures. There are no ill effects whatsoever if the inheritance structure turns out to be simple instead (as long as your code only runs on Python 2.2 and later, of course).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

5.3 Special Methods

A class may define or inherit special methods (i.e., methods whose names begin and end with double underscores). Each special method relates to a specific operation. Python implicitly invokes a special method whenever you perform the related operation on an instance object. In most cases, the method's return value is the operation's result, and attempting an operation when its related method is not present raises an exception. Throughout this section, I will point out the cases in which these general rules do not apply. In the following, `x` is the instance of class `C` on which you perform the operation, and `y` is the other operand, if any. The formal argument `self` of each method also refers to instance object `x`.

5.3.1 General-Purpose Special Methods

Some special methods relate to general-purpose operations. A class that defines or inherits these methods allows its instances to control such operations. These operations can be divided into the following categories:

Initialization and finalization

An instance can control its initialization (a frequent need) via special method `__init__`, and/or its finalization (a rare need) via `__del__`.

Representation as string

An instance can control how Python represents it as a string via special methods `__repr__`, `__str__`, and `__unicode__`.

Comparison, hashing, and use in a Boolean context

An instance can control how it compares with other objects (methods `__lt__` and `__cmp__`), how dictionaries use it as a key (`__hash__`), and whether it evaluates to true or false in Boolean contexts (`__nonzero__`).

Attribute reference, binding, and unbinding

An instance can control access to its attributes (reference, binding, unbinding) by defining special methods `__getattr__`, `__setattr__`, and `__delattr__`.

Callable instances

An instance is callable, just like a function object, if it has the special method `__call__`.

The rest of this section documents the general-purpose special methods.

`__call__`

```
__call__(self[, args...])
```

When you call `x([args...])`, Python translates the operation into a call to `x.__call__([args...])`. The formal arguments for the call operation are the same as for the `__call__` method, minus the first argument. The first argument, conventionally called `self`, refers to `x`, and Python supplies it implicitly and

automatically, just as in any other call to a bound method.

`__cmp__`

```
__cmp__(self, other)
```

Any comparison, when its specific special method (`__lt__`, `__gt__`, etc.) is absent or returns `NotImplemented`, calls `x.__cmp__(y)` instead, as do built-in function `cmp(x,y)` and the `sort` method of list objects. `__cmp__` should return `-1` if `x` is less than `y`, `0` if `x` is equal to `y`, or `1` if `x` is greater than `y`. When `__cmp__` is also absent, order comparisons (`<`, `<=`, `>`, `>=`) raise exceptions. Equality comparisons (`=`, `!=`), in this case, become identity checks: `x==y` evaluates `id(x)==id(y)` (i.e., `x is y`).

`__del__`

```
__del__(self)
```

Just before `x` disappears because of garbage collection, Python calls `x.__del__()` to let `x` finalize itself. If `__del__` is absent, Python performs no special finalization upon garbage-collecting `x` (this is the usual case, as very few classes need to define `__del__`). Python ignores the return value of `__del__`. Python performs no implicit call to `__del__` methods of class `C`'s superclasses. `C.__del__` must explicitly perform any needed finalization.

For example, when class `C` has a base class `B` to finalize, the code in `C.__del__` must call `B.__del__(self)` (or better, for new-style classes, `super(C, self).__del__()`). `__del__` is generally not the best approach when you need timely and guaranteed finalization. For such needs, use the `try/finally` statement covered in [Chapter 6](#).

`__delattr__`

```
__delattr__(self, name)
```

At every request to unbind attribute `x.y` (typically, a `del` statement `del x.y`), Python calls `x.__delattr__('y')`. All the considerations discussed for `__setattr__` also apply to `__delattr__`. Python ignores the return value of `__delattr__`. If `__delattr__` is absent, Python usually translates `del x.y` into `del x.__dict__['y']`.

`__eq__`, `__ge__`, `__gt__`, `__le__`, `__lt__`, `__ne__`

```

__eq__(self, other)
__ge__(self, other)
__gt__(self, other)
__le__(self, other)
__lt__(self, other)
__ne__(self, other)

```

Comparisons `x==y`, `x>=y`, `x>y`, `x<=y`, `x<y`, and `x!=y`, respectively, call the special methods listed here, which should return `False` or `True` (in Python 2.2.1 and later; `0` or `1` in Python 2.2, 2.1, and earlier). Each method may return `NotImplemented` to tell Python to handle the comparison in alternative ways (e.g., Python may then try `y>x` in lieu of `x<y`).

__getattr__

```
__getattr__(self, name)
```

When attribute `x.y` is accessed but not found by the usual procedure (i.e., where `AttributeError` would normally be raised), Python calls `x.__getattr__('y')` instead. Python does not call `__getattr__` for attributes found by normal means (i.e., as keys in `x.__dict__` or via `x.__class__`). If you want Python to call `__getattr__` on every attribute reference, keep the attributes elsewhere (e.g., in another dictionary referenced by an attribute with a private name, as shown earlier in this chapter), or else write a new-style class and override `__getattribute__` instead. `__getattr__` should raise `AttributeError` if it cannot find `y`.

__getattribute__

Python 2.2 and later

```
__getattribute__(self, name)
```

At every request to access attribute `x.y`, if `x` is an instance of new-style class `C`, Python calls `x.__getattribute__('y')`, which must obtain and return the attribute value or else raise `AttributeError`. The normal semantics of attribute access (using `x.__dict__`, `C.__slots__`, `C`'s class attributes, `x.__getattr__`) are all due to `object.__getattribute__`.

If class `C` overrides `__getattribute__`, it must implement all of the attribute access semantics it wants to offer. Most often, the most convenient way to implement attribute access semantics is by delegating (e.g., calling `object.__getattribute__(self, ...)` as part of the operation of your override of `__getattribute__`). Note that a class that overrides `__getattribute__` makes attribute access on instances of the class quite slow, since your overriding code is called on every such attribute access.

__hash__

```
__hash__(self)
```

The `hash(x)` built-in function call, and using `x` as a dictionary key (typically, `D[x]` where `D` is a dictionary),

call `x.__hash__()`. `__hash__` must return a 32-bit `int` such that `x=y` implies `hash(x)=hash(y)`, and must always return the same value for a given object.

When `__hash__` is absent, `hash(x)` and using `x` as a dictionary key call `id(x)` instead, as long as `__cmp__` and `__eq__` are also absent.

Any `x` such that `hash(x)` returns a result, rather than raising an exception, is known as a *hashable object*. When `__hash__` is absent, but `__cmp__` or `__eq__` is present, `hash(x)` and using `x` as a dictionary key raise an exception. In this case, `x` is not hashable and cannot be a dictionary key.

You normally define `__hash__` only for immutable objects that also define `__cmp__` and/or `__eq__`. Note that, if there exists any `y` such that `x=y`, even if `y` is of a different type, and both `x` and `y` are hashable, you must ensure that `hash(x)=hash(y)`.

`__init__`

```
__init__(self[,args...])
```

When a call `C([args...])` creates instance `x` of class `C` Python calls `x.__init__([args...])` to let `x` initialize itself. If `__init__` is absent, you must call class `C` without arguments, `C()`, and `x` has no instance-specific attributes upon creation (note that `__init__` is never absent for a new-style class, since such a class inherits `__init__` from `object` unless it redefines it). `__init__` must return `None`. Python performs no implicit call to `__init__` methods of class `C`'s superclasses. `C.__init__` must explicitly perform any needed initialization. For example, when class `C` has a base class `B` to initialize without arguments, the code in `C.__init__` must explicitly call `B.__init__(self)` (or better, for new-style classes, call `super(C, self).__init__()`).

`__new__`

Python 2.2 and later

```
__new__(cls[,args...])
```

When you call `C([args...])` and `C` is a new-style class, Python will obtain the new instance `x` that you are creating by invoking `C.__new__(C,[args...])`. `__new__` is a static method that every new-style class has (often simply inheriting it from `object`) and it can return any value `x`. In other words, `__new__` is not constrained to returning a new instance of `C`, although normally it is expected to do so. If, and only if, the value `x` that `__new__` returns is indeed an instance of `C` (whether a new or previously existing one), Python continues after calling `__new__` by implicitly calling `__init__` on `x`.

`__nonzero__`

```
__nonzero__(self)
```

When evaluating `x` as true or false (see [Section 4.2.6](#)), for example on a call to `bool(x)` in Python 2.2.1 and later, Python calls `x.__nonzero__()`, which should return `True` or `False`. When `__nonzero__` is not present, Python calls `__len__` instead, and takes `x` as false when `x.__len__()` returns 0. When neither `__nonzero__` nor `__len__` is present, Python always takes `x` as true.

`__repr__`

```
__repr__(self)
```

The `repr(x)` built-in function call, the ``x`` expression form, and the interactive interpreter (when `x` is the result of an expression statement) call `x.__repr__()` to obtain an official, complete string representation of `x`. If `__repr__` is absent, Python uses a default string representation. `__repr__` should return a string with unambiguous information on `x`. Ideally, when feasible, the string should be an expression such that `eval(repr(x)) = x`.

`__setattr__`

```
__setattr__(self, name, value)
```

At every request to bind attribute `x.y` (typically, an assignment statement `x.y=value`), Python calls `x.__setattr__('y',value)`. Python always calls `__setattr__` for any attribute binding on `x`; a major difference from `__getattr__` (`__setattr__` is closer to new-style classes' `__getattribute__` in this sense). To avoid recursion, when `x.__setattr__` binds `x`'s attributes, it must modify `x.__dict__` directly (e.g., by `x.__dict__[name]=value`), or better, for a new-style class, delegate (e.g., call `super(C, x).__setattr__('y',value)`). Python ignores the return value of `__setattr__`. If `__setattr__` is absent, Python usually translates `x.y=z` into `x.__dict__['y']=z`.

`__str__`

```
__str__(self)
```

The `str(x)` built-in type and the `print x` statement call `x.__str__()` to obtain an informal, concise string representation of `x`. If `__str__` is absent, Python calls `x.__repr__` instead. `__str__` should return a conveniently human-readable string, even if it entails some approximation.

`__unicode__`

Python 2.2 and later

```
__unicode__(self)
```

The `unicode(x)` built-in type call, in Python 2.2 and later, invokes `x.__unicode__()`, if present, in preference to `x.__str__()`. If a class supplies both special methods `__unicode__` and `__str__`, the two should return equivalent strings (of Unicode and plain string type respectively).

5.3.2 Special Methods for Containers

An instance can be a *container* (either a sequence or a mapping, but not both, as they are mutually exclusive concepts). For maximum usefulness, containers should provide not just special methods `__getitem__`, `__`

`__setitem__`, `__delitem__`, `__len__`, `__contains__`, and `__iter__`, but also a few non-special methods, as discussed in the following sections.

5.3.2.1 Sequences

In each item access special method, a sequence that has L items should accept any integer key , such that $0 \leq key < L$. For compatibility with built-in sequences, a negative index key , $0 > key \geq -L$, should be equivalent to $key + L$. When key has an invalid type, the method should raise `TypeError`. When key is a value of a valid type, but out of range, the method should raise `IndexError`. In Python 2.1, and also in later Python versions for classes that do not define `__iter__`, the `for` statement relies on these requirements, as do built-in functions that take sequences as arguments.

A sequence should also allow concatenation by `+` and repetition by `*`. A sequence should therefore have special methods `__add__`, `__mul__`, `__radd__`, and `__rmul__`, covered in [Section 5.3.3](#) later in this chapter. Mutable sequences should also have `__iadd__` and `__imul__`, and the non-special methods covered in [Section 4.6.4.3](#): `append`, `count`, `index`, `insert`, `extend`, `pop`, `remove`, `reverse`, and `sort`.

5.3.2.2 Mappings

A mapping's item access special methods should raise `KeyError`, rather than `IndexError`, when they receive an invalid key argument value of a valid type. A mapping should define the non-special methods covered in [Section 4.7.3](#): `copy`, `get`, `has_key`, `items`, `keys`, `values`, `iteritems`, `iterkeys`, and `itervalues`. Special method `__iter__` should be equivalent to `iterkeys`. A mutable mapping should also define methods `clear`, `popitem`, `setdefault`, and `update`.

5.3.2.3 Sets

Sets, scheduled to be introduced in Python 2.3, can be seen as rather peculiar kinds of containers-containers that are neither sequences nor mappings, and cannot be indexed, but do have a length (number of elements) and are iterable. Unfortunately, the interface of sets (and even the final decision about introducing them in Python 2.3) is still not stable as of this writing. Therefore, I do not consider sets in this book.

5.3.2.4 Container slicing

When you reference, bind, or unbind a slicing such as `x[i:j]` or `x[i:j:k]` on a container x , Python calls x 's applicable item access special method, passing as key an object of a built-in type called a *slice object*. A slice object has attributes `start`, `stop`, and `step`. Each attribute is `None` if the corresponding value is omitted in the slice syntax. For example, `del x[:3]` calls `x.__delitem__(y)`, and y is a slice object such that `y.stop` is 3, `y.start` is `None`, and `y.step` is `None`. It is up to container object x to appropriately interpret the slice object argument passed to x 's special methods.

Some built-in types, such as `list` and `tuple`, define now-deprecated special methods `__getslice__`, `__setslice__`, and `__delslice__`. For an instance x of such a type, slicing x with only one colon, as in `x[i:j]`, calls a slice-specific special method. Slicing x with two colons, as in `x[i:j:k]`, calls an item access special method with a slice object argument. For example:

```

class C:
    def __getslice__(self, i, j): print 'getslice', i, j
    def __getitem__(self, index): print 'getitem', index
x = C( )
x[12:34]
x[56:78:9]

```

The first slicing calls `x.__getslice__(12,34)`, and the second calls `x.__getitem__(slice(56,78,9))`. It's best to avoid defining the slice-specific special methods in your classes, but you may need to override them if your class subclasses `list` or `tuple` and you want to provide special functionality when an instance of your class is sliced. Note that built-in sequences do not yet support slicing with two colons up to Python 2.2: this functionality is scheduled to be introduced in Python 2.3.

5.3.2.5 Container methods

Special methods `__getitem__`, `__setitem__`, `__delitem__`, `__iter__`, `__len__`, and `__contains__` expose container functionality.

`__contains__`

```
__contains__(self, item)
```

The Boolean test `y in x` calls `x.__contains__(y)`. When `x` is a sequence, `__contains__` should return `True` when `y` equals the value of an item in the sequence. When `x` is a mapping, `__contains__` should return `True` when `y` equals the value of a key in the mapping. Otherwise, `__contains__` should return `False`. If `__contains__` is absent, Python performs `y in x` as follows, taking time proportional to `len(x)`:

```

for z in x:
    if y == z: return True
return False

```

`__delitem__`

```
__delitem__(self, key)
```

For a request to unbind an item or slice of `x` (typically `del x[key]`), Python will call `x.__delitem__(key)`. A container `x` should have `__delitem__` only if `x` is mutable, so that items (and possibly slices) can be removed.

`__getitem__`

```
__getitem__(self, key)
```

When `x[key]` is accessed (i.e., when container `x` is indexed or sliced), Python calls `x.__getitem__(key)`. All containers should have `__getitem__`.

`__iter__`

```
__iter__(self)
```

For a request to loop on all items of `x` (typically `for item in x`), Python calls `x.__iter__()` to obtain an iterator on `x`. The built-in function `iter(x)` also calls `x.__iter__()`. If `__iter__` is absent and `x` is a sequence, `iter(x)` synthesizes and returns an iterator object that wraps `x` and returns `x[0]`, `x[1]`, and so on, until one of these item accesses raises `IndexError` to indicate the end of the sequence.

`__len__`

```
__len__(self)
```

The `len(x)` built-in function call, and other built-in functions that need to know how many items are in container `x`, call `x.__len__()`. `__len__` should return an `int`, the number of items in `x`. Python also calls `x.__len__()` to evaluate `x` in a Boolean context, if `__nonzero__` is absent. Absent `__nonzero__`, a container is taken as false if and only if the container is empty (i.e., the container's length is 0).

`__setitem__`

```
__setitem__(self, key, value)
```

For a request to bind an item or slice of `x` (typically an assignment `x[key]=value`), Python calls `x.__setitem__(key,value)`. A container `x` should have `__setitem__` only if `x` is mutable, so that items, and possibly slices, can be added and/or rebound.

5.3.3 Special Methods for Numeric Objects

An instance may support numeric operations by means of many special methods. Some classes that are not numbers also support some of the following special methods, in order to overload operators such as `+` and `*`. For example, sequences should have special methods `__add__`, `__mul__`, `__radd__`, and `__rmul__`, as mentioned earlier in this chapter.

`__abs__`, `__invert__`, `__neg__`, `__pos__`

```
__abs__(self)  
__invert__(self)  
__neg__(self)  
__pos__(self)
```

Unary operators `abs(x)`, `~x`, `-x`, and `+x`, respectively, call these methods.

```
__add__ , __div__ , __floordiv__ , __mod__ , __mul__ , __sub__ , __truediv__
```

```
__add__(self, other)
__div__(self, other)
__floordiv__(self, other)
__mod__(self, other)
__mul__(self, other)
__sub__(self, other)
__truediv__(self, other)
```

Operators `x+y`, `x/y`, `x//y`, `x%y`, `x*y`, `x-y`, and `x/y`, respectively, call these methods. The operator `/` calls `__truediv__`, if present, instead of `__div__`, in the situations where division is non-truncating, as covered in [Section 4.5.2](#).

```
__and__ , __lshift__ , __or__ , __rshift__ , __xor__
```

```
__and__(self, other)
__lshift__(self, other)
__or__(self, other)
__rshift__(self, other)
__xor__(self, other)
```

Operators `x&y`, `x<<y`, `x|y`, `x>>y`, and `x^y`, respectively, call these methods.

```
__coerce__
```

```
__coerce__(self, other)
```

For any numeric operation with two operands `x` and `y`, Python invokes `x.__coerce__(y)`. `__coerce__` should return a pair with `x` and `y` converted to acceptable types. `__coerce__` returns `None` when it cannot perform the conversion. In such cases, Python will call `y.__coerce__(x)`. This special method is now deprecated: new Python classes should not implement it, but instead deal with whatever types they can accept directly in the special methods of the relevant numeric operations. However, if a class does supply `__coerce__`, Python still calls it for backward compatibility.

```
__complex__ , __float__ , __int__ , __long__
```

```

__complex__(self)
__float__(self)
__int__(self)
__long__(self)

```

Built-in types `complex(x)`, `float(x)`, `int(x)`, and `long(x)`, respectively, call these methods.

```

__divmod__

```

```

__divmod__(self, other)

```

Built-in function `divmod(x,y)` calls `x.__divmod__(y)`. `__divmod__` should return a pair `(quotient,remainder)` equal to `(x//y,x%y)`.

```

__hex__, __oct__

```

```

__hex__(self)
__oct__(self)

```

Built-in function `hex(x)` calls `x.__hex__()`. Built-in function `oct(x)` calls `x.__oct__()`. Each of these special methods should return a string representing the value of `x`, in base 16 and 8 respectively.

```

__iadd__, __idiv__, __ifloordiv__, __imod__, __
__imul__, __isub__, __itruediv__

```

```

__iadd__(self, other)
__idiv__(self, other)
__ifloordiv__(self, other)
__imod__(self, other)
__imul__(self, other)
__isub__(self, other)
__itruediv__(self, other)

```

The augmented assignments `x+=y`, `x/=y`, `x//=y`, `x%=y`, `x*=y`, `x-=y`, and `x/=y`, respectively, call these methods. Each method should modify `x` in-place and return `self`. Define these methods when `x` is mutable (i.e., when `x` can change in-place).

```

__iand__, __ilshift__, __ior__, __irshift__, __
__ixor__

```

```

__iand__(self, other)
__ilshift__(self, other)
__ior__(self, other)
__irshift__(self, other)
__ixor__(self, other)

```

Augmented assignments $x\&=y$, $x\ll=y$, $x|=y$, $x\gg=y$, and $x^=y$, respectively, call these methods. Each method should modify x in-place and return `self`.

```
__ipow__
```

```
__ipow__(self, other)
```

Augmented assignment $x**=y$ calls `x.__ipow__(y)`. `__ipow__` should modify x in-place and return `self`.

```
__pow__
```

```
__pow__(self, other[, modulo])
```

$x**y$ and `pow(x,y)` both call `x.__pow__(y)`, while `pow(x,y,z)` calls `x.__pow__(y,z)`. `x.__pow__(y,z)` should return a value equal to the expression `x.__pow__(y)%z`.

```
__radd__ __, __rdiv__ __, __rmod__ __, __rmul__ __, __
_rsub__
```

```

__radd__(self, other)
__rdiv__(self, other)
__rmod__(self, other)
__rmul__(self, other)
__rsub__(self, other)

```

Operators $y+x$, y/x , $y\%x$, $y*x$, and $y-x$, respectively, call these methods when y doesn't have a needed method `__add__`, `__div__`, and so on.

```

__rand__ __, __rshift__ __, __ror__ __, __rrshift__ __, __
_rxor__

```

```

__rand__(self, other)
__rshift__(self, other)
__ror__(self, other)
__rrshift__(self, other)
__rxor__(self, other)

```

Operators $y&x$, $y<<x$, $y|x$, $y>>x$, and y^x , respectively, call these methods when y doesn't have needed method `__and__`, `__lshift__`, and so on.

`__rdivmod__`

```
__rdivmod__(self, other)
```

Built-in function `divmod(y,x)` calls `x.__rdivmod__(y)` when y doesn't have `__divmod__`. `__rdivmod__` should return a pair *(remainder, quotient)*.

`__rpow__`

```
__rpow__(self, other)
```

$y**x$ and `pow(y,x)` call `x.__rpow__(y)`, when y doesn't have `__pow__`. There is no three-argument form in this case.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

5.4 Metaclasses

Any object, even a class object, has a type. In Python, types and classes are also first-class objects. The type of a class object is also known as the class's *metaclass*.^[1] An object's behavior is determined largely by the type of the object. This also holds for classes: a class's behavior is determined largely by the class's metaclass. Metaclasses are an advanced subject, and you may want to skip the rest of this chapter on first reading. However, fully grasping metaclasses can help you obtain a deeper understanding of Python, and sometimes it can even be useful to define your own custom metaclasses.

^[1] Strictly speaking, the type of a class *C* could be said to be the metaclass only of instances of *C*, rather than of *C* itself, but this exceedingly subtle terminological distinction is rarely, if ever, observed in practice.

The distinction between classic and new-style classes relies on the fact that each class's behavior is determined by its metaclass. In other words, the reason classic classes behave differently from new-style classes is that classic and new-style classes are object of different types (metaclasses):

```
class Classic: pass
class Newstyle(object): pass
print type(Classic)           # prints: <type 'class'>
print type(Newstyle)         # prints: <type 'type'>
```

The type of `Classic` is object `types.ClassType` from standard module `types`, while the type of `Newstyle` is built-in object `type`. `type` is also the metaclass of all Python built-in types, including itself (i.e., `print type(type)` also prints `<type 'type'>`).

5.4.1 How Python Determines a Class's Metaclass

To execute a `class` statement, Python first collects the base classes into a tuple *t* (an empty one, if there are no base classes) and executes the class body in a temporary dictionary *d*. Then, Python determines the metaclass *M* to use for the new class object *C* created by the `class` statement.

When `'__metaclass__'` is a key in *d*, *M* is `d['__metaclass__']`. Thus, you can explicitly control class *C*'s metaclass by binding the attribute `__metaclass__` in *C*'s class body. Otherwise, when *t* is non-empty (i.e., when *C* has one or more base classes), *M* is `type(t[0])`, the metaclass of *C*'s first base class. This is why inheriting from `object` indicates that *C* is a new-style class. Since `type(object)` is `type`, a class *C* that inherits from `object` (or some other built-in type) gets the same metaclass as `object` (i.e., `type(C)`, *C*'s metaclass, is also `type`). Thus, being a new-style class is synonymous with having `type` as the metaclass.

When *C* has no base classes, but the current module has a global variable named `__metaclass__`, *M* is the value of that global variable. This lets you make classes without base classes default to new-style classes, rather than classic classes, throughout a module. Just place the following statement toward the start of the module body:

```
__metaclass__ = type
```

Failing all of these, in Python 2.2 and 2.3, *M* defaults to `types.ClassType`. This last default of defaults clause is why classes without base classes are classic classes by default, when `__metaclass__` is not

bound in the class body or as a global variable of the module.

5.4.2 How a Metaclass Creates a Class

Having determined M , Python calls M with three arguments: the class name (a string), the tuple of base classes t , and the dictionary d . The call returns the class object C , which Python then binds to the class name, completing the execution of the `class` statement. Note that this is in fact an instantiation of type M , so the call to M executes `M.__init__(C, namestring, t, d)`, where C is the return value of `M.__new__(M, namestring, t, d)`, just as in any other similar instantiation of a new-style class (or built-in type).

After class object C is created, the relationship between class C and its type (`type(C)`, normally M) is the same as that between any object and its type. For example, when you call `class C` (to create an instance of C), `M.__call__` executes, with class object C as the first actual argument.

Note the benefit of the new-style approach described in [Section 5.2.4.4](#) earlier in this chapter. Calling C to instantiate it must execute the metaclass's `M.__call__`, whether or not C has a per-instance attribute (method) `__call__` (i.e., independently of whether instances of C are or aren't callable). This requirement is simply incompatible with the classic object model, where per-instance methods override per-class ones—even for implicitly called special methods. The new-style approach avoids having to make the relationship between a class and its metaclass an ad hoc special case. Avoiding ad hoc special cases is a key to Python's power: Python has few, simple, general rules, and applies them consistently.

5.4.2.1 Defining and using your own metaclasses

It's easy to define metaclasses in Python 2.2 and later, by inheriting from `type` and overriding some methods. You can also perform most of these tasks with `__new__`, `__init__`, `__getattr__`, and so on, without involving metaclasses. However, a custom metaclass can be faster, since special processing is done only at class creation time, which is a rare operation. A custom metaclass also lets you define a whole category of classes in a framework that magically acquires whatever interesting behavior you've coded, quite independently of what special methods the classes may choose to define. Moreover, some behavior of class objects can be customized only in metaclasses. The following example shows how to use a metaclass to change the string format of class objects:

```
class MyMeta(type):
    def __str__(cls): return "Beautiful class '%s'" % cls.__name__
class MyClass:
    __metaclass__ = MyMeta
x = MyClass( )
print type(x)
```

Strictly speaking, classes that instantiate your own custom metaclass are neither classic nor new-style: the semantics of classes and of their instances is entirely defined by their metaclass. In practice, your custom metaclasses will almost invariably subclass built-in `type`. Therefore, the semantics of the classes that instantiate them are best thought of as secondary variations with respect to the semantics of new-style classes.

5.4.2.2 A substantial custom metaclass example

Suppose that, programming in Python, we miss C's `struct` type: an object that is just a bunch of data

attributes with fixed names. Python lets us easily define an appropriate `Bunch` class, apart from the fixed names:

```
class Bunch(object):
    def __init__(self, **fields): self.__dict__ = fields
p = Bunch(x=2.3, y=4.5)
print p                # prints: <_ _main_ _.Bunch object at 0x00AE8B10>
```

However, a custom metaclass lets us exploit the fact that the attribute names are fixed at class creation time. The code shown in [Example 5-1](#) defines a metaclass, `metaMetaBunch`, and a class, `MetaBunch`, that let us write code like the following:

```
class Point(MetaBunch):
    """ A point has x and y coordinates, defaulting to 0.0, and a color,
        defaulting to 'gray' -- and nothing more, except what Python and
        the metaclass conspire to add, such as __init__ and __repr__ """
    x = 0.0
    y = 0.0
    color = 'gray'
# example uses of class Point
q = Point( )
print q                # prints: Point( )
p = Point(x=1.2, y=3.4)
print p                # prints: Point(y=3.399999999, x=1.2)
```

In this code, the `print` statements print readable string representations of our `Point` instances. `Point` instances are also quite memory-lean, and their performance is basically the same as for instances of the simple class `Bunch` in the previous example (no extra overhead due to special methods getting called implicitly). Note that [Example 5-1](#) is quite substantial, and following all its details requires understanding aspects of Python covered later in this book, such as strings ([Chapter 9](#)) and module `warnings` ([Chapter 17](#)).

Example 5-1. The `metaMetaBunch` metaclass

```
import warnings
class metaMetaBunch(type):
    """
    metaclass for new and improved "Bunch": implicitly defines __slots__,
    __init__ and __repr__ from variables bound in class scope.
    A class statement for an instance of metaMetaBunch (i.e., for a class
    whose metaclass is metaMetaBunch) must define only class-scope data
    attributes (and possibly special methods, but NOT __init__ and
    __repr__!). metaMetaBunch removes the data attributes from class
    scope, snuggles them instead as items in a class-scope dict named
    __dflts__, and puts in the class a __slots__ with those attributes'
    names, an __init__ that takes as optional keyword arguments each of
    them (using the values in __dflts__ as defaults for missing ones), and
    a __repr__ that shows the repr of each attribute that differs from its
    default value (the output of __repr__ can be passed to __eval__ to
    make an equal instance, as per the usual convention in the matter, if
    each of the non-default-valued attributes respects the convention too)
```

```

"""
def __new__(cls, classname, bases, classdict):
    """ Everything needs to be done in __new__, since type.__new__ is
        where __slots__ are taken into account.
    """
    # define as local functions the __init__ and __repr__ that we'll
    # use in the new class
    def __init__(self, **kw):
        """ Simplistic __init__: first set all attributes to default
            values, then override those explicitly passed in kw.
        """
        for k in self.__dfmts__: setattr(self, k, self.__dfmts__[k])
        for k in kw: setattr(self, k, kw[k])
    def __repr__(self):
        """ Clever __repr__: show only attributes that differ from the
            respective default values, for compactness.
        """
        rep = ['%s=%r' % (k, getattr(self, k)) for k in self.__dfmts__
              if getattr(self, k) != self.__dfmts__[k]
              ]
        return '%s(%s)' % (classname, ', '.join(rep))
    # build the newdict that we'll use as class-dict for the new class
    newdict = { '__slots__':[ ], '__dfmts__':{ },
               '__init__':__init__, '__repr__':__repr__, }
    for k in classdict:
        if k.startswith('__') and k.endswith('__'):
            # special methods: copy to newdict, warn about conflicts
            if k in newdict:
                warnings.warn("Can't set attr %r in bunch-class %r"
                              % (k, classname))
            else:
                newdict[k] = classdict[k]
        else:
            # class variables, store name in __slots__, and name and
            # value as an item in __dfmts__
            newdict['__slots__'].append(k)
            newdict['__dfmts__'][k] = classdict[k]
    # finally delegate the rest of the work to type.__new__
    return type.__new__(cls, classname, bases, newdict)
class MetaBunch(object):
    """ For convenience: inheriting from MetaBunch can be used to get
        the new metaclass (same as defining __metaclass__ yourself).
    """
    __metaclass__ = metaMetaBunch

```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 6. Exceptions

Python uses exceptions to communicate errors and anomalies. An *exception* is an object that indicates an error or anomalous condition. When Python detects an error, it raises an exception; that is, it signals the occurrence of an anomalous condition by passing an exception object to the exception-propagation mechanism. Your code can also explicitly raise an exception by executing a `raise` statement.

Handling an exception means receiving the exception object from the propagation mechanism and performing whatever actions are needed to deal with the anomalous situation. If a program does not handle an exception, it terminates with an error traceback message. However, a program can handle exceptions and keep running despite errors or other abnormal conditions.

Python also uses exceptions to indicate some special situations that are not errors, and are not even abnormal occurrences. For example, as covered in [Chapter 4](#), an iterator's `next` method raises the exception `StopIteration` when the iterator has no more items. This is not an error, and it is not even an anomalous condition, since most iterators run out of items eventually.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

6.1 The try Statement

The `try` statement provides Python's exception-handling mechanism. It is a compound statement that can take one of two different forms:

- A `try` clause followed by one or more `except` clauses
- A `try` clause followed by exactly one `finally` clause

6.1.1 try/except

Here's the syntax for the `try/except` form of the `try` statement:

```
try:
    statement(s)
except [expression [, target]]:
    statement(s)
[else:
    statement(s)]
```

This form of the `try` statement has one or more `except` clauses, as well as an optional `else` clause.

The body of each `except` clause is known as an *exception handler*. The code executes if the *expression* in the `except` clause matches an exception object that propagates from the `try` clause. *expression* is an optional class or tuple of classes that matches any exception object of one of the listed classes or any of their subclasses. The optional *target* is an identifier that names a variable that Python binds to the exception object just before the exception handler executes. A handler can also obtain the current exception object by calling the `exc_info` function of module `sys` (covered in [Chapter 8](#)).

Here is an example of the `try/except` form of the `try` statement:

```
try: 1/0
except ZeroDivisionError: print "caught divide-by-0 attempt"
```

If a `try` statement has several `except` clauses, the exception propagation mechanism tests the `except` clauses in order: the first `except` clause whose expression matches the exception object is used as the handler. Thus, you must always list handlers for specific cases before you list handlers for more general cases. If you list a general case first, the more specific `except` clauses that follow will never enter the picture.

The last `except` clause may lack an expression. This clause handles any exception that reaches it during propagation. Such unconditional handling is a rare need, but it does occur, generally in wrapper functions that must perform some extra task before reraising an exception, as we'll discuss later in the chapter.

Note that exception propagation terminates when it finds a handler whose expression matches the exception object. Thus, if a `try` statement is nested in the `try` clause of another `try` statement, a handler established by the inner `try` is reached first during propagation, and therefore is the one that handles the exception, if it

matches the expression. For example:

```
try:
    try: 1/0
    except: print "caught an exception"
except ZeroDivisionError:
    print "caught divide-by-0 attempt"
# prints: caught an exception
```

In this case, it does not matter that the handler established by clause `except ZeroDivisionError:` in the outer `try` clause is more specific and appropriate than the catch-all `except:` in the inner `try` clause. The outer `try` does not even enter into the picture because the exception doesn't propagate out of the inner `try`.

The optional `else` clause of `try/except` executes only if the `try` clause terminates normally. In other words, it does not execute if an exception propagates from the `try` clause or if the `try` clause exits with a `break`, `continue`, or `return` statement. The handlers established by `try/except` cover only the `try` clause, not the `else` clause. The `else` clause is useful to avoid accidentally handling unexpected exceptions. For example:

```
print repr(value), "is ",
try:
    value + 0
except TypeError:
    # not a number, maybe a string, Unicode, UserString...?
    try:
        value + ''
    except TypeError:
        print "neither a number nor a string"
    else:
        print "a string or string-like value"
else:
    print "a number of some kind"
```

6.1.2 try/finally

Here's the syntax for the `try/finally` form of the `try` statement:

```
try:
    statement(s)
finally:
    statement(s)
```

This form has exactly one `finally` clause, and it cannot have an `else` clause.

The `finally` clause establishes what is known as a *clean-up handler*. The code always executes after the `try` clause terminates in any way. When an exception propagates from the `try` clause, the `try` clause terminates, the clean-up handler executes, and the exception keeps propagating. When no exception occurs, the clean-up handler executes anyway, whether the `try` clause reaches its end or exits by executing a `break`, `continue`, or `return` statement.

Clean-up handlers established with `try/finally` offer a robust and explicit way to specify finalization code

that must always execute, no matter what, to ensure consistency of program state and/or external entities (e.g., files, databases, network connections). Here is an example of the `try/finally` form of the `try` statement:

```
f = open(someFile, "w")
try:
    do_something_with_file(f)
finally:
    f.close( )
```

Note that the `try/finally` form is distinct from the `try/except` form: a `try` statement cannot have both `except` and `finally` clauses, as execution order might be ambiguous. If you need both exception handlers and a clean-up handler, nest a `try` statement in the `try` clause of another `try` statement to define execution order explicitly and unambiguously.

A `finally` clause cannot directly contain a `continue` statement, but it may contain a `break` or `return` statement. Such usage, however, makes your program less clear, as exception propagation stops when such a `break` or `return` executes. Most programmers would not normally expect propagation to be stopped in a `finally` clause, so this usage may confuse people who are reading your code.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

6.2 Exception Propagation

When an exception is raised, the exception-propagation mechanism takes control. The normal control flow of the program stops, and Python looks for a suitable exception handler. Python's `try` statement establishes exception handlers via its `except` clauses. The handlers deal with exceptions raised in the body of the `try` clause, as well as exceptions that propagate from any of the functions called by that code, directly or indirectly. If an exception is raised within a `try` clause that has an applicable `except` handler, the `try` clause terminates and the handler executes. When the handler finishes, execution continues with the statement after the `try` statement.

If the statement raising the exception is not within a `try` clause that has an applicable handler, the function containing the statement terminates, and the exception propagates upward to the statement that called the function. If the call to the terminated function is within a `try` clause that has an applicable handler, that `try` clause terminates, and the handler executes. Otherwise, the function containing the call terminates, and the propagation process repeats, unwinding the stack of function calls until an applicable handler is found.

If Python cannot find such a handler, by default the program prints an error message to the standard error stream (the file `sys.stderr`). The error message includes a traceback that gives details about functions terminated during propagation. You can change Python's default error-reporting behavior by setting `sys.excepthook` (covered in [Chapter 8](#)). After error reporting, Python goes back to the interactive session, if any, or terminates if no interactive session is active. When the exception class is `SystemExit`, termination is silent and includes the interactive session, if any.

Here are some functions that we can use to see exception propagation at work.

```
def f( ):
    print "in f, before 1/0"
    1/0                                # raises a ZeroDivisionError exception
    print "in f, after 1/0"

def g( ):
    print "in g, before f( )"
    f( )
    print "in g, after f( )"

def h( ):
    print "in h, before g( )"
    try:
        g( )
        print "in h, after g( )"
    except ZeroDivisionError:
        print "ZD exception caught"
    print "function h ends"
```

Calling the `h` function has the following results:

```
>>> h( )
in h, before g( )
```

```
in g, before f( )  
in f, before 1/0  
ZD exception caught  
function h ends
```

Function `h` establishes a `try` statement and calls function `g` within the `try` clause. `g`, in turn, calls `f`, which performs a division by `0`, raising an exception of class `ZeroDivisionError`. The exception propagates all the way back to the `except` clause in `h`. Functions `f` and `g` terminate during the exception propagation phase, which is why neither of their "after" messages is printed. The execution of `h`'s `try` clause also terminates during the exception propagation phase, so its "after" message isn't printed either. Execution continues after the handler, at the end of `h`'s `try/except` block.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

6.3 The raise Statement

You can use the `raise` statement to raise an exception explicitly. `raise` is a simple statement with the following syntax:

```
raise [expression1[, expression2]]
```

Only an exception handler (or a function that a handler calls, directly or indirectly) can use `raise` without any expressions. A plain `raise` statement reraises the same exception object that the handler received. The handler terminates, and the exception propagation mechanism keeps searching for other applicable handlers. Using a `raise` without expressions is useful when a handler discovers that it is unable to handle an exception it receives, so the exception should keep propagating.

When only `expression1` is present, it can be an instance object or a class object. In this case, if `expression1` is an instance object, Python raises that instance. When `expression1` is a class object, `raise` instantiates the class without arguments and raises the resulting instance. When both expressions are present, `expression1` must be a class object. `raise` instantiates the class, with `expression2` as the argument (or multiple arguments if `expression2` is a tuple), and raises the resulting instance.

Here's an example of a typical use of the `raise` statement:

```
def crossProduct(seq1, seq2):
    if not seq1 or not seq2:
        raise ValueError, "Sequence arguments must be non-empty"
    return [ (x1, x2) for x1 in seq1 for x2 in seq2 ]
```

The `crossProduct` function returns a list of all pairs with one item from each of its sequence arguments, but first it tests both arguments. If either argument is empty, the function raises `ValueError`, rather than just returning an empty list as the list comprehension would normally do. Note that there is no need for `crossProduct` to test if `seq1` and `seq2` are iterable: if either isn't, the list comprehension itself will raise the appropriate exception, presumably a `TypeError`. Once an exception is raised, be it by Python itself or with an explicit `raise` statement in your code, it's up to the caller to either handle it (with a suitable `try/except` statement) or let it propagate further up the call stack.

Use the `raise` statement only to raise additional exceptions for cases that would normally be okay but your specifications define to be errors. Do not use `raise` to duplicate the error checking and diagnostics Python already and implicitly does on your behalf.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

6.4 Exception Objects

Exceptions are instances of subclasses of the built-in `Exception` class. For backward compatibility, Python also lets you use strings, or instances of any class, as exception objects, but such usage risks future incompatibility and gives no benefits. An instance of any subclass of `Exception` has an attribute `args`, the tuple of arguments used to create the instance. `args` holds error-specific information, usable for diagnostic or recovery purposes.

6.4.1 The Hierarchy of Standard Exceptions

All exceptions that Python itself raises are instances of subclasses of `Exception`. The inheritance structure of exception classes is important, as it determines which `except` clauses handle which exceptions.

The `SystemExit` class inherits directly from `Exception`. Instances of `SystemExit` are normally raised by the `exit` function in module `sys` (covered in [Chapter 8](#)).

Other standard exceptions derive from `StandardError`, a direct subclass of `Exception`. Three subclasses of `StandardError`, like `StandardError` itself and `Exception`, are never instantiated directly. Their purpose is to make it easier for you to specify `except` clauses that handle a broad range of related errors. These subclasses are:

`ArithmeticError`

The base class for exceptions due to arithmetic errors (i.e., `OverflowError`, `ZeroDivisionError`, `FloatingPointError`)

`LookupError`

The base class for exceptions that a container raises when it receives an invalid key or index (i.e., `IndexError`, `KeyError`)

`EnvironmentError`

The base class for exceptions due to external causes (i.e., `IOError`, `OSError`, `WindowsError`)

6.4.2 Standard Exception Classes

Common runtime errors raise exceptions of the following classes:

`AssertionError`

An assert statement failed.

`AttributeError`

An attribute reference or assignment failed.

`FloatingPointError`

A floating-point operation failed. Derived from `ArithmeticError`.

`IOError`

An I/O operation failed (e.g., the disk is full, a file was not found, or needed permissions were missing). Derived from `EnvironmentError`.

`ImportError`

An `import` statement (covered in [Chapter 7](#)) cannot find the module to import or cannot find a name specifically requested from the module.

`IndentationError`

The parser encountered a syntax error due to incorrect indentation. Derived from `SyntaxError`.

`IndexError`

An integer used to index a sequence is out of range (using a non-integer as a sequence index raises `TypeError`). Derived from `LookupError`.

`KeyError`

A key used to index a mapping is not in the mapping. Derived from `LookupError`.

`KeyboardInterrupt`

The user pressed the interrupt key (Ctrl-C, Ctrl-Break, or Delete, depending on the platform).

`MemoryError`

An operation ran out of memory.

`NameError`

A variable was referenced, but its name is not bound.

`NotImplementedError`

Raised by abstract base classes to indicate that a concrete subclass must override a method.

`OSError`

Raised by functions in module `os` (covered in [Chapter 10](#) and [Chapter 14](#)) to indicate platform-dependent errors. Derived from `EnvironmentError`.

`OverflowError`

The result of an operation on an integer is too large to fit into an integer (operator `<<` does not raise this exception: rather, it drops excess bits). Derived from `ArithmeticError`. Python 2.1 only; in 2.2 and 2.3, too-large integer results implicitly become long integers, without raising exceptions.

`SyntaxError`

The parser encountered a syntax error.

`SystemError`

An internal error within Python itself or some extension module. You should report this to the authors and maintainers of Python, or of the extension in question, with all possible details to allow reproducing it.

`TypeError`

An operation or function was applied to an object of an inappropriate type.

`UnboundLocalError`

A reference was made to a local variable, but no value is currently bound to that local variable. Derived from `NameError`.

UnicodeError

An error occurred while converting Unicode to a string or vice versa.

ValueError

An operation or function was applied to an object that has a correct type but an inappropriate value, and nothing more specific (e.g., `KeyError`) applies.

WindowsError

Raised by functions in module `os` (covered in [Chapter 10](#) and [Chapter 14](#)) to indicate Windows-specific errors. Derived from `OsError`.

ZeroDivisionError

A divisor (the right-hand operand of a `/`, `//`, or `%` operator or the second argument to built-in function `divmod`) is 0. Derived from `ArithmeticError`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

6.5 Custom Exception Classes

You can subclass any of the standard exception classes in order to define your own exception class. Typically, such a subclass adds nothing more than a docstring:

```
class InvalidAttribute(AttributeError):
    "Used to indicate attributes that could never be valid"
```

Given the semantics of `try/except`, raising a custom exception class such as `InvalidAttribute` is almost the same as raising its standard exception superclass, `AttributeError`. Any `except` clause able to handle `AttributeError` can handle `InvalidAttribute` just as well. In addition, client code that knows specifically about your `InvalidAttribute` custom exception class can handle it specifically, without having to handle all other cases of `AttributeError` if it is not prepared for those. For example:

```
class SomeFunkyClass(object):
    "much hypothetical functionality snipped"
    def __getattr__(self, name):
        "this __getattr__ only clarifies the kind of attribute error"
        if name.startswith('_'):
            raise InvalidAttribute, "Unknown private attribute "+name
        else:
            raise AttributeError, "Unknown attribute "+name
```

Now client code can be more selective in its handlers. For example:

```
s = SomeFunkyClass( )
try:
    value = getattr(s, thename)
except InvalidAttribute, err:
    warnings.warn(str(err))
    value = None
# other cases of AttributeError just propagate, as they're unexpected
```

A special case of custom exception class that you may sometimes find useful is one that wraps another exception and adds further information. To gather information about a pending exception, you can use the `exc_info` function from module `sys` (covered in [Chapter 8](#)). Given this, your custom exception class could be defined as follows:

```
import sys
class CustomException(Exception):
    "Wrap arbitrary pending exception, if any, in addition to other info"
    def __init__(self, *args):
        Exception.__init__(self, *args)
        self.wrapped_exc = sys.exc_info( )
```

You would then typically use this class in a wrapper function such as:

```
def call_wrapped(callable, *args, **kwds):
    try: return callable(*args, **kwds)
```

```
except: raise CustomException, "Wrapped function propagated exception"
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

6.6 Error-Checking Strategies

Most programming languages that support exceptions are geared to raise exceptions only in very rare cases. Python's emphasis is different. In Python, exceptions are considered appropriate whenever they make a program simpler and more robust. A common idiom in other languages, sometimes known as "look before you leap" (LBYL), is to check in advance, before attempting an operation, for all circumstances that might make the operation invalid. This is not ideal, for several reasons:

- The checks may diminish the readability and clarity of the common, mainstream cases where everything is okay.
- The work needed for checking may duplicate a substantial part of the work done in the operation itself.
- The programmer might easily err by omitting some needed check.
- The situation might change between the moment the checks are performed and the moment the operation is attempted.

The preferred idiom in Python is generally to attempt the operation in a `try` clause and handle the exceptions that may result in `except` clauses. This idiom is known as "it's easier to ask forgiveness than permission" (EAFP), a motto widely credited to Admiral Grace Murray Hopper, co-inventor of COBOL, and shares none of the defects of "look before you leap." Here is a function written using the LBYL idiom:

```
def safe_divide_1(x, y):
    if y == 0:
        print "Divide-by-0 attempt detected"
        return None
    else:
        return x/y
```

With LBYL, the checks come first, and the mainstream case is somewhat hidden at the end of the function.

Here is the equivalent function written using the EAFP idiom:

```
def safe_divide_2(x, y):
    try:
        return x/y
    except ZeroDivisionError:
        print "Divide-by-0 attempt detected"
        return None
```

With EAFP, the mainstream case is up front in a `try` clause, and the anomalies are handled in an `except` clause.

EAFP is most often the preferable error-handling strategy, but it is not a panacea. In particular, you must be careful not to cast too wide a net, catching errors that you did not expect and therefore did not mean to catch. The following is a typical case of such a risk (built-in function `getattr` is covered in [Chapter 8](#)):

```
def trycalling(obj, attrib, default, *args, **kwds):
    try: return getattr(obj, attrib)(*args, **kwds)
    except AttributeError: return default
```

The intention of function `trycalling` is to try calling a method named `attrib` on object `obj`, but to return `default` if `obj` has no method thus named. However, the function as coded does not do just that. It also hides any error case where `AttributeError` is raised inside the implementation of the sought-after method, silently returning `default` in those cases. This may hide bugs in other code. To do exactly what is intended, the function must take a little bit more care:

```
def trycalling(obj, attrib, default, *args, **kwds):
    try: method = getattr(obj, attrib)
    except AttributeError: return default
    else: return method(*args, **kwds)
```

This implementation of `trycalling` separates the `getattr` call, placed in the `try` clause and therefore watched over by the handler in the `except` clause, from the call of the method, placed in the `else` clause and therefore free to propagate any exceptions it may need to. Using EAFP in the most effective way involves frequent use of the `else` clause on `try/except` statements.

6.6.1 Handling Errors in Large Programs

In large programs, it is especially easy to err by making your `try/except` statements too wide, particularly once you have convinced yourself of the power of EAFP as a general error-checking strategy. A `try/except` is too wide when it catches too many different errors or an error that can occur in too many different places. The latter is a problem if you need to distinguish exactly what happened and where, and the information in the traceback is not sufficient to pinpoint such details (or you discard some or all of the information in the traceback object). For effective error handling, you have to keep a clear distinction between errors and anomalies that you expect (and thus know exactly how to handle), and unexpected errors and anomalies, which indicate a bug somewhere in your program.

Some errors and anomalies are not really erroneous, and perhaps not even all that anomalous: they are just special cases, perhaps rare but nevertheless quite expected, which you choose to handle via EAFP rather than via LBYL to avoid LBYL's many intrinsic defects. In such cases, you should just handle the anomaly, in most cases without even logging or reporting it. Be very careful, under these circumstances, to keep the relevant `try/except` constructs as narrow as feasible. Use a small `try` clause that doesn't call too many other functions, and very specific exception-class lists in the `except` clauses.

Errors and anomalies that depend on user input or other external conditions not under your control are always expected to some extent, precisely because you have no control on their underlying causes. In such cases, you should concentrate your effort on handling the anomaly gracefully, normally reporting and logging its exact nature and details, and generally keep your program running with undamaged internal and persistent states. The width of `try/except` clauses under such circumstances should also be reasonably narrow, although this is not quite as crucial as when you use EAFP to structure your handling of not-really-erroneous special cases.

Lastly, entirely unexpected errors and anomalies indicate bugs in your program's design or coding. In most cases, the best strategy regarding such errors is to avoid `try/except` and just let the program terminate with error and traceback messages. (You might even want to log such information and/or display it more suitably with an application-specific hook in `sys.excepthook`, as we'll discuss shortly.) If your program must keep running at all costs, even under such circumstances, `try/except` statements that are quite wide

may be appropriate, with the `try` clause guarding function calls that exercise vast swaths of program functionality and broad `except` clauses.

In the case of a long-running program, make sure all details of the anomaly or error are logged to some persistent place for later study (and that some indication gets displayed, too, so that you know such later study is necessary). The key is making sure that the program's persistent state can be reverted to some undamaged, internally consistent point. The techniques that enable long-running programs to survive some of their own bugs are known as checkpointing and transactional behavior, but they are not covered further in this book.

6.6.2 Logging Errors

When Python propagates an exception all the way to the top of the stack without finding an applicable handler, the interpreter normally prints an error traceback to the standard error stream of the process (`sys.stderr`) before terminating the program. You can rebind `sys.stderr` to any file-like object usable for output in order to divert this information to a destination more suitable for your purposes.

When you want to change the amount and kind of information output on such occasions, rebinding `sys.stderr` is not sufficient. In such cases, you can assign your own function to `sys.excepthook`, and Python will call it before terminating the program due to an unhandled exception. In your exception-reporting function, you can output whatever information you think will later help you diagnose and debug the problem to whatever destinations you please. For example, you might use module `traceback` (covered in [Chapter 17](#)) to help you format stack traces. When your exception-reporting function terminates, so does your program.

6.6.3 The `assert` Statement

The `assert` statement allows you to introduce debugging code into a program. `assert` is a simple statement with the following syntax:

```
assert condition[, expression]
```

When you run Python with the optimize flag (`-O`, as covered in [Chapter 3](#)), `assert` is a null operation: the compiler generates no code. Otherwise, `assert` evaluates `condition`. If `condition` is satisfied, `assert` does nothing. If `condition` is not satisfied, `assert` instantiates `AssertionError` with `expression` as the argument (or without arguments, if there is no `expression`) and raises the resulting instance.

`assert` statements are an effective way to document your program. When you want to state that a significant condition `C` is known to hold at a certain point in a program's execution, `assert C` is better than a comment that just states `C`. The advantage of `assert` is that when the condition does not in fact hold, `assert` alerts you to the problem by raising `AssertionError`.

6.6.4 The `__debug__` Built-in Variable

When you run Python without option `-O`, the `__debug__` built-in variable is `True`. When you run Python with option `-O`, `__debug__` is `False`. Also, with option `-O`, the compiler generates no code for an `if` statement whose condition is `__debug__`.

To exploit this optimization, surround the definitions of functions that you call only in `assert` statements

with `if __debug__`. This technique makes compiled code smaller and faster when Python is run with `-O`, and enhances program clarity by showing that the functions exist only to perform sanity checks.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 7. Modules

A typical Python program is made up of several source files. Each source file corresponds to a *module*, which packages program code and data for reuse. Modules are normally independent of each other so that other programs can reuse the specific modules they need. A module explicitly establishes dependencies upon another module by using `import` or `from` statements. In some other programming languages, global variables can provide a hidden conduit for coupling between modules. In Python, however, global variables are not global to all modules, but instead such variables are attributes of a single module object. Thus, Python modules communicate in explicit and maintainable ways.

Python also supports *extensions*, which are components written in other languages, such as C, C++, or Java, for use with Python. Extensions are seen as modules by the Python code that uses them (called client code). From the client code viewpoint, it does not matter whether a module is 100% pure Python or an extension. You can always start by coding a module in Python. Later, if you need better performance, you can recode some modules in a lower-level language without changing the client code that uses the modules. [Chapter 24](#) and [Chapter 25](#) discuss writing extensions in C and Java.

This chapter discusses module creation and loading. It also covers grouping modules into *packages*, which are modules that contain other modules, forming a hierarchical, tree-like structure. Finally, the chapter discusses using Python's distribution utilities (`distutils`) to prepare packages and modules for distribution and to install distributed packages and modules.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

7.1 Module Objects

A module is a Python object with arbitrarily named attributes that you can bind and reference. The Python code for a module named *aname* normally resides in a file named *aname.py*, as covered in [Section 7.2](#) later in this chapter.

In Python, modules are objects (values) and are handled like other objects. Thus, you can pass a module as an argument in a call to a function. Similarly, a function can return a module as the result of a call. A module, just like any other object, can be bound to a variable, an item in a container, or an attribute of an object. For example, the `sys.modules` dictionary, covered later in this chapter, holds module objects as its values.

7.1.1 The import Statement

You can use any Python source file as a module by executing an `import` statement in some other code. `import` has the following syntax:

```
import modname [as varname][,...]
```

The `import` keyword is followed by one or more module specifiers, separated by commas. In the simplest and most common case, *modname* is an identifier, the name of a variable that Python binds to the module object when the `import` statement finishes. In this case, Python looks for the module of the same name to satisfy the `import` request. For example:

```
import MyModule
```

looks for the module named `MyModule` and binds the variable named `MyModule` in the current scope to the module object. *modname* can also be a sequence of identifiers separated by dots (.) that names a module in a package, as covered in later in this chapter.

When `as varname` is part of an `import` statement, Python binds the variable named *varname* to the module object, but the module name that Python looks for is *modname*. For example:

```
import MyModule as Alias
```

looks for the module named `MyModule` and binds the variable named `Alias` in the current scope to the module object. *varname* is always a simple identifier.

7.1.1.1 Module body

The body of a module is the sequence of statements in the module's source file. There is no special syntax required to indicate that a source file is a module; any valid source file can be used as a module. A module's body executes immediately the first time the module is imported in a given run of a program. During execution of the body, the module object already exists and an entry in `sys.modules` is already bound to the module object.

7.1.1.2 Attributes of module objects

An `import` statement creates a new namespace that contains all the attributes of the module. To access an attribute in this namespace, use the name of the module object as a prefix:

```
import MyModule
a = MyModule.f( )
```

or:

```
import MyModule as Alias
a = Alias.f( )
```

Most attributes of a module object are bound by statements in the module body. When a statement in the body binds a variable (a global variable), what gets bound is an attribute of the module object. The normal purpose of a module body is exactly that of creating the module's attributes: `def` statements create and bind functions, `class` statements create and bind classes, assignment statements bind attributes of any type.

You can also bind and unbind module attributes outside the body (i.e., in other modules), generally using attribute reference syntax `M.name` (where `M` is any expression whose value is the module, and identifier `name` is the attribute name). For clarity, however, it's usually best to bind module attributes in the module body.

The `import` statement implicitly defines some module attributes as soon as it creates the module object, before the module's body executes. The `__dict__` attribute is the dictionary object that the module uses as the namespace for its attributes. Unlike all other attributes of the module, `__dict__` is not available to code in the module as a global variable. All other attributes in the module are entries in the module's `__dict__`, and they are available to code in the modules as global variables. Attribute `__name__` is the module's name, and attribute `__file__` is the filename from which the module was loaded, if any.

For any module object `M`, any object `x`, and any identifier string `S` (except `__dict__`), binding `M.S=x` is equivalent to binding `M.__dict__['S']=x`. An attribute reference such as `M.S` is also substantially equivalent to `M.__dict__['S']`. The only difference is that when `S` is not a key in `M.__dict__`, accessing `M.__dict__['S']` directly raises `KeyError`, while accessing `M.S` raises `AttributeError` instead. Module attributes are also available to all code in the module's body as global variables. In other words, within the module body, `S` used as a global variable is equivalent to `M.S` (i.e., `M.__dict__['S']`) for both binding and reference.

7.1.1.3 Python built-ins

Python offers several built-in objects (covered in [Chapter 8](#)). All built-in objects are attributes of a preloaded module named `__builtin__`. When Python loads a module, the module automatically gets an extra attribute named `__builtins__`, which refers to either module `__builtin__` or to `__builtin__`'s dictionary. Python may choose either, so don't rely on `__builtins__`. If you need to access module `__builtin__` directly, use an `import __builtin__` statement. Note the difference between the name of the attribute and the name of the module: the former has an extra `s`. When a global variable is not found in the current module, Python looks for the identifier in the current module's `__builtins__` before raising `NameError`.

The lookup is the only mechanism that Python uses to let your code implicitly access built-ins. The built-ins' names are not reserved, nor are they hardwired in Python itself. Since the access mechanism is simple and

documented, your own code can use the mechanism directly (in moderation, or your program's clarity and simplicity will suffer). Thus, you can add your own built-ins or substitute your functions for the normal built-in ones. You can restrict an untrusted module by controlling what built-ins the untrusted module sees (as covered in [Chapter 13](#)). The following example shows how you can wrap a built-in function with your own function (`__import__` and `reload` are both covered later in this chapter):

```
# reload takes a module object; let's make it accept a string as well
import __builtin__
_reload = __builtin__._reload          # save the original built-in
def reload(mod_or_name):
    if isinstance(mod_or_name, str):   # if argument is a string
        mod_or_name = __import__(mod_or_name) # get the module instead
    return _reload(mod_or_name)       # invoke the real built-in
__builtin__._reload = reload          # override built-in with wrapper
```

7.1.1.4 Module documentation strings

If the first statement in the module body is a string literal, the compiler binds that string as the module's documentation string attribute, named `__doc__`. Documentation strings are also called *docstrings*. See [Section 4.10.3](#) for more information on docstrings.

7.1.1.5 Module-private variables

No variable of a module is really private. However, by convention, starting an identifier with a single underscore (`_`), such as `_secret`, indicates that the identifier is meant to be private. In other words, the leading underscore communicates to client-code programmers that they should not access the identifier directly.

Development environments and other tools rely on the leading-underscore naming convention to discern which attributes of a module are public (i.e., part of the module's interface) and which ones are private (i.e., to be used only within the module). It is good programming practice to distinguish between private and public attributes by starting the private ones with `_`, for clarity and to get maximum benefit from tools.

It is particularly important to respect the convention when you write client code that uses modules written by others. In other words, avoid using any attributes in such modules whose names start with `_`. Future releases of the modules will no doubt maintain their public interface, but are quite likely to change private implementation details.

7.1.2 The from Statement

Python's `from` statement lets you import specific attributes from a module into the current namespace. `from` has two syntax variants:

```
from modname import attrname [as varname][,...]
from modname import *
```

A `from` statement specifies a module name, followed by one or more attribute specifiers separated by commas. In the simplest and most common case, `attrname` is an identifier that names a variable that Python binds to the attribute of the same name in the module named `modname`. For example:


```
from MyModule import f
```

modname can also be a sequence of identifiers separated by dots (.) that names a module within a package, as covered later in this chapter.

When *as varname* is part of a *from* statement, Python binds the variable named *varname* to the attribute, but the module attribute from which the variable gets its value is *attrname*. For example:

```
from MyModule import f as foo
```

attrname and *varname* are always simple identifiers.

Code that is directly inside a module body (not in the body of a function or class) may use an asterisk (*) in a *from* statement:

```
from MyModule import *
```

The * requests that all attributes of module *modname* be bound as global variables in the importing module. When the module has an attribute named `__all__`, the attribute's value is the list of the attributes that are bound by this type of *from* statement. Otherwise, this type of *from* statement binds all attributes of *modname* except those beginning with underscores. Since *from M import ** may bind an arbitrary set of global variables, it can have unforeseen and undesired side effects, such as hiding built-ins and rebinding variables you still need. Thus, you should use the * form of *from* very sparingly and only from modules that are explicitly documented as supporting such usage.

In general, the *import* statement is a better choice than the *from* statement. I suggest you think of the *from* statement, and particularly *from M import **, as conveniences meant only for occasional use in interactive Python sessions. If you always access module *M* with the statement *import M*, and always access *M*'s attributes with explicit syntax *M.A*, your code will be slightly less concise, but far clearer and more readable. *from* is a good idea only for modules whose documentation explicitly specifies *from* support (such as module *Tkinter*, covered in [Chapter 16](#)). Another good use of *from* is to import specific modules from a package, as we'll discuss in [Section 7.3](#) later in this chapter.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

7.2 Module Loading

Module-loading operations rely on attributes of the built-in `sys` module (covered in [Chapter 8](#)). The module-loading process described here is carried out by built-in function `__import__`. Your code can call `__import__` directly, with the module name string as an argument. `__import__` returns the module object or raises `ImportError` if the import fails.

To import a module named `M`, `__import__` first checks dictionary `sys.modules`, using string `M` as the key. When key `M` is in the dictionary, `__import__` returns the corresponding value as the requested module object. Otherwise, `__import__` binds `sys.modules[M]` to a new empty module object with a `__name__` of `M`, then looks for the right way to initialize (load) the module, as covered in [Section 7.2.2](#) later in this section.

Thanks to this mechanism, the loading operation takes place only the first time a module is imported in a given run of the program. When a module is imported again, the module is not reloaded, since `__import__` finds and returns the module's entry in `sys.modules`. Thus, all imports of a module after the first one are extremely fast because they're just dictionary lookups.

7.2.1 Built-in Modules

When a module is loaded, `__import__` first checks whether the module is built-in. Built-in modules are listed in tuple `sys.builtin_module_names`, but rebinding that tuple does not affect module loading. A built-in module, like any other Python extension, is initialized by calling the module's initialization function. The search for built-in modules also finds frozen modules and modules in platform-specific locations (e.g., resources on the Mac, the Registry in Windows).

7.2.2 Searching the Filesystem for a Module

If module `M` is not built-in or frozen, `__import__` looks for `M`'s code as a file on the filesystem. `__import__` looks in the directories whose names are the items of list `sys.path`, in order. `sys.path` is initialized at program startup, using environment variable `PYTHONPATH` (covered in [Chapter 3](#)) if present. The first item in `sys.path` is always the directory from which the main program (script) is loaded. An empty string in `sys.path` indicates the current directory.

Your code can mutate or rebind `sys.path`, and such changes affect what directories `__import__` searches to load modules. Changing `sys.path` does not affect modules that are already loaded (and thus already listed in `sys.modules`) when `sys.path` is changed.

If a text file with extension `.pth` is found in the `PYTHONHOME` directory at startup, its contents are added to `sys.path`, one item per line. `.pth` files can also contain blank lines and comment lines starting with the character `#`, as Python ignores any such lines. `.pth` files can also contain `import` statements, which Python executes, but no other kinds of statements.

When looking for the file for module `M` in each directory along `sys.path`, Python considers the following extensions in the order listed:

1. `.pyd` and `.dll` (Windows) or `.so` (most Unix-like platforms), which indicate Python extension modules. (Some Unix dialects use different extensions; e.g., `.s/` is the extension used on HP-UX.)
2. `.py`, which indicates pure Python source modules.
3. `.pyc` (or `.pyo`, if Python is run with option `-O`), which indicates bytecode-compiled Python modules.

Upon finding source file `M.py`, Python compiles it to `M.pyc` (or `M.pyo`) unless the bytecode file is already present, is newer than `M.py`, and was compiled by the same version of Python. Python saves the bytecode file to the filesystem in the same directory as `M.py` (if permissions on the directory allow writing) so that future runs will not needlessly recompile. When the bytecode file is newer than the source file, Python does not recompile the module.

Once Python has the bytecode file, either from having constructed it by compilation or by reading it from the filesystem, Python executes the module body to initialize the module object. If the module is an extension, Python calls the module's initialization function.

7.2.3 The Main Program

Execution of a Python application normally starts with a top-level script (also known as the *main program*), as explained in [Chapter 3](#). The main program executes like any other module being loaded except that Python keeps the bytecode in memory without saving it to disk. The module name for the main program is always `__main__`, both as the `__name__` global variable (module attribute) and as the key in `sys.modules`. You should not normally import the same `.py` file that is in use as the main program. If you do, the module is loaded again, and the module body is executed once more from the top in a separate module object with a different `__name__`.

Code in a Python module can test whether the module is being used as the main program by checking if global variable `__name__` equals `'__main__'`. The idiom:

```
if __name__ == '__main__':
```

is often used to guard some code so that it executes only when the module is run as the main program. If a module is designed only to be imported, it should normally execute unit tests when it is run as the main program, as covered in [Chapter 17](#).

7.2.4 The reload Function

As I explained earlier, Python loads a module only the first time you import the module during a program run. When you develop interactively, you need to make sure that your modules are reloaded each time you edit them (some development environments provide automatic reloading).

To reload a module, pass the module object (*not* the module name) as the only argument to built-in function `reload`. `reload(M)` ensures the reloaded version of `M` is used by client code that relies on `import M` and accesses attributes with the syntax `M.A`. However, `reload(M)` has no effect on other references bound to previous values of `M`'s attributes (e.g., with the `from` statement). In other words, already-bound variables remain bound as they were, unaffected by `reload`. `reload`'s inability to rebind such variables is a further incentive to avoid `from`.

7.2.5 Circular Imports

Python lets you specify circular imports. For example, you can write a module *a.py* that contains `import b`, while module *b.py* contains `import a`. In practice, you are typically better off avoiding circular imports, since circular dependencies are fragile and hard to manage. If you decide to use a circular import for some reason, you need to understand how circular imports work in order to avoid errors in your code.

Say that the main script executes `import a`. As discussed earlier, this `import` statement creates a new empty module object as `sys.modules['a']`, and then the body of module *a* starts executing. When *a* executes `import b`, this creates a new empty module object as `sys.modules['b']`, and then the body of module *b* starts executing. The execution of *a*'s module body is now suspended until *b*'s module body finishes.

Now, when *b* executes `import a`, the `import` statement finds `sys.modules['a']` already defined and therefore binds global variable *a* in module *b* to the module object for module *a*. Since the execution of *a*'s module body is currently suspended, module *a* may be only partly populated at this time. If the code in *b*'s module body tries to access some attribute of module *a* that is not yet bound, an error results.

If you do insist on keeping a circular import in some case, you must carefully manage the order in which each module defines its own globals, imports the other module, and accesses the globals of the other module. Generally, you can have greater control on the sequence in which things happen by grouping your statements into functions and calling those functions in a controlled order, rather than just relying on sequential execution of top-level statements in module bodies. However, removing circular dependencies is almost always easier than ensuring bomb-proof ordering while keeping such circular dependencies.

7.2.6 sys.modules Entries

The built-in `__import__` function never binds anything other than a module object as a value in `sys.modules`. However, if `__import__` finds an entry that is already in `sys.modules`, it will try to use that value, whatever type of object it may be. The `import` and `from` statements rely on the `__import__` function, so therefore they too can end up using objects that are not modules. This lets you set class instances as entries in `sys.modules`, and take advantage of features such as their `__getattr__` and `__setattr__` special methods, covered in [Chapter 5](#). This advanced technique lets you import module-like objects whose attributes can in fact be computed on the fly. Here's a trivial toy-like example:

```
class TT:
    def __getattr__(self, name): return 23
import sys
sys.modules[__name__] = TT( )
```

When you import this code as a module, you get a module-like object that appears to have any attribute name you try to get from it, and all attribute names correspond to the integer value 23.

7.2.7 Custom Importers

You can rebind the `__import__` attribute of module `__builtin__` to your own custom importer function by wrapping the `__import__` function using the technique shown earlier in this chapter. Such rebinding influences all `import` and `from` statements that execute after the rebinding. A custom importer must implement the same interface as the built-in `__import__`, and is often implemented with some help from the functions exposed by built-in module `imp`. Custom importer functions are an advanced and rarely

used technique.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

7.3 Packages

A *package* is a module that contains other modules. Modules in a package may be subpackages, resulting in a hierarchical tree-like structure. A package named *P* resides in a subdirectory, also called *P*, of some directory in `sys.path`. The module body of *P* is in the file `P/__init__.py`. You must have a file named `P/__init__.py`, even if it's empty (representing an empty module body), in order to indicate to Python that directory *P* is indeed a package. Other `.py` files in directory *P* are the modules of package *P*. Subdirectories of *P* containing `__init__.py` files are subpackages of *P*. Nesting can continue to any depth.

You can import a module named *M* in package *P* as *P.M*. More dots let you navigate a hierarchical package structure. A package is always loaded before a module in the package is loaded. If you use the syntax `import P.M`, variable *P* is bound to the module object of package *P*, and attribute *M* of object *P* is bound to module *P.M*. If you use the syntax `import P.M as V`, variable *V* is bound directly to module *P.M*.

Using `from P import M` to import a specific module *M* from package *P* is fully acceptable programming practice. In other words, the `from` statement is specifically okay in this case.

A module *M* in a package *P* can import any other module *X* of *P* with the statement `import X`. Python searches the module's own package directory before searching the directories in `sys.path`. However, this applies only to sibling modules, not to ancestors or other more-complicated relationships. The simplest, cleanest way to share objects (such as functions or constants) among modules in a package *P* is to group the shared objects in a file named `P/Common.py`. Then you can `import Common` from every module in the package that needs to access the objects, and then refer to the objects as `Common.f`, `Common.K`, and so on.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

7.4 The Distribution Utilities (distutils)

Python modules, extensions, and applications can be packaged and distributed in several forms:

Compressed archive files

Generally *.zip* for Windows and *.tar.gz* or *.tgz* for Unix-based systems, but both forms are portable
Self-unpacking or self-installing executables

Normally *.exe* for Windows
Platform-specific installers

For example, *.msi* on Windows, *.rpm* and *.srpm* on Linux, and *.deb* on Debian GNU/Linux

When you distribute a package as a self-installing executable or platform-specific installer, a user can then install the package simply by running the installer. How to run such an installer program depends on the platform, but it no longer matters what language the program was written in.

When you distribute a package as an archive file or as an executable that unpacks but does not install itself, it does matter that the package was coded in Python. In this case, the user must first unpack the archive file into some appropriate directory, say *C:\Temp\MyPack* on a Windows machine or *~/MyPack* on a Unix-like machine. Among the extracted files there should be a script, conventionally named *setup.py*, that uses the Python facility known as the *distribution utilities* (package `distutils`). The distributed package is then almost as easy to install as a self-installing executable would be. The user opens a command-prompt window and changes to the directory into which the archive is unpacked. Then the user runs, for example:

```
C:\Temp\MyPack> python setup.py install
```

The *setup.py* script, run with this `install` command, installs the package as a part of the user's Python installation, according to the options specified in the setup script by the package's author. `distutils`, by default, provides tracing information when the user runs *setup.py*. Option `--quiet`, placed right before the `install` command, hides most details (the user still sees error messages, if any). The following command:

```
C:\> python setup.py --help
```

gives help on `distutils`.

When you are installing a package prepared with `distutils`, you can, if you wish, exert detailed control over how `distutils` performs installations. You can record installation options in a text file with extension *.cfg*, called a config file, so that `distutils` applies your favorite installation options by default. Such customization can be done on a systemwide basis, for a single user, or even for a single package installation. For example, if you want an installation with minimal amounts of output to be your systemwide default, create the following text file named *pydistutils.cfg*:

```
[global]
quiet=1
```

Place this file in the same directory in which the `distutils` package resides. On a typical Python 2.2 installation on Windows, for example, the file is *C:\Python22\Lib\distutils\pydistutils.cfg*. [Chapter 26](#)

provides more information on using `distutils` to prepare Python modules, packages, extensions, and applications for distribution.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 8. Core Built-ins

The term *built-in* has more than one meaning in Python. In most contexts, a built-in is any object directly accessible to a Python program without an `import` statement. [Chapter 7](#) showed the mechanism that Python uses to allow this direct access. Built-in types in Python include numbers, sequences, dictionaries, functions (covered in [Chapter 4](#)), classes (covered in [Chapter 5](#)), the standard exception classes (covered in [Chapter 6](#)), and modules (covered in [Chapter 7](#)). The built-in `file` object is covered in [Chapter 10](#), and other built-in types covered in [Chapter 13](#) are intrinsic to Python's internal operation. This chapter provides additional coverage of the core built-in types, and it also covers the built-in functions available in module `_builtin_`.

As I mentioned in [Chapter 7](#), some modules are called built-in because they are an integral part of the Python standard library, even though it takes an `import` statement to access them. Built-in modules are distinct from separate, optional add-on modules, also called Python *extensions*. This chapter documents the following core built-in modules: `sys`, `getopt`, `copy`, `bisect`, `UserList`, `UserDict`, and `UserString`. [Chapter 9](#) covers some string-related core built-in modules, while Parts III and IV of the book cover many other useful built-in modules.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.1 Built-in Types

This section documents Python's core built-in types, like `int`, `float`, and `dict`. Note that prior to Python 2.2, these names referred to factory functions for creating objects of these types. As of Python 2.2, however, they refer to actual type objects. Since you can call type objects just as if they were functions, this change does not break existing programs.

*classmethod**Python 2.2 and later*

```
classmethod(function)
```

Creates and returns a class method object. In practice, you call this built-in type only within a class body. See [Section 5.2.2.2](#).

complex

```
complex(real, imag=0)
```

Converts any number, or a suitable string, to a complex number. *imag* may be present only when *real* is a number, and is the imaginary part of the resulting complex number.

*dict**Python 2.2 and later*

```
dict(x={ })
```

Returns a new dictionary object with the same items as argument *x*. When *x* is a dictionary, `dict(x)` returns a copy of *x*, like `x.copy()` does. Alternatively, *x* can be a sequence of pairs, that is, a sequence whose items are sequences with two items each. In this case, `dict(x)` returns a dictionary whose keys are the first items of each pair in *x*, while the corresponding values are the corresponding second items. In other words, when *x* is a sequence, `c=dict(x)` has the same effect as the following:

```
c = { }
for key, value in x: c[key] = value
```

file, open

```
file(path, mode='r', bufsize=-1)
open(filename, mode='r', bufsize=-1)
```

Opens or creates a file and returns a new file object. In Python 2.2 and later, `open` is a synonym for the

built-in type `file`. In Python 2.1 and earlier, `open` was a built-in function and `file` was not a built-in name at all. See [Section 10.3](#).

float

```
float(x)
```

Converts any number, or a suitable string, to a floating-point number.

int

```
int(x[,radix])
```

Converts any number, or a suitable string, to an `int`. When `x` is a number, `int` truncates toward 0, dropping any fractional part. `radix` may be present only when `x` is a string. `radix` is the conversion base, between 2 and 36, with 10 as the default. `radix` can be explicitly passed as 0: the base is then 8, 10, or 16, depending on the form of string `x`, just like for integer literals, as covered in [Section 4.2.1](#).

list

```
list(seq=[ ])
```

Returns a new list object with the same items as the iterable object `seq`, in the same order. When `seq` is a list, `list(seq)` returns a copy of `seq`, like `seq[:]` does.

long

```
long(x[,radix])
```

Converts any number, or a suitable string, to a `long`. The rules regarding the `radix` argument are exactly the same as for `int`.

object

```
object(*args,**kws)
```

Creates and returns a new instance of the most fundamental type. Such direct instances of type `object` have no useful functionality so there is never a practical reason to create one, although Python does let you call `object` for regularity. `object` accepts and ignores any positional and named arguments.

property

Python 2.2 and later

```
property(fget=None, fset=None, fdel=None, doc=None)
```

Creates and returns a property accessor. In practice, you call this built-in type only within a class body. See [Section 5.2.4.1](#).

staticmethod

Python 2.2 and later

```
staticmethod(function)
```

Creates and returns a static method object. In practice, you call this built-in type only within a class body. See [Section 5.2.2.1](#).

str

```
str(obj)
```

Returns a concise and readable string representation of *obj*. If *obj* is a string, `str` returns *obj*. See also [repr](#) later in this chapter and `__str__` in [Chapter 5](#).

super

Python 2.2 and later

```
super(cls, obj)
```

Returns a super object of object *obj* (which must be an instance of class *cls* or of a subclass of *cls*), suitable for calling superclass methods. In practice, you call this built-in type only within a method's code. See [Section 5.2.5.2](#).

tuple

```
tuple(seq)
```

Returns a tuple with the same items as the iterable object *seq*, in the same order. When *seq* is a tuple, `tuple` returns *seq* itself, like `seq[:]` does.

type

```
type(obj)
```

Returns the type object that represents the type of *obj* (i.e., the most-derived type object of which *obj* is

an instance). All classic instance objects have the same type (`InstanceType`), even when they are instances of different classes; use `isinstance` (covered later in this chapter) to check whether an instance belongs to a particular class. In the new-style object model, however, `type(x)` is `x.__class__` for any `x`.

Checking `type(x)` for equality or identity to some other type object is known as type-checking. Type-checking is rarely appropriate in production Python code because it interferes with polymorphism. The normal idiom in Python is to try to use `x` as if it were of the type you expect, handling any problems with a `try/except` statement, as discussed in [Chapter 6](#). When you must type-check, typically for debugging purposes, use `isinstance` instead. `isinstance(x, atype)` is a somewhat lesser evil than `type(x) is atype`, since at least it accepts an `x` that is an instance of any subclass of `atype`, not just a direct instance of `atype` itself.

unicode

```
unicode(string[, codec[, errors]])
```

Returns the Unicode string object obtained by decoding `string`. `codec` names the codec to use. If `codec` is missing, `unicode` uses the default codec (generally 'ascii'). `errors`, if present, is a string that specifies how to handle decoding errors. See also [Section 9.6](#) in [Chapter 9](#), particularly for information about codecs and `errors`, and `__unicode__` in [Chapter 5](#).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.2 Built-in Functions

This section documents the Python functions available in module `__builtin__` in alphabetical order. Note that the names of these built-ins are not reserved words. Thus, your program can bind for its own purposes, in local or global scope, an identifier that has the same name as a built-in function. Names bound in local or global scope have priority over names bound in built-in scope, so local and global names hide built-in ones. You can also rebind names in built-in scope, as covered in [Chapter 7](#). You should avoid hiding built-ins that your code might need.

__import__

```
__import__(module_name[, globals[, locals[, fromlist]])
```

Loads the module named by string *module_name* and returns the resulting module object. *globals*, which defaults to the result of `globals()`, and *locals*, which defaults to the result of `locals()` (both covered in this section), are dictionaries that `__import__` treats as read-only and uses only to get context for package-relative imports, covered in [Section 7.3](#). *fromlist* defaults to an empty list, but can be a list of strings that name the module attributes to be imported in a `from` statement. See [Section 7.2](#) for more details on module loading.

In practice, when you call `__import__`, you generally pass only the first argument, except in the rare and dubious case in which you use `__import__` for a package-relative import. When you replace the built-in `__import__` function with your own in order to provide special import functionality, you may have to take *globals*, *locals*, and *fromlist* into account.

abs

```
abs(x)
```

Returns the absolute value of number *x*. When *x* is complex, `abs` returns the square root of $x.\text{imag}^2 + x.\text{real}^2$. Otherwise, `abs` returns $-x$ if *x* is less than 0, or *x* if *x* is greater than or equal to 0. See also `__abs__` in [Chapter 5](#).

apply

```
apply(func, args=( ), keywords={ })
```

Calls a function (or other callable object) and returns its result. `apply`'s behavior is exactly the same as `func(*args, **keywords)`. The `*` and `**` forms are covered in [Section 4.10](#) in [Chapter 4](#). In almost all cases of practical interest, you can just use the syntax `func(*args, **keywords)` and avoid `apply`.

bool

Python 2.2 and later

```
bool(x)
```

Returns `0`, also known as `False`, if argument `x` evaluates as false; returns `1`, also known as `True`, if argument `x` evaluates as true. See also [Section 4.2.6](#) in [Chapter 4](#). In Python 2.3, `bool` becomes a type (a subclass of `int`), and built-in names `False` and `True` refer to the only two instances of type `bool`. They are still numbers with values of `0` and `1` respectively, but `str(True)` becomes `'True'`, and `str(False)` becomes `'False'`, while in Python 2.2 the corresponding strings are `'0'` and `'1'` respectively.

buffer

```
buffer(obj, offset=0, size=-1)
```

Creates and returns a buffer object referring to `obj`'s data. `obj` must be of a type that supports the buffer call interface, such as a string or array. For more on `buffer`, see [Chapter 13](#).

callable

```
callable(obj)
```

Returns `True` if `obj` can be called, otherwise `False`. An object can be called if it is a function, method, class, type, or an instance with a `__call__` method. See also `__call__` in [Chapter 5](#).

chr

```
chr(code)
```

Returns a string of length `1`, a single character corresponding to integer `code` in the ASCII/ISO encoding. See also [ord](#) and [unichr](#) in this section.

cmp

```
cmp(x, y)
```

Returns `0` when `x` equals `y`, `-1` when `x` is less than `y`, or `1` when `x` is greater than `y`. See also `__cmp__` in [Chapter 5](#).

coerce

`coerce(x,y)`

Returns a pair whose two items are numbers `x` and `y` converted to a common type. See [Section 4.5.1](#).

compile

`compile(string,filename,kind)`

Compiles a string and returns a code object usable by `exec` or `eval`. `compile` raises `SyntaxError` when `string` is not syntactically valid Python. When `string` is a multiline compound statement, the last character must be `'\n'`. `kind` must be `'eval'` when `string` is an expression and the result is meant for `eval`, otherwise `kind` must be `'exec'`. `filename` must be a string, and is used only in error messages (if and when errors occur). See also [eval](#) in this section and [Section 13.1](#).

delattr

`delattr(obj,name)`

Removes attribute `name` from `obj`. `delattr(obj,'ident')` is like `del obj.ident`. If `obj` has an attribute named `name` just because its type or class has it (as is normally the case, for example, with methods of `obj`), you cannot delete that attribute from `obj` itself. You may or may not be able to delete that attribute from the type or class itself, depending on what the type or class allows. If you can, `obj` would cease to have the attribute, and so would every other object of that type or class.

dir

`dir([obj])`

Called without arguments, `dir()` returns the sorted list of all variable names that are bound in the current scope. `dir(obj)` returns the sorted list of all names of attributes of `obj`. In Python 2.1 and earlier, `dir` does not return attributes that `obj` gets from its type or by inheritance. In Python 2.2 and later, `dir` returns all attributes, including ones that are inherited and from its type. See also `vars` in this section.

divmod

`divmod(dividend,divisor)`

Divides two numbers and returns a pair whose items are the quotient and remainder. See also [__divmod__](#) in [Chapter 5](#).

eval


```
eval(expr, [globals[, locals]])
```

Returns the result of an expression. *expr* may be a code object ready for evaluation or a string. In the case of a string, `eval` gets a code object by calling `compile(expr, 'string', 'eval')`. `eval` evaluates the code object as an expression, using the *globals* and *locals* dictionaries as namespaces. When both arguments are missing, `eval` uses the current namespace. `eval` cannot execute statements; it can only evaluate expressions. For more information on `eval`, see [Chapter 13](#).

execfile

```
execfile(filename, [globals[, locals]])
```

`execfile` is a shortcut for the following statement:

```
exec open(filename).read( ) in globals, locals
```

See [Section 13.1](#).

filter

```
filter(func, seq)
```

Constructs a list from those elements of *seq* for which *func* is true. *func* can be any callable object that accepts a single argument or `None`. *seq* must be a sequence, iterator, or other iterable object. When *func* is a callable object, `filter` calls *func* on each item of *seq* and returns the list of items for which *func*'s result is true, like this:

```
[item for item in seq if func(item)]
```

When *seq* is a string or tuple, `filter`'s result is also a string or tuple, rather than a list. When *func* is `None`, `filter` tests for true items like this:

```
[item for item in seq if item]
```

getattr

```
getattr(obj, name[, default])
```

Returns *obj*'s attribute named by string *name*. `getattr(obj, 'ident')` is like `obj.ident`. When *default* is present and *name* is not found in *obj*, `getattr` returns *default* instead of raising `AttributeError`. See also [Section 5.1.4](#).

globals

```
globals( )
```

Returns the `__dict__` of the calling module (i.e., the dictionary used as the global namespace at the point of call). See also [locals](#) in this section.

hasattr

```
hasattr(obj, name)
```

Returns `False` if `obj` has no attribute `name` (i.e., if `getattr(obj, name)` raises `AttributeError`). Otherwise, `hasattr` returns `True`. See also [Section 5.1.4](#).

hash

```
hash(obj)
```

Returns the hash value for `obj`. `obj` can be a dictionary key only if `obj` can be hashed. All numbers that compare equal have the same hash value, even if they are of different types. If the type of `obj` does not define equality comparison, `hash(obj)` returns `id(obj)`. See also `__hash__` in [Chapter 5](#).

hex

```
hex(x)
```

Converts integer `x` to a hexadecimal string representation. See also `__hex__` in [Chapter 5](#).

id

```
id(obj)
```

Returns the integer value that denotes the identity of `obj`. The `id` of `obj` is unique and constant during `obj`'s lifetime, but may be reused at any later time after `obj` is garbage-collected. When a type or class does not define equality comparison, Python uses `id` to compare and hash instances. For any objects `x` and `y`, the identity check `x is y` has the same result as `id(x) == id(y)`.

input

```
input(prompt='')
```

`input(prompt)` is a shortcut for `eval(raw_input(prompt))`. In other words, `input` prompts the user for

a line of input, evaluates the resulting string as an expression, and returns the expression's result. The implicit `eval` may raise `SyntaxError` or other exceptions. `input` is therefore rather user-unfriendly and not appropriate for most programs, but it can be handy for experiments and your own test scripts. See also [eval](#) and [raw_input](#) in this section.

intern

```
intern(string)
```

Ensures that `string` is held in the table of interned strings and returns `string` itself or a copy. Interned strings compare for equality faster than other strings, but garbage collection cannot recover the memory used for interned strings, so interning too many strings might slow down your program.

isinstance

```
isinstance(obj,cls)
```

Returns `True` when `obj` is an instance of class `cls` (or any subclass of `cls`) or when `cls` is a type object and `obj` is an object of that type. Otherwise it returns `False`.

Since Python 2.2.1, `cls` can also be a tuple whose items are classes or types. In this case, `isinstance` returns `True` if `obj` is an instance of any of the items of tuple `cls`, otherwise `isinstance` returns `False`.

issubclass

```
issubclass(cls1,cls2)
```

Returns `True` if `cls1` is a direct or indirect subclass of `cls2`, otherwise returns `False`. `cls1` and `cls2` must be types or classes.

iter

```
iter(obj)iter(func,sentinel)
```

Creates and returns an iterator: an object with a `next` method that you can call repeatedly to get one item at a time (see [Section 4.9.3.1](#) in [Chapter 4](#)). When called with one argument, `iter(obj)` normally returns `obj.__iter__()`. When `obj` is a sequence without a special method `__iter__`, `iter(obj)` is equivalent to the following simple generator:

```
def iterSequence(obj):
    i = 0
    while 1:
        try: yield obj[i]
        except IndexError: raise StopIteration
```

```
i += 1
```

See also [Section 4.10.8](#) in [Chapter 4](#) and `__iter__` in [Chapter 5](#).

When called with two arguments, the first argument must be callable without arguments, and `iter(func, sentinel)` is equivalent to the following simple generator:

```
def iterSentinel(func, sentinel):
    while 1:
        item = func( )
        if item == sentinel: raise StopIteration
        yield item
```

As discussed in [Chapter 4](#), the statement `for x in obj` is equivalent to `for x in iter(obj)`. `iter` is *idempotent*. In other words, when `x` is an iterator, `iter(x)` is `x`, as long as `x` supplies an `__iter__` method whose body is just `return self`, as an iterator should.

len

```
len(container)
```

Returns the number of items in `container`, which is a sequence or a mapping. See also `__len__` in [Chapter 5](#).

locals

```
locals( )
```

Returns a dictionary that represents the current local namespace. Treat the returned dictionary as read-only; trying to modify it may or may not affect the values of local variables and might raise an exception. See also [globals](#) and [vars](#) in this section.

map

```
map(func, seq, *seqs)
```

Applies `func` to every item of `seq` and returns a list of the results. When `map` is called with `n+1` arguments, the first one, `func`, can be any callable object that accepts `n` arguments, or `None`. The remaining arguments to `map` must be iterable. When `func` is callable, `map` repeatedly calls `func` with `n` arguments (one corresponding item from each iterable) and returns the list of results. Thus, `map(func, seq)` is the same as:

```
[func(item) for item in seq]
```

When `func` is `None`, `map` returns a list of tuples, each with `n` items (one item from each iterable); this is similar to `zip`, covered in this section. When the iterable objects have different lengths, however, `map` conceptually pads the shorter ones with `None`, while `zip` conceptually truncates the longer ones.

max

`max(s, *args)`

Returns the largest item in the only argument *s* (*s* must be iterable) or the largest of multiple arguments.

min

`min(s, *args)`

Returns the smallest item in the only argument *s* (*s* must be iterable) or the smallest of multiple arguments.

oct

`oct(x)`

Converts integer *x* to an octal string representation. See also `__oct__` in [Chapter 5](#).

ord

`ord(ch)`

Returns the ASCII/ISO integer code between 0 and 255 (inclusive) for the single-character string *ch*. When *ch* is Unicode, `ord` returns an integer code between 0 and 65534 (inclusive). See also [chr](#) and [unichr](#) in this section.

pow

`pow(x, y[, z])`

When *z* is present, `pow(x, y, z)` returns $x^{y \% z}$. When *z* is missing, `pow(x, y)` returns x^y . See also `__pow__` in [Chapter 5](#).

range

`range([start,]stop[, step=1])`

Returns a list of integers in arithmetic progression:

```
[start, start+step, start+2*step, ...]
```

When *start* is missing, it defaults to 0. When *step* is missing, it defaults to 1. When *step* is 0, `range` raises `ValueError`. When *step* is greater than 0, the last item is the largest $start+i*step$ strictly less than *stop*. When *step* is less than 0, the last item is the smallest $start+i*step$ strictly greater than *stop*. The result is an empty list when *start* is greater than or equal to *stop* and *step* is greater than 0, or when *start* is less than or equal to *stop* and *step* is less than 0. Otherwise, the first item of the result list is always *start*.

raw_input

```
raw_input(prompt='')
```

Writes *prompt* to standard output, reads a line from standard input, and returns the line (without `\n`) as a string. When at end-of-file, `raw_input` raises `EOFError`. See also [input](#) in this section.

reduce

```
reduce(func, seq[, init])
```

Applies *func* to the items of *seq*, from left to right, to reduce the sequence to a single value. *func* must be callable with two arguments. `reduce` calls *func* on the first two items of *seq*, then on the result of the first call and the third item, and so on. `reduce` returns the result of the last such call. When *init* is present, it is used before *seq*'s first item, if any. When *init* is missing, *seq* must be non-empty. When *init* is missing and *seq* has only one item, `reduce` returns *seq*[0]. Similarly, when *init* is present and *seq* is empty, `reduce` returns *init*. The built-in `reduce` is equivalent to:

```
def reduce_equivalent(func, seq, init=None):
    if init is None: init, seq = seq[0], seq[1:]
    for item in seq: init = func(init, item)
    return init
```

A typical use of `reduce` is to compute the sum of a sequence of numbers:

```
thesum = reduce(operator.add, seq, 0)
```

reload

```
reload(module)
```

Reloads and reinitializes module object *module*, and returns *module*. See [Section 7.2.4](#).

repr

```
repr(obj)
```

Returns a complete and unambiguous string representation of *obj*. When feasible, `repr` returns a string that `eval` can use to create a new object with the same value as *obj*. See also [str](#) in this section and `__repr__` in [Chapter 5](#).

round

```
round(x, n=0)
```

Returns a `float` whose value is number *x* rounded to *n* digits after the decimal point (i.e., the multiple of 10^{-n} that is closest to *x*). When two such multiples are equally close to *x*, `round` returns the one that is farther from 0. Since today's computers represent floating-point numbers in binary, not in decimal, most of `round`'s results are not exact.

setattr

```
setattr(obj, name, value)
```

Binds *obj*'s attribute *name* to *value*. `setattr(obj, 'ident', val)` is like `obj.ident=val`. See also [Section 4.3.2](#) and [Section 5.1.4](#).

slice

```
slice([start, ]stop[, step])
```

Creates and returns a slice object with read-only attributes `start`, `stop`, and `step` bound to the respective argument values, each defaulting to `None` when missing. Such a slice is meant to signify the same set of indices as `range(start, stop, step)`. Slicing syntax `obj[start:stop:step]` passes such a slice object as the argument to the `__getitem__`, `__setitem__`, or `__delitem__` method of object *obj*, as appropriate. It is up to *obj* to interpret the slice objects that its methods receive. See also [Section 5.3.2.4](#).

unichr

```
unichr(code)
```

Returns a Unicode string whose single character corresponds to *code*, where *code* is an integer between 0 and 65536 (inclusive). See also [chr](#) and [ord](#) in this section.

vars

```
vars([obj])
```

When called with no argument, `vars()` returns a dictionary that represents all variables that are bound in the current scope (exactly like `locals`, covered in this section). This dictionary should be treated as read-only. `vars(obj)` returns a dictionary that represents all attributes currently bound in `obj`, as covered in [dir](#) in this section. This dictionary may or may not be modifiable, depending on the type of `obj`.

xrange

```
xrange([start,]stop[,step=1])
```

Returns a sequence object whose items are integers in arithmetic progression. The arguments are the same as for `range`, covered in this section. While `range` creates and returns a normal list object, `xrange` returns a sequence object of a special type, meant only for use in a `for` statement. `xrange` consumes less memory than `range` for this specific, frequent use, although the performance difference is usually small.

zip

```
zip(seq,*seqs)
```

Returns a list of tuples, where the `n`th tuple contains the `n`th element from each of the argument sequences. `zip` is called with `n` iterable objects as arguments (where `n` is greater than 0). If the iterable objects have different lengths, `zip` returns a list as long as the shortest iterable, ignoring trailing items in the other iterable objects. See also `map` in this section.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.3 The sys Module

The attributes of the `sys` module are bound to data and functions that provide information on the state of the Python interpreter or that affect the interpreter directly. This section documents the most frequently used attributes of `sys`, in alphabetical order.

argv

The list of command-line arguments passed to the main script. `argv[0]` is the name or full path of the main script, or `'-c'` if the `-c` option was used. See [Section 8.4](#) later in this chapter for a good way to use `sys.argv`.

displayhook

`displayhook(value)`

In interactive sessions, the Python interpreter calls `displayhook`, passing it the result of each expression-statement entered. The default `displayhook` does nothing if `value` is `None`, otherwise it preserves and displays `value`:

```
if value is not None:
    __builtin__.__ = value
    print repr(value)
```

You can rebind `sys.displayhook` in order to change interactive behavior. The original value is available as `sys.___displayhook__`.

excepthook

`excepthook(type, value, traceback)`

When an exception is not caught by any handler, Python calls `excepthook`, passing it the exception class, exception object, and traceback object, as covered in [Chapter 6](#). The default `excepthook` displays the error and traceback. You can rebind `sys.excepthook` to change what is displayed for uncaught exceptions (just before Python returns to the interactive loop or terminates). The original value is also available as `sys.___excepthook__`.

exc_info

```
exc_info( )
```

If the current thread is handling an exception, `exc_info` returns a tuple whose three items are the class, object, and traceback for the exception. If the current thread is not handling any exception, `exc_info` returns `(None, None, None)`. A traceback object indirectly holds references to all variables of all functions that propagated the exception. Thus, if you hold a reference to the traceback object (for example, indirectly, by binding a variable to the whole tuple that `exc_info` returns), Python has to retain in memory data that might otherwise be garbage-collected. So you should make sure that any binding to the traceback object is of short duration. To ensure that the binding gets removed, you can use a `try/finally` statement (discussed in [Chapter 6](#)).

exit

```
exit(arg=0)
```

Raises a `SystemExit` exception, which normally terminates execution after executing cleanup handlers installed by `try/finally` statements. If `arg` is an integer, Python uses `arg` as the program's exit code: `0` indicates successful termination, while any other value indicates unsuccessful termination of the program. Most platforms require exit codes to be between `0` and `127`. If `arg` is not an integer, Python prints `arg` to `sys.stderr`, and the exit code of the program is `1` (i.e., a generic unsuccessful termination code).

getdefaultencoding

```
getdefaultencoding( )
```

Returns the name of the default codec used to encode and decode Unicode and string objects (normally `'ascii'`). Unicode, codecs, encoding, and decoding are covered in [Chapter 9](#).

getrefcount

```
getrefcount(object)
```

Returns the reference count of `object`. Reference counts are covered in [Section 13.4](#).

getrecursionlimit

```
getrecursionlimit( )
```

Returns the current limit on the depth of Python's call stack. See also [Section 4.10.9](#) and `setrecursionlimit` in this section.

`_getframe`

`_getframe(depth=0)`

Returns a frame object from the call stack. When `depth` is `0`, the result is the frame of `_getframe`'s caller. When `depth` is `1`, the result is the frame of the caller's caller, and so forth. The leading `_` in `_getframe`'s name is a reminder that it's a private system function, to be used for internal specialized purposes. [Chapter 17](#) covers ways in which you can use frame objects for debugging.

`maxint`

The largest integer in this version of Python (at least `2147483647`). Negative integers can go down to `-maxint-1`, due to 2's complement notation.

`modules`

A dictionary whose items are the names and module objects for all loaded modules. See [Chapter 7](#) for more information on `sys.modules`.

`path`

A list of strings that specifies the directories that Python searches when looking for a module to load. See [Chapter 7](#) for more information on `sys.path`.

`platform`

A string that names the platform on which this program is running. Typical values are brief operating system names, such as `'sunos5'`, `'linux2'`, and `'win32'`.

`ps1, ps2`

`ps1` and `ps2` specify the primary and secondary interpreter prompt strings, initially `'>>> '` and `'... '`, respectively. These attributes exist only in interactive interpreter sessions. If you bind either attribute to a non-string object, Python prompts by calling `str()` on the object each time a prompt is output. This

feature lets you create dynamic prompting by coding a class that defines `__str__` and assigning an instance of that class to `sys.ps1` and/or `sys.ps2`.

setdefaultencoding

`setdefaultencoding(name)`

Sets the default codec used to encode and decode Unicode and string objects (normally 'ascii'). `setdefaultencoding` is meant to be called only from `sitecustomize.py` during startup; the `site` module removes this attribute from `sys`. You can call `reload(sys)` to make this attribute available again, but this is not considered good programming practice. Unicode, codecs, encoding, and decoding are covered in [Chapter 9](#). The `site` and `sitecustomize` modules are covered in [Chapter 13](#).

setprofile

`setprofile(profilefunc)`

Sets a global profile function, a callable object that Python then calls at each function entry and return. Profiling is covered in [Chapter 17](#).

setrecursionlimit

`setrecursionlimit(limit)`

Sets the limit on the depth of Python's call stack (the default is 1000). The limit prevents runaway recursion from crashing Python. Raising the limit may be necessary for programs that rely on deep recursion, but most platforms cannot support very large limits on call-stack depth. Lowering the limit may help you check, during debugging, that your program is gracefully degrading under situations of almost-runaway recursion. See also [Section 4.10.9](#).

settrace

`settrace(tracefunc)`

Sets a global trace function, a callable object that Python then calls as each logical source line executes. [Chapter 17](#) covers tracing.

stdin, stdout, stderr

`stdin`, `stdout`, and `stderr` are predefined file objects that correspond to Python's standard input, output,

and error streams. You can rebind `stdout` and `stderr` to file-like objects (objects that supply a `write` method accepting a string argument) to redirect the destination of output and error messages. You can rebind `stdin` to a file-like object open for reading (one that supplies a `readline` method returning a string) to redirect the source from which built-in functions `raw_input` and `input` read. The original values are available as `__stdin__`, `__stdout__`, and `__stderr__`. [Chapter 10](#) covers file objects and streams.

tracebacklimit

The maximum number of levels of traceback displayed for unhandled exceptions. By default, this attribute is not set (i.e., there is no limit). When `sys.tracebacklimit` is less than or equal to `0`, traceback information is suppressed and only the exception type and value are printed.

version

A string that describes the Python version, build number and date, and C compiler used. `version[:3]` is `'2.1'` for Python 2.1, `'2.2'` for 2.2, and so on.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.4 The getopt Module

The `getopt` module helps parse the command-line options and arguments passed to a Python program, available in `sys.argv`. The `getopt` module distinguishes arguments proper from options: options start with '-' (or '--' for long-form options). The first non-option argument terminates option parsing (similar to most Unix commands, and differently from GNU and Windows commands). Module `getopt` supplies a single function, also called `getopt`.

getopt

```
getopt(args, options, long_options=[ ])
```

Parses command-line options. `args` is usually `sys.argv[1:]`. `options` is a string: each character is an option letter, followed by ':' if the option takes a parameter. `long_options` is a list of strings, each a long-option name, without the leading '--', followed by '=' if the option takes a parameter.

When `getopt` encounters an error, it raises `GetoptError`, an exception class supplied by the `getopt` module. Otherwise, `getopt` returns a pair `(opts, args_proper)`, where `opts` is a list of pairs of the form `(option, parameter)` in the same order in which options are found in `args`. Each `option` is a string that starts with a single hyphen for a short-form option or two hyphens for a long-form one; each `parameter` is also a string (an empty string for options that don't take parameters). `args_proper` is the list of program argument strings that are left after removing the options.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.5 The copy Module

As discussed in [Chapter 4](#), assignment in Python does not copy the right-hand side object being assigned. Rather, assignment adds a reference to the right-hand side object. When you want a copy of object `x`, you can ask `x` for a copy of itself. If `x` is a list, `x[:]` is a copy of `x`. If `x` is a dictionary, `x.copy()` returns a copy of `x`.

The `copy` module supplies a `copy` function that creates and returns a copy of most types of objects. Normal copies, such as `x[:]` for a list `x` and `copy.copy(x)`, are also known as shallow copies. When `x` has references to other objects (e.g., items or attributes), a normal copy of `x` has distinct references to the same objects. Sometimes, however, you need a deep copy, where referenced objects are copied recursively. Module `copy` supplies a `deepcopy(x)` function that performs a deep copy and returns it as the function's result.

copy

`copy(x)`

Creates and returns a copy of `x` for `x` of most types (copies of modules, classes, frames, arrays, and internal types are not supported). If `x` is immutable, `copy.copy(x)` may return `x` itself as an optimization. A class can customize the way `copy.copy` copies its instances by having a special method `__copy__(self)` that returns a new object, a copy of `self`.

deepcopy

`deepcopy(x, [memo])`

Makes a deep copy of `x` and returns it. Deep copying implies a recursive walk over a directed graph of references. A precaution is needed to preserve the graph's shape: when references to the same object are met more than once during the walk, distinct copies must not be made. Rather, references to the same copied object must be used. Consider the following simple example:

```
sublist = [1,2]
original = [sublist, sublist]
thecopy = copy.deepcopy(original)
```

`original[0] is original[1]` is `True` (i.e., the two items of list `original` refer to the same object). This is an important property of `original` and therefore must be preserved in anything that claims to be a copy of it. The semantics of `copy.deepcopy` are defined to ensure that `thecopy[0] is thecopy[1]` is also `True` in this case. In other words, the shapes of the graphs of references of `original` and `thecopy` are the same. Avoiding repeated copying has an important beneficial side effect: preventing infinite loops that would otherwise occur if the graph has cycles.

`copy.deepcopy` accepts a second, optional argument `memo`, which is a dictionary that maps the `id()` of

objects already copied to the new objects that are their copies. *memo* is passed by recursive calls of `deepcopy` to itself, but you may also explicitly pass it (normally as an originally empty dictionary) if you need to keep such a correspondence map between the identities of originals and copies of objects.

A class can customize the way `copy.deepcopy` copies its instances by having a special method `__deepcopy__(self, memo)` that returns a new object, a deep copy of `self`. When `__deepcopy__` needs to deep copy some referenced object *subobject*, it must do so by calling `copy.deepcopy(subobject, memo)`. When a class has no special method `__deepcopy__`, `copy.deepcopy` on an instance of that class tries to call special methods `__getinitargs__`, `__getstate__`, and `__setstate__`, which are covered in [Section 11.1.2.3](#).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.6 The bisect Module

The `bisect` module uses a bisection algorithm to keep a list in sorted order as items are inserted. `bisect`'s operation is faster than calling a list's `sort` method after each insertion. This section documents the main functions supplied by `bisect`.

bisect

```
bisect(seq, item, lo=0, hi=sys.maxint)
```

Returns the index `i` into `seq` where `item` should be inserted to keep `seq` sorted. In other words, `i` is such that each item in `seq[:i]` is less than or equal to `item`, and each item in `seq[i:]` is greater than or equal to `item`. `seq` must be a sorted sequence. For any sorted sequence `seq`, `seq[bisect(seq,y)-1]=y` is equivalent to `y in seq`, but faster if `len(seq)` is large. You may pass optional arguments `lo` and `hi` to operate on the slice `seq[lo:hi]`.

insort

```
insort(seq, item, lo=0, hi=sys.maxint)
```

Like `seq.insert(bisect(seq,item),item)`. In other words, `seq` must be a sorted mutable sequence, and `insort` modifies `seq` by inserting `item` at the right spot, so that `seq` remains sorted. You may pass optional arguments `lo` and `hi` to operate on the slice `seq[lo:hi]`.

Module `bisect` also supplies functions `bisect_left`, `bisect_right`, `insort_left`, and `insort_right` for explicit control of search and insertion strategies into sequences that contain duplicates. `bisect` is a synonym for `bisect_right`, and `insort` is a synonym for `insort_right`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

8.7 The `UserList`, `UserDict`, and `UserString` Modules

The `UserList`, `UserDict`, and `UserString` modules each supply one class, with the same name as the respective module, that implements all the methods needed for the class's instances to be mutable sequences, mappings, and strings, respectively. When you need such polymorphism, you can subclass one of these classes and override some methods rather than have to implement everything yourself. In Python 2.2 and later, you can subclass built-in types `list`, `dict`, and `str` directly, to similar effect (see [Section 5.2](#)). However, these modules can still be handy if you need to create a classic class in order to keep your code compatible with Python 2.1 or earlier.

Each instance of one of these classes has an attribute called `data` that is a Python object of the corresponding built-in type (`list`, `dict`, and `str`, respectively). You can instantiate each class with an argument of the appropriate type (the argument is copied, so you can later modify it without side effects). `UserList` and `UserDict` can also be instantiated without arguments to create initially empty containers.

Module `UserString` also supplies class `MutableString`, which is very similar to class `UserString` except that instances of `MutableString` are mutable. Instances of `MutableString` and its subclasses cannot be keys into a dictionary. Instances of both `UserString` and `MutableString` can be Unicode strings rather than plain strings: just use a Unicode string as the initializer argument at instantiation time.

If you subclass `UserList`, `UserDict`, `UserString`, or `MutableString` and then override `__init__`, make sure the `__init__` method you write can also be called with one argument of the appropriate type (as well as without arguments for `UserList` and `UserDict`). Also be sure that your `__init__` method explicitly and appropriately calls the `__init__` method of the superclass, as usual.

For maximum efficiency, you can arrange for your subclass to inherit from the appropriate built-in type when feasible (i.e., when your program runs with Python 2.2), but keep the ability to fall back to these modules when necessary (i.e., when your program runs with Python 2.1). Here is a typical idiom you can use for this purpose:

```
try:
    # can we subclass list?
    class _Temp(list):
        pass
except:
    # no: use UserList.UserList as base class
    from UserList import UserList as BaseList
else:
    # yes: remove _Temp and use list as base class
    del _Temp
    BaseList = list
class AutomaticallyExpandingList(BaseList):
    """a list such that you can always set L[i]=x even for a large i:
    L automatically grows, if needed, to make i a valid index."""
    def __setitem__(self, idx, val):
        self.extend((1+idx-len(self))*[None])
        BaseList.__setitem__(self, idx, val)
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 9. Strings and Regular Expressions

Python supports plain and Unicode strings extensively, with statements, operators, built-in functions, methods, and dedicated modules. This chapter covers the methods of string objects, talks about string formatting, documents the `string`, `pprint`, and `repr` modules, and discusses issues related to Unicode strings.

Regular expressions let you specify pattern strings and allow searches and substitutions. Regular expressions are not easy to master, but they are a powerful tool for processing text. Python offers rich regular expression functionality through the built-in `re` module, as documented in this chapter.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.1 Methods of String Objects

Plain and Unicode strings are immutable sequences, as covered in [Chapter 4](#). All immutable-sequence operations (repetition, concatenation, indexing, slicing) apply to strings. A string object *s* also supplies several non-mutating methods, as documented in this section. Unless otherwise noted, each method returns a plain string when *s* is a plain string, or a Unicode string when *s* is a Unicode string. Terms such as letters, whitespace, and so on refer to the corresponding attributes of the `string` module, covered later in this chapter. See also the later section [Section 9.2.1](#).

capitalize

```
s.capitalize( )
```

Returns a copy of *s* where the first character, if a letter, is uppercase, and all other letters, if any, are lowercase.

center

```
s.center(n)
```

Returns a string of length `max(len(s),n)`, with a copy of *s* in the central part, surrounded by equal numbers of spaces on both sides (e.g., `'ciao'.center(2)` is `'ciao'`, `'ciao'.center(7)` is `' ciao '`).

count

```
s.count(sub,start=0,end=sys.maxint)
```

Returns the number of occurrences of substring *sub* in *s*[*start*:*end*].

encode

```
s.encode(codec=None,errors='strict')
```

Returns a plain string obtained from *s* with the given codec and error handling. See [Section 9.6](#) later in this chapter for more details.

endswith

```
s.endswith(suffix, start=0, end=sys.maxint)
```

Returns `True` when `s[start:end]` ends with `suffix`, otherwise `False`.

expandtabs

```
s.expandtabs(tabsize=8)
```

Returns a copy of `s` where each tab character is changed into one or more spaces, with tab stops every `tabsize` characters.

find

```
s.find(sub, start=0, end=sys.maxint)
```

Returns the lowest index in `s` where substring `sub` is found, such that `sub` is entirely contained in `s[start:end]`. For example, `'banana'.find('na')` is 2, as is `'banana'.find('na', 1)`, while `'banana'.find('na', 3)` is 4, as is `'banana'.find('na', -2)`. `find` returns `-1` if `sub` is not found.

index

```
s.index(sub, start=0, end=sys.maxint)
```

Like `find`, but raises `ValueError` when `sub` is not found.

isalnum

```
s.isalnum( )
```

Returns `True` when `len(s)` is greater than 0 and all characters in `s` are letters or decimal digits. When `s` is empty, or when at least one character of `s` is neither a letter nor a decimal digit, `isalnum` returns `False`.

isalpha

```
s.isalpha( )
```

Returns `True` when `len(s)` is greater than 0 and all characters in `s` are letters. When `s` is empty, or when at least one character of `s` is not a letter, `isalpha` returns `False`.

isdigit

```
s.isdigit( )
```

Returns **True** when `len(s)` is greater than 0 and all characters in `s` are decimal digits. When `s` is empty, or when at least one character of `s` is not a digit, `isdigit` returns **False**.

islower

```
s.islower( )
```

Returns **True** when all letters in `s` are lowercase. When `s` has no letters, or when at least one letter of `s` is uppercase, `islower` returns **False**.

isspace

```
s.isspace( )
```

Returns **True** when `len(s)` is greater than 0 and all characters in `s` are whitespace. When `s` is empty, or when at least one character of `s` is not whitespace, `isspace` returns **False**.

istitle

```
s.istitle( )
```

Returns **True** when letters in `s` are titlecase: a capital letter at the start of each contiguous sequence of letters, all other letters lowercase (e.g., `'King Lear'.istitle()` is **True**). When `s` has no letters, or when at least one letter of `s` violates the titlecase constraint, `istitle` returns **False** (e.g., `'1900'.istitle()` and `'Troilus and Cressida'.istitle()` are **False**).

isupper

```
s.isupper( )
```

Returns **True** when all letters in `s` are uppercase. When `s` has no letters, or when at least one letter of `s` is lowercase, `isupper` returns **False**.

join

```
s.join(seq)
```

Returns the string obtained by concatenating the items of `seq`, which must be a sequence of strings, and interposing a copy of `s` between each pair of items (e.g., `''.join([str(x) for x in range(7)])` is `'0123456'`).

ljust

```
s.ljust(n)
```

Returns a string of length `max(len(s),n)`, with a copy of `s` at the start, followed by zero or more trailing spaces.

lower

```
s.lower( )
```

Returns a copy of `s` with all letters, if any, converted to lowercase.

rstrip

```
s.rstrip(x=None)
```

Returns a copy of `s` with leading whitespace, if any, removed. Since Python 2.2.2, you can optionally pass a string `x` as an argument, in which case `rstrip` removes characters found in `x` rather than removing whitespace.

replace

```
s.replace(old,new,maxsplit=sys.maxint)
```

Returns a copy of `s` with the first `maxsplit` (or fewer, if there are fewer) non-overlapping occurrences of substring `old` replaced by string `new` (e.g., `'banana'.replace('a','e',2)` is `'benena'`).

rfind

```
s.rfind(sub,start=0,end=sys.maxint)
```

Returns the highest index in `s` where substring `sub` is found, such that `sub` is entirely contained in `s[start:end]`. `rfind` returns `-1` if `sub` is not found.

rindex

```
s.rindex(sub, start=0, end=sys.maxint)
```

Like `rfind`, but raises `ValueError` if `sub` is not found.

rjust

```
s.rjust(n)
```

Returns a string of length `max(len(s), n)`, with a copy of `s` at the end, preceded by zero or more leading spaces.

rstrip

```
s.rstrip(x=None)
```

Returns a copy of `s` with trailing whitespace, if any, removed. Since Python 2.2.2, you can optionally pass a string `x` as an argument, in which case `rstrip` removes characters found in `x` rather than removing whitespace.

split

```
s.split(sep=None, maxsplit=sys.maxint)
```

Returns a list `L` of up to `maxsplit+1` strings. Each item of `L` is a "word" from `s`, where string `sep` separates words. When `s` has more than `maxsplit` words, the last item of `L` is the substring of `s` that follows the first `maxsplit` words. When `sep` is `None`, any string of whitespace separates words (e.g., `'four score and seven years ago'.split(None, 3)` is `['four', 'score', 'and', 'seven years ago']`).

splitlines

```
s.splitlines(keepends=False)
```

Like `s.split('\n')`. When `keepends` is true, however, the trailing `\n` is included in each item of the resulting list.

startswith


```
s.startswith(prefix, start=0, end=sys.maxint)
```

Returns `True` when `s[start:end]` starts with `prefix`, otherwise `False`.

strip

```
s.strip(x=None)
```

Returns a copy of `s` with both leading and trailing whitespace removed. Since Python 2.2.2, you can optionally pass a string `x` as an argument, in which case `strip` removes characters found in `x` rather than removing whitespace.

swapcase

```
s.swapcase( )
```

Returns a copy of `s` with all uppercase letters converted to lowercase and vice versa.

title

```
s.title( )
```

Returns a copy of `s` transformed to titlecase: a capital letter at the start of each contiguous sequence of letters, with all other letters, if any, lowercase.

translate

```
s.translate(table, deletechars='')
```

Returns a copy of `s` where all characters occurring in string `deletechars` are removed, and the remaining characters are mapped through translation-table `table`. When `s` is a plain string, `table` must be a plain string of length 256. When `s` is a Unicode string, `table` must be a Unicode string of length 65536. Each character `c` is mapped to character `table[ord(c)]`. A plain-string `table` is most often built using function `string.maketrans`, covered later.

upper

```
s.upper( )
```

Returns a copy of `s` with all letters, if any, converted to uppercase.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.2 The string Module

The `string` module supplies functions that duplicate each method of string objects, as covered in the previous section. Each function takes the string object as its first argument. Module `string` also has several useful string-valued attributes:

`ascii_letters`

The string `ascii_lowercase+ascii_uppercase`
`ascii_lowercase`

The string `'abcdefghijklmnopqrstuvwxyz'`
`ascii_uppercase`

The string `'ABCDEFGHIJKLMNOPQRSTUVWXYZ'`
`digits`

The string `'0123456789'`
`hexdigits`

The string `'0123456789abcdefABCDEF'`
`letters`

The string `lowercase+uppercase`
`lowercase`

A string containing all characters that are deemed lowercase letters: at least `'abcdefghijklmnopqrstuvwxyz'`, but more letters (e.g., accented ones) may be present, depending on the active locale
`octdigits`

The string `'01234567'`
`punctuation`

The string `'! "$%&\' () * + , - . / : ; < = > ? @ [\] ^ _ ` { | } ~ '` (i.e., all ASCII characters that are deemed punctuation characters in the "C" locale; does not depend on what locale is active)
`printable`

The string of those characters that are deemed printable (i.e., digits, letters, punctuation, and whitespace)
`uppercase`

A string containing all characters that are deemed uppercase letters: at least `'ABCDEFGHIJKLMNOPQRSTUVWXYZ'`, but more letters (e.g., accented ones) may be present, depending on the active locale
`whitespace`

A string containing all characters that are deemed whitespace: at least space, tab, linefeed, and carriage return, but more characters (e.g., control characters) may be present, depending on the

active locale

You should not rebind these attributes, since other parts of the Python library may rely on them and the effects of rebinding them would be undefined.

9.2.1 Locale Sensitivity

The `locale` module is covered in [Chapter 10](#). Locale setting affects some attributes of module `string` (`letters`, `lowercase`, `uppercase`, `whitespace`). Through these attributes, locale setting also affects functions of module `string` and methods of plain-string objects that deal with classification of characters as letters, and conversion between upper- and lowercase, such as `capitalize`, `isalnum`, and `isalpha`. The corresponding methods of Unicode strings are not affected by locale setting.

9.2.2 The maketrans Function

The method `translate` of plain strings, covered earlier in this chapter, takes as its first argument a plain string of length 256 that it uses as a translation table. The easiest way to build translation tables is to use the `maketrans` function supplied by module `string`.

maketrans

```
maketrans(from,onto)
```

Returns a translation table, which is a plain string of length 256 that provides a mapping from characters in ascending ASCII order to another set of characters. *from* and *onto* must be plain strings, with `len(from)` equal to `len(onto)`. Each character in string *from* is mapped to the character at the corresponding position in string *onto*. For each character not listed in *from*, the translation table maps the character to itself. To get an identity table that maps each character to itself, call `maketrans('', '')`.

With the `translate` string method, you can delete characters as well as translate them. When you use `translate` just to delete characters, the first argument you pass to translate should be the identity table. Here's an example of using the `maketrans` function and the string method `translate` to delete vowels:

```
import string
identity = string.maketrans('', '')
print 'some string'.translate(identity, 'aeiou')    # prints: sm strng
```

Here are examples of turning all other vowels into a's and also deleting s's:

```
intoas = string.maketrans('eiou', 'aaaa')
print 'some string'.translate(intoas)              # prints: sama strang
print 'some string'.translate(intoas, 's')        # prints: ama trang
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.3 String Formatting

In Python, a string-formatting expression has the syntax:

```
format % values
```

where *format* is a plain or Unicode string containing format specifiers and *values* is any single object or a collection of objects in a tuple or dictionary. Python's string-formatting operator has roughly the same set of features as the C language's `printf` and operates in a similar way. Each format specifier is a substring of *format* that starts with a percent sign (%) and ends with one of the conversion characters shown in [Table 9-1](#).

Table 9-1. String-formatting conversion characters

Character	Output format	Notes
<code>d, i</code>	Signed decimal integer	Value must be number
<code>u</code>	Unsigned decimal integer	Value must be number
<code>o</code>	Unsigned octal integer	Value must be number
<code>x</code>	Unsigned hexadecimal integer (lowercase letters)	Value must be number
<code>X</code>	Unsigned hexadecimal integer (uppercase letters)	Value must be number
<code>e</code>	Floating-point value in exponential form (lowercase e for exponent)	Value must be number
<code>E</code>	Floating-point value in exponential form (uppercase E for exponent)	Value must be number
<code>f, F</code>	Floating-point value in decimal form	Value must be number
<code>g, G</code>	Like <code>e</code> or <code>E</code> when <i>exp</i> is greater than 4 or less than the precision; otherwise like <code>f</code> or <code>F</code>	<i>exp</i> is the exponent of the number being converted
<code>c</code>	Single character	Value can be integer or single-character string
<code>r</code>	String	Converts any value with <code>repr</code>
<code>s</code>	String	Converts any value with <code>str</code>
<code>%</code>	Literal % character	Consumes no value

Between the % and the conversion character, you can specify a number of optional modifiers, as we'll discuss shortly.

The result of a formatting expression is a string that is a copy of *format* where each format specifier is replaced by the corresponding item of *values* converted to a string according to the specifier. Here are some simple examples:

```
x = 42
y = 3.14
```

```

z = "george"
print 'result = %d' % x           # prints: result = 42
print 'answers are: %d %f' % (x,y) # prints: answers are: 42 3.14
print 'hello %s' % z           # prints: hello george

```

9.3.1 Format Specifier Syntax

A format specifier can include numerous modifiers that control how the corresponding item in *values* is converted to a string. The components of a format specifier, in order, are:

- The mandatory leading `%` character that marks the start of the specifier
- An optional item name in parentheses (e.g. `(name)`)
 - Zero or more optional conversion flags:
 - `#`, which indicates that the conversion uses an alternate form (if any exists for its type)
 - `0`, which indicates that the conversion is zero-padded
 - `-`, which indicates that the conversion is left-justified
 - a space, which indicates that a space is placed before a positive number
 - `+`, which indicates that the numeric sign (`+` or `-`) is included before any numeric conversion
- An optional minimum width of the conversion, specified using one or more digits or an asterisk (`*`), which means that the width is taken from the next item in *values*
- An optional precision for the conversion, specified with a dot (`.`) followed by zero or more digits or a `*`, which means that the width is taken from the next item in *values*
- A mandatory conversion type from [Table 9-1](#)

Item names must be given either in all format specifiers in *format* or in none of them. When item names are present, *values* must be a mapping (often the dictionary of a namespace, e.g., `vars()`), and each item name is a key in *values*. In other words, each format specifier corresponds to the item in *values* keyed by the specifier's item name. When item names are present, you cannot use `*` in any format specifier.

When item names are absent, *values* must be a tuple; when there is just one item, *values* may be the item itself instead of a tuple. Each format specifier corresponds to an item in *values* by position, and *values* must have exactly as many items as *format* has specifiers (plus one extra for each width or precision given by `*`). When the width or precision component of a specifier is given by `*`, the `*` consumes one item in *values*, which must be an integer and is taken as the number of characters to use as minimum width or precision of the conversion.

9.3.2 Common String-Formatting Idioms

It is quite common for *format* to contain several occurrences of `%s` and for *values* to be a tuple with exactly as many items as *format* has occurrences of `%s`. The result is a copy of *format* where each `%s` is

replaced with `str` applied to the corresponding item of `values`. For example:

```
'%s+%s is %s'%(23,45,68)           # results in: '23+45 is 68'
```

You can think of `%s` as a fast and concise way to put together a few values, converted to string form, into a larger string. For example:

```
oneway = 'x' + str(j) + 'y' + str(j) + 'z'
another = 'x%sy%sz' % (j, j)
```

After this code is executed, variables `oneway` and `another` will always be equal, but the computation of `another`, done via string formatting, is measurably faster. Which way is clearer and simpler is a matter of habit: get used to the string-formatting idiom, and it will come to look simpler and clearer.

Apart from `%s`, other reasonably common format specifiers are those used to format floating-point values: `%f` for decimal formatting, `%e` for exponential formatting, and `%g` for either decimal or exponential formatting, depending on the number's magnitude. When formatting floating-point values, you normally specify width and/or precision modifiers. A width modifier is a number right after the `%` that gives the minimum width for the resulting conversion; you generally use a width modifier if you're formatting a table for display in a fixed-width font. A precision modifier is a number following a dot (.) right before the conversion type letter; you generally use a precision modifier in order to fix the number of decimal digits displayed for a number, to avoid giving a misleading impression of excessive precision and wasting display space. For example:

```
'%.2f'%(1/3.0)           # results in: '0.33'
'%s'%(1/3.0)             # results in: '0.333333333333'
```

With `%s`, you cannot specify how many digits to display after the decimal point. It is important to avoid giving a mistaken impression of very high precision when you know that your numeric results are only accurate to a few digits. Displaying high precision values might mislead people examining those results into believing the results are much more accurate than is in fact the case.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.4 The pprint Module

The `pprint` module pretty-prints complicated data structures, with formatting that may be more readable than that supplied by built-in function `repr` (see [Chapter 8](#)). To fine-tune the formatting, you can instantiate the `PrettyPrinter` class supplied by module `pprint` and apply detailed control, helped by auxiliary functions also supplied by module `pprint`. Most of the time, however, one of the two main functions exposed by module `pprint` suffices.

pformat

```
pformat(obj)
```

Returns a string representing the pretty-printing of `obj`.

pprint

```
pprint(obj, stream=sys.stdout)
```

Outputs the pretty-printing of `obj` to file object `stream`, with a terminating newline.

The following statements are the same:

```
print pprint.pformat(x)
pprint.pprint(x)
```

Either of these constructs will be roughly the same as `print x` in many cases, such as when the string representation of `x` fits within one line. However, with something like `x=range(30)`, `print x` displays `x` in two lines, breaking at an arbitrary point, while using module `pprint` displays `x` over 30 lines, one line per item. You can use module `pprint` when you prefer the module's specific display effects to the ones of normal string representation.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.5 The repr Module

The `repr` module supplies an alternative to the built-in function `repr` (see [Chapter 8](#)), with limits on length for the representation string. To fine-tune the length limits, you can instantiate or subclass the `Repr` class supplied by module `repr` and apply detailed control. Most of the time, however, the main function exposed by module `repr` suffices.

repr

`repr(obj)`

Returns a string representing `obj`, with sensible limits on length.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.6 Unicode

Plain strings are converted into Unicode strings either explicitly, with the `unicode` built-in, or implicitly, when you pass a plain string to a function that expects Unicode. In either case, the conversion is done by an auxiliary object known as a *codec* (for coder-decoder). A codec can also convert Unicode strings to plain strings either explicitly, with the `encode` method of Unicode strings, or implicitly.

You identify a codec by passing the codec name to `unicode` or `encode`. When you pass no codec name and for implicit conversion, Python uses a default encoding, normally `'ascii'`. (You can change the default encoding in the startup phase of a Python program, as covered in [Chapter 13](#); see also [setdefaultencoding](#) in [Chapter 8](#).) Every conversion has an explicit or implicit argument `errors`, a string specifying how conversion errors are to be handled. The default is `'strict'`, meaning any error raises an exception. When `errors` is `'replace'`, the conversion replaces each character causing an error with `'?'` in a plain-string result or with `u'\ufffd'` in a Unicode result. When `errors` is `'ignore'`, the conversion silently skips characters that cause errors.

9.6.1 The codecs Module

The mapping of codec names to codec objects is handled by the `codecs` module. This module lets you develop your own codec objects and register them so that they can be looked up by name, just like built-in codecs. Module `codecs` also lets you look up any codec explicitly, obtaining the functions the codec uses for encoding and decoding, as well as factory functions to wrap file-like objects. Such advanced facilities of module `codecs` are rarely used, and are not covered further in this book.

The `codecs` module, together with the `encodings` package, supplies built-in codecs useful to Python developers dealing with internationalization issues. Any supplied codec can be installed as the default by module `sitecustomize`, or can be specified by name when converting explicitly between plain and Unicode strings. The codec normally installed by default is `'ascii'`, which accepts only characters with codes between 0 and 127, the 7-bit range of the American Standard Code for Information Interchange (ASCII) that is common to most encodings. A popular codec is `'latin-1'`, a fast, built-in implementation of the ISO 8859-1 encoding that offers a one-byte-per-character encoding of all special characters needed for Western European languages.

The `codecs` module also supplies codecs implemented in Python for most ISO 8859 encodings, with codec names from `'iso8859-1'` to `'iso8859-15'`. On Windows systems only, the codec named `'mbcs'` wraps the platform's multibyte character set conversion procedures. In Python 2.2, many codecs are added to support Asian languages. Module `codecs` also supplies several standard code pages (codec names from `'cp037'` to `'cp1258'`), Mac-specific encodings (codec names from `'mac-cyrillic'` to `'mac-turkish'`), and Unicode standard encodings `'utf-8'` and `'utf-16'` (the latter also have specific big-endian and little-endian variants `'utf-16-be'` and `'utf-16-le'`). For use with UTF-16, module `codecs` also supplies attributes `BOM_BE` and `BOM_LE`, byte-order marks for big-endian and little-endian machines respectively, and `BOM`, byte-order mark for the current platform.

Module `codecs` also supplies two functions to make it easier to deal with encoded text during input/output operations.

EncodedFile

```
EncodedFile(file,datacodec,filecodec=None,errors='strict')
```

Wraps the file-like object *file*, returning another file-like object *ef* that implicitly and transparently applies the given encodings to all data read from or written to the file. When you write a string *s* to *ef*, *ef* first decodes *s* with the codec named by *datacodec*, then encodes the result with the codec named by *filecodec*, and lastly writes it to *file*. When you read a string, *ef* applies *filecodec* first, then *datacodec*. When *filecodec* is *None*, *ef* uses *datacodec* for both steps in either direction.

For example, if you want to write strings that are encoded in *latin-1* to *sys.stdout* and have the strings come out in *utf-8*, use the following:

```
import sys, codecs
sys.stdout = codecs.EncodedFile(sys.stdout, 'latin-1',
                                'utf-8')
```

open

```
open(filename,mode='rb',encoding=None,errors='strict',
     buffering=1)
```

Uses the built-in function `open` (covered in [Chapter 10](#)) to supply a file-like object that accepts and/or provides Unicode strings to/from Python client code, while the underlying file can either be in Unicode (when *encoding* is *None*) or use the codec named by *encoding*. For example, if you want to write Unicode strings to file *uni.txt* and have the strings implicitly encoded as *latin-1* in the file, replacing with '?' any character that cannot be encoded in Latin-1, use the following:

```
import codecs
flout = codecs.open('uni.txt', 'w', 'latin-1', 'replace')

# now you can write Unicode strings directly to flout
flout.write(u'élève')
flout.close()
```

9.6.2 The unicodedata Module

The `unicodedata` module supplies easy access to the Unicode Character Database. Given any Unicode character, you can use functions supplied by module `unicodedata` to obtain the character's Unicode category, official name (if any), and other, more exotic information. You can also look up the Unicode character (if any) corresponding to a given official name. Such advanced facilities are rarely needed, and are not covered further in this book.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

9.7 Regular Expressions and the re Module

A *regular expression* is a string that represents a pattern. With regular expression functionality, you can compare that pattern to another string and see if any part of the string matches the pattern.

The `re` module supplies all of Python's regular expression functionality. The `compile` function builds a regular expression object from a pattern string and optional flags. The methods of a regular expression object look for matches of the regular expression in a string and/or perform substitutions. Module `re` also exposes functions equivalent to a regular expression's methods, but with the regular expression's pattern string as their first argument.

Regular expressions can be difficult to master, and this book does not purport to teach them—I cover only the ways in which you can use them in Python. For general coverage of regular expressions, I recommend the book *Mastering Regular Expressions*, by Jeffrey Friedl (O'Reilly). Friedl's book offers thorough coverage of regular expressions at both the tutorial and advanced levels.

9.7.1 Pattern-String Syntax

The pattern string representing a regular expression follows a specific syntax:

- Alphabetic and numeric characters stand for themselves. A regular expression whose pattern is a string of letters and digits matches the same string.
- Many alphanumeric characters acquire special meaning in a pattern when they are preceded by a backslash (`\`).
- Punctuation works the other way around. A punctuation character is self-matching when escaped, and has a special meaning when unescaped.
- The backslash character itself is matched by a repeated backslash (i.e., the pattern `\\`).

Since regular expression patterns often contain backslashes, you generally want to specify them using raw-string syntax (covered in [Chapter 4](#)). Pattern elements (e.g., `r'\t'`, which is equivalent to the non-raw string literal `'\\t'`) do match the corresponding special characters (e.g., the tab character `'\t'`). Therefore, you can use raw-string syntax even when you do need a literal match for some such special character.

[Table 9-2](#) lists the special elements in regular expression pattern syntax. The exact meanings of some pattern elements change when you use optional flags, together with the pattern string, to build the regular expression object. The optional flags are covered later in this chapter.

Table 9-2. Regular expression pattern syntax

Element	Meaning
.	Matches any character except <code>\n</code> (if <code>DOTALL</code> , also matches <code>\n</code>)
^	Matches start of string (if <code>MULTILINE</code> , also matches after <code>\n</code>)
\$	Matches end of string (if <code>MULTILINE</code> , also matches before <code>\n</code>)
*	Matches zero or more cases of the previous regular expression; greedy (match as many as possible)
+	Matches one or more cases of the previous regular expression; greedy (match as many as possible)
?	Matches zero or one case of the previous regular expression; greedy (match one if possible)
? , +?, ??	Non-greedy versions of <code></code> , <code>+</code> , and <code>?</code> (match as few as possible)
{ <i>m,n</i> }	Matches <i>m</i> to <i>n</i> cases of the previous regular expression (greedy)
{ <i>m,n</i> }?	Matches <i>m</i> to <i>n</i> cases of the previous regular expression (non-greedy)
[...]	Matches any one of a set of characters contained within the brackets
	Matches expression either preceding it or following it
(...)	Matches the regular expression within the parentheses and also indicates a group
(?iLmsux)	Alternate way to set optional flags; no effect on match
(?:...)	Like <code>(...)</code> , but does not indicate a group
(?P<id>...)	Like <code>(...)</code> , but the group also gets the name <i>id</i>
(?P=id)	Matches whatever was previously matched by group named <i>id</i>
(?#...)	Content of parentheses is just a comment; no effect on match
(?=...)	Lookahead assertion; matches if regular expression <code>...</code> matches what comes next, but does not consume any part of the string
(?!...)	Negative lookahead assertion; matches if regular expression <code>...</code> does not match what comes next, and does not consume any part of the string
(?<=...)	Lookbehind assertion; matches if there is a match for regular expression <code>...</code> ending at the current position (<code>...</code> must match a fixed length)
(?<!...)	Negative lookbehind assertion; matches if there is no match for regular expression <code>...</code> ending at the current position (<code>...</code> must match a fixed length)
\ <i>number</i>	Matches whatever was previously matched by group numbered <i>number</i> (groups are automatically numbered from 1 up to 99)
\A	Matches an empty string, but only at the start of the whole string
\b	Matches an empty string, but only at the start or end of a word (a maximal sequence of alphanumeric characters; see also <code>\w</code>)
\B	Matches an empty string, but not at the start or end of a word
\d	Matches one digit, like the set <code>[0-9]</code>
\D	Matches one non-digit, like the set <code>[^0-9]</code>
\s	Matches a whitespace character, like the set <code>[\t\n\r\f\v]</code>
\S	Matches a non-white character, like the set <code>[^\t\n\r\f\v]</code>
\w	Matches one alphanumeric character; unless <code>LOCALE</code> or <code>UNICODE</code> is set, <code>\w</code> is like <code>[a-zA-Z0-9_]</code>
\W	Matches one non-alphanumeric character, the reverse of <code>\w</code>
\Z	Matches an empty string, but only at the end of the whole string
\\	Matches one backslash character

9.7.2 Common Regular Expression Idioms

'`.*`' as a substring of a regular expression's pattern string means "any number of repetitions (zero or more) of any character." In other words, '`.*`' matches any substring of a target string, including the empty substring. '`.*`' is similar, but it matches only a non-empty substring. For example:

```
'pre.*post'
```

matches a string containing a substring '`pre`' followed by a later substring '`post`', even if the latter is adjacent to the former (e.g., it matches both '`prepost`' and '`pre23post`'). On the other hand:

```
'pre.+post'
```

matches only if '`pre`' and '`post`' are not adjacent (e.g., it matches '`pre23post`' but does not match '`prepost`'). Both patterns also match strings that continue after the '`post`'.

To constrain a pattern to match only strings that end with '`post`', end the pattern with `\Z`. For example:

```
r'pre.*post\Z'
```

matches '`prepost`', but not '`preposterous`'. Note that we need to express the pattern with raw-string syntax (or escape the backslash `\` by doubling it into `\\`), as it contains a backslash. Using raw-string syntax for all regular expression pattern literals is good practice in Python, as it's the simplest way to ensure you'll never fail to escape a backslash.

Another frequently used element in regular expression patterns is `\b`, which matches a word boundary. If you want to match the word '`his`' only as a whole word and not its occurrences as a substring in such words as '`this`' and '`history`', the regular expression pattern is:

```
r'\bhis\b'
```

with word boundaries both before and after. To match the beginning of any word starting with '`her`', such as '`her`' itself but also '`hermetic`', but not words that just contain '`her`' elsewhere, such as '`ether`', use:

```
r'\bher'
```

with a word boundary before, but not after, the relevant string. To match the end of any word ending with '`its`', such as '`its`' itself but also '`fits`', but not words that contain '`its`' elsewhere, such as '`itsy`', use:

```
r'its\b'
```

with a word boundary after, but not before, the relevant string. To match whole words thus constrained, rather than just their beginning or end, add a pattern element `\w*` to match zero or more word characters. For example, to match any full word starting with '`her`', use:

```
r'\bher\w*'
```

And to match any full word ending with '`its`', use:

```
r'\w*its\b'
```

9.7.3 Sets of Characters

You denote sets of characters in a pattern by listing the characters within brackets (`[]`). In addition to listing single characters, you can denote a range by giving the first and last characters of the range separated by a hyphen (`-`). The last character of the range is included in the set, which is different from other Python ranges. Within a set, special characters stand for themselves, except `\`, `]`, and `-`, which you must escape (by preceding them with a backslash) when their position is such that, unescaped, they would form part of the set's syntax. In a set, you can also denote a class of characters by escaped-letter notation, such as `\d` or `\S`. However, `\b` in a set denotes a backspace character, not a word boundary. If the first character in the set's pattern, right after the `[`, is a caret (`^`), the set is *complemented*. In other words, the set matches any character except those that follow `^` in the set pattern notation.

A frequent use of character sets is to match a word, using a definition of what characters can make up a word that differs from `\w`'s default (letters and digits). To match a word of one or more characters, each of which can be a letter, an apostrophe, or a hyphen, but not a digit (e.g., `'Finnegan-O'Hara'`), use:

```
r"[a-zA-z'\- ]+"
```

It's not strictly necessary to escape the hyphen with a backslash in this case, since its position makes it syntactically unambiguous. However, the backslash makes the pattern somewhat more readable, by visually distinguishing the hyphen that you want to have as a character in the set from those used to denote ranges.

9.7.4 Alternatives

A vertical bar (`|`) in a regular expression pattern, used to specify alternatives, has low precedence. Unless parentheses change the grouping, `|` applies to the whole pattern on either side, up to the start or end of the string, or to another `|`. A pattern can be made up of any number of subpatterns joined by `|`. To match such a regular expression, the first subpattern is tried first, and if it matches, the others are skipped. If the first subpattern does not match, the second subpattern is tried, and so on. `|` is neither greedy nor non-greedy, as it doesn't take into consideration the length of the match.

If you have a list `L` of words, a regular expression pattern that matches any of the words is:

```
'|'.join([r'\b%s\b' % word for word in L])
```

If the items of `L` can be more-general strings, not just words, you need to escape each of them with function `re.escape`, covered later in this chapter, and you probably don't want the `\b` word boundary markers on either side. In this case, use the regular expression pattern:

```
'|'.join(map(re.escape, L))
```

9.7.5 Groups

A regular expression can contain any number of groups, from none up to 99 (any number is allowed, but only the first 99 groups are fully supported). Parentheses in a pattern string indicate a group. Element `(?P<id>...)` also indicates a group, and in addition gives the group a name, `id`, that can be any Python identifier. All groups, named and unnamed, are numbered from left to right, 1 to 99, with group number 0 indicating the whole regular expression.

For any match of the regular expression with a string, each group matches a substring (possibly an empty one). When the regular expression uses `|`, some of the groups may not match any substring, although the regular expression as a whole does match the string. When a group doesn't match any substring, we say that the group does not *participate* in the match. An empty string `"` is used to represent the matching

substring for a group that does not participate in a match, except where otherwise indicated later in this chapter.

For example:

```
r'(.+)\1+\Z'
```

matches a string made up of two or more repetitions of any non-empty substring. The `(.+)` part of the pattern matches any non-empty substring (any character, one or more times), and defines a group thanks to the parentheses. The `\1+` part of the pattern matches one or more repetitions of the group, and the `\Z` anchors the match to end-of-string.

9.7.6 Optional Flags

A regular expression pattern element with one or more of the letters "iLmsux" between `(?` and `)` lets you set regular expression options within the regular expression's pattern, rather than by the `flags` argument to function `compile` of module `re`. Options apply to the whole regular expression, no matter where the options element occurs in the pattern. For clarity, options should always be at the start of the pattern. Placement at the start is mandatory if `x` is among the options, since `x` changes the way Python parses the pattern.

Using the explicit `flags` argument is more readable than placing an options element within the pattern. The `flags` argument to function `compile` is a coded integer, built by bitwise ORing (with Python's bitwise OR operator, `|`) one or more of the following attributes of module `re`. Each attribute has both a short name (one uppercase letter), for convenience, and a long name (an uppercase multiletter identifier), which is more readable and thus normally preferable:

`I` or `IGNORECASE`

Makes matching case-insensitive

`L` or `LOCALE`

Causes `\w`, `\W`, `\b`, and `\B` matches to depend on what the current locale deems alphanumeric

`M` or `MULTILINE`

Makes the special characters `^` and `$` match at the start and end of each line (i.e., right after/before a newline), as well as at the start and end of the whole string

`S` or `DOTALL`

Causes the special character `.` to match any character, including a newline

`U` or `UNICODE`

Makes `\w`, `\W`, `\b`, and `\B` matches depend on what Unicode deems alphanumeric

`X` or `VERBOSE`

Causes whitespace in the pattern to be ignored, except when escaped or in a character set, and makes a `#` character in the pattern begin a comment that lasts until the end of the line

For example, here are three ways to define equivalent regular expressions with function `compile`, covered later in this chapter. Each of these regular expressions matches the word "hello" in any mix of upper- and lowercase letters:

```
import re
```



```
r1 = re.compile(r'(?i)hello')
r2 = re.compile(r'hello', re.I)
r3 = re.compile(r'hello', re.IGNORECASE)
```

The third approach is clearly the most readable, and thus the most maintainable, even though it is slightly more verbose. Note that the raw-string form is not necessary here, since the patterns do not include backslashes. However, using raw strings is still innocuous, and is the recommended style for clarity.

Option `re.VERBOSE` (or `re.X`) lets you make patterns more readable and understandable by appropriate use of whitespace and comments. Complicated and verbose regular expression patterns are generally best represented by strings that take up more than one line, and therefore you normally want to use the triple-quoted raw-string format for such pattern strings. For example:

```
repat_num1 = r'(0[0-7]*|0x[\da-fA-F]+|[1-9]\d*)L?\Z'
repat_num2 = r'''(?x)
                (0 [0-7]*      | # octal: leading 0, then 0+ octal digits
                 0x [\da-f-A-F]+ | # hex: 0x, then 1+ hex digits
                 [1-9] \d*      ) # decimal: leading non-0, then 0+ digits
                L?\Z          # optional trailing L, then end of string
                '''
```

The two patterns defined in this example are equivalent, but the second one is made somewhat more readable by the comments and the free use of whitespace to group portions of the pattern in logical ways.

9.7.7 Match Versus Search

So far, we've been using regular expressions to match strings. For example, the regular expression with pattern `r'box'` matches strings such as `'box'` and `'boxes'`, but not `'inbox'`. In other words, a regular expression match can be considered as implicitly anchored at the start of the target string, as if the regular expression's pattern started with `\A`.

Often, you're interested in locating possible matches for a regular expression anywhere in the string, without any anchoring (e.g., find the `r'box'` match inside such strings as `'inbox'`, as well as in `'box'` and `'boxes'`). In this case, the Python term for the operation is a *search*, as opposed to a match. For such searches, you use the `search` method of a regular expression object, while the `match` method only deals with matching from the start. For example:

```
import re
r1 = re.compile(r'box')
if r1.match('inbox'): print 'match succeeds'
else print 'match fails' # prints: match fails
if r1.search('inbox'): print 'search succeeds' # prints: search succeeds
else print 'search fails'
```

9.7.8 Anchoring at String Start and End

The pattern elements ensuring that a regular expression search (or match) is anchored at string start and string end are `\A` and `\Z` respectively. More traditionally, elements `^` for start and `$` for end are also used in similar roles. `^` is the same as `\A`, and `$` is the same as `\Z`, for regular expression objects that are not multiline (i.e., that do not contain pattern element `(?m)` and are not compiled with the flag `re.M` or `re.MULTILINE`). For a multiline regular expression object, however, `^` anchors at the start of any line (i.e.,

either at the start of the whole string or at the position right after a newline character `\n`). Similarly, with a multiline regular expression, `$` anchors at the end of any line (i.e., either at the end of the whole string or at the position right before `\n`). On the other hand, `\A` and `\Z` anchor at the start and end of the whole string whether the regular expression object is multiline or not. For example, here's how to check if a file has any lines that end with digits:

```
import re
digatend = re.compile(r'\d$', re.MULTILINE)
if re.search(open('afile.txt').read(  )): print "some lines end with digits"
else: print "no lines end with digits"
```

A pattern of `r'\d\n'` would be almost equivalent, but in that case the search would fail if the very last character of the file were a digit not followed by a terminating end-of-line character. With the example above, the search succeeds if a digit is at the very end of the file's contents, as well as in the more usual case where a digit is followed by an end-of-line character.

9.7.9 Regular Expression Objects

A regular expression object `r` has the following read-only attributes detailing how `r` was built (by function `compile` of module `re`, covered later in this chapter):

`flags`

The `flags` argument passed to `compile`, or `0` when `flags` is omitted

`groupindex`

A dictionary whose keys are group names as defined by elements `(?P<id>)`; the corresponding values are the named groups' numbers

`pattern`

The pattern string from which `r` is compiled

These attributes make it easy to get back from a compiled regular expression object to its pattern string and flags, so you never have to store those separately.

A regular expression object `r` also supplies methods to locate matches for `r`'s regular expression within a string, as well as to perform substitutions on such matches. Matches are generally represented by special objects, covered in the later [Section 9.7.10](#).

findall

```
r.findall(s)
```

When `r` has no groups, `findall` returns a list of strings, each a substring of `s` that is a non-overlapping match with `r`. For example, here's how to print out all words in a file, one per line:

```
import re
reword = re.compile(r'\w+')
for aword in reword.findall(open('afile.txt').read(  )):
    print aword
```

When `r` has one group, `findall` also returns a list of strings, but each is the substring of `s` matching `r`'s group. For example, if you want to print only words that are followed by whitespace (not punctuation), you need to change only one statement in the previous example:

```
reword = re.compile('(\w+)\s')
```

When `r` has `n` groups (where `n` is greater than 1), `findall` returns a list of tuples, one per non-overlapping match with `r`. Each tuple has `n` items, one per group of `r`, the substring of `s` matching the group. For example, here's how to print the first and last word of each line that has at least two words:

```
import re
first_last = re.compile(r'^\W*(\w+)\b.*\b(\w+)\W*$',
                       re.MULTILINE)

for first, last in \
first_last.findall(open('afile.txt').read(  )):
    print first, last
```

match

```
r.match(s, start=0, end=sys.maxint)
```

Returns an appropriate match object when a substring of `s`, starting at index `start` and not reaching as far as index `end`, matches `r`. Otherwise, `match` returns `None`. Note that `match` is implicitly anchored at the starting position `start` in `s`. To search for a match with `r` through `s`, from `start` onwards, call `r.search`, not `r.match`. For example, here's how to print all lines in a file that start with digits:

```
import re
digs = re.compile(r'\d+')
for line in open('afile.txt'):
    if digs.match(line): print line,
```

search

```
r.search(s, start=0, end=sys.maxint)
```

Returns an appropriate match object for the leftmost substring of `s`, starting not before index `start` and not reaching as far as index `end`, that matches `r`. When no such substring exists, `search` returns `None`. For example, to print all lines containing digits, one simple approach is as follows:

```
import re
digs = re.compile(r'\d+')
for line in open('afile.txt'):
    if digs.search(line): print line,
```

split

```
r.split(s, maxsplit=0)
```

Returns a list *L* of the splits of *s* by *r* (i.e., the substrings of *s* that are separated by non-overlapping, non-empty matches with *r*). For example, to eliminate all occurrences of substring 'hello' from a string, in any mix of lowercase and uppercase letters, one way is:

```
import re
rehello = re.compile(r'hello', re.IGNORECASE)
astring = ''.join(rehello.split(astring))
```

When *r* has *n* groups, *n* more items are interleaved in *L* between each pair of splits. Each of the *n* extra items is the substring of *s* matching *r*'s corresponding group in that match, or *None* if that group did not participate in the match. For example, here's one way to remove whitespace only when it occurs between a colon and a digit:

```
import re
re_col_ws_dig = re.compile(r'(:)\s+(\d)')
astring = ''.join(re_col_ws_dig.split(astring))
```

If *maxsplit* is greater than 0, at most *maxsplit* splits are in *L*, each followed by *n* items as above, while the trailing substring of *s* after *maxsplit* matches of *r*, if any, is *L*'s last item. For example, to remove only the first occurrence of substring 'hello' rather than all of them, change the last statement in the first example above to:

```
astring = ''.join(rehello.split(astring, 1))
```

sub

```
r.sub(repl,s,count=0)
```

Returns a copy of *s* where non-overlapping matches with *r* are replaced by *repl*, which can be either a string or a callable object, such as a function. An empty match is replaced only when not adjacent to the previous match. When *count* is greater than 0, only the first *count* matches of *r* within *s* are replaced. When *count* equals 0, all matches of *r* within *s* are replaced. For example, here's another way to remove only the first occurrence of substring 'hello' in any mix of cases:

```
import re
rehello = re.compile(r'hello', re.IGNORECASE)
astring = rehhello.sub('', astring, 1)
```

Without the final 1 argument to method *sub*, this example would remove all occurrences of 'hello'.

When *repl* is a callable object, *repl* must accept a single argument (a match object) and return a string to use as the replacement for the match. In this case, *sub* calls *repl*, with a suitable match-object argument, for each match with *r* that *sub* is replacing. For example, to uppercase all occurrences of words starting with 'h' and ending with 'o' in any mix of cases, you can use the following:

```
import re
h_word = re.compile(r'\bh\w+o\b', re.IGNORECASE)
def up(mo): return mo.group(0).upper( )
astring = h_word.sub(up, astring)
```

Method *sub* is a good way to get a callback to a callable you supply for every non-overlapping match of *r* in *s*, without an explicit loop, even when you don't need to perform any substitution. The following example

shows this by using the `sub` method to build a function that works just like method `findall` for a regular expression without groups:

```
import re
def findall(r, s):
    result = [ ]
    def foundOne(mo): result.append(mo.group( ))
    r.sub(foundOne, s)
    return result
```

The example needs Python 2.2, not just because it uses lexically nested scopes, but because in Python 2.2 `re` tolerates `repl` returning `None` and treats it as if it returned "", while in Python 2.1 `re` was more pedantic and insisted on `repl` returning a string.

When `repl` is a string, `sub` uses `repl` itself as the replacement, except that it expands back references. A *back reference* is a substring of `repl` of the form `\g<id>`, where `id` is the name of a group in `r` (as established by syntax `(?P<id>)` in `r`'s pattern string), or `\dd`, where `dd` is one or two digits, taken as a group number. Each back reference, whether named or numbered, is replaced with the substring of `s` matching the group of `r` that the back reference indicates. For example, here's how to enclose every word in braces:

```
import re
grouped_word = re.compile('(\w+)')
astring = grouped_word.sub(r'\1}', astring)
```

subn

```
r.subn(repl,s,count=0)
```

`subn` is the same as `sub`, except that `subn` returns a pair `(new_string, n)` where `n` is the number of substitutions that `subn` has performed. For example, to count the number of occurrences of substring 'hello' in any mix of cases, one way is:

```
import re
rehello = re.compile(r'hello', re.IGNORECASE)
junk, count = rehello.subn('', astring)
print 'Found', count, 'occurrences of "hello"'
```

9.7.10 Match Objects

Match objects are created and returned by methods `match` and `search` of a regular expression object. There are also implicitly created by methods `sub` and `subn` when argument `repl` is callable, since in that case a suitable match object is passed as the actual argument on each call to `repl`. A match object `m` supplies the following attributes detailing how `m` was created:

`pos`

The `start` argument that was passed to `search` or `match` (i.e., the index into `s` where the search for a match began)

`endpos`

The *end* argument that was passed to `search` or `match` (i.e., the index into *s* before which the matching substring of *s* had to end)

`lastgroup`

The name of the last-matched group (`None` if the last-matched group has no name, or if no group participated in the match)

`lastindex`

The integer index (1 and up) of the last-matched group (`None` if no group participated in the match)

`re`

The regular expression object *r* whose method created *m*

`string`

The string *s* passed to `match`, `search`, `sub`, or `subn`

A match object *m* also supplies several methods.

end, *span*, *start*

```
m.end(groupid=0)
m.span(groupid=0)
m.start(groupid=0)
```

These methods return the delimiting indices, within *m.string*, of the substring matching the group identified by *groupid*, where *groupid* can be a group number or name. When the matching substring is *m.string*[*i*:*j*], *m.start* returns *i*, *m.end* returns *j*, and *m.span* returns (*i*, *j*). When the group did not participate in the match, *i* and *j* are `-1`.

expand

```
m.expand(s)
```

Returns a copy of *s* where escape sequences and back references are replaced in the same way as for method *r.sub*, covered in the previous section.

group

```
m.group(groupid=0, *groupids)
```

When called with a single argument *groupid* (a group number or name), `group` returns the substring matching the group identified by *groupid*, or `None` if that group did not participate in the match. The common idiom `m.group()`, also spelled `m.group(0)`, returns the whole matched substring, since group number `0` implicitly means the whole regular expression.

When `group` is called with multiple arguments, each argument must be a group number or name. `group`

then returns a tuple with one item per argument, the substring matching the corresponding group, or `None` if that group did not participate in the match.

groups

```
m.groups(default=None)
```

Returns a tuple with one item per group in `r`. Each item is the substring matching the corresponding group, or `default` if that group did not participate in the match.

groupdict

```
m.groupdict(default=None)
```

Returns a dictionary whose keys are the names of all named groups in `r`. The value for each name is the substring matching the corresponding group, or `default` if that group did not participate in the match.

9.7.11 Functions of Module `re`

The `re` module supplies the attributes listed in the earlier section [Section 9.7.6](#). It also provides a function that corresponds to each method of a regular expression object (`findall`, `match`, `search`, `split`, `sub`, and `subn`), each with an additional first argument, a pattern string that the function implicitly compiles into a regular expression object. It's generally preferable to compile pattern strings into regular expression objects explicitly and call the regular expression object's methods, but sometimes, for a one-off use of a regular expression pattern, calling functions of module `re` can be slightly handier. For example, to count the number of occurrences of substring 'hello' in any mix of cases, one function-based way is:

```
import re
junk, count = re.subn(r'(?i)hello', '', astring)
print 'Found', count, 'occurrences of "hello"'
```

In cases such as this one, regular expression options (here, for example, case insensitivity) must be encoded as regular expression pattern elements (here, `(?i)`), since the functions of module `re` do not accept a `flags` argument.

Module `re` also supplies `error`, the class of exceptions raised upon errors (generally, errors in the syntax of a pattern string), and two additional functions.

compile

```
compile(pattern, flags=0)
```

Creates and returns a regular expression object, parsing string `pattern` as per the syntax covered in [Section 9.7.1](#), and using integer `flags` as in the section [Section 9.7.6](#), both earlier in this chapter.

escape

`escape(s)`

Returns a copy of string *s* where each non-alphanumeric character is escaped (i.e., preceded by a backslash `\`). This is handy when you need to match string *s* literally as part (or all) of a regular expression pattern string.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Part III: Python Library and Extension Modules

[Chapter 10](#)

[Chapter 11](#)

[Chapter 12](#)

[Chapter 13](#)

[Chapter 14](#)

[Chapter 15](#)

[Chapter 16](#)

[Chapter 17](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 10. File and Text Operations

This chapter covers dealing with files and the filesystem in Python. A *file* is a stream of bytes that a program can read and/or write, while a *filesystem* is a hierarchical repository of files on a particular computer system. Because files are such a core programming concept, several other chapters also contain material about handling files of specific kinds.

In Python, the `os` module supplies many of the functions that operate on the filesystem, so this chapter starts by introducing the `os` module. The chapter then proceeds to cover operations on the filesystem, including comparing, copying, and deleting directories and files, working with file paths, and accessing low-level file descriptors.

Next, this chapter discusses the typical ways Python programs read and write data, via built-in file objects and the polymorphic concept of file-like objects (i.e., objects that are not files, but still behave to some extent like files). Python file objects directly support the concept of *text files*, which are streams of characters encoded as bytes. The chapter also covers Python's support for data in compressed form, such as archives in the popular ZIP format.

While many modern programs rely on a graphical user interface (GUI), text-based, non-graphical user interfaces are often still useful, as they are simple, fast to program, and lightweight. This chapter concludes with material about text input and output in Python, including information about presenting text that is understandable to different users, no matter where they are or what language they speak. This is known as *internationalization* (often abbreviated *i18n*).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.1 The os Module

The `os` module is an umbrella module that presents a reasonably uniform cross-platform view of the different capabilities of various operating systems. The module provides functionality for creating files, manipulating files and directories, and creating, managing, and destroying processes. This chapter covers the filesystem-related capabilities of the `os` module, while [Chapter 14](#) covers the process-related capabilities.

The `os` module supplies a `name` attribute, which is a string that identifies the kind of platform on which Python is being run. Possible values for `name` are `'posix'` (all kinds of Unix-like platforms), `'nt'` (all kinds of 32-bit Windows platforms), `'mac'`, `'os2'`, and `'java'`. You can often exploit unique capabilities of a platform, at least in part, through functions supplied by `os`. This book deals with cross-platform programming, however, not with platform-specific functionality, so I do not cover parts of `os` that exist only on one kind of platform, nor do I cover platform-specific modules. All functionality covered in this book is available at least on both `'posix'` and `'nt'` platforms. However, I do cover any differences among the ways in which each given piece of functionality is provided on different platforms.

10.1.1 OSError Exceptions

When a request to the operating system fails, `os` raises an exception, an instance of `OSError`. `os` also exposes class `OSError` with the name `os.error`. Instances of `OSError` expose three useful attributes:

`errno`

The numeric error code of the operating system error

`strerror`

A string that summarily describes the error

`filename`

The name of the file on which the operation failed (for file-related functions only)

`os` functions can also raise other standard exceptions, typically `TypeError` or `ValueError`, when the error is that they have been called with invalid argument types or values and the underlying operating system functionality has not even been attempted.

10.1.2 The errno Module

The `errno` module supplies symbolic names for error code numbers. To handle possible system errors selectively, based on error codes, use `errno` to enhance your program's portability and readability. For example, here's how you might handle only "file not found" errors, while propagating others:

```
try: os.some_os_function_or_other( )
except OSError, err:
    import errno
    # check for "file not found" errors
```

```
if err.errno != errno.ENOENT: raise          # reraise other cases
# proceed with the specific case you can handle
print "Warning: file", err.filename, "not found -- continuing"
```

`errno` also supplies a dictionary named `errorcode`: the keys are error code numbers, and the corresponding names are the error names, such as `'ENOENT'`. Displaying `errno.errorcode[err.errno]`, as part of your diagnosis of some `os.error` instance `err`, can often make diagnosis clearer and more understandable to readers who are specialists of the specific platform.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.2 Filesystem Operations

Using the `os` module, you can manipulate the filesystem in a variety of ways: creating, copying, and deleting files and directories, comparing files, and examining filesystem information about files and directories. This section documents the attributes and methods of the `os` module that you use for these purposes, and also covers some related modules that operate on the filesystem.

10.2.1 Path-String Attributes of the `os` Module

A file or directory is identified by a string, known as its *path*, whose syntax depends on the platform. On both Unix-like and Windows platforms, Python accepts Unix syntax for paths, with slash (`/`) as the directory separator. On non-Unix-like platforms, Python also accepts platform-specific path syntax. On Windows, for example, you can use backslash (`\`) as the separator. However, you do need to double up each backslash to `\\` in normal string literals or use raw-string syntax as covered in [Chapter 4](#). In the rest of this chapter, for brevity, Unix syntax is assumed in both explanations and examples.

Module `os` supplies attributes that provide details about path strings on the current platform. You should typically use the higher-level path manipulation operations covered in [Section 10.2.4](#) later in this chapter, rather than lower-level string operations based on these attributes. However, the attributes may still be useful at times:

`curdir`

The string that denotes the current directory (`.` on Unix and Windows)

`defpath`

The default search path used if the environment lacks a `PATH` environment variable

`linesep`

The string that terminates text lines (`\n` on Unix, `\r\n` on Windows)

`extsep`

The string that separates the extension part of a file's name from the rest of the name (`.` on Unix and Windows)

`pardir`

The string that denotes the parent directory (`..` on Unix and Windows)

`pathsep`

The separator between paths in lists of paths, such as those used for the environment variable `PATH` (`:` on Unix, `;` on Windows)

`sep`

The separator of path components (`/` on Unix, `\\` on Windows)

10.2.2 Permissions

Unix-like platforms associate nine bits with each file or directory, three each for the file's owner (user), its group, and anybody else, indicating whether the file or directory can be read, written, and executed by the specified subject. These nine bits are known as the file's *permission bits*, part of the file's *mode* (a bit string that also includes other bits describing the file). These bits are often displayed in octal notation, which groups three bits in each digit. For example, a mode of `0664` indicates a file that can be read and written by its owner and group, but only read, not written, by anybody else. When any process on a Unix-like system creates a file or directory, the operating system applies to the specified mode a bit mask known as the process's *umask*, which can remove some of the permission bits.

Non-Unix-like platforms handle file and directory permissions in very different ways. However, the functions in Python's standard library that deal with permissions accept a *mode* argument according to the Unix-like approach described in the previous paragraph. The implementation on each platform maps the nine permission bits in a way appropriate for the given platform. For example, on versions of Windows that distinguish only between read-only and read-write files and do not distinguish file ownership, a file's permission bits show up as either `0666` (read-write) or `0444` (read-only). On such a platform, when a file is created, the implementation looks only at bit `0200`, making the file read-write if that bit is `0` or read-only if that bit is `1`.

10.2.3 File and Directory Functions of the os Module

The `os` module supplies several functions to query and set file and directory status.

access

`access(path, mode)`

Returns `True` if file *path* has all of the permissions encoded in integer *mode*, otherwise `False`. *mode* can be `os.F_OK` to test for file existence, or one or more of `os.R_OK`, `os.W_OK`, and `os.X_OK` (with the bitwise-OR operator `|` joining them if more than one) to test permissions to read, write, and execute the file.

`access` does not use the standard interpretation for its *mode* argument, covered in [Section 10.2.2](#) earlier in this chapter. `access` tests only if this specific process's real user and group identifiers have the requested permissions on the file. If you need to study a file's permission bits in more detail, see function [stat](#) in this section.

chdir

`chdir(path)`

Sets the current working directory to *path*.

chmod

`chmod(path, mode)`

Changes the permissions of file *path*, as encoded in integer *mode*. *mode* can be zero or more of `os.R_OK`, `os.W_OK`, and `os.X_OK` (with the bitwise-OR operator `|` joining them if more than one) to set permission to read, write, and execute. On Unix-like platforms, *mode* can also be a richer bit pattern, as covered in [Section 10.2.2](#) earlier in this chapter.

getcwd

```
getcwd( )
```

Returns the path of the current working directory.

listdir

```
listdir(path)
```

Returns a list whose items are the names of all files and subdirectories found in directory *path*. The returned list is in arbitrary order, and does not include the special directory names `'.'` and `'..'`.

The `dircache` module also supplies a function named `listdir`, which works like `os.listdir`, with two enhancements. First, `dircache.listdir` returns a sorted list. Further, `dircache` caches the list it returns, so repeated requests for lists of the same directory are faster if the directory's contents have not changed in the meantime. `dircache` automatically detects changes, so the list that `dircache.listdir` returns is always up to date.

makedirs, mkdir

```
makedirs(path,mode=0777)  
mkdir(path,mode=0777)
```

`makedirs` creates all directories that are part of *path* and do not yet exist. `mkdir` creates only the rightmost directory of *path*. Both functions use *mode* as permission bits of directories they create. Both functions raise `OSError` if creation fails or if a file or directory named *path* already exists.

remove, unlink

```
remove(path)  
unlink(path)
```

Removes the file named *path* (see [rmdir](#) later in this section to remove a directory). `unlink` is a synonym of `remove`.

removedirs

```
removedirs(path)
```

Loops from right to left over the directories that are part of *path*, removing each one. The loop ends when a removal attempt raises an exception, generally because a directory is not empty. `removedirs` does not propagate the exception as long as it has removed at least one directory.

rename

```
rename(source, dest)
```

Renames the file or directory named *source* to *dest*.

renames

```
renames(source, dest)
```

Like `rename`, except that `renames` attempts to create all intermediate directories needed for *dest*. After the renaming, `renames` tries to remove empty directories from path *source* using `removedirs`. It does not propagate any resulting exception, since it's not an error if the starting directory of *source* does not become empty after the renaming.

rmdir

```
rmdir(path)
```

Removes the directory named *path* (raises `OSError` if it is not empty).

stat

```
stat(path)
```

Returns a value *x* that is a tuple of 10 integers that provide information about a file or subdirectory *path*. See [Section 10.2.5](#) later in this chapter for details about using the returned tuple. In Python 2.2 and later, *x* is of type `stat_result`. You can still use *x* as a tuple, but you can also access *x*'s items as read-only attributes `x.st_mode`, `x.st_ino`, and so on, using as attribute names the lowercase versions of the names of constants listed later in [Table 10-1](#).

A module named `statcache` also supplies a function named `stat`, like `os.stat` but with an enhancement: the returned tuple (or `stat_result` instance) is cached, so repeated requests about the same file run faster. `statcache` cannot detect changes automatically, so you should use it only for stable files that do not change in the time between `stat` requests.

tempnam, tmpnam

```
tempnam(dir=None,prefix=None)
tmpnam( )
```

Returns an absolute path usable as the name of a new temporary file. If *dir* is `None`, the path uses the directory normally used for temporary files on the current platform; otherwise the path uses *dir*. If *prefix* is not `None`, it should be a short string to be prefixed to the temporary file's name. `tempnam` never returns the name of any already existing file. Your program must create the temporary file, use the file, and remove the file when done, as in the following snippet:

```
import os
def work_on_temporary_file(workfun):
    nam = os.tempnam( )
    fil = open(nam, 'rw+')
    try:
        workfun(fil)
    finally:
        fil.close( )
        os.remove(nam)
```

`tmpnam` is a synonym for `tempnam`. However, `tmpnam` does not accept arguments, and always behaves like `tempnam(None, None)`. `tempnam` and `tmpnam` are potential weaknesses in your program's security, and recent versions of Python emit a warning the first time your program calls these functions to alert you to this fact. See [Chapter 17](#) for information about ways in which your program can interact with warnings.

utime

```
utime(path,times=None)
```

Sets the accessed and modified times of file or directory *path*. If *times* is `None`, `utime` uses the current time. Otherwise, *times* must be a pair of numbers (in seconds since the epoch, as covered in [Chapter 12](#)) in the order (*accessed*, *modified*).

10.2.4 The `os.path` Module

The `os.path` module supplies functions to analyze and transform path strings.

abspath

```
abspath(path)
```

Returns a normalized absolute path equivalent to *path*, just like:

```
os.path.normpath(os.path.join(os.getcwd( ),path))
```

For example, `os.path.abspath(os.curdir)` always returns the same string as `os.getcwd()`.

basename

```
basename(path)
```

Returns the base name part of *path*, just like `os.path.split(path)[1]`. For example, `os.path.basename('b/c/d.e')` returns 'd.e'.

commonprefix

```
commonprefix(list)
```

Accepts a list of strings and returns the longest string that is a prefix of all items in the list. Unlike other functions in `os.path`, `commonprefix` works on arbitrary strings, not just on paths.

dirname

```
dirname(path)
```

Returns the directory part of *path*, just like `os.path.split(path)[0]`. For example, `os.path.dirname('b/c/d.e')` returns 'b/c'.

exists

```
exists(path)
```

Returns `True` when *path* names an existing file or directory, otherwise `False`. In other words, `os.path.exists(x)` always returns the same result as `os.access(x,os.F_OK)`.

expandvars

```
expandvars(path)
```

Returns a copy of string *path*, replacing each substring of the form "\$name" or "\${name}" with the value of environment variable *name*. The replacement is an empty string if *name* does not exist in the environment.

getatime, getmtime, getsize

```
getatime(path)
```

```
getmtime(path)
```

```
getsize(path)
```

Each of these functions returns an attribute from the result of `os.stat(path)`, respectively the attributes `st_atime`, `st_mtime`, and `st_size`. See [Section 10.2.5](#) later in this chapter for more information about these attributes.

isabs

```
isabs(path)
```

Returns `True` when *path* is absolute. A path is absolute when it starts with a slash `/`, or, on some non-Unix-like platforms, with a drive designator followed by `os.sep`. When *path* is not absolute, `isabs` returns `False`.

isfile

```
isfile(path)
```

Returns `True` when *path* names an existing regular file (in Unix, however, `isfile` also follows symbolic links), otherwise `False`.

isdir

```
isdir(path)
```

Returns `True` when *path* names an existing directory (in Unix, however, `isdir` also follows symbolic links), otherwise `False`.

islink

```
islink(path)
```

Returns `True` when *path* names a symbolic link. Otherwise (always, on platforms that don't support symbolic links) `islink` returns `False`.

ismount

```
ismount(path)
```

Returns `True` when *path* names a mount point. Otherwise (always, on platforms that don't support mount points) `ismount` returns `False`.

join

```
join(path, *paths)
```

Returns a string that joins the argument strings with the appropriate path separator for the current platform. For example, on Unix, exactly one slash character `/` separates adjacent path components. If any argument is an absolute path, `join` ignores all previous components. For example:

```
print os.path.join('a/b', 'c/d', 'e/f')
# on Unix prints: a/b/c/d/e/f
print os.path.join('a/b', '/c/d', 'e/f')
# on Unix prints: /c/d/e/f
```

The second call to `os.path.join` ignores its first argument `'a/b'`, since its second argument `'/c/d'` is an absolute path.

normcase

```
normcase(path)
```

Returns a copy of *path* with case normalized for the current platform. On case-sensitive filesystems (as typical in Unix), *path* is returned unchanged. On case-insensitive filesystems, all letters in the returned string are lowercase. On Windows, `normcase` also converts each `/` to a `\`.

normpath

```
normpath(path)
```

Returns a normalized pathname equivalent to *path*, removing redundant separators and path-navigation aspects. For example, on Unix, `normpath` returns `'a/b'` when *path* is any of `'a//b'`, `'a/./b'`, or `'a/c/./b'`. `normpath` converts path separators as appropriate for the current platform. For example, on Windows, the returned string uses `\` as the separator.

split

```
split(path)
```

Returns a pair of strings (*dir*,*base*) such that `join(dir,base)` equals *path*. *base* is the last pathname component and never contains a path separator. If *path* ends in a separator, *base* is ". *dir* is the leading part of *path*, up to the last path separator, shorn of trailing separators. For example, `os.path.split('a/b/c/d')` returns the pair ('a/b/c', 'd').

splitdrive

```
splitdrive(path)
```

Returns a pair of strings (*drv*,*pth*) such that `drv+pth` equals *path*. *drv* is either a drive specification or ". *drv* is always "" on platforms that do not support drive specifications, such as Unix. For example, on Windows, `os.path.splitdrive('c:d/e')` returns the pair ('c:', 'd/e').

splitext

```
splitext(path)
```

Returns a pair of strings (*root*,*ext*) such that `root+ext` equals *path*. *ext* either is "", or starts with a '.' and has no other '.' or path separator. For example, `os.path.splitext('a/b.c')` returns the pair ('a/b', '.c').

walk

```
walk(path, func, arg)
```

Calls `func(arg,dirpath,namelist)` for each directory in the tree whose root is directory *path*, starting with *path* itself. In each such call to `func`, *dirpath* is the path of the directory being visited, and *namelist* is the list of *dirpath*'s contents as returned by `os.listdir`. `func` may modify *namelist* in-place (e.g., with `del`) to avoid visiting certain parts of the tree: `walk` further calls `func` only for subdirectories remaining in *namelist* after `func` returns, if any. *arg* is provided only for `func`'s convenience: `walk` just receives *arg*, and passes *arg* back to `func` each time `walk` calls `func`. A typical use of `os.path.walk` is to print all files and subdirectories in a tree:

```
import os
def print_tree(tree_root_dir):
    def printall(junk, dirpath, namelist):
        for name in namelist:
            print os.path.join(dirpath, name)
    os.path.walk(tree_root_dir, printall, None)
```

10.2.5 The stat Module

Accessing items in the tuple returned by `os.stat` by their numeric indices is not advisable. The order of the tuple's 10 items is guaranteed, but using numeric literals to index into the tuple is not readable. The `stat` module supplies attributes whose values are indices into the tuple returned by `os.stat`. [Table 10-1](#) lists the

attributes of module `stat` and the meaning of corresponding items.

Table 10-1. Items of a stat tuple

Item	stat attribute	Meaning
0	<code>ST_MODE</code>	Protection and other mode bits
1	<code>ST_INO</code>	Inode number
2	<code>ST_DEV</code>	Device ID
3	<code>ST_NLINK</code>	Number of hard links
4	<code>ST_UID</code>	User ID of owner
5	<code>ST_GID</code>	Group ID of owner
6	<code>ST_SIZE</code>	Size in bytes
7	<code>ST_ATIME</code>	Time of last access
8	<code>ST_MTIME</code>	Time of last modification
9	<code>ST_CTIME</code>	Time of last status change

In Python 2.2, `os.stat` returns an instance of type `stat_result`, whose 10 items are also accessible as attributes named `st_mode`, `st_ino`, and so on—the lowercase versions of the `stat` attributes listed in [Table 10-1](#).

For example, to print the size in bytes of file `path`, you can use any of:

```
import os, stat

print os.path.getsize(path)
print os.stat(path)[6]
print os.stat(path)[stat.ST_SIZE]
print os.stat(path).st_size           # only in Python 2.2 and later
```

Time values are in seconds since the epoch, as covered in [Chapter 12](#) (`int` on most platforms, `float` on the Macintosh). Platforms unable to give a meaningful value for an item use a dummy value for that item.

Module `stat` also supplies functions that examine the `ST_MODE` item to determine the kind of file. `os.path` also supplies functions for such tasks, which operate directly on the file's `path`. The functions supplied by `stat` are faster when performing several tests on the same file: they require only one `os.stat` call at the start of a series of tests, while the functions in `os.path` ask the operating system for the information at each test. Each function returns `True` if `mode` denotes a file of the given kind, otherwise `False`.

`S_ISDIR(mode)`

Is the file a directory

`S_ISCHR(mode)`

Is the file a special device-file of the character kind

`S_ISBLK(mode)`

Is the file a special device-file of the block kind

`S_ISREG(mode)`

Is the file a normal file (not a directory, special device-file, and so on)

`S_ISFIFO(mode)`

Is the file a FIFO (i.e., a named pipe)

`S_ISLNK(mode)`

Is the file a symbolic link

`S_ISSOCK(mode)`

Is the file a Unix-domain socket

Except for `stat.S_ISDIR` and `stat.S_ISREG`, the other functions are meaningful only on Unix-like systems, since most other platforms do not keep special files such as devices in the same namespace as regular files.

Module `stat` supplies two more functions that extract relevant parts of a file's `mode` (`x[ST_MODE]`, or `x.st_mode`, in the result `x` of function `os.stat`).

S_IFMT

`S_IFMT(mode)`

Returns those bits of `mode` that describe the kind of file (i.e., those bits that are examined by functions `S_ISDIR`, `S_ISREG`, etc.).

S_IMODE

`S_IMODE(mode)`

Returns those bits of `mode` that can be set by function `os.chmod` (i.e., the permission bits and, on Unix-like platforms, other special bits such as the `set-user-id` flag).

10.2.6 The `filecmp` Module

The `filecmp` module supplies functionality to compare files and directories.

cmp

`cmp(f1, f2, shallow=True, use_statcache=False)`

Compares the files named by path strings `f1` and `f2`. If the files seem equal, `cmp` returns `True`, otherwise `False`. If `shallow` is true, files are deemed equal if their `stat` tuples are equal. If `shallow` is false, `cmp` reads and compares files with equal `stat` tuples. If `use_statcache` is false, `cmp` obtains file information via `os.stat`; if `use_statcache` is true, `cmp` calls `statcache.stat` instead. `cmp` remembers what files have already been compared and does not repeat comparisons unless some file has changed, but

`use_statcache` makes `cmp` believe that no file ever changes.

cmpfiles

```
cmpfiles(dir1,dir2,common,shallow=True,use_statcache=False)
```

Loops on sequence `common`. Each item of `common` is a string naming a file present in both directories `dir1` and `dir2`. `cmpfiles` returns a tuple with three lists of strings: (`equal,diff,errs`). `equal` is the list of names of files equal in both directories, `diff` the list of names of files that differ between directories, and `errs` the list of names of files that could not be compared (not existing in both directories or no permission to read them). Arguments `shallow` and `use_statcache` are just as for function `cmp`.

dircmp

```
class dircmp(dir1,dir2,ignore=('RCS','CVS','tags'),
            hide=('.', '..'))
```

Creates a new directory-comparison instance object, comparing directories named `dir1` and `dir2`, ignoring names listed in `ignore`, and hiding names listed in `hide`. A `dircmp` instance `d` exposes three methods:

```
d.report( )
```

Outputs to `sys.stdout` a comparison between `dir1` and `dir2`

```
d.report_partial_closure( )
```

Outputs to `sys.stdout` a comparison between `dir1` and `dir2` and their common immediate subdirectories

```
d.report_full_closure( )
```

Outputs to `sys.stdout` a comparison between `dir1` and `dir2` and their common subdirectories, recursively

A `dircmp` instance `d` supplies several attributes, computed just in time (i.e., only if and when needed, thanks to a `__getattr__` special method) so that using a `dircmp` instance suffers no unnecessary overhead. `d`'s attributes are:

```
d.common
```

Files and subdirectories that are in both `dir1` and `dir2`

```
d.common_dirs
```

Subdirectories that are in both `dir1` and `dir2`

```
d.common_files
```

Files that are in both `dir1` and `dir2`

```
d.common_funny
```

Names that are in both `dir1` and `dir2` for which `os.stat` reports an error or returns different kinds for the versions in the two directories

d.diff_files

Files that are in both *dir1* and *dir2* but with different contents

d.funny_files

Files that are in both *dir1* and *dir2* but could not be compared

d.left_list

Files and subdirectories that are in *dir1*

d.left_only

Files and subdirectories that are in *dir1* and not in *dir2*

d.right_list

Files and subdirectories that are in *dir2*

d.right_only

Files and subdirectories that are in *dir2* and not in *dir1*

d.same_files

Files that are in both *dir1* and *dir2* with the same contents

d.subdirs

A dictionary whose keys are the strings in *common_dirs*: the corresponding values are instances of *dircmp* for each subdirectory

10.2.7 The *shutil* Module

The *shutil* module (an abbreviation for *shell utilities*) supplies functions to copy files and to remove an entire directory tree.

copy

copy(src, dst)

Copies the contents of file *src*, creating or overwriting file *dst*. If *dst* is a directory, the target is a file with the same base name as *src* in directory *dst*. *copy* also copies permission bits, but not last-access and modification times.

copy2

copy2(src, dst)

Like *copy*, but also copies times of last access and modification.

copyfile

```
copyfile(src, dst)
```

Copies the contents only of file *src*, creating or overwriting file *dst*.

copyfileobj

```
copyfileobj(fsrc, fdst, bufsize=16384)
```

Copies file object *fsrc*, which must be open for reading, to file object *fdst*, which must be open for writing. Copies no more than *bufsize* bytes at a time if *bufsize* is greater than 0. File objects are covered later in this chapter.

copymode

```
copymode(src, dst)
```

Copies permission bits of file or directory *src* to file or directory *dst*. Both *src* and *dst* must exist. Does not modify *dst*'s contents, nor any other aspect of file or directory status.

copystat

```
copystat(src, dst)
```

Copies permission bits and times of last access and modification of file or directory *src* to file or directory *dst*. Both *src* and *dst* must exist. Does not modify *dst*'s contents, nor any other aspect of file or directory status.

copytree

```
copytree(src, dst, symlinks=False)
```

Copies the whole directory tree rooted at *src* into the destination directory named by *dst*. *dst* must not already exist, as *copytree* creates it. *copytree* copies each file by using function *copy2*. When *symlinks* is true, *copytree* creates symbolic links in the new tree when it finds symbolic links in the source tree. When *symlinks* is false, *copytree* follows each symbolic link it finds, and copies the linked-to file with the link's name. On platforms that do not have the concept of a symbolic link, such as Windows, *copytree* ignores argument *symlinks*.

rmtree

```
rmtree(path, ignore_errors=False, onerror=None)
```

Removes the directory tree rooted at *path*. When *ignore_errors* is true, *rmtree* ignores errors. When *ignore_errors* is false and *onerror* is `None`, any error raises an exception. When *onerror* is not `None`, it must be callable with parameters *func*, *path*, and *excp*. *func* is the function raising an exception (`os.remove` or `os.rmdir`), *path* the path passed to *func*, and *excp* the tuple of information that `sys.exc_info()` returns. If *onerror* raises any exception *x*, *rmtree* terminates, and exception *x* propagates.

10.2.8 File Descriptor Operations

The `os` module supplies functions to handle *file descriptors*, integers that the operating system uses as opaque handles to refer to open files. Python file objects, covered in the next section, are almost invariably better for input/output tasks, but sometimes working at file-descriptor level lets you perform some operation more rapidly or elegantly. Note that file objects and file descriptors are not interchangeable in any way.

You can get the file descriptor *n* of a Python file object *f* by calling `n=f.fileno()`. You can wrap a new Python file object *f* around an open file descriptor *fd* by calling `f=os.fdopen(fd)`. On Unix-like and Windows platforms, some file descriptors are preallocated when a process starts: `0` is the file descriptor for the process's standard input, `1` for the process's standard output, and `2` for the process's standard error.

`os` provides the following functions for working with file descriptors.

close

```
close(fd)
```

Closes file descriptor *fd*.

dup

```
dup(fd)
```

Returns a file descriptor that duplicates file descriptor *fd*.

dup2

```
dup2(fd, fd2)
```

Duplicates file descriptor *fd* to file descriptor *fd2*. If file descriptor *fd2* is already open, *dup2* first closes *fd2*.

fdopen

```
fdopen(fd, mode='r', bufsize=-1)
```

Returns a Python file object wrapping file descriptor *fd*. *mode* and *bufsize* have the same meaning as for Python's built-in `open`, covered in the next section.

fstat

```
fstat(fd)
```

Returns a tuple *x* (*x* is a `stat_result` instance in Python 2.2 and later), with information about the file open on file descriptor *fd*. [Section 10.2.5](#) earlier in this chapter covers the format of *x*'s contents.

lseek

```
lseek(fd, pos, how)
```

Sets the current position of file descriptor *fd* to the signed integer byte offset *pos*, and returns the resulting byte offset from the start of the file. *how* indicates the reference (point 0): when *how* is 0, the reference is the start of the file; when 1, the current position; and when 2, the end of the file. In particular, `lseek(fd, 0, 1)` returns the current position's byte offset from the start of the file, without affecting the current position. Normal disk files support such seeking operations, but calling `lstat` on a file that does not support seeking (e.g., a file open for output to a terminal) raises an exception.

open

```
open(file, flags, mode=0777)
```

Returns a file descriptor, opening or creating a file named *file*. If `open` creates the file, it uses *mode* as the file's permission bits. *flags* is an `int`, normally obtained by bitwise ORing one or more of the following attributes of `os`:

`O_RDONLY`, `O_WRONLY`, `O_RDWR`

Opens *file* for read-only, write-only, or read-write respectively (mutually exclusive: exactly one of these attributes must be in *flags*)

`O_NDELAY`, `O_NONBLOCK`

Opens *file* in non-blocking (no-delay) mode, if the platform supports this

`O_APPEND`

Appends any new data to *file*'s previous contents

`O_DSYNC`, `O_RSYNC`, `O_SYNC`, `O_NOCTTY`

Sets synchronization mode accordingly, if the platform supports this
`O_CREAT`

Creates *file*, if *file* does not already exist
`O_EXCL`

Raises an exception if *file* already exists
`O_TRUNC`

Throws away previous contents of *file* (incompatible with `O_RDONLY`)
`O_BINARY`

Open *file* in binary rather than text mode on non-Unix platforms (innocuous and without effect on Unix and Unix-like platforms)

pipe

`pipe()`

Creates a pipe and returns a pair of file descriptors (*r,w*) open for reading and writing respectively.

read

`read(fd,n)`

Reads up to *n* bytes from file descriptor *fd* and returns them as a string. Reads and returns *m<n* bytes when only *m* more bytes are currently available for reading from the file. In particular, returns the empty string when no more bytes are currently available from the file, typically because the file is ended.

write

`write(fd,str)`

Writes all bytes from string *str* to file descriptor *fd*, and returns the number of bytes written (i.e., `len(str)`).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.3 File Objects

As discussed earlier in this chapter, `file` is a built-in type in Python. With a file object, you can read and/or write data to a file as seen by the underlying operating system. Python reacts to any I/O error related to a file object by raising an instance of built-in exception class `IOError`. Errors that cause this exception include `open` failing to open or create a file, calling a method on a file object to which that method doesn't apply (e.g., calling `write` on a read-only file object or calling `seek` on a non-seekable file), and I/O errors diagnosed by a file object's methods. This section documents file objects, as well as some auxiliary modules that help you access and deal with their contents.

10.3.1 Creating a File Object with `open`

You normally create a Python file object with the built-in `open`, which has the following syntax:

```
open(filename, mode='r', bufsize=-1)
```

`open` opens the file named by `filename`, which must be a string that denotes any path to a file. `open` returns a Python file object, which is an instance of the built-in type `file`. Calling `file` is just like calling `open`, but `file` was first introduced in Python 2.2. If you explicitly pass a `mode` string, `open` can also create `filename` if the file does not already exist (depending on the value of `mode`, as we'll discuss in a moment). In other words, despite its name, `open` is not limited to opening existing files, but is also able to create new ones if needed.

10.3.1.1 File mode

`mode` is a string that denotes how the file is to be opened (or created). `mode` can have the following values:

`'r'`

The file must already exist, and it is opened in read-only mode.

`'w'`

The file is opened in write-only mode. The file is truncated and overwritten if it already exists, or created if it does not exist.

`'a'`

The file is opened in write-only mode. The file is kept intact if it already exists, and the data you write is appended to what's already in the file. The file is created if it does not exist. Calling `f.seek` is innocuous, but has no effect.

`'r+'`

The file must already exist and is opened for both reading and writing, so all methods of `f` can be called.

`'w+'`

The file is opened for both reading and writing, so all methods of `f` can be called. The file is truncated

and overwritten if it already exists, or created if it does not exist.

'a+'

The file is opened for both reading and writing, so all methods of `f` can be called. The file is kept intact if it already exists, and the data you write is appended to what's already in the file. The file is created if it does not exist. Calling `f.seek` has no effect if the next I/O operation on `f` writes data, but works normally if the next I/O operation on `f` reads data.

10.3.1.2 Binary and text modes

The `mode` string may also have any of the values just explained followed by a `b` or `t`. `b` denotes binary mode, while `t` denotes text mode. When the `mode` string has neither `b` nor `t`, the default is text mode (i.e., `r` is like `rt`, `w` is like `wt`, and so on).

On Unix, there is no difference between binary and text modes. On other platforms, when a file is open in text mode, `\n` is returned each time the string that is the value of `os.linesep` (the line termination string) is encountered while reading the file. Conversely, a copy of `os.linesep` is written each time you write `\n` to the file.

This widespread convention, originally developed in the C language, lets you read and write text files on any platform, without worrying about the platform's line-separation conventions. However, except on Unix platforms, you do have to know (and tell Python, by passing the proper `mode` argument to `open`) whether a file is binary or text. In this chapter, for simplicity, I use `\n` to refer to the line termination string, but remember that the string is in fact `os.linesep` in files on the filesystem, translated to and from `\n` in memory only for files opened in text mode.

Python 2.3 will introduce a new concept, known as *universal newlines*, letting you open a text file for reading in mode `'u'` when you don't know how line separators are encoded in the file. This is useful, for example, when you share files across a network between machines with different operating systems. Mode `'u'` guesses what line separator string to use based on each file's contents. However, mode `'u'` is not available in Python 2.2 and earlier.

10.3.1.3 Buffering

`bufsize` is an integer that denotes what buffering you request for the file. When `bufsize` is less than `0`, the operating system's default is used. Normally, this default is line buffering for files that correspond to interactive consoles, and some reasonably sized buffer, such as 8192 bytes, for other files. When `bufsize` equals `0`, the file is unbuffered; the effect is as if the file's buffer were flushed every time you write anything to the file. When `bufsize` equals `1`, the file is line-buffered, which means the file's buffer is flushed every time you write `\n` to the file. When `bufsize` is greater than `1`, the file uses a buffer of about `bufsize` bytes, rounded up to some reasonable amount. On some platforms, you can change the buffering for files that are already open, but there is no cross-platform way to do this.

10.3.1.4 Sequential and non-sequential access

A file object `f` is inherently sequential (i.e., a stream of bytes). When you read from a file, you get bytes in the sequential order in which the bytes are present in the file. When you write to a file, the bytes you write are put in the file in the sequential order in which you write them.

To allow non-sequential access, the built-in file object keeps track of its current position (i.e., the position on the underlying file where the next read or write operation will start transferring data). When you open a file, the file's initial current position is at the start of the file. Any call to `f.write` on a file object `f` opened with a *mode* of 'a' or 'a+' always sets `f`'s current position to the end of the file before writing data to `f`. Whenever you read or write some number `n` of bytes on file object `f`, `f`'s current position advances by `n`. You can query the current position by calling `f.tell`, and change the current position by calling `f.seek`, both covered in the next section.

10.3.2 Attributes and Methods of File Objects

A file object `f` supplies the attributes and methods documented in this section.

close

```
f.close( )
```

Closes the file. You can call no other method on `f` after `f.close`. Multiple calls to `f.close` are allowed and innocuous.

closed

`f.closed` is a read-only attribute that is `True` if `f.close()` has been called, otherwise `False`.

flush

```
f.flush( )
```

Requests that `f`'s buffer be written out to the operating system, ensuring that the file as seen by the system has exactly the contents that Python's code has written to `f`. Depending on the platform and on the nature of `f`'s underlying file, `f.flush` may or may not be able to ensure the desired effect.

isatty

```
f.isatty( )
```

Returns `True` if `f`'s file is an interactive terminal, otherwise `False`.

fileno


```
f.fileno( )
```

Returns an integer, the file descriptor of *f*'s file at operating system level. File descriptors were covered in [Section 10.2.8](#) earlier in this chapter.

mode

f.mode is a read-only attribute that is the value of the *mode* string used in the `open` call that created *f*.

name

f.name is a read-only attribute that is the value of the *filename* string used in the `open` call that created *f*.

read

```
f.read(size=-1)
```

Reads up to *size* bytes from *f*'s file and returns them as a string. `read` reads and returns less than *size* bytes if the file ends before *size* bytes are read. When *size* is less than 0, `read` reads and returns all bytes up to the end of the file. `read` returns an empty string only if the file's current position is at the end of the file or if *size* equals 0.

readline

```
f.readline(size=-1)
```

Reads and returns one line from *f*'s file, up to the end of line (`\n`) included. If *size* is greater than or equal to 0, `readline` reads no more than about *size* bytes. In this case, the returned string may not end with `\n`. `\n` may also be absent if `readline` reads up to the end of the file without finding `\n`. `readline` returns an empty string only if the file's current position is at the end of the file or if *size* equals 0.

readlines

```
f.readlines(size=-1)
```

Reads and returns a list of all lines in *f*'s file, each a string ending in `\n`. If *size*>0, `readlines` stops and returns the list after collecting data for a total of about *size* bytes, rather than reading all the way to the end of the file.

seek

```
f.seek(pos,how=0)
```

Sets *f*'s current position to the signed integer byte offset *pos* from a reference point. *how* indicates the reference point: when *how* is 0, the reference is the start of the file; when it is 1, the reference is the current position; and when it is 2, the reference is the end of the file. When *f* is opened in text mode, the effects of *f.seek* may not be as expected, due to the implied translations between `os.linesep` and `\n`. This troublesome effect does not occur on Unix platforms, nor when *f* is opened in binary mode, nor when *f.seek* is called with a *pos* that is the result of a previous call to *f.tell* and *how* is 0. When *f* is opened in mode 'a' or 'a+', all data written to *f* is appended to the data that is already in *f*, regardless of calls to *f.seek*.

softspace

f.softspace is a read-write attribute that is used internally by the `print` statement to keep track of its own state. A file object does not alter nor interpret *softspace* in any way: it just lets the attribute be freely read and written, and `print` takes care of the rest.

tell

```
f.tell( )
```

Returns *f*'s current position, an integer offset in bytes from the start of the file.

truncate

```
f.truncate([size])
```

Truncates *f*'s file. When *size* is present, truncates the file to be at most *size* bytes. When *size* is absent, uses *f.tell*() as the file's new size.

write

```
f.write(str)
```

Writes the bytes of string *str* to the file.

writelines

```
f.writelines(lst)
```

Like:

```
for line in lst: f.write(line)
```

It does not matter whether the strings in sequence *lst* are lines: despite its name, method `writelines` just writes the strings to the file, one after another, without alterations or additions.

xreadlines

```
f.xreadlines( )
```

Like `xreadlines.xreadlines(f)`, as covered in [Section 10.4.4](#) later in this chapter. Method `xreadlines` will be deprecated in Python 2.3.

10.3.3 Iteration on File Objects

A file object *f* open for text-mode reading supports iteration. In other words, `iter(f)` returns an iterator whose items are the file's lines, so that the loop:

```
for line in f:
```

iterates on each line of the file. Interrupting such a loop prematurely (e.g., with `break`) leaves the file's current position with an arbitrary value. Calling methods that modify *f*'s state, such as `f.seek`, during such a loop has an undefined effect. On the plus side, such a loop has very good performance, since these specifications allow the loop to use internal buffering to minimize I/O. Iteration on file objects is available only in Python 2.2 and later.

10.3.4 File-Like Objects and Polymorphism

An object *x* is file-like when it behaves *polymorphically* to a file, meaning that a function (or some other subset of a program) can use *x* as if *x* were a file. Code that uses such an object (known as client code of that object) typically receives the object as an argument or obtains it by calling a factory function that returns the object as the result. If the only method that a client-code function calls on *x* is `x.read()`, without arguments, all that *x* needs to supply in order to be file-like for that function is a method `read` that is callable without arguments and returns a string. Other client-code functions, however, may need *x* to implement a broader subset of file object methods. Thus, file-like objects and polymorphism are not absolute concepts, but are instead relative to demands placed upon an object by client code.

Polymorphism is a powerful aspect of object-oriented programming, and file-like objects are an excellent example of polymorphism. A client-code module that writes to or reads from files can automatically be reused for data residing elsewhere, as long as the module does not break polymorphism by the dubious practice of type testing. When we discussed the built-ins `type` and `isinstance` in [Chapter 8](#), I mentioned that type testing is often best avoided, since it blocks the normal polymorphism that Python otherwise supplies. Sometimes you may have no choice. For example, the `marshal` module, covered in [Chapter 11](#),

demands real file objects. Therefore, if your client code needs to use `marshal`, your code must also deal with real file objects, not just file-like ones. However, such situations are rare. Most often, supporting polymorphism in your client code takes nothing more than some care in avoiding type testing.

You can implement a file-like object by coding your own class, as covered in [Chapter 5](#), and defining the specific methods needed by client code, such as `read`. A file-like object `f1` need not implement all the attributes and methods of a true file object `f`. If you can determine which methods client code calls on `f1`, you can choose to implement only that subset. For example, when `f1` is only meant to be written, `f1` doesn't need methods `read`, `readline`, and `readlines`.

When you implement a file-like object `f1`, make sure that `f1.softspace` can be read and written if you want `f1` to be usable by `print`. You need not alter nor interpret `softspace` in any way. Note that this behavior is the default when you write `f1`'s class in Python. You need to take specific care only when `f1`'s class overrides special methods `__getattr__` and `__setattr__` or otherwise controls access to its instances' attributes (e.g., by defining `__slots__`) as covered in [Chapter 5](#). For example, if your class is a new-style class and defines `__slots__`, your class must have a slot named `softspace`, assuming you want instances of your class to be usable with the `print` statement.

If the main reason you want to use a file-like object instead of a real file object is to keep the data in memory, you can often make use of modules `StringIO` and `cStringIO`, covered later in this chapter. These modules supply file-like objects that hold data in memory while behaving polymorphically to file objects to a wide extent.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.4 Auxiliary Modules for File I/O

File objects supply all functionality that is strictly needed for file I/O. There are some auxiliary Python library modules, however, that offer convenient supplementary functionality, making I/O even easier and handier in several important special cases.

10.4.1 The `fileinput` Module

The `fileinput` module lets you loop over all the lines in a list of text files. Performance is quite good, comparable to the performance of direct iteration on each file, since `fileinput` uses internal buffering to minimize I/O. Therefore, you can use module `fileinput` for line-oriented file input whenever you find the module's rich functionality convenient, without worrying about performance. The `input` function is the main function of module `fileinput`, and the module also provides a `FileInput` class that supports the same functionality as the module's functions.

close

```
close( )
```

Closes the whole sequence, so that iteration stops and no file remains open.

FileInput

```
class FileInput(files=None,inplace=0,backup='',bufsize=0)
```

Creates and returns an instance `f` of class `FileInput`. Arguments are the same as for `fileinput.input`, and methods of `f` have the same names, arguments, and semantics as functions of module `fileinput`. `f` also supplies a method `readline`, which reads and returns the next line. You can use class `FileInput` explicitly, rather than the single implicit instance used by the functions of module `fileinput`, when you want to nest or otherwise mix loops that read lines from more than one sequence of files.

filelineno

```
filelineno( )
```

Returns the number of lines read so far from the file now being read. For example, returns `1` if the first line has just been read from the current file.

filename

```
filename( )
```

Returns the name of the file being read, or `None` if no line has been read yet.

input

```
input(files=None,inplace=0,backup='',bufsize=0)
```

Returns the sequence of lines in the files, suitable for use in a `for` loop. `files` is a sequence of filenames to open and read one after the other, in order. Filename `'-'` means standard input (`sys.stdin`). If `files` is a string, it's a single filename to open and read. If `files` is `None`, `input` uses `sys.argv[1:]` as the list of filenames. If the sequence of filenames is empty, `input` reads `sys.stdin`.

The sequence object that `input` returns is an instance of class `FileInput`; that instance is also the global state of module `input`, so all other functions of module `fileinput` operate on the same shared state. Each function of module `fileinput` corresponds directly to a method of class `FileInput`.

When `inplace` is false (the default), `input` just reads the files. When `inplace` is true, however, `input` moves each file being read (except standard input) to a backup file, and redirects standard output (`sys.stdout`) to write to the file being read. This operation lets you simulate overwriting files in-place. If `backup` is a string starting with a dot, `input` uses `backup` as the extension of the backup files and does not remove the backup files. If `backup` is an empty string (the default), `input` uses extension `.bak`, and deletes each backup file when the file is closed.

`bufsize` is the size of the internal buffer that `input` uses to read lines from the input files. If `bufsize` is 0, `input` uses a buffer of 8192 bytes.

isfirstline

```
isfirstline( )
```

Returns `True` or `False`, just like `filelineno() = 1`.

isstdin

```
isstdin( )
```

Returns `True` if the file now being read is `sys.stdin`, otherwise `False`.

lineno

```
lineno( )
```

Returns the total number of lines read so far since the call to `input`.

nextfile

```
nextfile( )
```

Closes the file now being read, so that the next line to be read will be the first one of the following file.

10.4.2 The linecache Module

The `linecache` module lets you read a given line (specified by number) from a file with a given name. The module keeps an internal cache, so if you need to read several lines from a file, the operation is cheaper than opening and examining the file each time. Module `linecache` exposes the following functions.

checkcache

```
checkcache( )
```

Ensures that the module's cache holds no stale data, but rather reflects what's on the filesystem. Call `checkcache` when the files you're reading may have changed on the filesystem, if you need to ensure that future calls to `getline` return updated information.

clearcache

```
clearcache( )
```

Drops the module's cache so that the memory can be reused for other purposes. Call `clearcache` when you don't need to perform any more reading for now.

getline

```
getline(filename, lineno)
```

Reads and returns the `lineno` line from the text file named `filename`, including the trailing `\n`. For any error, `getline` does not raise exceptions, but rather returns the empty string `''`. If `filename` is not found, `getline` also looks for the file in the directories listed in `sys.path`.

10.4.3 The struct Module

The `struct` module lets you pack binary data into a string, and then unpack the bytes of such a string back into the data they represent. Such operations can be useful for various kinds of low-level programming. Most

often, you use module `struct` to interpret data records from binary files having some specified format or to prepare records to be written to such binary files. The module's name comes from C's keyword `struct`, which is usable for related purposes. On any error, functions of module `struct` raise exceptions that are instances of exception class `struct.error`, the only class that the module supplies.

Operations of module `struct` rely on struct format strings, which are ordinary strings that follow a specified syntax. The first character of a format string can specify the byte order, size, and alignment of packed data:

@

Native byte order, native data sizes, and native alignment for the current platform; this is the default, if the first character is none of the characters listed here (note that format `P` in [Table 10-2](#) is available only for this kind of format string)

=

Native byte order for the current platform, but standard size and alignment

<

Little-endian byte order (like Intel platforms), standard size and alignment

> , !

Big-endian byte order (network-standard), standard size and alignment

Standard sizes are indicated in [Table 10-2](#). Standard alignment means that there is no forced alignment and that explicit pad bytes are used if needed. Native sizes and alignment are whatever the platform's C compiler uses. Native byte order is either little-endian or big-endian, depending on the current platform.

After the optional leading character, a format string is made up of one or more format characters that can be preceded by an optional count (an integer represented by its decimal digits). The possible format characters are shown in [Table 10-2](#). For most format characters, the count indicates repetition (e.g., `'3h'` is exactly the same as `'hhh'`). When the format character is `s` or `p`, indicating a string, the count is not a repetition, but rather the total number of bytes occupied by the string. Whitespace can be freely and innocuously used between formats, but not between a count and its format character.

Table 10-2. Format characters for struct

Character	C type	Python type	Standard size
B	unsigned char	int	1 byte
b	signed char	int	1 byte
c	char	str (length 1)	1 byte
d	double	float	8 bytes
f	float	float	4 bytes
H	unsigned short	int	2 bytes
h	signed short	int	2 bytes
I	unsigned int	long	4 bytes
i	signed int	int	4 bytes
L	unsigned long	long	4 bytes
l	signed long	int	4 bytes
P	void*	int	N/A
p	char[]	string	N/A
s	char[]	string	N/A
x	padding byte	no value	1 byte

Format `s` denotes a fixed-length string, exactly as long as its count (the Python string is truncated or padded with copies of the null character `'\0'`, if needed). Format `p` denotes a Pascal-like string: the first byte is the number of significant characters, and the characters start from the second byte. The count indicates the total number of bytes, including the length byte.

Module `struct` supplies the following functions.

calcsize

```
calcsize(fmt)
```

Returns the size in bytes of the structure corresponding to format string `fmt`.

pack

```
pack(fmt, *values)
```

Packs the given values according to format string `fmt` and returns the resulting string. `values` must match in number and types the values required by `fmt`.

unpack

```
unpack(fmt, str)
```

Unpacks binary string `str` according to format string `fmt` and returns a tuple of values. `len(str)` must be

equal to `struct.calcsize(fmt)`.

10.4.4 The `xreadlines` Module

The `xreadlines` module will be deprecated in Python 2.3. You should avoid it in Python 2.2, since directly iterating on a file object is at least as fast. If you need to support Python 2.1, module `xreadlines` and the `xreadlines` method of file objects are a good choice in terms of input performance. Module `fileinput`, covered earlier in this chapter, is a good compromise if your code needs to support many different versions of Python, and still get good performance. The `xreadlines` module supplies one function.

xreadlines

`xreadlines(f)`

Accepts argument `f`, which must be a file object or a file-like object with a `readlines` method like that of file objects. Returns a sequence object `x` that is usable in a `for` statement or as the argument to built-in functions such as `filter`. `x` represents the same sequence of strings as `f.readlines()`, but `x` does so in a lazy way, limiting memory consumption. `xreadlines` is to `readlines` much like `xrange` is to `range`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.5 The StringIO and cStringIO Modules

You can implement file-like objects by writing Python classes that supply the methods you need. If all you want is for data to reside in memory rather than on a file as seen by the operating system, you can use the `StringIO` or `cStringIO` module. The two modules are almost identical: each supplies a factory function to create in-memory file-like objects. The difference between them is that objects created by module `StringIO` are instances of class `StringIO.StringIO`. You may inherit from this class to create your own customized file-like objects, overriding the methods that you need to specialize. Objects created by module `cStringIO`, on the other hand, are instances of a special-purpose type, not of a class. Performance is much better when you can use `cStringIO`, but inheritance is not feasible. Furthermore, `cStringIO` does not support Unicode.

Each module supplies a factory function named `StringIO` that creates a file-like object `f1`.

StringIO

```
StringIO(str='')
```

Creates and returns an in-memory file-like object `f1`, with all methods and attributes of a built-in file object. The data contents of `f1` are initialized to be a copy of argument `str`, which must be a plain string for the `StringIO` factory function in `cStringIO`, while it can be a plain or Unicode string for the function in `StringIO`.

Besides all methods and attributes of built-in file objects, as covered in [Section 10.3.2](#) earlier in this chapter, `f1` supplies one supplementary method, `getvalue`.

getvalue

```
f1.
```

```
getvalue( )
```

Returns the current data contents of `f1` as a string. You cannot call `f1.getvalue` after you call `f1.close`: `close` frees the buffer that `f1` internally keeps, and `getvalue` needs to access the buffer to yield its result.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.6 Compressed Files

Although storage space and transmission bandwidth are increasingly cheap and abundant, in many cases you can save such resources, at the expense of some computational effort, by using compression. Since computational power grows cheaper and more abundant even faster than other resources, such as bandwidth, compression's popularity keeps growing. Python makes it easy for your programs to support compression by supplying dedicated modules for compression as part of every Python distribution.

10.6.1 The `gzip` Module

The `gzip` module lets you read and write files compatible with those handled by the powerful GNU compression programs `gzip` and `gunzip`. The GNU programs support several compression formats, but module `gzip` supports only the highly effective native `gzip` format, normally denoted by appending the extension `.gz` to a filename. Module `gzip` supplies the `GzipFile` class and an `open` factory function.

GzipFile

```
class GzipFile(filename=None, mode=None, compresslevel=9,
              fileobj=None)
```

Creates and returns a file-like object `f` that wraps the file or file-like object `fileobj`. `f` supplies all methods of built-in file objects except `seek` and `tell`. Thus, `f` is not seekable: you can only access `f` sequentially, whether for reading or writing. When `fileobj` is `None`, `filename` must be a string that names a file: `GzipFile` opens that file with the given `mode` (by default, `'rb'`), and `f` wraps the resulting file object. `mode` should be one of `'ab'`, `'rb'`, `'wb'`, or `None`. If `mode` is `None`, `f` uses the mode of `fileobj` if it is able to find out the mode; otherwise it uses `'rb'`. If `filename` is `None`, `f` uses the filename of `fileobj` if able to find out the name; otherwise it uses `''`. `compresslevel` is an integer between `1` and `9`: `1` requests modest compression but fast operation, and `9` requests the best compression feasible, even if that requires more computation.

File-like object `f` generally delegates all methods to the underlying file-like object `fileobj`, transparently accounting for compression as needed. However, `f` does not allow non-sequential access, so `f` does not supply methods `seek` and `tell`. Moreover, calling `f.close` does *not* close `fileobj` when `f` was created with an argument `fileobj` that is not `None`. This behavior of `f.close` is very important when `fileobj` is an instance of `StringIO.StringIO`, since it means you can call `fileobj.getvalue` after `f.close` to get the compressed data as a string. This behavior also means that you have to call `fileobj.close` explicitly after calling `f.close`.

open

```
open(filename, mode='rb', compresslevel=9)
```

Like `GzipFile(filename, mode, compresslevel)`, but `filename` is mandatory and there is no provision for passing an already opened `fileobj`.

Say that you have some function `f(x)` that writes data to a text file object `x`, typically by calling `x.write` and/or `x.writelines`. Getting `f` to write data to a *gzip*-compressed text file instead is easy:

```
import gzip
underlying_file = open('x.txt.gz', 'wb')
compressing_wrapper = gzip.GzipFile(fileobj=underlying_file, mode='wt')
f(compressing_wrapper)
compressing_wrapper.close( )
underlying_file.close( )
```

This example opens the underlying binary file `x.txt.gz` and explicitly wraps it with `gzip.GzipFile`, and thus, at the end, we need to close each object separately. This is necessary because we want to use two different modes: the underlying file must be opened in binary mode (any translation of line endings would produce an invalid compressed file), but the compressing wrapper must be opened in text mode because we want the implicit translation of `os.linesep` to `\n`. Reading back a compressed text file, for example to display it on standard output, is similar:

```
import gzip, xreadlines
underlying_file = open('x.txt.gz', 'rb')
uncompressing_wrapper = gzip.GzipFile(fileobj= underlying_file, mode='rt')
for line in xreadlines.xreadlines(uncompressing_wrapper):
    print line,
uncompressing_wrapper.close( )
underlying_file.close( )
```

This example uses module `xreadlines`, covered earlier in this chapter, because `GzipFile` objects (at least up to Python 2.2) are not iterable like true file objects, nor do they supply an `xreadlines` method. `GzipFile` objects do supply a `readlines` method that closely emulates that of true file objects, and therefore module `xreadlines` is able to produce a lazy sequence that wraps a `GzipFile` object and lets us iterate on the `GzipFile` object's lines.

10.6.2 The zipfile Module

The `zipfile` module lets you read and write ZIP files (i.e., archive files compatible with those handled by popular compression programs *zip* and *unzip*, *pkzip* and *pkunzip*, *WinZip*, and so on). Detailed information on the formats and capabilities of ZIP files can be found at <http://www.pkware.com/appnote.html> and <http://www.info-zip.org/pub/infozip/>. You need to study this detailed information in order to perform advanced ZIP file handling with module `zipfile`.

Module `zipfile` can't handle ZIP files with appended comments, multidisk ZIP files, or *.zip* archive members using compression types besides the usual ones, known as stored (when a file is copied to the archive without compression) and deflated (when a file is compressed using the ZIP format's default algorithm). For invalid *.zip* file errors, functions of module `zipfile` raise exceptions that are instances of exception class `zipfile.error`. Module `zipfile` supplies the following classes and functions.

is_zipfile

```
is_zipfile(filename)
```

Returns `True` if the file named by string `filename` appears to be a valid ZIP file, judging by the first few bytes of the file; otherwise returns `False`.

ZipInfo

```
class ZipInfo(filename='NoName',date_time=(1980,1,1,0,0,0))
```

Methods `getinfo` and `infolist` of `ZipFile` instances return instances of `ZipInfo` to supply information about members of the archive. The most useful attributes supplied by a `ZipInfo` instance `z` are:

`comment`

A string that is a comment on the archive member

`compress_size`

Size in bytes of the compressed data for the archive member

`compress_type`

An integer code recording the type of compression of the archive member

`date_time`

A tuple with 6 integers recording the time of last modification to the file: the items are year, month, day (1 and up), hour, minute, second (0 and up)

`file_size`

Size in bytes of the uncompressed data for the archive member

`filename`

Name of the file in the archive

ZipFile

```
class ZipFile(filename,mode='r',compression=zipfile.ZIP_STORED)
```

Opens a ZIP file named by string `filename`. `mode` can be `'r'`, to read an existing ZIP file; `'w'`, to write a new ZIP file or truncate and rewrite an existing one; or `'a'`, to append to an existing file.

When `mode` is `'a'`, `filename` can name either an existing ZIP file (in which case new members are added to the existing archive) or an existing non-ZIP file. In the latter case, a new ZIP file-like archive is created and appended to the existing file. The main purpose of this latter case is to let you build a self-unpacking `.exe` file (i.e., a Windows executable file that unpacks itself when run). The existing file must then be a fresh copy of an unpacking `.exe` prefix, as supplied by www.info-zip.org or by other purveyors of ZIP file compression tools.

`compression` is an integer code that can be either of two attributes of module `zipfile`.

`zipfile.ZIP_STORED` requests that the archive use no compression, and `zipfile.ZIP_DEFLATED` requests that the archive use the *deflation* mode of compression (i.e., the most usual and effective compression approach used in *.zip* files).

A `ZipFile` instance `z` supplies the following methods.

close

```
z.close( )
```

Closes archive file `z`. Make sure the `close` method is called, or else an incomplete and unusable ZIP file might be left on disk. Such mandatory finalization is generally best performed with a `try/finally` statement, as covered in [Chapter 6](#).

getinfo

```
z.getinfo(name)
```

Returns a `ZipInfo` instance that supplies information about the archive member named by string `name`.

infolist

```
z.infolist( )
```

Returns a list of `ZipInfo` instances, one for each member in archive `z`, in the same order as the entries in the archive itself.

namelist

```
z.namelist( )
```

Returns a list of strings, the names of each member in archive `z`, in the same order as the entries in the archive itself.

printdir

```
z.printdir( )
```

Outputs a textual directory of the archive `z` to file `sys.stdout`.

read

```
z.read(name)
```

Returns a string containing the uncompressed bytes of the file named by string *name* in archive *z*. *z* must be opened for 'r' or 'a'. When the archive does not contain a file named *name*, `read` raises an exception.

testzip

```
z.testzip( )
```

Reads and checks the files in archive *z*. Returns a string with the name of the first archive member that is damaged, or `None` when the archive is intact.

write

```
z.write(filename, arcname=None, compress_type=None)
```

Writes the file named by string *filename* to archive *z*, with archive member name *arcname*. When *arcname* is `None`, `write` uses *filename* as the archive member name. When *compress_type* is `None`, `write` uses *z*'s compression type; otherwise, *compress_type* is `zipfile.ZIP_STORED` or `zipfile.ZIP_DEFLATED`, and specifies how to compress the file. *z* must be opened for 'w' or 'a'.

writestr

```
z.writestr(zinfo, bytes)
```

zinfo must be a `ZipInfo` instance specifying at least *filename* and *date_time*. *bytes* is a string of bytes. `writestr` adds a member to archive *z*, using the metadata specified by *zinfo* and the data in *bytes*. *z* must be opened for 'w' or 'a'. When you have data in memory and need to write the data to the ZIP file archive *z*, it's simpler and faster to use `z.writestr` rather than `z.write`. The latter approach would require you to write the data to disk first, and later remove the useless disk file. The following example shows both approaches, each encapsulated into a function, polymorphic to each other:

```
import zipfile
def data_to_zip_direct(z, data, name):
    import time
    zinfo = zipfile.ZipInfo(name, time.localtime( )[:6])
    z.writestr(zinfo, data)
def data_to_zip_indirect(z, data, name):
    import os
    flob = open(name, 'wb')
    flob.write(data)
    flob.close( )
    z.write(name)
```



```

    os.unlink(name)
zz = zipfile.ZipFile('z.zip', 'w', zipfile.ZIP_DEFLATED)
data = 'four score\nand seven\nyears ago\n'
data_to_zip_direct(zz, data, 'direct.txt')
data_to_zip_indirect(zz, data, 'indirect.txt')
zz.close( )

```

Besides being faster and more concise, `data_to_zip_direct` is handier because, by working in memory, it doesn't need to have the current working directory be writable, as `data_to_zip_indirect` does. Of course, method `write` also has its uses, but that's mostly when you already have the data in a file on disk, and just want to add the file to the archive. Here's how you can print a list of all files contained in the ZIP file archive created by the previous example, followed by each file's name and contents:

```

import zipfile
zz = zipfile.ZipFile('z.zip')
zz.printdir( )
for name in zz.namelist( ):
    print '%s: %r' % (name, zz.read(name))
zz.close( )

```

10.6.3 The zlib Module

The `zlib` module lets Python programs use the free InfoZip *zlib* compression library (see <http://www.info-zip.org/pub/infozip/zlib/>), Version 1.1.3 or later. Module `zlib` is used by modules `gzip` and `zipfile`, but the module is also available directly for any special compression needs. This section documents the most commonly used functions supplied by module `zlib`.

Module `zlib` also supplies functions to compute Cyclic-Redundancy Check (CRC) checksums, in order to detect possible damage in compressed data. It also provides objects that can compress and decompress data incrementally, and thus enable you to work with data streams that are too large to fit in memory at once. For such advanced functionality, consult the Python library's online reference.

Note that files containing data compressed with `zlib` are not automatically interchangeable with other programs, with the exception of files that use the `zipfile` module and therefore respect the standard format of ZIP file archives. You could write a custom program, with any language able to use InfoZip's free *zlib* compression library, in order to read files produced by Python programs using the `zlib` module. However, if you do need to interchange compressed data with programs coded in other languages, I suggest you use modules `gzip` or `zipfile` instead. Module `zlib` may be useful when you want to compress some parts of data files that are in some proprietary format of your own, and need not be interchanged with any other program except those that make up your own application.

compress

```
compress(str, level=6)
```

Compresses string `str` and returns the string of compressed data. `level` is an integer between 1 and 9: 1 requests modest compression but fast operation, and 9 requests compression as good as feasible, thus requiring more computation.

decompress

`decompress(str)`

Decompresses the compressed data string `str` and returns the string of uncompressed data.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.7 Text Input and Output

Python presents non-GUI text input and output channels to your programs as file objects, so you can use the methods of file objects (covered in [Section 10.3](#) earlier in this chapter) to manipulate these channels.

10.7.1 Standard Output and Standard Error

The `sys` module, covered in [Chapter 8](#), has attributes `stdout` and `stderr`, file objects to which you can write. Unless you are using some sort of shell redirection, these streams connect to the terminal in which your script is running. Nowadays, actual terminals are rare: the terminal is generally a screen window that supports text input/output (e.g., an MS-DOS Prompt console on Windows or an `xterm` window on Unix).

The distinction between `sys.stdout` and `sys.stderr` is a matter of convention. `sys.stdout`, known as your script's standard output, is where your program emits results. `sys.stderr`, known as your script's standard error, is where error messages go. Separating program results from error messages helps you use shell redirection effectively. Python respects this convention, using `sys.stderr` for error and warning messages.

10.7.2 The `print` Statement

Programs that output results to standard output often need to write to `sys.stdout`. Python's `print` statement can be a convenient alternative to `sys.stdout.write`. The `print` statement has the following syntax:

```
print [>>fileobject,] expressions [,]
```

The normal destination of `print`'s output is the file or file-like object that is the value of the `stdout` attribute of the `sys` module. However, when `>>fileobject`, is present right after keyword `print`, the statement uses the given `fileobject` instead of `sys.stdout`. `expressions` is a list of zero or more expressions separated by commas (`,`). `print` outputs each expression, in order, as a string (using the built-in `str`, covered in [Chapter 8](#)), with a space to separate strings. After all expressions, `print` by default outputs `'\n'` to terminate the line. When a trailing comma is present at the end of the statement, however, `print` does not output the closing `'\n'`.

`print` works well for the kind of informal output used during development to help you debug your code. For production output, you often need more control of formatting than `print` affords. You may need to control spacing, field widths, the number of decimals for floating-point values, and so on. In this case, prepare the output as a string with the string-formatting operator `%` covered in [Chapter 9](#). Then, you can output the resulting string, normally with the `write` method of the appropriate file object.

When you want to direct `print`'s output to another file, you can temporarily change `sys.stdout`. The following example shows a general-purpose redirection function that you can use for such a temporary change:

```
def redirect(func, *args, **kwargs):
    """redirect(func, ...) -> (output string result, func's return value)
```

```

func must be a callable that outputs results to standard output.
redirect captures those results in memory and returns a pair, with
the results as the first item and func's return value as the second
one.
"""
import sys, cStringIO
save_out = sys.stdout
sys.stdout = cStringIO.StringIO( )
try:
    retval = func(*args, **kwds)
    return sys.stdout.getvalue( ), retval
finally:
    sys.stdout.close( )
    sys.stdout = save_out

```

When all you want is to output some text values to a file object *f* that isn't the current value of `sys.stdout`, you won't normally perform complicated manipulations as shown in the previous example. Rather, for such simple purposes, just calling `f.write` is usually best.

10.7.3 Standard Input

The `sys` module provides the `stdin` attribute, which is a file object from which you can read text. When you need a line of text from the user, call the built-in function `raw_input` (covered in [Chapter 8](#)), optionally with a string argument to use as a prompt.

When the input you need is not a string (for example, when you need a number), you can use built-in function `input`. However, `input` is unsuitable for most programs. More often, you use `raw_input` to obtain a string from the user, then other built-ins, such as `int` or `float`, to get a number from the string. You can also use `eval` (normally preceded by `compile`, for better control of error diagnostics), as long as you trust the user totally. A malicious user can easily exploit `eval` to breach security and cause damage. When you do have to use `eval` on untrusted input, be sure to use the restricted-execution tools covered in [Chapter 13](#).

10.7.4 The `getpass` Module

Occasionally, you want the user to input a line of text in such a way that somebody looking at the screen cannot see what the user is typing. This often occurs when you're asking the user for a password. The `getpass` module provides the following functions.

getpass

```
getpass(prompt='Password: ')
```

Like `raw_input`, except that the line of text the user inputs in response is not echoed to the screen while the user is typing it. Also, `getpass`'s default `prompt` is different from `raw_input`'s.

getuser

```
getuser( )
```

Returns the current user's username. First, `getuser` tries to get the username as the value of one of environment variables `LOGNAME`, `USER`, `LNAME`, and `USERNAME`, in this order. If none of these variables are keys in `os.environ`, `getuser` tries asking the operating system for the username.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.8 Richer-Text I/O

The tools we have covered so far support the minimal subset of text I/O functionality that all platforms supply. Most platforms also offer richer-text I/O capabilities, such as responding to single keypresses (not just to entire lines of text) and showing text in any spot of the terminal (not just sequentially).

Python extensions and core Python modules let you access platform-specific functionality. Unfortunately, various platforms expose this functionality in different ways. To develop cross-platform Python programs with rich-text I/O functionality, you may need to wrap different modules uniformly, importing platform-specific modules conditionally (usually with the `try/except` idiom covered in [Chapter 6](#)).

10.8.1 The readline Module

The `readline` module wraps the GNU Readline Library. Readline lets the user edit text lines during interactive input, and also recall previous lines for further editing and re-entry. GNU Readline is widely installed on Unix-like platforms, and is available at <http://cnswww.cns.cwru.edu/~chet/readline/rltop.html>. A Windows port (<http://starship.python.net/crew/kernr/>) is available, but not widely deployed. Chris Gonnerman's module, Alternative Readline for Windows, implements a subset of Python's standard `readline` module (using a small dedicated `.pyd` file instead of GNU Readline) and can be freely downloaded from <http://newcenturycomputers.net/projects/readline.html>.

When either `readline` module is loaded, Python uses Readline for all line-oriented input, such as `raw_input`. The interactive Python interpreter always tries loading `readline` to enable line editing and recall for interactive sessions. You can call functions supplied by module `readline` to control advanced functionality, particularly the history functionality for recalling lines entered in previous sessions, and the completion functionality for context-sensitive completion of the word being entered. See <http://cnswww.cns.cwru.edu/~chet/readline/rltop.html#Documentation> for GNU Readline documentation, with details on configuration commands. Alternative Readline also supports history, but the completion-related functions it supplies are dummy ones: these functions don't perform any operation, and exist only for compatibility with GNU Readline.

get_history_length

```
get_history_length( )
```

Returns the number of lines of history that are saved to the history file. When the returned value is less than 0, all lines in the history are saved.

parse_and_bind

```
parse_and_bind(readline_cmd)
```

Gives Readline a configuration command. To let the user hit Tab to request completion, call

`parse_and_bind('tab: complete')`. See the GNU Readline documentation for other useful values of `readline_cmd`.

read_history_file

```
read_history_file(filename='~/.history')
```

Loads history lines from the text file whose name or path is *filename*.

read_init_file

```
read_init_file(filename=None)
```

Makes Readline load a text file, where each line is a configuration command. When *filename* is `None`, Readline loads the same file as last time.

set_completer

```
set_completer(f=None)
```

Sets the completion function. When *f* is `None`, Readline disables completion. Otherwise, when the user enters a partial word *start* and then hits Tab, Readline calls `f(start, i)`, where *i* is an `int`, initially 0. *f* returns the *i*th possible word that begins with *start*, or `None` when there are no more. Readline calls *f* repeatedly, with *i* set to 0, 1, 2, ..., until *f* returns `None`.

set_history_length

```
set_history_length(x)
```

Sets the number of lines of history that are saved to the history file. When *x* is less than 0, all lines in the history are saved.

write_history_file

```
write_history_file(filename='~/.history')
```

Saves history lines to the text file whose name or path is *filename*.

An example of a completion function is in module `rlcompleter`. In an interactive interpreter session (or, more practically, in the startup file that the interpreter runs at the start of each interactive session, as covered in [Chapter 3](#)), you can enter:

```
import readline, rlcompleter
readline.parse_and_bind('tab: complete')
```

Now, for the rest of this interactive session, you can hit Tab during line editing and get completion for global names and object attributes.

10.8.2 Console I/O

Terminals today are most often text windows on a graphical screen. You may also use a true terminal or the console (main screen) of a personal computer in text mode. All kinds of terminals in use today support advanced text I/O functionality, but you access this functionality in platform-dependent ways. The `curses` package works only on Unix-like platforms (there are persistent rumors of Windows ports of it, but I've never found a working one). Modules `msvcrt`, `WConio`, and `Console` work only on Windows.

10.8.2.1 The curses package

The traditional Unix approach to advanced terminal I/O is named *curses*, for obscure historical reasons.^[1] The Python package `curses` affords reasonably simple use, but still lets you exert detailed if control required. I cover a small subset of `curses`, enough to let you write programs with rich text I/O functionality. See also Eric Raymond's tutorial *Curses Programming with Python*, available at <http://py-howto.sourceforge.net/curses/curses.html>, for more information. Whenever I mention the screen in this section, I mean the screen of the terminal (for example, the text window of a terminal-emulator program).

[1] "curses" does describe well the typical utterances of programmers faced with this rich, complicated approach.

The simplest and most effective way to use `curses` is through the `curses.wrapper` module, which supplies a single function.

wrapper

```
wrapper(func, *args)
```

Performs `curses` initialization, calls `func(stdscr, *args)`, performs `curses` finalization (setting the terminal back to normal behavior), and finally returns `func`'s result. The first argument that `wrapper` passes to `func` is `stdscr`, an object of type `curses.Window` that represents the whole terminal screen. `wrapper` ensures that the terminal is set back to normal behavior, whether `func` terminates normally or by propagating an exception.

`func` should be a function that performs all the tasks in your program that may need `curses` functionality. In other words, `func` normally contains (or more commonly calls, directly or indirectly, functions containing) all of your program's functionality, save perhaps for some non-interactive initialization and/or finalization tasks.

`curses` models text and background colors of characters as character attributes. Colors available on the terminal are numbered from 0 to `curses.COLORS`. Function `color_content` takes a color number `n` as its argument, and returns a tuple `(r,g,b)` of integers between 0 and 1000 giving the amount of each primary color in `n`. Function `color_pair` takes a color number `n` as its argument, and returns an attribute code that

you can pass to various methods of a `curses.Window` object in order to display text in that color.

`curses` lets you create multiple instances of type `curses.Window`, each corresponding to a rectangle on the screen. You can also create exotic variants, such as instances of `Panel`, which are polymorphic with `Window` but not tied to a fixed screen rectangle. You do not need such advanced functionality in simple `curses` programs: just use the `Window` object `stdscr` that `curses.wrapper` gives you. Call `w.refresh()` to ensure that changes made to any `Window` instance `w`, including `stdscr`, show up on screen. `curses` can buffer the changes until you call `refresh`. An instance `w` of `Window` supplies, among many others, the following frequently used methods.

addstr

```
w.addstr([y,x],str[,attr])
```

Puts the characters in string `str`, with attribute `attr`, on `w` at the given coordinates `(x,y)`, overwriting any previous contents. All `curses` functions and methods accept coordinate arguments in reverse order, with `y` (the row number) before `x` (the column number). If you omit `y,x`, `addstr` uses `w`'s current cursor coordinates. If you omit `attr`, `addstr` uses `w`'s current default attribute. In any case, `addstr`, when done adding the string, sets `w`'s current cursor coordinates to the end of the string it has added.

clrtoeol, clrtobot

```
w.clrtoeol( )
w.clrtoeol( )
```

`clrtoeol` writes blanks from `w`'s current cursor coordinates to the end of the line. `clrtoeol`, in addition, also blanks all lines lower down on the screen.

delch

```
w.delch([y,x])
```

Deletes one character from `w` at the given coordinates `(x,y)`. If you omit the `y,x` arguments, `delch` uses `w`'s current cursor coordinates. In any case, `delch` does not change `w`'s current cursor coordinates. All the following characters in line `y`, if any, shift left by one.

deleteln

```
w.deleteln( )
```

Deletes from `w` the entire line at `w`'s current cursor coordinates, and scrolls up by one line all lines lower down on the screen.

erase

```
w.erase( )
```

Writes spaces to the entire terminal screen.

getch

```
w.getch( )
```

Returns an integer *c* corresponding to a user keystroke. *c* between 0 and 255 represents an ordinary character, while *c* greater than 255 represents a special key. `curses` supplies names for special keys, so you can test *c* for equality with such readable constants as `curses.KEY_HOME` (the Home special key), `curses.KEY_LEFT` (the left-arrow special key), and so on. The list of all `curses` special-key names (about 100 of them) is in Python's free documentation, specifically, in the *Python Library Reference*, Section 6.13.3 *Constants*, for current versions of Python. If you have set window *w* to no-delay mode by calling `w.nodelay(True)`, `w.getch` raises an exception if no keystroke is ready. By default, however, `w.getch` waits until the user hits a key.

getyx

```
w.getyx( )
```

Returns *w*'s current cursor coordinates as a tuple (*y,x*).

insstr

```
w.insstr([y,x],str[,attr])
```

Inserts the characters in string *str*, with attribute *attr*, on *w* at the given coordinates (*x,y*), shifting the rest of line rightwards. Any characters that shift beyond the end of line are dropped. If you omit *y,x*, `insstr` uses *w*'s current cursor coordinates. If you omit *attr*, `insstr` uses *w*'s current default attribute. In any case, when done inserting the string, `insstr` sets *w*'s current cursor coordinates to the first character of the string it has inserted.

move

```
w.move(y,x)
```

Moves *w*'s cursor to the given coordinates (*x,y*).

nodelay

```
w.nodelay(flag)
```

Sets *w* to no-delay mode when *flag* is true, resets *w* back to normal mode when *flag* is false. No-delay mode affects method *w.getch*.

refresh

```
w.refresh( )
```

Updates window *w* on-screen with all changes the program has effected on *w*.

The `curses.textpad` module supplies the `Textpad` class, which lets you support advanced input.

Textpad

```
class Textpad(window)
```

Creates and returns an instance *t* of class `Textpad` that wraps the `curses` window instance *window*. Instance *t* has one frequently used method:

```
t.edit( )
```

Lets the user perform interactive editing on the contents of the window instance that *t* wraps. The editing session supports simple Emacs-like key bindings: normal characters overwrite the window's previous contents, arrow keys move the cursor, Ctrl-H deletes the character to the cursor's left. When the user hits Ctrl-G, the editing session ends, and `edit` returns the window's contents as a single string, with newlines as line separators.

10.8.2.2 The `msvcrt` module

The `msvcrt` module, available only on Windows, supplies functions that let Python programs access a few proprietary extras supplied by the Microsoft Visual C++'s runtime library `msvcrt.dll`. Some `msvcrt` functions let you read user input character by character, rather than reading a full line at a time.

getch, getche

```
getch( )  
getche( )
```

Reads and returns one character from keyboard input, waiting if no character is yet available for reading. `getche` also echoes the character to screen (if printable), while `getch` doesn't. When the user presses a

special key (arrows, function keys, etc.), it's seen as two characters: first a `chr(0)` or `chr(224)`, then a second character that, together with the first one, defines what special key the user pressed. Here's how to find out what `getch` returns for any key:

```
import msvcrt
print "press z to exit, or any other key to see code"
while 1:
    c = msvcrt.getch( )
    if c = = 'z': break
    print "%d (%r)" % (c, c)
```

kbhit

```
kbhit( )
```

Returns `True` when a character is available for reading (`getch`, if called, would return immediately), otherwise `False` (`getch`, if called, would wait).

ungetch

```
ungetch(c)
```

Ungets character `c`: the next call to `getch` or `getche` returns `c`. It's an error to call `ungetch` twice without intervening calls to `getch` or `getche`.

10.8.2.3 The `WConio` and `Console` modules

Two Windows-specific extension modules supply single-character keyboard input (like `msvcrt`) and the ability to paint characters in specified positions of the text screen. Chris Gonnerman's Windows Console I/O module is small, simple, and easy to use. Module `WConio` can be freely downloaded from <http://newcenturycomputers.net/projects/wconio.html>. Fredrik Lundh's Console module is very complete and functionally rich. Module `Console` can be freely downloaded from <http://www.effbot.org/efflib/console/>.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.9 Interactive Command Sessions

The `cmd` module offers a simple way to handle interactive sessions of commands. Each command is a line of text. The first word of each command is a verb defining the requested action. The rest of the line is passed as an argument to the method that implements the action that the verb requests.

Module `cmd` supplies class `Cmd` to use as a base class, and you define your own subclass of `cmd.Cmd`. The subclass supplies methods with names starting with `do_` and `help_`, and may also optionally override some of `Cmd`'s methods. When the user enters a command line such as *verb and the rest*, as long as the subclass defines a method named `do_verb`, `Cmd.onecmd` calls:

```
self.do_verb('and the rest')
```

Similarly, as long as the subclass defines a method named `help_verb`, `Cmd.do_help` calls it when the command line starts with either `'help verb'` or `'?verb'`. `Cmd`, by default, also shows suitable error messages if the user tries to use, or asks for help about, a verb for which the subclass does not define a needed method.

10.9.1 Methods of Cmd Instances

An instance `c` of a subclass of class `Cmd` supplies the following methods (many of these methods are meant to be overridden by the subclass).

cmdloop

```
c.cmdloop(intro=None)
```

Performs an entire interactive session of line-oriented commands. `cmdloop` starts by calling `c.preloop()`, then outputs string `intro` (`c.intro`, if `intro` is `None`). Then `c.cmdloop` enters a loop. In each iteration of the loop, `cmdloop` reads line `s` with `s=raw_input(c.prompt)`. When standard input reaches end-of-file, `cmdloop` sets `s='EOF'`. If `s` is not `'EOF'`, `cmdloop` preprocesses string `s` with `s=c.precmd(s)`, then calls `flag=c.onecmd(s)`. When `onecmd` returns a true value, this is a tentative request to terminate the command loop. Now `cmdloop` calls `flag=c.postcmd(flag,s)` to check if the loop should terminate. If `flag` is now true, the loop terminates; otherwise another iteration of the loop executes. If the loop is to terminate, `cmdloop` calls `c.postloop()`, then terminates. This structure of `cmdloop` is probably easiest to understand by showing Python code equivalent to the method just described:

```
def cmdloop(self, intro=None):
    self.preloop()
    if intro is None: intro = self.intro
    print intro
    while True:
        try: s = raw_input(self.prompt)
        except EOFError: s = `EOF'
        else: s = self.precmd(s)
```

```

        flag = self.onecmd(s)
        flag = self.postcmd(flag, s)
        if flag: break
    self.postloop( )

```

`cmdloop` is a good example of the design pattern known as Template Method. Such a method performs little substantial work itself; rather, it structures and organizes calls to other methods. Subclasses may override the other methods, to define the details of class behavior within the overall framework thus established. When you inherit from `Cmd`, you almost never override method `cmdloop`, since `cmdloop`'s structure is the main thing you get by subclassing `Cmd`.

default

```
c.default(s)
```

`c.onecmd` calls `c.default(s)` when there is no method `c.do_verb` for the first word `verb` of line `s`. Subclasses often override `default`. The base class `Cmd.default` method prints an error message.

do_help

```
c.do_help(verb)
```

`c.onecmd` calls `c.do_help(verb)` when command line `s` starts with 'help `verb`' or '?`verb`'. Subclasses rarely override `do_help`. The `Cmd.do_help` method calls method `help_verb` if the subclass supplies it, otherwise it displays the docstring of method `do_verb` if the subclass supplies that method with a non-empty docstring. If the subclass does not supply either source of help, `Cmd.do_help` outputs a message to inform the user that no help is available on `verb`.

emptyline

```
c.emptyline( )
```

`c.onecmd` calls `c.emptyline()` when command line `s` is empty or blank. Unless a subclass overrides this method, the base-class method `Cmd.emptyline` is called and re-executes the last non-blank command line seen, stored in the attribute `c.lastcmd` of `c`.

onecmd

```
c.onecmd(s)
```

`c.cmdloop` calls `c.onecmd(s)` for each command line `s` that the user inputs. You can also call `onecmd` directly, if you have independently obtained a line `s` that you need to process as a command. Normally, subclasses do not override method `onecmd`. `Cmd.onecmd` unconditionally sets `c.lastcmd=s`. Then, `onecmd`

calls `do_verb` if `s` starts with the word `verb` and if the subclass supplies such a method, or else methods `emptyline` or `default`, as explained earlier. In any case, `Cmd.onecmd` returns the result of whatever other method it ends up calling, to be interpreted by `postcmd` as a termination-request flag.

postcmd

`c.postcmd(flag,s)`

`c.cmdloop` calls `c.postcmd(flag,s)` for each command line `s`, after `c.onecmd(s)` has returned value `flag`. If `flag` is true, the command just executed is posing a conditional request to terminate the command loop. If `postcmd` returns a true value, `cmdloop`'s loop terminates. Unless your subclass overrides this method, the base-class method `Cmd.postcmd` is called, and returns `flag` itself as the method's result.

postloop

`c.postloop()`

`c.cmdloop` calls `c.postloop()` when `cmdloop`'s loop terminates. Unless your subclass overrides this method, the base-class method `Cmd.postloop` is called, and does nothing at all.

precmd

`c.precmd(s)`

`c.cmdloop` calls `s=c.precmd(s)` to preprocess each command line `s`. The current leg of the loop bases all further processing on the string that `precmd` returns. Unless your subclass overrides this method, the base-class method `Cmd.precmd` is called, and returns `s` itself as the method's result.

preloop

`c.preloop()`

`c.cmdloop` calls `c.preloop()` before `cmdloop`'s loop begins. Unless your subclass overrides this method, the base class `Cmd.preloop` method is called, and does nothing at all.

10.9.2 Attributes of Cmd Instances

An instance `c` of a subclass of class `Cmd` supplies the following attributes:

`identchars`

A string that contains all characters that can be part of a verb; by default, `c.identchars` contains

letters, digits, and underscore (`_`)

`intro`

The message that `cmdloop` outputs first, when called with no argument

`lastcmd`

The last non-blank command line seen by `onecmd`

`prompt`

The string that `cmdloop` uses to prompt the user for interactive input. You almost always bind `c.prompt` explicitly, or override `prompt` as a class attribute of your subclass, because the default `Cmd.prompt` is just `'(Cmd) '`.

`use_rawinput`

When false (default is true), `cmdloop` prompts and inputs via calls to methods of `sys.stdout` and `sys.stdin`, rather than via `raw_input`

Other attributes of `Cmd` instances, which are not covered here, let you exert fine-grained control on many formatting details of help messages.

10.9.3 A Cmd Example

The following example shows how to use `cmd.Cmd` to supply the verbs `print` (to output the rest of the line) and `stop` (to end the loop):

```
import cmd

class X(cmd.Cmd):
    def do_print(self, rest): print rest
    def help_print(self): print "print (any string): outputs (any string)"
    def do_stop(self, rest): return 1
    def help_stop(self): print "stop: terminates the command loop"

if __name__ == '__main__': X().cmdloop()
```

A session using this example might proceed as follows:

```
C:\>\python22\python \examples\chapter19\CmdEx.py
(Cmd) help
Documented commands (type help <topic>):
= == == == == == == == == == == == == == == == == == == == == == ==
print          stop
Undocumented commands:
= == == == == == == == == == == == ==
help
(Cmd) help print
print (whatever): outputs string (whatever)
(Cmd) print hi there
hi there
(Cmd) stop
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

10.10 Internationalization

Most programs present some information to users as text. Such text should be understandable and acceptable to the user. For example, in some countries and cultures, the date "March 7" can be concisely expressed as "3/7". Elsewhere, "3/7" indicates "July 3", and the string that means "March 7" is "7/3". In Python, such cultural conventions are handled with the help of standard module `locale`.

Similarly, a greeting can be expressed in one natural language by the string "Benvenuti", while in another language the string to use is "Welcome". In Python, such translations are handled with the help of standard module `gettext`.

Both kinds of issues are commonly called *internationalization* (often abbreviated *i18n*, as there are 18 letters between *i* and *n* in the full spelling). This is actually a misnomer, as the issues also apply to programs used within one nation by users of different languages or cultures.

10.10.1 The locale Module

Python's support for cultural conventions is patterned on that of C, slightly simplified. In this architecture, a program operates in an environment of cultural conventions known as a *locale*. The locale setting permeates the program and is typically set early on in the program's operation. The locale is not thread-specific, and module `locale` is not thread-safe. In a multithreaded program, set the program's locale before starting secondary threads.

If a program does not call `locale.setlocale`, the program operates in a neutral locale known as the C locale. The C locale is named from this architecture's origins in the C language, and is similar, but not identical, to the U.S. English locale. Alternatively, a program can find out and accept the user's default locale. In this case, module `locale` interacts with the operating system (via the environment, or in other system-dependent ways) to establish the user's preferred locale. Finally, a program can set a specific locale, presumably determining which locale to set on the basis of user interaction, or via persistent configuration settings such as a program initialization file.

A locale setting is normally performed across the board, for all relevant categories of cultural conventions. This wide-spectrum setting is denoted by the constant attribute `LC_ALL` of module `locale`. However, the cultural conventions handled by module `locale` are grouped into categories, and in some cases a program can choose to mix and match categories to build up a synthetic composite locale. The categories are identified by the following constant attributes of module `locale`:

`LC_COLLATE`

String sorting: affects functions `strcoll` and `strxfrm` in `locale`

`LC_CTYPE`

Character types: affects aspects of module `string` (and string methods) that have to do with letters, lowercase, and uppercase

`LC_MESSAGES`

Messages: may affect messages displayed by the operating system, for example function

`os.strerror` and module `gettext`
`LC_MONETARY`

Formatting of currency values: affects function `locale.localeconv`
`LC_NUMERIC`

Formatting of numbers: affects functions `atoi`, `atof`, `format`, `localeconv`, and `str` in `locale`
`LC_TIME`

Formatting of times and dates: affects function `time.strftime`

The settings of some categories (denoted by the constants `LC_CTYPE`, `LC_TIME`, and `LC_MESSAGES`) affect some of the behavior of other modules (`string`, `time`, `os`, and `gettext`, as indicated). The settings of other categories (denoted by the constants `LC_COLLATE`, `LC_MONETARY`, and `LC_NUMERIC`) affect only some functions of `locale`.

Module `locale` supplies functions to query, change, and manipulate locales, as well as functions that implement the cultural conventions of locale categories `LC_COLLATE`, `LC_MONETARY`, and `LC_NUMERIC`.

atof

`atof(str)`

Converts string `str` to a floating-point value according to the current `LC_NUMERIC` setting.

atoi

`atoi(str)`

Converts string `str` to an integer according to the `LC_NUMERIC` setting.

format

`format(fmt, num, grouping=0)`

Returns the string obtained by formatting number `num` according to the format string `fmt` and the `LC_NUMERIC` setting. Except for cultural convention issues, the result is like `fmt%num`. If `grouping` is true, `format` also groups digits in the result string according to the `LC_NUMERIC` setting. For example:

```
>>> locale.setlocale(locale.LC_NUMERIC, 'en')
'English_United_States.1252'
>>> locale.format('%s', 1000*1000)
'1000000'
>>> locale.format('%s', 1000*1000, 1)
'1,000,000'
```

When the numeric locale is U.S. English, and argument `grouping` is true, `format` supports the convention

of grouping digits by threes with commas.

getdefaultlocale

```
getdefaultlocale(envvars=['LANGUAGE', 'LC_ALL',
                          'LC_TYPE', 'LANG'])
```

Examines the environment variables whose names are specified by argument *envvars*, in order. The first variable found in the environment determines the default locale. *getdefaultlocale* returns a pair of strings (*lang,encoding*) compliant with RFC 1766 (except for the 'C' locale), such as ('en_US', 'ISO8859-1'). Each item of the pair may be *None* if *gedefaultlocale* is unable to discover what value the item should have.

getlocale

```
getlocale(category=LC_TYPE)
```

Returns a pair of strings (*lang,encoding*) with the current setting for the given *category*. The category cannot be *LC_ALL*.

localeconv

```
localeconv( )
```

Returns a dictionary *d* containing the cultural conventions specified by categories *LC_NUMERIC* and *LC_MONETARY* of the current locale. While *LC_NUMERIC* is best used indirectly via other functions of module *locale*, the details of *LC_MONETARY* are accessible only through *d*. Currency formatting is different for local and international use. The U.S. currency symbol, for example, is '\$' for local use only. '\$' would be ambiguous in international use, since the same symbol is also used for other currencies called "dollars" (Canadian, Australian, Hong Kong, etc.). In international use, therefore, the U.S. currency symbol is the unambiguous string 'USD'. The keys into *d* to use for currency formatting are the following strings:

```
'currency_symbol'
```

Currency symbol to use locally

```
'frac_digits'
```

Number of fractional digits to use locally

```
'int_curr_symbol'
```

Currency symbol to use internationally

```
'int_frac_digits'
```

Number of fractional digits to use internationally

```
'mon_decimal_point'
```

String to use as the "decimal point" for monetary values

`'mon_grouping'`

List of digit grouping numbers for monetary values

`'mon_thousands_sep'`

String to use as digit-groups separator for monetary values

`'negative_sign', 'positive_sign'`

String to use as the sign symbol for negative (positive) monetary values

`'n_cs_precedes', 'p_cs_precedes'`

True if the currency symbol comes before negative (positive) monetary values

`'n_sep_by_space', 'p_sep_by_space'`

True if a space goes between sign and negative (positive) monetary values

`'n_sign_posn', 'p_sign_posn'`

Numeric code to use to format negative (positive) monetary values:

0

The value and the currency symbol are placed inside parentheses

1

The sign is placed before the value and the currency symbol

2

The sign is placed after the value and the currency symbol

3

The sign is placed immediately before the value

4

The sign is placed immediately after the value

`CHAR_MAX`

The current locale does not specify any convention for this formatting

`d['mon_grouping']` is a list of numbers of digits to group when formatting a monetary value. When `d['mon_grouping'][-1]` is 0, there is no further grouping beyond the indicated numbers of digits. When `d['mon_grouping'][-1]` is `locale.CHAR_MAX`, grouping continues indefinitely, as if `d['mon_grouping'][-2]` were endlessly repeated. `locale.CHAR_MAX` is a constant used as the value for all entries in `d` for which the current locale does not specify any convention.

normalize

`normalize(localename)`

Returns a string, suitable as an argument to `setlocale`, that is the normalized equivalent to `localename`. If `normalize` cannot normalize string `localename`, then `normalize` returns `localename` unchanged.

resetlocale

```
resetlocale(category=LC_ALL)
```

Sets the locale for *category* to the default given by `getdefaultlocale`.

setlocale

```
setlocale(category, locale=None)
```

Sets the locale for *category* to the given *locale*, if not `None`, and returns the setting (the existing one when *locale* is `None`; otherwise, the new one). *locale* can be a string, or a pair of strings (*lang,encoding*). When *locale* is the empty string "", `setlocale` sets the user's default locale.

str

```
str(num)
```

Like `locale.format('%f',num)`.

strcoll

```
strcoll(str1,str2)
```

Like `cmp(str1,str2)`, but according to the `LC_COLLATE` setting.

strxfrm

```
strxfrm(str)
```

Returns a string *sx* such that the built-in comparison (e.g., by `cmp`) of strings so transformed is equivalent to calling `locale.strcoll` on the original strings. `strxfrm` lets you use the decorate-sort-undecorate (DSU) idiom for sorts that involve locale-conformant string comparisons. However, if all you need is to sort a list of strings in a locale-conformant way, `strcoll`'s simplicity can make it faster. The following example shows two ways of performing such a sort; in this case, the simple variant is often faster than the DSU one:

```
import locale
# simpler and often faster
def locale_sort_simple(list_of_strings):
    list_of_strings.sort(locale.strcoll)
# less simple and often slower
def locale_sort_DSU(list_of_strings):
    auxiliary_list = [(locale.strxfrm(s),s) for s in
                      list_of_strings]
```

```
auxiliary_list.sort( )
list_of_strings[:] = [s for junk, s in auxiliary_list]
```

10.10.2 The gettext Module

A key issue in internationalization is the ability to use text in different natural languages, a task also called *localization*. Python supports localization via module `gettext`, inspired by GNU *gettext*. Module `gettext` is optionally able to use the latter's infrastructure and APIs, but is simpler and more general. You do not need to install or study GNU *gettext* to use Python's `gettext` effectively.

10.10.2.1 Using gettext for localization

`gettext` does not deal with automatic translation between natural languages. Rather, `gettext` helps you extract, organize, and access the text messages that your program uses. Use each string literal subject to translation, also known as a *message*, as the argument of a function named `_` (underscore) rather than using it directly. `gettext` normally installs a function named `_` in the `__builtin__` module. To ensure that your program can run with or without `gettext`, conditionally define a do-nothing function, also named `_`, that just returns its argument unchanged. Then, you can safely use `_('message')` wherever you would normally use the literal `'message'`. The following example shows how to start a module for conditional use of `gettext`:

```
try: _
except NameError:
    def _(s): return s
def greet( ): print _('Hello world')
```

If some other module has installed `gettext` before you run the previous code, function `greet` outputs a properly localized greeting. Otherwise, `greet` outputs the string `'Hello world'` unchanged.

Edit your sources, decorating all message literals with function `_`. Then, use any of various tools to extract messages into a text file (normally named *messages.pot*), and distribute the file to the people who translate messages into the natural languages you support. Python supplies a script *pygettext.py* (in directory *Tools/i18n* in the Python source distribution) to perform message extraction on your Python sources.

Each translator edits *messages.pot* and produces a text file of translated messages with extension *.po*. Compile the *.po* files into binary files with extension *.mo*, suitable for fast searching, using any of various tools. Python supplies a script *Tools/i18n/msgfmt.py* usable for this purpose. Finally, install each *.mo* file with a suitable name in an appropriate directory.

Conventions about which directories and names are suitable and appropriate differ among platforms and applications. `gettext`'s default is subdirectory *share/locale/<lang>/LC_MESSAGES/* of directory *sys.prefix*, where *<lang>* is the language's code (normally two letters). Each file is typically named *<name>.mo*, where *<name>* is the name of your application or package.

Once you have prepared and installed your *.mo* files, you normally execute from somewhere in your application code such as the following:

```
import os, gettext
os.environ.setdefault('LANG', 'en')           # application-default language
gettext.install('your_application_name')
```

This ensures that calls such as `_('message')` henceforward return the appropriate translated strings. You can choose different ways to access `gettext` functionality in your program, for example if you also need to localize C-coded extensions, or to switch back and forth between different languages during a run. Another important consideration is whether you're localizing a whole application, or just a package that is separately distributed.

10.10.2.2 Essential gettext functions

Module `gettext` supplies many functions; this section documents the ones that are most often used.

install

```
install(domain, localedir=None, unicode=False)
```

Installs in Python's built-in namespace a function named `_` that performs translations specified by file `<lang>/LC_MESSAGES/<domain>.mo` in directory `localedir`, with language code `<lang>` as per `getdefaultlocale`. When `localedir` is `None`, `install` uses directory `os.path.join(sys.prefix, 'share', 'locale')`. When `unicode` is true, function `_` accepts and returns Unicode strings rather than plain strings.

translation

```
translation(domain, localedir=None, languages=None)
```

Searches for a `.mo` file similarly to function `install`. When `languages` is `None`, `translation` looks in the environment for the `lang` to use, like `install`. However, `languages` can also be a list of one or more `lang` names separated by colons (:), in which case `translation` uses the first of these names for which it finds a `.mo` file. Returns an instance object that supplies methods `gettext` (to translate a plain string), `ugettext` (to translate a Unicode string), and `install` (to install `gettext` or `ugettext` under name `_` into Python's built-in namespace).

Function `translation` offers more detailed control than `install`, which is like `translation(domain, localedir).install(unicode)`. With `translation`, you can localize a single package without affecting the built-in namespace by binding name `_` on a per-module basis, for example with:

```
_ = translation(domain).ugettext
```

`translation` also lets you switch globally between several languages, since you can pass an explicit `languages` argument, keep the resulting instance, and call the `install` method of the appropriate language as needed:

```
import gettext
translators = { }
def switch_to_language(lang, domain='my_app',
                      use_unicode=False):
    if not translators.has_key(lang):
```

```
translators[lang] = \  
    gettext.translation(domain, languages=lang)  
translators[lang].install(use_unicode)
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 11. Persistence and Databases

Python supports a variety of ways of making data persistent. One such way, known as *serialization*, involves viewing the data as a collection of Python objects. These objects can be saved, or *serialized*, to a byte stream, and later loaded and recreated, or *deserialized*, back from the byte stream. Object persistence layers on top of serialization and adds such features as object naming. This chapter covers the built-in Python modules that support serialization and object persistence.

Another way to make data persistent is to store it in a database. One simple type of database is actually just a file format that uses keyed access to enable selective reading and updating of relevant parts of the data. Python supplies modules that support several variations of this file format, known as DBM, and these modules are covered in this chapter.

A relational database management system (RDBMS), such as MySQL or Oracle, provides a more powerful approach to storing, searching, and retrieving persistent data. Relational databases rely on dialects of Structured Query Language (SQL) to create and alter a database's schema, insert and update data in the database, and query the database according to search criteria. This chapter does not provide any reference material on SQL. For that purpose, I recommend *SQL in a Nutshell*, by Kevin Kline (O'Reilly). Unfortunately, despite the existence of SQL standards, no two RDBMSes implement exactly the same SQL dialect.

The Python standard library does not come with an RDBMS interface. However, many free third-party modules let your Python programs access a specific RDBMS. Such modules mostly follow the Python Database API 2.0 standard, also known as the DBAPI. This chapter covers the DBAPI standard and mentions some of the third-party modules that implement it.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

11.1 Serialization

Python supplies a number of modules that deal with I/O operations that serialize (save) entire Python objects to various kinds of byte streams, and deserialize (load and recreate) Python objects back from such streams. Serialization is also called *marshaling*.

11.1.1 The marshal Module

The `marshal` module supports the specific serialization tasks needed to save and reload compiled Python files (`.pyc` and `.pyo`). `marshal` only handles instances of fundamental built-in data types: `None`, numbers (plain and long integers, float, complex), strings (plain and Unicode), code objects, and built-in containers (tuples, lists, dictionaries) whose items are instances of elementary types. `marshal` does not handle instances of user-defined types, nor classes and instances of classes. `marshal` is faster than other serialization modules. Code objects are supported only by `marshal`, not by other serialization modules. Module `marshal` supplies the following functions.

dump, dumps

```
dump(value, fileobj)
dumps(value)
```

`dumps` returns a string representing object `value`. `dump` writes the same string to file object `fileobj`, which must be opened for writing in binary mode. `dump(v, f)` is just like `f.write(dumps(v))`. `fileobj` cannot be a file-like object: it must be an instance of type `file`.

load, loads

```
load(fileobj)
loads(str)
```

`loads` creates and returns the object `v` previously dumped to string `str`, so that, for any object `v` of a supported type, `v` equals `loads(dumps(v))`. If `str` is longer than `dumps(v)`, `loads` ignores the extra bytes. `load` reads the right number of bytes from file object `fileobj`, which must be opened for reading in binary mode, and creates and returns the object `v` represented by those bytes. `fileobj` cannot be a file-like object: it must be an instance of type `file`.

Functions `load` and `dump` are complementary. In other words, a sequence of calls to `load(f)` deserializes the same values previously serialized when `f`'s contents were created by a sequence of calls to `dump(v, f)`. Objects that are dumped and loaded in this way can be instances of any mix of supported types.

Suppose you need to analyze several text files, whose names are given as your program's arguments, and record where each word appears in those files. The data you need to record for each word is a list of

`(filename, line-number)` pairs. The following example uses `marshal` to encode lists of `(filename, line-number)` pairs as strings and store them in a DBM-like file (as covered later in this chapter). Since those lists contain tuples, each made up of a string and a number, they are within `marshal`'s abilities to serialize.

```
import fileinput, marshal, anydbm
wordPos = { }
for line in fileinput.input( ):
    pos = fileinput.filename( ), fileinput.filelineno( )
    for word in line.split( ):
        wordPos.setdefault(word, [ ]).append(pos)
dbmOut = anydbm.open('indexfilem', 'n')
for word in wordPos:
    dbmOut[word] = marshal.dumps(wordPos[word])
dbmOut.close( )
```

We also need `marshal` to read back the data stored to the DBM-like file `indexfilem`, as shown in the following example:

```
import sys, marshal, anydbm, linecache
dbmIn = anydbm.open('indexfilem')
for word in sys.argv[1:]:
    if not dbmIn.has_key(word):
        sys.stderr.write('Word %r not found in index file\n' % word)
        continue
    places = marshal.loads(dbmIn[word])
    for fname, lineno in places:
        print "Word %r occurs in line %s of file %s:" % (word, lineno, fname)
        print linecache.getline(fname, lineno),
```

11.1.2 The pickle and cPickle Modules

The `pickle` and `cPickle` modules supply factory functions, named `Pickler` and `Unpickler`, to generate objects that wrap file-like objects and supply serialization mechanisms. Serializing and deserializing via these modules is also known as *pickling* and *unpickling*. The difference between the modules is that in `pickle`, `Pickler` and `Unpickler` are classes, so you can inherit from these classes to create customized serializer objects, overriding methods as needed. In `cPickle`, `Pickler` and `Unpickler` are factory functions, generating instances of special-purpose types, not classes. Performance is therefore much better with `cPickle`, but inheritance is not feasible. In the rest of this section, I'll be talking about module `pickle`, but everything applies to `cPickle` too.

Note that in releases of Python older than the ones covered in this book, unpickling from an untrusted data source was a security risk—an attacker could exploit this to execute arbitrary code. No such weaknesses are known in Python 2.1 and later.

Serialization shares some of the issues of deep copying, covered in [Section 8.5](#) in [Chapter 8](#). Module `pickle` deals with these issues in much the same way as module `copy` does. Serialization, like deep copying, implies a recursive walk over a directed graph of references. `pickle` preserves the graph's shape when the same object is encountered more than once, meaning that the object is serialized only the first time, and other occurrences of the same object serialize references to a single copy. `pickle` also correctly serializes graphs with reference cycles. However, this implies that if a mutable object `o` is serialized more than once to the same `Pickler` instance `p`, any changes to `o` after the first serialization of `o` to `p` are not saved. For clarity

and simplicity, I recommend you avoid altering objects that are being serialized while serialization to a single `Pickler` instance is in progress.

`pickle` can serialize in either an ASCII format or a compact binary one. Although the ASCII format is the default for backward compatibility, you should normally request binary format, as it saves both time and storage space. When you reload objects, `pickle` transparently recognizes and uses either format. I recommend you always specify binary format: the size and speed savings can be substantial, and binary format has basically no downside except loss of compatibility with very old versions of Python.

`pickle` serializes classes and functions by name, not by value. `pickle` can therefore deserialize a class or function only by importing it from the same module where the class or function was found when `pickle` serialized it. In particular, `pickle` can serialize and deserialize classes and functions only if they are top-level names for their module (i.e., attributes of their module). For example, consider the following:

```
def adder(augend):
    def inner(addend, augend=augend): return addend+augend
    return inner
plus5 = adder(5)
```

This code binds a closure to name `plus5` (as covered in [Section 4.10.6.2](#) in [Chapter 4](#)), which is a nested function `inner` plus an appropriate nested scope. Therefore, trying to pickle `plus5` raises a `pickle.PicklingError` exception: a function can be pickled only when it is top-level, and function `inner`, whose closure is bound to name `plus5` in this code, is not top-level, but rather nested inside function `adder`. Similar issues apply to other uses of nested functions, and also to nested classes (i.e., classes that are not top-level).

11.1.2.1 Functions of pickle and cPickle

Modules `pickle` and `cPickle` expose the following functions.

dump, dumps

```
dump(value, fileobj, bin=0)
dumps(value, bin=0)
```

`dumps` returns a string representing object `value`. `dump` writes the same string to file-like object `fileobj`, which must be opened for writing. `dump(v, f, bin)` is like `f.write(dumps(v, bin))`. If `bin` is true, `dump` uses binary format, so `f` must be open in binary mode. `dump(v, f, bin)` is also like `Pickler(f, bin).dump(v)`.

load, loads

```
load(fileobj)
loads(str)
```

`loads` creates and returns the object `v` represented by string `str`, so that for any object `v` of a supported

type, `v = loads(dumps(v))`. If `str` is longer than `dumps(v)`, `loads` ignores the extra bytes. `load` reads the right number of bytes from file-like object `fileobj` and creates and returns the object `v` represented by those bytes. If two calls to `dump` are made in sequence on the same file, two later calls to `load` from that file deserialize the two objects that `dump` serialized. `load` and `loads` transparently support pickles performed in either binary or ASCII mode. If data is pickled in binary format, the file must be open in binary format for both `dump` and `load`. `load(f)` is like `Unpickler(f).load()`.

Pickler

```
Pickler(fileobj, bin=0)
```

Creates and returns an object `p` such that calling `p.dump` is equivalent to calling function `dump` with the `fileobj` and `bin` argument values passed to `Pickler`. To serialize many objects to a file, `Pickler` is more convenient and faster than repeated calls to `dump`. You can subclass `pickle.Pickler` to override `Pickler` methods (particularly method `persistent_id`) and create your own persistence framework. However, this is an advanced issue, and is not covered further in this book.

Unpickler

```
Unpickler(fileobj)
```

Creates and returns an object `u` such that calling `u.load` is equivalent to calling function `load` with the `fileobj` argument value passed to `Unpickler`. To deserialize many objects from a file, `Unpickler` is more convenient and faster than repeated calls to function `load`. You can subclass `pickle.Unpickler` to override `Unpickler` methods (particularly the method `persistent_load`) and create your own persistence framework. However, this is an advanced issue, and is not covered further in this book.

11.1.2.2 A pickling example

The following example handles the same task as the `marshal` example shown earlier, but uses `cPickle` instead of `marshal` to encode lists of `(filename, line-number)` pairs as strings:

```
import fileinput, cPickle, anydbm
wordPos = { }
for line in fileinput.input( ):
    pos = fileinput.filename( ), fileinput.filelineno( )
    for word in line.split( ):
        wordPos.setdefault(word, [ ]).append(pos)
dbmOut = anydbm.open('indexfilep', 'n')
for word in wordPos:
    dbmOut[word] = cPickle.dumps(wordPos[word], 1)
dbmOut.close( )
```

We can use either `cPickle` or `pickle` to read back the data stored to the DBM-like file `indexfilep`, as shown in the following example:

```
import sys, cPickle, anydbm, linecache
```

```

dbmIn = anydbm.open('indexfilep')
for word in sys.argv[1:]:
    if not dbmIn.has_key(word):
        sys.stderr.write('Word %r not found in index file\n' % word)
        continue
    places = cPickle.loads(dbmIn[word])
    for fname, lineno in places:
        print "Word %r occurs in line %s of file %s:" % (word,lineno,fname)
        print linecache.getline(fname, lineno),

```

11.1.2.3 Pickling instance objects

In order for `pickle` to reload an instance object `x`, `pickle` must be able to import `x`'s class from the same module in which the class was defined when `pickle` saved the instance. By default, to save the instance-specific state of `x`, `pickle` saves `x.__dict__`, and then, to restore state, reloads `x.__dict__`. Therefore, all instance attributes (values in `x.__dict__`) must be instances of types suitable for pickling and unpickling (i.e., a pickleable object). A class can supply special methods to control this process.

By default, `pickle` does not call `x.__init__` to restore instance object `x`. If you do want `pickle` to call `x.__init__`, `x`'s class must supply the special method `__getinitargs__`. In this case, when `pickle` saves `x`, `pickle` then calls `x.__getinitargs__()`, which must return a tuple `t`. When `pickle` later reloads `x`, `pickle` calls `x.__init__(*t)` (i.e., the items of tuple `t` are passed as positional arguments to `x.__init__`). When `x.__init__` returns, `pickle` restores `x.__dict__`, overriding attribute values bound by `x.__init__`. Method `__getinitargs__` is therefore useful only when `x.__init__` has other tasks to perform in addition to the task of giving initial values to `x`'s attributes.

When `x`'s class has a special method `__getstate__`, `pickle` calls `x.__getstate__()`, which normally returns a dictionary `d`. `pickle` saves `d` instead of `x.__dict__`. When `pickle` later reloads `x`, it sets `x.__dict__` from `d`. When `x`'s class supplies special method `__setstate__`, `pickle` calls `x.__setstate__(d)` for whatever `d` was saved, rather than `x.__dict__.update(d)`. When `x`'s class supplies both methods `__getstate__` and `__setstate__`, `__getstate__` may return any pickleable object `y`, not just a dictionary, since `pickle` reloads `x` by calling `x.__setstate__(y)`. A dictionary is often the handiest type of object for this purpose. As mentioned in "The copy Module" in [Chapter 8](#), special methods `__getinitargs__`, `__getstate__`, and `__setstate__` are also used to control the way instance objects are copied and deep-copied. If a new-style class defines `__slots__`, the class should also define `__getstate__` and `__setstate__`, otherwise the class's instances are not pickleable.

11.1.2.4 Pickling customization with the `copy_reg` module

You can control how `pickle` serializes and deserializes objects of an arbitrary type (not class) by registering factory and reduction functions with module `copy_reg`. This is useful when you define a type in a C-coded Python extension. Module `copy_reg` supplies the following functions.

constructor

```
constructor(fcon)
```

Adds `fcon` to the table of safe constructors, which lists all factory functions that `pickle` may call. `fcon`

must be callable, and is normally a function.

pickle

```
pickle(type, fred, fcon=None)
```

Registers function *fred* as the reduction function for type *type*, where *type* must be a type object (not a class). To save any object *o* of type *type*, module *pickle* calls *fred(o)* and saves *fred*'s result. *fred(o)* must return a pair (*fcon,t*) or a tuple (*fcon,t,d*), where *fcon* is a safe constructor and *t* is a tuple. To reload *o*, *pickle* calls *o=fcon(*t)*. Then, if *fred* returned a *d*, *pickle* uses *d* to restore *o*'s state, as in "Pickling of instance objects" (*o._ _setstate_ _ (d)* if *o* supplies *_ _setstate_ _*, otherwise *o._ _dict_ _.update(d)*). If *fcon* is not *None*, *pickle* also calls *constructor(fcon)* to register *fcon* as a safe constructor.

11.1.3 The shelve Module

The *shelve* module orchestrates modules *cPickle* (or *pickle*, when *cPickle* is not available in the current Python installation), *cStringIO* (or *StringIO*, when *cStringIO* is not available in the current Python installation), and *anydbm* (and its underlying modules for access to DBM-like archive files, as discussed later in this chapter) in order to provide a lightweight persistence mechanism.

shelve supplies a function *open* that is polymorphic to *anydbm.open*. The mapping object *s* returned by *shelve.open* is less limited than the mapping object *a* returned by *anydbm.open*. *a*'s keys and values must be strings. *s*'s keys must also be strings, but *s*'s values may be of any type or class that *pickle* can save and restore. *pickle* customizations (e.g., *copy_reg*, *_ _getinitargs_ _*, *_ _getstate_ _*, and *_ _setstate_ _*) also apply to *shelve*, since *shelve* delegates serialization to *pickle*.

Beware a subtle trap when you use *shelve* and mutable objects. When you operate on a mutable object held in a shelf, the changes don't take unless you assign the changed object back to the same index. For example:

```
import shelve
s = shelve.open('data')
s['akey'] = range(4)
print s['akey']                # prints: [0, 1, 2, 3]
s['akey'].append('moreover')   # trying direct mutation
print s['akey']                # doesn't take; prints: [0, 1, 2, 3]

x = s['akey']                  # fetch the object
x.append('moreover')          # perform mutation
s['akey'] = x                  # store the object back
print s['akey']                # now it takes, prints: [0, 1, 2, 3, 'moreover']
```

The following example handles the same task as the pickling example earlier, but uses *shelve* to persist lists of (*filename, line-number*) pairs:

```
import fileinput, shelve
wordPos = { }
for line in fileinput.input( ):

```

```

    pos = fileinput.filename( ), fileinput.filelineno( )
    for word in line.split( ):
        wordPos.setdefault(word,[ ]).append(pos)
shOut = shelve.open('indexfiles','n')
for word in wordPos:
    shOut[word] = wordPos[word]
shOut.close( )

```

We must use `shelve` to read back the data stored to the DBM-like file *indexfiles*, as shown in the following example:

```

import sys, shelve, linecache
shIn = shelve.open('indexfiles')

for word in sys.argv[1:]:
    if not shIn.has_key(word):
        sys.stderr.write('Word %r not found in index file\n' % word)
        continue
    places = shIn[word]
    for fname, lineno in places:
        print "Word %r occurs in line %s of file %s:" % (word,lineno,fname)
        print linecache.getline(fname, lineno),

```

These two examples are the simplest and most direct of the various equivalent pairs of examples shown throughout this section. This reflects the fact that module `shelve` is higher level than the modules used in previous examples.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

11.2 DBM Modules

A DBM-like file is a file that contains a set of pairs of strings (*key,data*), with support for fetching or storing the data given a key, known as *keyed access*. DBM-like files were originally supported on early Unix systems, with functionality roughly equivalent to that of access methods popular on other mainframe and minicomputers of the time, such as ISAM, the Indexed-Sequential Access Method. Today, several different libraries, available for many platforms, let programs written in many different languages create, update, and read DBM-like files.

Keyed access, while not as powerful as the data access functionality of relational databases, may often suffice for a program's needs. And if DBM-like files are sufficient, you may end up with a program that is smaller, faster, and more portable than one that uses an RDBMS.

The classic *dbm* library, whose first version introduced DBM-like files many years ago, has limited functionality, but tends to be available on most Unix platforms. The GNU version, *gdbm*, is richer and also widespread. The BSD version, *dbhash*, offers superior functionality. Python supplies modules that interface with each of these libraries if the relevant underlying library is installed on your system. Python also offers a minimal DBM module, *dumbdbm* (usable anywhere, as it does not rely on other installed libraries), and generic DBM modules, which are able to automatically identify, select, and wrap the appropriate DBM library to deal with an existing or new DBM file. Depending on your platform, your Python distribution, and what *dbm*-like libraries you have installed on your computer, the default Python build may install some subset of these modules. In general, at a minimum, you can rely on having module *dbm* on Unix-like platforms, module *dbhash* on Windows, and *dumbdbm* on any platform.

11.2.1 The anydbm Module

The *anydbm* module is a generic interface to any other DBM module. *anydbm* supplies a single factory function.

open

```
open(filename, flag='r', mode=0666)
```

Opens or creates the DBM file named by *filename* (a string that can denote any path to a file, not just a name), and returns a suitable mapping object corresponding to the DBM file. When the DBM file already exists, *open* uses module *whichdb* to determine which DBM library can handle the file. When *open* creates a new DBM file, *open* chooses the first available DBM module in order of preference: *dbhash*, *gdbm*, *dbm*, and *dumbdbm*.

flag is a one-character string that tells *open* how to open the file and whether to create it, as shown in [Table 11-1](#). *mode* is an integer that *open* uses as the file's permission bits if *open* creates the file, as covered in [Section 10.2.2](#) in [Chapter 10](#). Not all DBM modules use *flags* and *mode*, but for portability's sake you should always supply appropriate values for these arguments when you call *anydbm.open*.

Table 11-1. flag values for anydbm.open

Flag	Read-only?	If file exists	If file does not exist
'r'	yes	<code>open</code> opens the file	<code>open</code> raises error
'w'	no	<code>open</code> opens the file	<code>open</code> raises error
'c'	no	<code>open</code> opens the file	<code>open</code> creates the file
'n'	no	<code>open</code> truncates the file	<code>open</code> creates the file

`anydbm.open` returns a mapping object `m` that supplies a subset of the functionality of dictionaries (covered in [Chapter 4](#)). `m` only accepts strings as keys and values, and the only mapping methods `m` supplies are `m.has_key` and `m.keys`. However, you can bind, rebind, access, and unbind items in `m` with the same indexing syntax `m[key]` that you would use if `m` were a dictionary. If `flag` is 'r', `open` returns a mapping `m` that is read-only so that you can only access `m`'s items, not bind, rebind, or unbind them. One extra method that `m` supplies is `m.close`, with the same semantics as the `close` method of a built-in file object. You should ensure `m.close()` is called when you're done using `m`. The `try/finally` statement (covered in [Chapter 6](#)) is the best way to ensure finalization.

11.2.2 The dumbdbm Module

The `dumbdbm` module supplies minimal DBM functionality and mediocre performance. `dumbdbm`'s only advantage is that you can use it anywhere, since `dumbdbm` does not rely on any library. You don't normally `import dumbdbm`; rather, `import anydbm`, and let `anydbm` supply your program with the best DBM module available, defaulting to `dumbdbm` if nothing better is available on the current Python installation. The only case in which you import `dumbdbm` directly is the rare one in which you need to create a DBM-like file that you can later read from any Python installation. Module `dumbdbm` supplies an `open` function and an exception class `error` that are polymorphic to those `anydbm` supplies.

11.2.3 The dbm, gdbm, and dbhash Modules

The `dbm` module exists only on Unix platforms, where it can wrap any of the `dbm`, `ndbm`, and `gdbm` libraries, since each supplies a `dbm`-compatibility interface. You never `import dbm` directly; rather, you `import anydbm`, and let `anydbm` supply your program with the best DBM module available, defaulting to `dbm` if appropriate. Module `dbm` supplies an `open` function and an exception class `error` that are polymorphic to those `anydbm` supplies.

The `gdbm` module wraps the GNU DBM library, `gdbm`. The `gdbm.open` function accepts other values for the `flag` argument, and returns a mapping object `m` supplying a few extra methods. You may need to `import gdbm` directly, if you need to access non-portable functionality. I do not cover `gdbm` specifics in this book, since the book is focused on cross-platform Python.

The `dbhash` module wraps the BSD DBM library in a DBM-compatible way. The `dbhash.open` function accepts other values for the `flag` argument, and returns a mapping object `m` supplying a few extra methods. You may choose to `import dbhash` directly, if you need to access non-portable functionality. For full access to the BSD DB functionality, however, you can also `import bsddb`, covered in [Section 11.3](#) later in this chapter.

11.2.4 The whichdb Module

The `whichdb` module attempts to guess which of the several DBM modules are available. `whichdb` supplies a single function.

whichdb

`whichdb(filename)`

Opens the file specified by *filename* and determines which DBM-like package created the file. `whichdb` returns `None` if the file does not exist or cannot be opened and read. `whichdb` returns `''` if the file exists and can be opened and read, but it cannot be determined which DBM-like package created the file (i.e., the file is not a DBM file). `whichdb` returns a string naming a module, such as `'dbm'`, `'dumbdbm'`, or `'dbhash'`, if it can determine which module can read the DBM-like file named by *filename*.

11.2.5 Examples of DBM-Like File Use

Keyed access is quite suitable when your program needs to record, in a persistent way, the equivalent of a Python dictionary, with strings as both keys and values. For example, suppose you need to analyze several text files, whose names are given as your program's arguments, and record where each word appears in those files. In this case, the keys are words, and, therefore, intrinsically strings. The data you need to record for each word is a list of (*filename*, *line-number*) pairs. However, you can encode the data as a string in several ways, for example by exploiting the fact that the path separator string `os.pathsep` (covered in [Chapter 10](#)) does not normally appear in filenames. (Note that more solid, general, and reliable approaches to the general issue of encoding data as strings are covered in [Section 11.1](#) earlier in this chapter.) With this simplification, the program that records word positions in files might be as follows:

```
import fileinput, os, anydbm
wordPos = { }
sep = os.pathsep
for line in fileinput.input( ):
    pos = '%s%s%s'%(fileinput.filename( ), sep, fileinput.filelineno( ))
    for word in line.split( ):
        wordPos.setdefault(word,[ ]).append(pos)
dbmOut = anydbm.open('indexfile','n')
sep2 = sep * 2
for word in wordPos:
    dbmOut[word] = sep2.join(wordPos[word])
dbmOut.close( )
```

We can read back the data stored to the DBM-like file *indexfile* in several ways. The following example accepts words as command-line arguments and prints the lines where the requested words appear:

```
import sys, os, anydbm, linecache
dbmIn = anydbm.open('indexfile')
sep = os.pathsep
sep2 = sep * 2
for word in sys.argv[1:]:
    if not dbmIn.has_key(word):
```

```
        sys.stderr.write('Word %r not found in index file\n' % word)
        continue
places = dbmIn[word].split(sep2)
for place in places:
    fname, lineno = place.split(sep)
    print "Word %r occurs in line %s of file %s:" % (word,lineno,fname)
    print linecache.getline(fname, int(lineno)),
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

11.3 The Berkeley DB Module

Python comes with the `bsddb` module, which wraps the Berkeley Database library (also known as BSD DB) if that library is installed on your system and your Python installation is built to support it. With the BSD DB library, you can create hash, binary tree, or record-based files that generally behave like dictionaries. On Windows, Python includes a port of the BSD DB library, thus ensuring that module `bsddb` is always usable. To download BSD DB sources, binaries for other platforms, and detailed documentation on BSD DB, see <http://www.sleepycat.com>. Module `bsddb` supplies three factory functions, `btopen`, `hashopen`, and `rnopen`.

btopen, hashopen, rnopen

```
btopen(filename, flag='r', *many_other_optional_arguments)
hashopen(filename, flag='r', *many_other_optional_arguments)
rnopen(filename, flag='r', *many_other_optional_arguments)
```

`btopen` opens or creates the binary tree format file named by *filename* (a string that denotes any path to a file, not just a name), and returns a suitable `BTree` object to access and manipulate the file. Argument *flag* has exactly the same values and meaning as for `anydbm.open`. Other arguments indicate low-level options that allow fine-grained control, but are rarely used.

`hashopen` and `rnopen` work the same way, but open or create hash format and record format files, returning objects of type `Hash` and `Record`. `hashopen` is generally the fastest format and makes sense when you are using keys to look up records. However, if you also need to access records in sorted order, use `btopen`, or if you need to access records in the same order in which you originally wrote them, use `rnopen`. Using `hashopen` does not keep records in order in the file.

An object *b* of any of the types `BTree`, `Hash`, and `Record` can be indexed as a mapping, with both keys and values constrained to being strings. Further, *b* also supports sequential access through the concept of a *current record*. *b* supplies the following methods.

close

```
b.close( )
```

Closes *b*. Call no other method on *b* after `b.close()`.

first

```
b.first( )
```

Sets *b*'s current record to the first record, and returns a pair (*key,value*) for the first record. The order of

records is arbitrary, except for `BTree` objects, which ensure records are sorted in alphabetical order of their keys. `b.first()` raises `KeyError` if `b` is empty.

has_key

```
b.has_key(key)
```

Returns `True` if string `key` is a key in `b`, otherwise returns `False`.

keys

```
b.keys( )
```

Returns the list of `b`'s key strings. The order is arbitrary, except for `BTree` objects, which return keys in alphabetical order.

last

```
b.last( )
```

Sets `b`'s current record to the last record and returns a pair `(key,value)` for the last record. Type `Hash` does not supply method `last`.

next

```
b.next( )
```

Sets `b`'s current record to the next record and returns a pair `(key,value)` for the next record. `b.next()` raises `KeyError` if `b` has no next record.

previous

```
b.previous( )
```

Sets `b`'s current record to the previous record and returns a pair `(key,value)` for the previous record. Type `Hash` does not supply method `previous`.

set_location

```
b.set_location(key)
```

Sets *b*'s current record to the item with string key *key*, and returns a pair (*key,value*). If *key* is not a key in *b*, and *b* is of type `BTree`, `b.set_location(key)` sets *b*'s current record to the item whose key is the smallest key larger than *key* and returns that key/value pair. For other object types, `set_location` raises `KeyError` if *key* is not a key in *b*.

11.3.1 Examples of Berkeley DB Use

The Berkeley DB is suited to tasks similar to those for which DBM-like files are appropriate. Indeed, `anydbm` uses `dbhash`, the DBM-like interface to the Berkeley DB, to create new DBM-like files. In addition, the Berkeley DB can also use other file formats when you use module `bsddb` explicitly. The binary tree format, while not quite as fast as the hashed format when all you need is keyed access, is excellent when you also need to access keys in alphabetical order.

The following example handles the same task as the DBM example shown earlier, but uses `bsddb` rather than `anydbm`:

```
import fileinput, os, bsddb
wordPos = { }
sep = os.pathsep
for line in fileinput.input( ):
    pos = '%s%s%s'%(fileinput.filename( ), sep, fileinput.filelineno( ))
    for word in line.split( ):
        wordPos.setdefault(word,[ ]).append(pos)
btOut = bsddb.btopen('btindex','n')
sep2 = sep * 2
for word in wordPos:
    btOut[word] = sep2.join(wordPos[word])
btOut.close( )
```

The differences between this example and the DBM one are minimal: writing a new binary tree format file with `bsddb` is basically the same task as writing a new DBM-like file with `anydbm`. Reading back the data using `bsddb.btopen('btindex')` rather than `anydbm.open('indexfile')` is similarly trivial. To illustrate the extra features of binary trees regarding access to keys in alphabetical order, we'll perform a slightly more general task. The following example treats its command-line arguments as specifying the beginning of words, and prints the lines in which any word with such a beginning appears:

```
import sys, os, bsddb, linecache
btIn = bsddb.btopen('btindex')
sep = os.pathsep
sep2 = sep * 2

for word in sys.argv[1:]:
    key, pos = btIn.set_location(word)
    if not key.startswith(word):
        sys.stderr.write('Word-start %r not found in index file\n' % word)
    while key.startswith(word):
        places = pos.split(sep2)
        for place in places:
```

```
fname, lineno = place.split(sep)
print "%r occurs in line %s of file %s:" % (word,lineno,fname)
print linecache.getline(fname, int(lineno)),
try: key, pos = btIn.next( )
except IndexError: break
```

This example exploits the fact that `btIn.set_location` sets `btIn`'s current position to the smallest key larger than `word`, when `word` itself is not a key in `btIn`. When `word` is a word-beginning, and keys are words, this means that `set_location` sets the current position to the first word, in alphabetical order, that starts with `word`. The tests with `key.startswith(word)` let us check that we're still scanning words with that beginning, and terminate the `while` loop when that is no longer the case. We perform the first such test in an `if` statement, right before the `while`, because we want to single out the case where no word at all starts with the desired beginning, and output an error message in that specific case.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

11.4 The Python Database API (DBAPI) 2.0

As I mentioned earlier, the Python standard library does not come with an RDBMS interface, but there are many free third-party modules that let your Python programs access specific databases. Such modules mostly follow the Python Database API 2.0 standard, also known as the DBAPI.

At the time of this writing, Python's DBAPI Special Interest Group (SIG) was busy preparing a new version of the DBAPI (possibly to be known as 3.0 when it is ready). Programs written against DBAPI 2.0 should work with minimal or no changes with the future DBAPI 3.0, although 3.0 will no doubt offer further enhancements that future programs will be able to take advantage of.

If your Python program runs only on Windows, you may prefer to access databases by using Microsoft's **ADO** package through **COM**. For more information on using Python on Windows, see the book *Python Programming on Win32*, by Mark Hammond and Andy Robinson (O'Reilly). Since ADO and COM are platform-specific, and this book focuses on cross-platform use of Python, I do not cover ADO nor COM further in this book.

After importing a DBAPI-compliant module, you call the module's `connect` function with suitable parameters. `connect` returns an instance of class `Connection`, which represents a connection to the database. This instance supplies `commit` and `rollback` methods to let you deal with transactions, a `close` method to call as soon as you're done with the database, and a `cursor` method that returns an instance of class `Cursor`. This instance supplies the methods and attributes that you'll use for all database operations. A DBAPI-compliant module also supplies exception classes, `descriptive` attributes, factory functions, and type-description attributes.

11.4.1 Exception Classes

A DBAPI-compliant module supplies exception classes `Warning`, `Error`, and several subclasses of `Error`. `Warning` indicates such anomalies as data truncation during insertion. `Error`'s subclasses indicate various kinds of errors that your program can encounter when dealing with the database and the DBAPI-compliant module that interfaces to it. Generally, your code uses a statement of the form:

```
try:
    ...
except module.Error, err:
    ...
```

in order to trap all database-related errors that you need to handle without terminating.

11.4.2 Thread Safety

When a DBAPI-compliant module has an attribute `threadsafety` that is greater than 0, the module is asserting some specific level of thread safety for database interfacing. Rather than relying on this, it's safer and more portable to ensure that a single thread has exclusive access to any given external resource, such as a database, as outlined in [Chapter 14](#).

11.4.3 Parameter Style

A DBAPI-compliant module has an attribute `paramstyle` that identifies the style of markers to use as placeholders for parameters. You insert such markers in SQL statement strings that you pass to methods of `Cursor` instances, such as method `execute`, in order to use runtime-determined parameter values. Say, for example, that you need to fetch the rows of database table `ATABLE` where field `AFIELD` equals the current value of Python variable `x`. Assuming the cursor instance is named `c`, you could perform this task by using Python's string formatting operator `%` as follows:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=%r' % x)
```

However, this is not the recommended approach. This approach generates a different statement string for each value of `x`, requiring such statements to be parsed and prepared anew each time. With parameter substitution, you pass to `execute` a single statement string, with a placeholder instead of the parameter value. This lets `execute` perform parsing and preparation just once, giving potentially better performance. For example, if a module's `paramstyle` attribute is `'qmark'`, you can express the above query as:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=?', [x])
```

The read-only attribute `paramstyle` is meant to inform your program about the way to use parameter substitution with that module. The possible values of `paramstyle` are:

`format`

The marker is `%s`, as in string formatting. A query looks like:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=%s', [x])
```

`named`

The marker is `:name` and parameters are named. A query look like:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=:x', {'x':x})
```

`numeric`

The marker is `:n`, giving the parameter's number. A query looks like:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=:1', [x])
```

`pyformat`

The marker is `%(name)s` and parameters are named. A query looks like:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=%(x)s', {'x':x})
```

`qmark`

The marker is `?`. A query looks like:

```
c.execute('SELECT * FROM ATABLE WHERE AFIELD=?', [x])
```

When `paramstyle` does not imply named parameters, the second argument of method `execute` is a sequence. When parameters are named, the second argument of method `execute` is a dictionary.

11.4.4 Factory Functions

Parameters passed to the database via placeholders must typically be of the right type. This means Python numbers (integers or floating-point values), strings (plain or Unicode), and `None` to represent SQL `NULL`. Python has no specific types to represent dates, times, and binary large objects (BLOBs). A DBAPI-compliant module supplies factory functions to build such objects. The types used for this purpose by most DBAPI-

compliant modules are those supplied by module `mxDateTime`, covered in [Chapter 12](#), and strings or buffer types for BLOBs. The factory functions are as follows.

Binary

`Binary(string)`

Returns an object representing the given *string* of bytes as a BLOB.

Date

`Date(year, month, day)`

Returns an object representing the specified date.

DateFromTicks

`DateFromTicks(s)`

Returns an object representing the date that is *s* seconds after the epoch of module `time`, covered in [Chapter 12](#). For example, `DateFromTicks(time.time())` is today's date.

Time

`Time(hour, minute, second)`

Returns an object representing the specified time.

TimeFromTicks

`TimeFromTicks(s)`

Returns an object representing the time that is *s* seconds after the epoch of module `time`, covered in [Chapter 12](#). For example, `TimeFromTicks(time.time())` is the current time.

Timestamp

`Timestamp(year, month, day, hour, minute, second)`

Returns an object representing the specified date and time.

TimestampFromTicks

`TimestampFromTicks(s)`

Returns an object representing the date and time that is *s* seconds after the epoch of module `time`, covered in [Chapter 12](#). For example, `TimestampFromTicks(time.time())` is the current date and time.

11.4.5 Type Description Attributes

A `Cursor` instance's attribute `description` describes the types and other characteristics of each column of a query. Each column's type (the second item of the tuple describing the column) equals one of the following attributes of the DBAPI-compliant module:

`BINARY`

Describes columns containing BLOBs

`DATETIME`

Describes columns containing dates, times, or both

`NUMBER`

Describes columns containing numbers of any kind

`ROWID`

Describes columns containing a row-identification number

`STRING`

Describes columns containing text of any kind

A cursor's description, and in particular each column's type, is mostly useful for introspection about the database your program is working with. Such introspection can help you write general modules that are able to work with databases that have different schemas, schemas that may not be fully known at the time you are writing your code.

11.4.6 The connect Function

A DBAPI-compliant module's `connect` function accepts arguments that vary depending on the kind of database and the specific module involved. The DBAPI standard recommends, but does not mandate, that `connect` accept named arguments. In particular, `connect` should at least accept optional arguments with the following names:

`database`

Name of the specific database to connect

`dsn`

Data-source name to use for the connection

`host`

Hostname on which the database is running

`password`

Password to use for the connection

`user`

Username for the connection

11.4.7 Connection Objects

A DBAPI-compliant module's `connect` function returns an object `x` that is an instance of class `Connection`. `x` supplies the following methods.

close

```
x.close( )
```

Terminates the database connection and releases all related resources. Call `close` as soon as you're done with the database, since keeping database connections uselessly open can be a serious resource drain on the system.

commit

```
x
.commit( )
```

Commits the current transaction in the database. If the database does not support transactions, `x.commit()` is an innocuous no-op.

cursor

```
x.cursor( )
```

Returns a new instance of class `Cursor`, covered later in this section.

rollback

```
x.rollback( )
```

Rolls back the current transaction in the database. If the database does not support transactions, `x.rollback()` raises an exception. The DBAPI recommends, but does not mandate, that for databases

that do not support transactions class `Connection` supplies no `rollback` method, so that `x.rollback()` raises `AttributeError`. You can test whether transaction support is present with `hasattr(x, 'rollback')`.

11.4.8 Cursor Objects

A `Connection` instance provides a `cursor` method that returns an object `c` that is an instance of class `Cursor`. A SQL cursor represents the set of results of a query and lets you work with the records in that set, in sequence, one at a time. A cursor as modeled by the DBAPI is a richer concept, since it also represents the only way in which your program executes SQL queries in the first place. On the other hand, a DBAPI cursor allows you only to advance in the sequence of results (some relational databases, but not all, also provide richer cursors that are able to go backward as well as forward), and does not support the SQL clause `WHERE CURRENT OF CURSOR`. These limitations of DBAPI cursors enable DBAPI-compliant modules to provide cursors even on RDBMSes that provide no real SQL cursors at all. An instance of class `Cursor` `c` supplies many attributes and methods; the most frequently used ones are documented here.

close

```
c.close( )
```

Closes the cursor and releases all related resources.

description

A read-only attribute that is a sequence of seven-item tuples, one per column in the last query executed:

```
name, typecode, displaysize, internalsize, precision, scale, nullable
```

`c.description` is `None` if the last operation on `c` was not a query or returned no usable description of the columns involved. A cursor's description is mostly useful for introspection about the database your program is working with. Such introspection can help you write general modules that are able to work with databases that have different schemas, including schemas that may not be fully known at the time you are writing your code.

execute

```
c.execute(statement, parameters=None)
```

Executes a SQL `statement` on the database with the given `parameters`. `parameters` is a sequence when the module's `paramstyle` is `'format'`, `'numeric'`, or `'qmark'`, and a dictionary when `'named'` or `'pyformat'`.

executemany

```
c.executemany(statement, *parameters)
```

Executes a SQL *statement* on the database, once for each item of the given *parameters*. *parameters* is a sequence of sequences when the module's *paramstyle* is 'format', 'numeric', or 'qmark', and a sequence of dictionaries when 'named' or 'pyformat'. For example, the statement:

```
c.executemany('UPDATE atable SET x=? WHERE y=?',
              (12,23), (23,34))
```

that uses a module whose *paramstyle* is 'qmark' is equivalent to, but probably faster than, the two statements:

```
c.execute('UPDATE atable SET x=12 WHERE y=23')
c.execute('UPDATE atable SET x=23 WHERE y=34')
```

fetchall

```
c.fetchall( )
```

Returns all remaining result rows from the last query as a sequence of tuples. Raises an exception if the last operation was not a **SELECT** query.

fetchmany

```
c.fetchmany(n)
```

Returns up to *n* remaining result rows from the last query as a sequence of tuples. Raises an exception if the last operation was not a **SELECT** query.

fetchone

```
c.fetchone( )
```

Returns the next result row from the last query as a tuple. Raises an exception if the last operation was not a **SELECT** query.

rowcount

A read-only attribute that specifies the number of rows fetched or affected by the last operation, or **-1** if the module is unable to determine this value.

11.4.9 DBAPI-Compliant Modules

Whatever relational database you want to use, there's at least one (and often more than one) DBAPI-compliant module that you can download from the Internet. All modules listed in the following sections, except `mxODBC`, have liberal licenses that are mostly similar to Python's license (the SAP DB, however, is licensed under GPL) and that let you use them freely in either open source or closed source programs. `mxODBC` can be used freely for noncommercial purposes, but you must purchase a license for any commercial use. There are so many relational databases that it's impossible to list them all, but here are some of the most popular ones:

ODBC

Open DataBase Connectivity (ODBC) is a popular standard that lets you connect to many different relational databases, including ones not otherwise supported by DBAPI-compliant modules, such as Microsoft Jet (also known as the Access database). The Windows distribution of Python contains an `odbc` module, but the module is unsupported and complies to an older version of the DBAPI, not to the current version 2.0. On either Unix or Windows, use `mxODBC`, available at <http://www.lemburg.com/files/Python/mxODBC.html>. `mxODBC`'s `paramstyle` is 'qmark'. Its `connect` function accepts three optional arguments, named `dsn`, `user`, and `password`.

Oracle

Oracle is a widespread, commercial RDBMS. To interface to Oracle, I recommend module `DCOracle2`, available at <http://www.zope.org/Members/matt/dco2>. `DCOracle2`'s `paramstyle` is 'numeric'. Its `connect` function accepts a single optional, unnamed argument string with the syntax:

```
'user/password@service'
```

Microsoft SQL Server

To interface to Microsoft SQL Server, I recommend module `mssqlldb`, available at <http://www.object-craft.com.au/projects/mssql/>. `mssqlldb`'s `paramstyle` is 'qmark'. Its `connect` function accepts three arguments, named `dsn`, `user`, and `passwd`, as well as an optional `database` argument.

DB2

For IBM DB/2, try module `DB2`, available at <ftp://people.linuxkorea.co.kr/pub/DB2/>. `DB2`'s `paramstyle` is 'format'. Its `connect` function accepts three optional arguments, named `dsn`, `uid`, and `pwd`.

MySQL

MySQL is a widespread, open source RDBMS. To interface to MySQL, try `MySQLdb`, available at <http://sourceforge.net/projects/mysql-python>. `MySQLdb`'s `paramstyle` is 'format'. Its `connect` function accepts four optional arguments, named `db`, `host`, `user`, and `passwd`.

PostgreSQL

PostgreSQL is an excellent open source RDBMS. To interface to PostgreSQL, I recommend `psycopg`, available at <http://initd.org/Software/psycopg>. `psycopg`'s `paramstyle` is 'pyformat'. Its `connect` function accepts a single mandatory argument, named `dsn`, with the syntax:

```
'host=host dbname=dbname user=username password=password'
```

SAP DB

SAP DB, once known as Adabas, is a powerful RDBMS that used to be closed source, but is now open source. SAP DB comes with `sapdbapi`, available at <http://www.sapdb.org/sapdbapi.html>, as well as other useful Python modules. `sapdbapi`'s `paramstyle` is 'pyformat'. Its `connect` function accepts three mandatory arguments, named `user`, `password`, and `database`, and an optional argument named `host`.

11.4.10 Gadfly

Gadfly, available at <http://gadfly.sf.net>, is not an interface to some other RDBMS, but rather a complete RDBMS engine written in Python. Gadfly supports a large subset of standard SQL. For example, Gadfly lacks `NULL`, but it does support `VIEW`, which is a crucial SQL feature that engines such as MySQL still lack at the time of this writing. Gadfly can run as a daemon server, to which clients connect with TCP/IP. Alternatively, you can run the Gadfly engine directly in your application's process, if you don't need other processes to be able to access the same database concurrently.

The `gadfly` module has several discrepancies from the DBAPI 2.0 covered in this chapter because Gadfly implements a variant of the older DBAPI 1.0. The concepts are quite close, but several details differ. The main differences are:

- `gadfly` does not supply custom exception classes, so Gadfly operations that fail raise normal Python exceptions, such as `IOError`, `NameError`, etc.
- `gadfly` does not supply a `paramstyle` attribute. However, the module behaves as if it supplied a `paramstyle` of 'qmark'.
- `gadfly` does not supply a function named `connect`; use the `gadfly.gadfly` or `gadfly.client.gfclient` functions instead.
- `gadfly` does not supply factory functions for data types.
- Gadfly cursors do not supply the `executemany` method. Instead, in the specific case in which the SQL statement is an `INSERT`, the `execute` method optionally accepts as its second argument a list of tuples and inserts all the data.
- Gadfly cursors do not supply the `rowcount` method.

The `gadfly` module supplies the following functions.

gadfly

```
gadfly.gadfly(dbname, dirpath)
```

Returns a connection object for the database named `dbname`, which must have been previously created in the directory indicated by string `dirpath`. The database engine runs in the same process as your application.

gfclient

```
gadfly.client.gfclient(polycname, port, password, host)
```

Returns a connection object for the database served by a `gfserve` process on the given `host` and `port`.

policyname identifies the level of access required, and is often 'admin' to specify unlimited access.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 12. Time Operations

A Python program can handle time in several ways. Time intervals are represented by floating-point numbers, in units of seconds (a fraction of a second is the fractional part of the interval). Particular instants in time are expressed in seconds since a reference instant, known as the *epoch*. (Midnight, UTC, of January 1, 1970, is a popular epoch used on both Unix and Windows platforms.) Time instants often also need to be expressed as a mixture of units of measurement (e.g., years, months, days, hours, minutes, and seconds), particularly for I/O purposes.

This chapter covers the `time` module, which supplies Python's core time-handling functionality. The `time` module strongly depends on the system C library. The chapter also presents the `sched` and `calendar` modules and the essentials of the popular extension module `mx.DateTime`. `mx.DateTime` has more uniform behavior across platforms than `time`, which helps account for its popularity.

Python 2.3 will introduce a new `datetime` module to manipulate dates and times in other ways. At <http://starship.python.net/crew/jbauer/normaldate/>, you can download Jeff Bauer's `normalDate.py`, which gains simplicity by dealing only with dates, not with times. Neither of these modules is further covered in this book.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

12.1 The time Module

The underlying C library determines the range of dates that the `time` module can handle. On Unix systems, years 1970 and 2038 are the typical cut-off points, a limitation that `mx.DateTime` lets you avoid. Time instants are normally specified in UTC (Coordinated Universal Time, once known as GMT, or Greenwich Mean Time). Module `time` also supports local time zones and Daylight Saving Time (DST), but only to the extent that support is supplied by the underlying C system library.

As an alternative to seconds since the epoch, a time instant can be represented by a tuple of nine integers known as a time-tuple. Items in time-tuples are covered in [Table 12-1](#). All items are integers, and therefore time-tuples cannot keep track of fractions of a second. In Python 2.2 and later, the result of any function in module `time` that used to return a time-tuple is now of type `struct_time`. You can still use the result as a tuple, but you can also access the items as read-only attributes `x.tm_year`, `x.tm_mon`, and so on, using the attribute names listed in [Table 12-1](#). Wherever a function used to require a time-tuple argument, you can now pass an instance of `struct_time` or any other sequence whose items are nine integers in the applicable ranges.

Table 12-1. Tuple form of time representation

Item	Meaning	Field name	Range	Notes
0	Year	<code>tm_year</code>	1970-2038	Wider on some platforms
1	Month	<code>tm_mon</code>	1-12	1 is January; 12 is December
2	Day	<code>tm_mday</code>	1-31	
3	Hour	<code>tm_hour</code>	0-23	0 is midnight; 12 is noon
4	Minute	<code>tm_min</code>	0-59	
5	Second	<code>tm_sec</code>	0-61	60 and 61 for leap seconds
6	Weekday	<code>tm_wday</code>	0-6	0 is Monday; 6 is Sunday
7	Year day	<code>tm_yday</code>	1-366	Day number within the year
8	DST flag	<code>tm_isdst</code>	-1 to 1	-1 means library determines DST

To translate a time instant from "a seconds since the epoch" floating-point value into a time-tuple, pass the floating-point value to a function (e.g., `localtime`) that returns a time-tuple with all nine items valid. When you convert in the other direction, `mktime` ignores items six (`tm_wday`) and seven (`tm_yday`) of the tuple. In this case, you normally set item eight (`tm_isdst`) to `-1`, so that `mktime` itself determines whether to apply Daylight Saving Time (DST).

Module `time` supplies the following functions and attributes.

asctime

```
asctime([tupletime])
```

Accepts a time-tuple and returns a 24-character string such as 'Tue Dec 10 18:07:14 2002'. `asctime()` without arguments is like `asctime(localtime(time()))` (i.e., it formats the current time instant).

clock

`clock()`

Returns the current CPU time as a floating-point number of seconds. To measure computational costs of different approaches, it is generally better to use the results of `time.clock` rather than those of `time.time`. On Unix-like platforms, the reason is that the results of `time.clock`, using CPU time rather than elapsed time, are less dependent than those of `time.time` on unpredictable factors due to machine load. On Windows, this reason does not apply, as Windows has no concept of CPU time, but there is another reason: `time.clock` uses the higher-precision performance counter machine clock. The epoch (the time corresponding to a `0.0` result from `time.clock`) is arbitrary, but differences between the results of successive calls to `time.clock` in the same process are accurate.

ctime

`ctime([secs])`

Like `asctime(localtime(secs))` (i.e., accepts an instant expressed in seconds since the epoch and returns a 24-character string form of that time instant). `ctime()` without arguments is like `asctime(localtime(time()))` (i.e., it formats the current time instant).

gmtime

`gmtime([secs])`

Accepts an instant expressed in seconds since the epoch and returns a nine-item time-tuple `t` with the UTC time (DST, the last item of `t`, is always 0). `gmtime()` without arguments is like `gmtime(time())` (i.e., it returns the nine-item time-tuple for the current time instant).

localtime

`localtime([secs])`

Accepts an instant expressed in seconds since the epoch and returns a nine-item tuple `t` with the local time (DST, the last item of `t`, is set to 0 or 1, depending on whether DST applies to instant `secs` according to local rules). `localtime()` without arguments is like `localtime(time())` (i.e., it returns the nine-item time-tuple for the current time instant).

mktime

```
mktime(tupletime)
```

Accepts an instant expressed as a nine-item tuple in local time and returns a floating-point value with the instant expressed in seconds since the epoch. DST, the last item in *tupletime*, is meaningful: set it to `0` to get solar time, to `1` to get Daylight Saving Time, or to `-1` to let `mktime` compute whether DST is in effect or not at the given instant.

```
sleep
```

```
sleep(secs)
```

Suspends the calling thread for *secs* seconds (*secs* is a floating-point number and can indicate a fraction of a second). The calling thread may start executing again before *secs* seconds (if some signal wakes it up) or after a longer suspension (depending on system scheduling of processes and threads).

```
strftime
```

```
strftime(fmt[, tupletime])
```

Accepts an instant expressed as a nine-item tuple in local time and returns a string that represents *tupletime* as specified by string *fmt*. If you omit *tupletime*, `strftime` uses `localtime(time())` instead (i.e., it formats the current time instant in the local time zone). The syntax of string *format* is similar to the syntax specified in [Section 9.3](#). However, conversion characters are different, as shown in [Table 12-2](#), and refer to the time instant specified by *tupletime*. Specifying width and precision explicitly works on some platforms, but not on all.

Table 12-2. Conversion characters for `strftime`

Type char	Meaning	Special notes
<code>a</code>	Weekday name, abbreviated	Depends on locale
<code>A</code>	Weekday name, full	Depends on locale
<code>b</code>	Month name, abbreviated	Depends on locale
<code>B</code>	Month name, full	Depends on locale
<code>c</code>	Complete date and time representation	Depends on locale
<code>d</code>	Day of the month	Between 1 and 31
<code>H</code>	Hour (24-hour clock)	Between 0 and 23
<code>I</code>	Hour (12-hour clock)	Between 1 and 12
<code>j</code>	Day of the year	Between 1 and 366
<code>m</code>	Month number	Between 1 and 12
<code>M</code>	Minute number	Between 0 and 59
<code>p</code>	`AM' or `PM' equivalent	Depends on locale
<code>S</code>	Second number	Between 0 and 61
<code>U</code>	Week number (Sunday first weekday)	Between 0 and 53
<code>w</code>	Weekday number	0 is Sunday, up to 6
<code>W</code>	Week number (Monday first weekday)	Between 0 and 53
<code>x</code>	Complete date representation	Depends on locale
<code>X</code>	Complete time representation	Depends on locale
<code>Y</code>	Year number within century	Between 0 and 99
<code>Y</code>	Year number	1970 to 2038, or wider
<code>Z</code>	Name of time zone	Empty if no time zone exists
<code>%</code>	A literal <code>%</code> character	Encoded as <code>%%</code>

You can obtain dates as formatted by `asctime` (e.g., `'Tue Dec 10 18:07:14 2002'`) with the format string:

```
'%a %b %d %H:%M:%S %Y'
```

You can obtain dates compliant with RFC 822 (e.g., `'Tue, 10 Dec 2002 18:07:14 EST'`) with the format string:

```
'%a, %d %b %Y %H:%M:%S %Z'
```

strptime

```
strptime(str,fmt='%a %b %d %H:%M:%S %Y')
```

Parses `str` according to format string `fmt`, and returns the instant in time-tuple format. With Python 2.2 and earlier, `strptime` is not available on all platforms. However, a pure Python implementation is available at <http://aspn.activestate.com/ASPN/Python/Cookbook/Recipe/56036>. In Python 2.3, the pure Python implementation will be used as a fallback on platforms that provide no other, so that `time.strptime` will always be available.

time

`time()`

Returns the current time instant, a floating-point number of seconds since the epoch. On some platforms, the precision of time measurements is as low as one second.

timezone

Attribute `time.timezone` is the offset in seconds of the local time zone (without DST) from UTC (greater than 0 in the Americas and less than 0 in most of Europe, Asia, and Africa).

tzname

Attribute `time.tzname` is a pair of locale-dependent strings, the names of the local time zone without and with DST, respectively.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

12.2 The sched Module

The `sched` module supplies a class that implements an event scheduler. `sched` supplies a `scheduler` class.

scheduler

```
class scheduler(timefunc, delayfunc)
```

An instance `s` of `scheduler` is initialized with two functions, which `s` then uses for all time-related operations. `timefunc` must be callable without arguments to get the current time instant (in any unit of measure), meaning that you can pass `time.time`. `delayfunc` must be callable with one argument (a time duration, in the same units `timefunc` returns), and it should delay for about that amount of time, meaning you can pass `time.sleep`. `scheduler` also calls `delayfunc` with argument `0` after each event, to give other threads a chance; again, this is compatible with the behavior of `time.sleep`.

A `scheduler` instance `s` supplies the following methods.

cancel

```
s.cancel(event_token)
```

Removes an event from `s`'s queue of scheduled events. `event_token` must be the result of a previous call to `s.enter` or `s.enterabs`, and the event must not yet have happened; otherwise `cancel` raises `RuntimeError`.

empty

```
s.empty( )
```

Returns `True` if `s`'s queue of scheduled events is empty, otherwise `False`.

enterabs

```
s.enterabs(when, priority, func, args)
```

Schedules a future event (i.e., a callback to `func(*args)`) at time `when`. `when` is expressed in the same units of measure used by the time functions of `s`. If several events are scheduled for the same instant, `s` executes them in increasing order of `priority`. `enterabs` returns an event token `t`, which you may later pass to `s.cancel` to cancel this event.

enter

```
s.enter(delay,priority,func,args)
```

Like `enterabs`, except that argument `delay` is a relative time (the difference from the current instant, in the same units of measure), while `enterabs`'s argument `when` is an absolute time (a future instant).

run

```
s.run( )
```

Runs all scheduled events. `s.run` loops until `s.empty()`, using `delayfunc` as passed on `s`'s initialization to wait for the next scheduled event, and then executes the event. If a callback `func` raises an exception, `s` propagates it, but `s` keeps its own state, removing from the schedule the event whose callback raised. If a callback `func` takes longer to run than the time available before the next scheduled event, `s` falls behind, but keeps executing scheduled events in order and never drops events. You can call `s.cancel` to drop an event explicitly if that event is no longer of interest.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

12.3 The calendar Module

The `calendar` module supplies calendar-related functions, including functions to print a text calendar for any given month or year. By default, `calendar` considers Monday the first day of the week and Sunday the last one. You can change this setting by calling function `calendar.setfirstweekday`. `calendar` handles years in the range supported by module `time`, typically 1970 to 2038. Module `calendar` supplies the following functions.

calendar

```
calendar(year, w=2, l=1, c=6)
```

Returns a multiline string with a calendar for year `year` formatted into three columns separated by `c` spaces. `w` is the width in characters of each date; each line has length $21*w+18+2*c$. `l` is the number of lines used for each week.

firstweekday

```
firstweekday( )
```

Returns the current setting for the weekday that starts each week. By default, when `calendar` is first imported, this is `0`, meaning Monday.

isleap

```
isleap(year)
```

Returns `True` if `year` is a leap year, otherwise `False`.

leapdays

```
leapdays(y1, y2)
```

Returns the total number of leap days in the years in `range(y1, y2)`.

month

```
month(year, month, w=2, l=1)
```

Returns a multiline string with a calendar for month *month* of year *year*, one line per week plus two header lines. *w* is the width in characters of each date; each line has length $7*w+6$. *l* is the number of lines for each week.

monthcalendar

```
monthcalendar(year, month)
```

Returns a list of lists of integers. Each sublist represents a week. Days outside month *month* of year *year* are represented by a placeholder value of 0; days within the given month are represented by their dates, from 1 on up.

monthrange

```
monthrange(year, month)
```

Returns a pair of integers. The first item is the code of the weekday for the first day of the month *month* in year *year*; the second item is the number of days in the month. Weekday codes are 0 (Monday) to 6 (Sunday); month numbers are 1 (January) to 12 (December).

prcal

```
prcal(year, w=2, l=1, c=6)
```

Like `print calendar.calendar(year, w, l, c)`.

prmonth

```
prmonth(year, month, w=2, l=1)
```

Like `print calendar.month(year, month, w, l)`.

setfirstweekday

```
setfirstweekday(weekday)
```

Sets the first day of each week to the weekday code *weekday*. Weekday codes are 0 (Monday) to 6 (Sunday). Module `calendar` also supplies attributes `MONDAY`, `TUESDAY`, `WEDNESDAY`, `THURSDAY`, `FRIDAY`,

`SATURDAY`, and `SUNDAY`, whose values are the integers `0` to `6`. Use these attributes when you mean weekday codes (e.g., `calendar.FRIDAY` instead of `4`), to make your code clearer and more readable.

timegm

`timegm(tupletime)`

The inverse of `time.gmtime`: accepts a time instant in time-tuple form and returns the same instant as a floating-point number of seconds since the epoch.

weekday

`weekday(year, month, day)`

Returns the weekday code for the given date. Weekday codes are `0` (Monday) to `6` (Sunday); month numbers are `1` (January) to `12` (December).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

12.4 The mx.DateTime Module

`DateTime` is one of the modules in the `mx` package made available by eGenix GmbH. `mx` is open source, and at the time of this writing, `mx.DateTime` has liberal license conditions similar to those of Python itself. `mx.DateTime`'s popularity stems from its functional richness and cross-platform portability. I present only an essential subset of `mx.DateTime`'s rich functionality here; the module comes with detailed documentation about its advanced time and date handling features.

12.4.1 Date and Time Types

Module `DateTime` supplies several date and time types whose instances are immutable (and therefore suitable as dictionary keys). Type `DateTime` represents a time instant and includes an absolute date, which is the number of days since an epoch of January 1, year 1 CE, according to the Gregorian calendar (0001-01-01 is day 1), and an absolute time, which is a floating-point number of seconds since midnight. Type `DateTimeDelta` represents an interval of elapsed time, which is a floating-point number of seconds. Class `RelativeDateTime` lets you specify dates in relative terms, such as "next Monday" or "first day of next month." `DateTime` and `DateTimeDelta` are covered in detail later in this section, but `RelativeDateTime` is not.

Date and time types supply customized string conversion, invoked via the built-in `str` or automatically during implicit conversion (e.g., in a `print` statement). The resulting strings are in standard ISO 8601 formats, such as:

```
YYYY-MM-DD HH:MM:SS.ss
```

For finer-grained control of string formatting, use method `strftime`. Function `DateTimeFrom` constructs `DateTime` instances from strings. Submodules of module `mx.DateTime` supply other formatting and parsing functions, using different standards and conventions.

12.4.2 The DateTime Type

Module `DateTime` supplies factory functions to build instances of type `DateTime`, which in turn supply methods, attributes, and arithmetic operators.

12.4.2.1 Factory functions for DateTime

Module `DateTime` supplies many factory functions that produce `DateTime` instances. Several of these factory functions can also be invoked through synonyms. The most commonly used factory functions are the following.

DateTime, Date, Timestamp

```
DateTime(year, month=1, day=1, hour=0, minute=0, second=0.0)
```

Creates and returns a `DateTime` instance representing the given absolute time. `Date` and `Timestamp` are synonyms of `DateTime`. `day` can be less than 0 to denote days counted from the end of the month: `-1` is the last day of the month, `-2` the next to last day, and so on. For example:

```
print mx.DateTime.DateTime(2002,12,-1)
# prints: 2002-12-31 00:00:00.00
```

`second` is a floating-point value and can include an arbitrary fraction of a second.

DateTimeFrom, TimestampFrom

```
DateTimeFrom(*args, **kws)
```

Creates and returns a `DateTime` instance built from the given arguments. `TimestampFrom` is a synonym of `DateTimeFrom`. `DateTimeFrom` can parse strings that represent a date and/or time. `DateTimeFrom` can also accept named arguments, taking the same names as those of the arguments of function `DateTime`.

DateTimeFromAbsDays

```
DateTimeFromAbsDays(days)
```

Creates and returns a `DateTime` instance representing an instant `days` days after the epoch. `days` is a floating-point number and can include an arbitrary fraction of a day.

DateTimeFromCOMDate

```
DateTimeFromCOMDate(comdate)
```

Creates and returns a `DateTime` instance representing the COM-format date `comdate`. `comdate` is a floating-point number and can include an arbitrary fraction of a day. The COM date epoch is midnight of January 1, 1900.

DateFromTicks

```
DateFromTicks(secs)
```

Creates and returns a `DateTime` instance representing midnight, local time, of the day of instant `secs`. `secs` is an instant as represented by the `time` module (i.e., seconds since `time`'s epoch).

gmt, utc

```
gmt( )
```

Creates and returns a `DateTime` instance representing the current GMT time. `utc` is a synonym of `gmt`.

gmtime, utctime

```
gmtime(secs=None)
```

Creates and returns a `DateTime` instance representing the GMT time of instant `secs`. `secs` is an instant as represented by the `time` module (i.e., seconds since `time`'s epoch). When `secs` is `None`, `gmtime` uses the current instant as returned by function `time.time`. `utctime` is a synonym of `gmtime`.

localtime

```
localtime(secs=None)
```

Creates and returns a `DateTime` instance representing the local time of instant `secs`. `secs` is an instant as represented by the `time` module (i.e., seconds since `time`'s epoch). When `secs` is `None`, `localtime` uses the current instant as returned by function `time.time`.

mktime

```
mktime(timetuple)
```

Creates and returns a `DateTime` instance representing the instant indicated by nine-item tuple `timetuple`, which is in the format used by module `time`.

now

```
now( )
```

Creates and returns a `DateTime` instance representing the current local time.

TimestampFromTicks

```
TimestampFromTicks(secs)
```

Creates and returns a `DateTime` instance representing the local time of instant `secs`. `secs` is an instant as represented by the `time` module (i.e., seconds since `time`'s epoch).

today

```
today(hour=0,minute=0,second=0.0)
```

Creates and returns a `DateTime` instance representing the local time for the given time (the default is midnight) of today's date.

12.4.2.2 Methods of `DateTime` instances

The most commonly used methods of a `DateTime` instance `d` are the following.

absvalues

```
d.absvalues( )
```

Returns a pair `(ad,at)` where `ad` is an integer representing `d`'s absolute date and `at` is a floating-point number representing `d`'s absolute time.

COMDate

```
d.COMDate( )
```

Returns `d`'s instant in COM format (i.e., a floating-point number that is the number of days and fraction of a day since midnight of January 1, 1900).

gmticks

```
d.gmticks( )
```

Returns a floating-point value representing `d`'s instant as seconds (and fraction) since module `time`'s epoch, assuming `d` is represented in GMT.

gmtime

```
d.gmtime( )
```

Returns a `DateTime` instance `d1` representing `d`'s instant in GMT, assuming `d` is represented in local time.

gmtoffset

```
d.gmtoffset( )
```

Returns a `DateTimeDelta` instance representing the time zone of `d`, assuming `d` is represented in local time. `gmtoffset` returns negative values in the Americas, positive ones in most of Europe, Asia, and Africa.

localtime

```
d.localtime( )
```

Returns a `DateTime` instance `d1` representing `d`'s instant in local time, assuming `d` is represented in GMT.

strftime, Format

```
d.strftime(fmt="%c")
```

Returns a string representing `d` as specified by string `fmt`. The syntax of `fmt` is the same as in `time.strftime`, covered in [Section 12.1](#) earlier in this chapter. `Format` is a synonym of `strftime`.

ticks

```
d.ticks( )
```

Returns a floating-point number representing `d`'s instant as seconds (and fraction) since module `time`'s epoch, assuming `d` is represented in local time.

tuple

```
d.tuple( )
```

Returns `d`'s instant as a nine-item tuple, in the format used by module `time`.

12.4.2.3 Attributes of `DateTime` instances

The most commonly used attributes of a `DateTime` instance `d` are the following (all read-only):

`absdate`

`d`'s absolute date, like `d.absvalues() [0]`

`absdays`

A floating-point number representing days (and fraction of a day) since the epoch

`abstime`

d 's absolute time, like `d.absvalues() [1]`

`date`

A string in format 'YYYY-MM-DD', the standard ISO format for the date of d

`day`

An integer between 1 and 31, the day of the month of d

`day_of_week`

An integer between 0 and 6, the day of the week of d (Monday is 0)

`day_of_year`

An integer between 1 and 366, the day of the year of d (January 1 is 1)

`dst`

An integer between -1 and 1, indicating whether DST is in effect on date d , assuming d is represented in local time (-1 is unknown, 0 is no, 1 is yes)

`hour`

An integer between 0 and 23, the hour of the day of d

`iso_week`

A three-item tuple (*year*, *week*, *day*) with the ISO week notation for d (*week* is week-of-year; *day* is between 1, Monday, and 7, Sunday)

`minute`

An integer between 0 and 59, the minute of the hour of d

`month`

An integer between 1 and 12, the month of the year of d

`second`

A floating-point number between 0.0 and 60.0, the second of the minute of d (`DateTime` instances do not support leap seconds)

`year`

An integer, the year of d (1 is 1 CE, 0 is 1 BCE)

12.4.2.4 Arithmetic on `DateTime` instances

You can use binary operator - (minus) between two `DateTime` instances $d1$ and $d2$. In this case, $d1-d2$ is a `DateTimeDelta` instance representing the elapsed time between $d1$ and $d2$, which is greater than 0 if $d1$ is later than $d2$. You can use binary operators + and - between a `DateTime` instance d and a number n . $d+n$, $d-n$, and $n+d$ are all `DateTime` instances differing from d by n (or $-n$) days (and fraction of a day, if n is a floating-point number), and $n-d$ is arbitrarily defined to be equal to $d-n$.

12.4.3 The `DateTimeDelta` Type

Instances of type `DateTimeDelta` represent differences between time instants. Internally, a

`DateTimeDelta` instance stores a floating-point number that represents a number of seconds (and fraction of a second).

12.4.3.1 Factory functions for `DateTimeDelta`

Module `DateTime` supplies many factory functions that produce `DateTimeDelta` instances. Some of these factory functions can be invoked through one or more synonyms. The most commonly used are the following.

DateTimeDelta

```
DateTimeDelta(days, hours=0.0, minutes=0.0, seconds=0.0)
```

Creates and returns a `DateTimeDelta` instance by the formula:

```
seconds+60.0*(minutes+60.0*(hours+24.0*days))
```

DateTimeDeltaFrom

```
DateTimeDeltaFrom(*args, **kws)
```

Creates and returns a `DateTimeDelta` instance from the given arguments. See the [DateTimeFrom](#) factory function for type `DateTime` earlier in this chapter.

DateTimeDeltaFromSeconds

```
DateTimeDeltaFromSeconds(seconds)
```

Like `DateTimeDelta(0,0,0,seconds)`.

TimeDelta, Time

```
TimeDelta(hours=0.0, minutes=0.0, seconds=0.0)
```

Like `DateTimeDelta(0, hours, minutes, seconds)`. Function `TimeDelta` is guaranteed to accept named arguments. `Time` is a synonym for `TimeDelta`.

TimeDeltaFrom, TimeFrom

```
TimeDeltaFrom(*args, **kws)
```

Like `DateTimeDeltaFrom`, except that the first positional numeric arguments, if any, indicate hours, not days as for `DateTimeDeltaFrom`. `TimeFrom` is a synonym for `TimeDeltaFrom`.

TimeFromTicks

```
TimeFromTicks(secs)
```

Creates and returns a `DateTimeDelta` instance for the amount of time between the instant *secs* (in the format used by the `time` module) and midnight of the same day as that of the instant *secs*.

12.4.3.2 Methods of `DateTimeDelta` instances

The most commonly used methods of a `DateTimeDelta` instance *d* are the following.

absvalues

```
d.absvalues( )
```

Returns a pair (*ad*,*at*) where *ad* is an integer (*d*'s number of days), *at* is a floating-point number (*d*'s number of seconds modulo 86400), and both have the same sign.

strftime, Format

```
d.strftime(fmt="%c")
```

Returns a string representing *d* as specified by string *fmt*. The syntax of *fmt* is the same as in `time.strftime`, covered in [Section 12.1](#) earlier in this chapter, but not all specifiers are meaningful. The result of `d.strftime` does not reflect the sign of the time interval that *d* represents; to display the sign as well, you must affix it to the string by separate string manipulation. For example:

```
if d.seconds >= 0.0: return d.strftime(fmt)
else: return '-' + d.strftime(fmt)
```

`Format` is a synonym of `strftime`.

tuple

```
d.tuple( )
```

Returns a tuple (*day*,*hour*,*minute*,*second*) where each item is a signed number in the respective range. *second* is a floating-point number, and the other items are integers.

12.4.3.3 Attributes of `DateTimeDelta` instances

A `DateTimeDelta` instance `d` supplies the following attributes (all read-only):

`day`, `hour`, `minute`, `second`

Like the four items of the tuple returned by `d.tuple()`
`days`, `hours`, `minutes`, `seconds`

Each is a floating-point value expressing `d`'s value in the given unit of measure, so that:
`d.seconds == 60.0*d.minutes == 3600.0*d.hours == 86400.0*d.days`

12.4.3.4 Arithmetic on `DateTimeDelta` instances

You can add or subtract two `DateTimeDelta` instances `d1` and `d2`, to add or subtract the signed time intervals they represent. You can use binary operators `+` and `-` between a `DateTimeDelta` instance `d` and a number `n`: `n` is taken as a number of seconds (and fraction of a second, if `n` is a floating-point value). You can also multiply or divide `d` by `n`, to scale the time interval `d` represents. Each of these operations yields another `DateTimeDelta` instance. You can also add or subtract a `DateTimeDelta` instance `dd` to or from a `DateTime` instance `d`, yielding another `DateTime` instance `d1` that differs from `d` by the signed time interval indicated by `dd`.

12.4.4 Other Attributes

Module `mx.DateTime` also supplies many constant attributes. The attributes used most often are:

`oneWeek`, `oneDay`, `oneHour`, `oneMinute`, `oneSecond`

Instances of `DateTimeDelta` representing the indicated durations
`Monday`, `Tuesday`, `Wednesday`, `Thursday`, `Friday`, `Saturday`, `Sunday`

Integers representing the weekdays: Monday is `0`, Tuesday is `1`, and so on
`Weekday`

A dictionary that maps integer weekday numbers to their string names and vice versa: `0` maps to `'Monday'`, `'Monday'` maps to `0`, and so on
`January`, `February`, `March`, `April`, `May`, `June`, `July`, `August`, `September`, `October`, `November`, `December`

Integers representing the months: January is `1`, February is `2`, and so on
`Month`

A dictionary that maps integer month numbers to their string names and vice versa: `1` maps to `'January'`, `'January'` maps to `1`, and so on

Module `mx.DateTime` supplies one other useful function.

cmp

```
cmp(obj1,obj2,accuracy=0.0)
```

Compares two `DateTime` or `DateTimeDelta` instances `obj1` and `obj2`, and returns `-1`, `0`, or `1`, like the built-in function `cmp`. It also returns `0` (meaning that `obj1` and `obj2` are "equal") if the two instants or durations differ by less than `accuracy` seconds.

12.4.5 Submodules

Module `mx.DateTime` also supplies several submodules for specialized purposes. Module `mx.DateTime.ISO` supplies functions to parse and generate date and time strings in ISO 8601 formats. Module `mx.DateTime.ARPA` supplies functions to parse and generate date and time strings in the ARPA format that is widely used on the Internet:

```
[Day, ]DD Mon YYYY HH:MM[:SS] [ZONE]
```

Module `mx.DateTime.Feasts` supplies functions to compute the date of Easter Sunday, and other moveable feast days that depend on it, for any given year. If your machine is connected to the Internet, you can use module `mx.DateTime.NIST` to access the accurate world standard time provided by NIST atomic clocks. Thanks to NIST's atomic clocks, the module is able to compute the current date and time very accurately. The module calibrates your computer's approximate clock with reference to NIST's clocks and compensates for any network delays incurred while accessing NIST.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 13. Controlling Execution

Python directly exposes many of the mechanisms it uses internally. This helps you understand Python at an advanced level, and means you can hook your own code into such documented Python mechanisms and control those mechanisms to some extent. For example, [Chapter 7](#) covered the `import` statement and the way Python arranges for built-ins to be made implicitly visible. This chapter covers other advanced techniques that Python offers for controlling execution, while [Chapter 17](#) covers execution-control possibilities that apply specifically to the three crucial phases of development: testing, debugging, and profiling.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

13.1 Dynamic Execution and the `exec` Statement

With Python's `exec` statement, it is possible to execute code that you read, generate, or otherwise obtain during the running of a program. The `exec` statement dynamically executes a statement or a suite of statements. `exec` is a simple keyword statement with the following syntax:

```
exec code[ in globals[, locals]]
```

`code` can be a string, an open file-like object, or a code object. `globals` and `locals` are dictionaries. If both are present, they are the global and local namespaces, respectively, in which `code` executes. If only `globals` is present, `exec` uses `globals` in the role of both namespaces. If neither `globals` nor `locals` is present, `code` executes in the current scope. Running `exec` in current scope is not good programming practice, since it can bind, rebind, or unbind any name. To keep things under control, you should use `exec` only with specific, explicit dictionaries.

13.1.1 Avoiding `exec`

More generally, use `exec` only when it's really indispensable. Most often, it is better avoided in favor of more specific mechanisms. For example, a frequently asked question is, "How do I set a variable whose name I just read or constructed?" Strictly speaking, `exec` lets you do this. For example, if the name of the variable you want to set is in variable `varname`, you might use:

```
exec varname+'=23'
```

Don't do this. An `exec` statement like this in current scope causes you to lose control of your namespace, leading to bugs that are extremely hard to track and more generally making your program unfathomably difficult to understand. An improvement is to keep the "variables" you need to set, not as variables, but as entries in a dictionary, say `mydict`. You can then use the following variation:

```
exec varname+'=23' in mydict
```

While this is not as terrible as the previous example, it is still a bad idea. The best approach is to keep such "variables" as dictionary entries and not use `exec` at all to set them. You can just use:

```
mydict[varname] = 23
```

With this approach, your program is clearer, more direct, more elegant, and faster. While there are valid uses of `exec`, they are extremely rare and they should always use explicit dictionaries.

13.1.2 Restricting Execution

If the global namespace is a dictionary without key `'_ _builtins_ _'`, `exec` implicitly adds that key, referring to module `_ _builtin_ _` (or to the dictionary thereof), as covered in [Chapter 8](#). If the global namespace dictionary has a key `'_ _builtins_ _'` and the value doesn't refer to the real module `_ _builtin_ _`, `code`'s execution is restricted, as covered in the upcoming section [Section 13.2](#).

13.1.3 Expressions

`exec` can execute an expression because any expression is also a valid statement (called an expression statement). However, Python ignores the value returned by an expression statement in this case. To evaluate an expression and obtain the expression's value, see built-in function [eval](#), covered in [Chapter 8](#).

13.1.4 Compile and Code Objects

To obtain a code object to use with `exec`, you normally call built-in function `compile` with the last argument set to `'exec'` (as covered in [Chapter 8](#)). I recommend using `compile` on statements held in a string and then using `exec` on the resulting code object, rather than giving `exec` the string to compile and execute. This separation lets you check for syntax errors separately from evaluation-time errors. You can often arrange things so the string is compiled once and the code object is executed repeatedly, speeding things up. `eval` can also benefit from such separation.

A code object has a read-only attribute `co_names`, the tuple of the names used in the code. Knowing what names the code is about to access may sometimes help you optimize the preparation of the dictionary you pass to `exec` or `eval` as the namespace. Since you need to provide values only for those names, you may save work by not preparing other entries.

For example, your application may dynamically accept code from the user with the convention that variable names starting with `data_` refer to files residing in subdirectory `data` that user-written code doesn't need to read explicitly. User-written code may in turn compute and leave results in global variables with names starting with `result_`, which your application will write back as files in subdirectory `data`. Thanks to this convention, you may later move the data elsewhere (e.g., to BLOBs in a database), and user-written code won't be affected. Here's how you might implement these conventions efficiently:

```
def exec_with_data(user_code_string):
    user_code = compile(user_code_string, '<user code>', 'exec')
    datadict = { }
    for name in user_code.co_names:
        if name.startswith('data_'):
            datafile = open('data/%s' % name[5:], 'rb')
            datadict[name] = datafile.read( )
            datafile.close( )
    exec user_code in datadict
    for name in datadict:
        if name.startswith('result_'):
            datafile = open('data/%s' % name[7:], 'wb')
            datafile.write(datadict[name])
            datafile.close( )
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

13.2 Restricted Execution

Python code executed dynamically normally suffers no special restrictions. Python's general philosophy is to give the programmer tools and mechanisms that make it easy to write good, safe code, and trust the programmer to use them appropriately. Sometimes, however, trust might not be warranted. When code to execute dynamically comes from an untrusted source, the code itself is untrusted. In such cases it's important to selectively restrict the execution environment so that such code cannot accidentally or maliciously inflict damage. If you never need to execute untrusted code, you can skip this section. However, Python makes it easy to impose appropriate restrictions on untrusted code if you ever do need to execute it.

When the `__builtins__` item in the global namespace isn't the standard `__builtin__` module (or the latter's dictionary), Python knows the code being run is restricted. Restricted code executes in a sandbox environment, previously prepared by the trusted code, that requests the restricted code's execution. Standard modules `rexec` and `Bastion` help you prepare an appropriate sandbox. To ensure that restricted code cannot escape the sandbox, a few crucial internals (e.g., the `__dict__` attributes of modules, classes, and instances) are not directly available to restricted code.

There is no special protection against restricted code raising exceptions. On the contrary, Python diagnoses any attempt by restricted code to violate the sandbox restrictions by raising an exception. Therefore, you should generally run restricted code in the `try` clause of a `try/except` statement, as covered in [Chapter 6](#). Make sure you catch all exceptions and handle them appropriately if your program needs to keep running in such cases.

There is no built-in protection against untrusted code attempting to inflict damage by consuming large amounts of memory or time (so-called denial-of-service attacks). If you need to ward against such attacks, you can run untrusted code in a separate process. The separate process uses the mechanisms described in this section to restrict the untrusted code's execution, while the main process monitors the separate one and terminates it if and when resource consumption becomes excessive. Processes are covered in [Chapter 14](#). Resource monitoring is currently supported by the standard Python library only on Unix-like platforms (by platform-specific module `resource`), and this book covers only cross-platform Python.

As a final note, you need to know that there are known, exploitable security weaknesses in the restricted-execution mechanisms, even in the most recent versions of Python. Although restricted execution is better than nothing, at the time of this writing there are no known ways to execute untrusted code that are suitable for security-critical situations.

13.2.1 The `rexec` Module

The `rexec` module supplies the `RExec` class, which you can instantiate to prepare a typical restricted-execution sandbox environment in which to run untrusted code.

RExec

```
class RExec(hooks=None, verbose=False)
```

Returns an instance of the `RExec` class, which corresponds to a new restricted-execution environment, also known as a sandbox. `hooks`, if not `None`, lets you exert fine-grained control on `import` statements executed in the sandbox. This is an advanced and rarely used functionality, and I do not cover it further in this book. `verbose`, if true, causes additional debugging output to be sent to standard output for many kinds of operations in the sandbox.

13.2.1.1 Methods

An instance `r` of `RExec` provides the following methods. Versions of `RExec`'s methods whose names start with `s_` rather than `r_` are also available. An `r_` method and its `s_` variant are equivalent, but the latter also ensures that untrusted code can call only safe methods on standard file objects `sys.stdin`, `sys.stdout`, and `sys.stderr`. This is needed only in the unusual case in which you have replaced the standard file objects with file-like objects that also expose additional, unsafe methods or attributes.

r_add_module

```
r.r_add_module(modname)
```

Adds and returns a new empty module if no module yet corresponds to name `modname` in the sandbox. If the sandbox already contains a module object that corresponds to name `modname`, `r_add_module` returns that module object.

r_eval, s_eval

```
r.r_eval(expr)  
r.s_eval(expr)
```

`r_eval` executes `expr`, which must be an expression or a code object, in the restricted environment and returns the expression's result.

r_exec, s_exec

```
r.r_exec(code)  
r.s_exec(code)
```

`r_exec` executes `code`, which must be a string of code or a code object, in the restricted environment.

r_execfile, s_execfile

```
r.r_execfile(filename)  
r.s_execfile(filename)
```

`r_execfile` executes the file identified by `filename`, which must contain Python code, in the restricted environment.

r_import, s_import

```
r.r_import(modname[,globals[,locals[,fromlist]])
r.s_import(modname[,globals[,locals[,fromlist]])
```

Imports the module `modname` into the restricted environment. All parameters are just like for built-in function `__import__`, covered in [Chapter 7](#). `r_import` raises `ImportError` if the module is considered unsafe. A subclass of `RExec` may override `r_import`, to change the set of modules available to `import` statements in untrusted code and/or to otherwise change `import` functionality for the sandbox.

r_open

```
r.r_open(filename[,mode[,bufsize]])
```

Executes when restricted code calls the built-in `open`. All parameters are just like for the built-in `open`, covered in [Chapter 10](#). The version of `r_open` in class `RExec` opens any file for reading, but none for writing or appending. A subclass may ease or tighten these restrictions.

r_reload, s_reload

```
r.r_reload(module)
r.s_reload(module)
```

Reloads the module object `module` in the restricted-execution environment, similarly to built-in function `reload`, covered in [Chapter 7](#).

r_unload, s_unload

```
r.r_unload(module)
r.s_unload(module)
```

Unloads the module object `module` from the restricted-execution environment (i.e., removes it from the dictionary `sys.modules` as seen by untrusted code executing in the sandbox).

13.2.1.2 Attributes

When `RExec`'s defaults don't fully correspond to your application's specific needs, you can easily customize the restricted-execution sandbox. Class `RExec` has several attributes that are tuples of strings. The items of these tuples are names of functions, modules, or directories to be specifically allowed or disallowed, as

follows:

`nok_builtin_names`

Built-in functions not to be supplied in the sandbox

`ok_builtin_modules`

Built-in modules that the sandbox can `import`

`ok_path`

Used as `sys.path` for the sandbox's `import` statements

`ok_posix_names`

Attributes of `os` that the sandbox may `import`

`ok_sys_names`

Attributes of `sys` that the sandbox may `import`

When you instantiate `RExec`, the new instance uses class attributes to prepare the sandbox. If you need to customize the sandbox, subclass `RExec` and instantiate the subclass. Your subclass can override `RExec`'s attributes, typically by copying the value that each attribute has in `RExec` and selectively adding or removing specific items.

13.2.1.3 Using rexec

In the simplest case, you can instantiate `RExec` and call the instance's `r_exec` and `r_eval` methods instead of using statement `exec` and built-in function `eval`. For example, here's a somewhat safer variant of built-in function `input`:

```
import rexec
rex = rexec.RExec( )
def rexinput(prompt):
    expr = raw_input(prompt)
    return rex.r_eval(expr)
```

Function `rexinput` in this example is roughly equivalent to built-in function `input`, covered in [Chapter 8](#). However, `rexinput` wards against some of the abuses that are possible if you don't trust the user who's supplying input. For example, with the normal, unrestricted `eval`, an expression such as `__import__('_os').system('xx')` lets the interactive user run any external program `xx`. Built-in function `input` implicitly uses normal, unrestricted `eval` on the user's input. Function `rexinput` uses restricted execution instead, so that the same expression fails and raises `AttributeError`, claiming that module `os` has no attribute named `system`. This example does not use a `try/except` around the `r_eval` call, but of course your application code that calls `rexinput` should use `try/except` if you need your program to keep executing when the user makes mistakes or unsuccessful attempts to break security. Mistakes and attempts to break security both get diagnosed through exceptions.

This example's usefulness comes from the fact that a restricted-execution sandbox can hide some functionality from untrusted code, so that untrusted code cannot take advantage of that functionality to wreak havoc. Function `os.system` is a prime example of functionality that should always be prohibited to untrusted code, so class `RExec` forbids it by default.

After creating a new restricted-execution environment `r` with `r=rexec.RExec()`, you can optionally

complete *r*'s initialization by inserting modules into *r*'s sandbox with `add_module`, then inserting attributes in those modules with built-in function `setattr`. Simple assignment statements also work just fine if the attributes have names that you know at the time you're writing your sandbox-preparation code. Here's how to enrich the previous example to let the user-entered expressions use all functions from module `math` (covered in [Chapter 15](#)) as if they were built-ins, since you know that none of the functions presents any security risk:

```
import rexec, math
rex = rexec.RExec( )
burex = rex.add_module('_ _builtins_ _')
for function in dir(math):
    if function[0] != '_':
        setattr(burex, function, getattr(math, function))
def rich_input(prompt):
    expr = raw_input(prompt)
    return rex.r_eval(expr)
```

Function `rich_input` in this example is now both richer and safer than the built-in `input`. It's richer because the user can now also input expressions such as `sin(1.0)`. It's safer, just like `rexinput` in the previous example, because it uses restricted execution to limit untrusted code.

Normally, you use `add_module`, and then add attributes, only for the modules named `'_ _main_ _'` and `'_ _builtins_ _'`. If the untrusted code needs other modules that it is allowed to import (based on the `ok_builtin_modules` and `ok_path` attributes of the `RExec` subclass you instantiated), the untrusted code can import those other modules normally, usually with an `import` statement or a call to built-in function `__import__`. However, you can also choose to use `add_module` for other module names in order to synthesize, restrict, or otherwise modify modules that later get imported by the untrusted code.

Once you have populated the sandbox, untrusted code can call the functions and other callables that you added to the sandbox. When called, such functions and other callables execute in the normal (non-sandbox) environment, without constraints. You should therefore ensure that untrusted code cannot cause damage by misusing such callables. Module `Bastion`, covered in the next section, deals with the specific task of selectively exposing object methods.

13.2.2 The Bastion Module

The `Bastion` module supplies a class, each of whose instances wraps an object and selectively exposes some of the wrapped object's methods, but no other attributes.

Bastion

```
class Bastion(obj,filter=lambda n: n[:1]!='_',name=None)
```

A `Bastion` instance *b* wrapping object *obj* exposes only those methods of *obj* for whose name *filter* returns true. An access `b.attr` works like:

```
if filter('attr'): return obj.attr
else: raise AttributeError, 'attr'
```

plus a check that `b.attr` is a method, not an attribute of any other type.

The default `filter` accepts all method names that do not start with an underscore (`_`) (i.e., all methods that are neither private nor special methods). When `name` is not `None`, `repr(b)` is the string '<Bastion for `name`>'. When `name` is `None`, `repr(b)` is '<Bastion for %s>' % `repr(obj)`.

Suppose, for example, that your application supplies a class `MyClass` whose public methods are all safe, while private and special methods, as well as attributes that are not methods, should be hidden from untrusted code. In the sandbox, you can provide a factory function that supplies safely wrapped instances of `MyClass` to untrusted code as follows:

```
import rexec, Bastion
rex = rexec.RExec( )
burex = rex.add_module('_ _builtins_ _')
def SafeMyClassFactory(*args, **kwds):
    return Bastion.Bastion(MyClass(*args, **kwds))
burex.MyClass = SafeMyClassFactory
```

Now, untrusted code that you run with `rex.r_exec` can instantiate and use safely wrapped instances of `MyClass`:

```
m = MyClass(1,2,3)
m.somemethod(4,5)
```

However, any attempt by the untrusted code to access private or special methods, even indirectly (e.g., `m[6]=7` indirectly tries to use special method `__setitem__`), raises `AttributeError`, whether the real `MyClass` supplies such methods or not. Suppose you want a slightly less tight wrapping, allowing untrusted code to use special method `__getitem__`, as well as normal public methods, but no other. You just need to provide a custom `filter` function when you instantiate `Bastion`:

```
import rexec, Bastion
rex = rexec.RExec( )
burex = rex.add_module('_ _builtins_ _')
def SafeMyClassFactory(*args, **kwds):
    def is_safe(n): n= '__getitem__' or n[0]!='_'
    return Bastion.Bastion(MyClass(*args, **kwds), is_safe)
burex.MyClass = SafeMyClassFactory
```

Now, untrusted code that is run in sandbox `rex` can get, but not set, items of the instances of `MyClass` it builds with the factory function (assuming, of course, that your class `MyClass` does supply method `__getitem__`).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

13.3 Internal Types

Some of the internal Python objects that I mention in this section are hard to use. Using such objects correctly requires some study of Python's own C (or Java) sources. Such black magic is rarely needed, except to build general-purpose development frameworks and similar wizardly tasks. Once you do understand things in depth, Python empowers you to exert control, if and when you need to. Since Python exposes internal objects to your Python code, you can exert that control by coding in Python, even when a nodding acquaintance with C (or Java) is needed to understand what is going on.

13.3.1 Type Objects

The built-in type named `type` acts as a factory object, returning objects that are types themselves (`type` was a built-in function in Python 2.1 and earlier). Type objects don't need to support any special operations except equality comparison and representation as strings. Most type objects are callable, and return new instances of the type when called. In particular, built-in types such as `int`, `float`, `list`, `str`, `tuple`, and `dict` all work this way. The attributes of the `types` module are the built-in types, each with one or more names. For example, `types.DictType` and `types.DictionaryType` both refer to `type({ })`, also known since Python 2.2 as the built-in type `dict`. Besides being callable to generate instances, type objects are useful in Python 2.2 and later because you can subclass them, as covered in [Chapter 5](#).

13.3.2 The Code Object Type

As well as by using built-in function `compile`, you can also get a code object via the `func_code` attribute of a function or method object. A code object's `co_varnames` attribute is the tuple of names of local variables, including the formal arguments; the `co_argcount` attribute is the number of arguments. Code objects are not callable, but you can rebind the `func_code` attribute of a compatible function object in order to wrap a code object into callable form. Module `new` supplies a function to create a code object, as well as other functions to create instances, classes, functions, methods, and modules. Such needs are both rare and advanced, and are not covered further in this book.

13.3.3 The frame Type

Function `_getframe` in module `sys` returns a frame object from Python's call stack. A frame object has attributes that supply information about the code executing in the frame and the execution state. Modules `traceback` and `inspect` help you access and display information, particularly when an exception is being handled. [Chapter 17](#) provides more information about frames and tracebacks.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

13.4 Garbage Collection

Python's garbage collection normally proceeds transparently and automatically, but you can choose to exert some direct control. The general principle is that Python collects each object `x` at some time after `x` becomes unreachable, that is, when no chain of references can reach `x` by starting from a local variable of a function that is executing, nor from a global variable of a loaded module. Normally, an object `x` becomes unreachable when there are no references at all to `x`. However, a group of objects can also be unreachable when they reference each other.

Classic Python keeps in each object `x` a count, known as a *reference count*, of how many references to `x` are outstanding. When `x`'s reference count drops to 0, CPython immediately collects `x`. Function `getrefcount` of module `sys` accepts any object and returns its reference count (at least 1, since `getrefcount` itself has a reference to the object it's examining). Other versions of Python, such as Jython, rely on different garbage collection mechanisms, supplied by the platform they run on (e.g., the JVM). Modules `gc` and `weakref` therefore apply only to CPython.

When Python garbage-collects `x` and there are no references at all to `x`, Python then finalizes `x` (i.e., calls `x.__del__()`) and makes the memory that `x` occupied available for other uses. If `x` held any references to other objects, Python removes the references, which in turn may make other objects collectable by leaving them unreachable.

13.4.1 The gc Module

The `gc` module exposes the functionality of Python's garbage collector. `gc` deals only with objects that are unreachable in a subtle way, being part of mutual reference loops. In such a loop, each object in the loop refers to others, keeping the reference counts of all objects positive. However, an outside reference no longer exists to the whole set of mutually referencing objects. Therefore, the whole group, also known as cyclic garbage, is unreachable, and therefore garbage collectable. Looking for such cyclic garbage loops takes time, which is why module `gc` exists.

`gc` exposes functions you can use to help you keep garbage collection times under control. These functions can sometimes help you track down a memory leak-objects that are not getting collected even though there should be no more references to them-by letting you discover what other objects are in fact holding on to references to them.

collect

```
collect( )
```

Forces a full cyclic collection run to happen immediately.

disable

```
disable( )
```

Suspends automatic garbage collection.

enable

```
enable( )
```

Re-enables automatic garbage collection previously suspended with `disable`.

garbage

A read-only attribute that lists the uncollectable but unreachable objects. This happens if any object in a cyclic garbage loop has a `__del__` special method, as there may be no safe order in which Python can finalize such objects.

get_debug

```
get_debug( )
```

Returns an integer, a bit string corresponding to the garbage collection debug flags set with `set_debug`.

get_objects

New as of Python 2.2

```
get_objects( )
```

Returns a list whose items are all the objects currently tracked by the cyclic garbage collector.

get_referrers

```
get_referrers(*objs)
```

Returns a list whose items are all the container objects, currently tracked by the cyclic garbage collector, that refer to any one or more of the arguments.

get_threshold

`get_threshold()`

Returns a three-item tuple (*thresh0*, *thresh1*, *thresh2*) corresponding to the garbage collection thresholds set with `set_threshold`.

isEnabled

`isEnabled()`

Returns `True` if cyclic garbage collection is currently enabled. When collection is currently disabled, `isEnabled` returns `False`.

set_debug

`set_debug(flags)`

Sets the debugging flags for garbage collection. *flags* is an integer, a bit string composed by ORing (with Python's normal bitwise-OR operator `|`) zero or more of the following constants exposed by module `gc`:

`DEBUG_COLLECTABLE`

Prints information on collectable objects found during collection

`DEBUG_INSTANCES`

Meaningful only if `DEBUG_COLLECTABLE` and/or `DEBUG_UNCOLLECTABLE` are also set: prints information on objects found during collection that are instances of classic Python classes

`DEBUG_LEAK`

The set of debugging flags that make the garbage collector print all information that can help you diagnose memory leaks, equivalent to the inclusive-OR of all other constants (except `DEBUG_STATS`, which serves a different purpose)

`DEBUG_OBJECTS`

Meaningful only if `DEBUG_COLLECTABLE` and/or `DEBUG_UNCOLLECTABLE` are also set: prints information on objects found during collection that are not instances of classic Python classes

`DEBUG_SAVEALL`

Saves all collectable objects to list `garbage` (uncollectable ones are always saved there) to help diagnose leaks

`DEBUG_STATS`

Prints statistics during collection to help tune the thresholds

`DEBUG_UNCOLLECTABLE`

Prints information on uncollectable objects found during collection

set_threshold

```
set_threshold(thresh0[, thresh1[, thresh2]])
```

Sets the thresholds that control how frequently cyclic garbage collection cycles run. If you set *thresh0* to 0, garbage collection is disabled. Garbage collection is an advanced topic, and the details of the generational garbage collection approach used in Python and its thresholds are beyond the scope of this book.

When you know you have no cyclic garbage loops in your program, or when you can't afford the delay of a cyclic garbage collection run at some crucial time, you can suspend automatic garbage collection by calling `gc.disable()`. You can enable collection again later by calling `gc.enable()`. You can test whether automatic collection is currently enabled by calling `gc.isenabled()`, which returns `True` or `False`. To control when the time needed for collection is spent, you can call `gc.collect()` to force a full cyclic collection run to happen immediately. An idiom for wrapping some time-critical code is therefore:

```
import gc
gc_was_enabled = gc.isenabled( )
if gc_was_enabled:
    gc.collect( )
    gc.disable( )
# insert some time-critical code here
if gc_was_enabled:
    gc.enable( )
```

The other functionality in module `gc` is more advanced and rarely used, and can be grouped into two areas. Functions `get_threshold` and `set_threshold` and the debug flag `DEBUG_STATS` can help you fine-tune garbage collection to optimize your program's performance. The rest of `gc`'s functionality is there to help you diagnose memory leaks in your program. While `gc` itself can automatically fix many such leaks, your program will be faster if it can avoid creating them in the first place.

13.4.2 The weakref Module

Careful design can often avoid reference loops. However, at times you need certain objects to know about each other, and avoiding mutual references would distort and complicate design. For example, a container has references to its items, yet it can often be useful for an object to know about some main container that holds it. The result is a reference loop: due to the mutual references, the container and items keep each other alive, even when all other objects forget about them. Weak references solve this problem by letting you have objects that mutually reference each other as long as both are alive, but do not keep each other alive.

A *weak reference* is a special object *w* that refers to some other object *x* without incrementing *x*'s reference count. When *x*'s reference count goes down to 0, Python finalizes and collects *x*, then informs *w* of *x*'s demise. The weak reference *w* can now either disappear or become invalid in a controlled way. At any time, a given weak reference *w* refers to either the same target object *x* as when *w* was created, or to nothing at all: a weak reference is never re-targeted. Not all types of objects support being the target *x* of a weak reference *w*, but class instances and functions do.

Module `weakref` exposes functions and types to let you create and manage weak references.

getweakrefcount

```
getweakrefcount(x)
```

Returns `len(getweakrefs(x))`.

getweakrefs

```
getweakrefs(x)
```

Returns a list of all weak references and proxies whose target is `x`.

proxy

```
proxy(x[, f])
```

Returns a weak proxy `p` of type `ProxyType` (`CallableProxyType`, if `x` is callable), with object `x` as the target. In most contexts, using `p` is just like using `x`, except that if you use `p` after `x` has been deleted, Python raises `ReferenceError`. `p` is never hashable (therefore you cannot use `p` as a dictionary key), even when `x` is. If `f` is present, it must be callable with one argument, and is the finalization callback for `p` (i.e., right before finalizing `x`, Python calls `f(p)`). Note that when `f` is called, `x` is no longer reachable from `p`.

ref

```
ref(x[, f])
```

Returns a weak reference `w` of type `ReferenceType`, with object `x` as the target. `w` is callable: calling `w()` returns `x` if `x` is still alive, otherwise `w()` returns `None`. `w` is hashable if `x` is hashable. You can compare weak references for equality (`=`, `!=`), but not for order (`<`, `>`, `<=`, `>=`). Two weak references `x` and `y` are equal if their targets are alive and equal, or if `x is y`. If `f` is present, it must be callable with one argument, and is the finalization callback for `w` (i.e., right before finalizing `x`, Python calls `f(w)`). Note that when `f` is called, `x` is no longer reachable from `w`.

WeakKeyDictionary

```
class WeakKeyDictionary(adict={ })
```

A `WeakKeyDictionary` `d` is a mapping that references its keys weakly. When the reference count of a key `k` in `d` goes to 0, item `d[k]` disappears. `adict` is used to initialize the mapping.

WeakValueDictionary

```
class WeakValueDictionary(adict={  })
```

A `WeakValueDictionary` d is a mapping that references its values weakly. When the reference count of a value v in d goes to 0, all items of d such that $d[k]$ is v disappear. `adict` is used to initialize the mapping.

`WeakKeyDictionary` and `WeakValueDictionary` are useful when you need to non-invasively associate additional data with objects without changing the objects. Weak mappings are also useful to non-invasively record transient associations between objects and to build caches. In each case, the specific consideration that can make a weak mapping preferable to a normal dictionary is that an object that is otherwise garbage-collectable is not kept alive just by being used in a weak mapping.

A typical use could be a class that keeps track of its instances, but does not keep them alive just in order to keep track of them:

```
import weakref
class Tracking:
    _instances_dict = weakref.WeakValueDictionary( )
    _num_generated = 0
    def __init__(self):
        Tracking._num_generated += 1
        Tracking._instances_dict[Tracking._num_generated] = self
    def instances( ): return _instances_dict.values( )
    instances = staticmethod(instances)
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

13.5 Termination Functions

The `atexit` module lets you register termination functions (i.e., functions to be called at program termination, last in, first out). Termination functions are similar to clean-up handlers established by `try/finally`. However, termination functions are globally registered and called at the end of the whole program, while clean-up handlers are established lexically and called at the end of a specific `try` clause. Both termination functions and clean-up handlers are called whether the program terminates normally or abnormally, but not when the termination is caused by calling `os._exit`. Module `atexit` supplies a single function called `register`.

register

```
register(func, *args, **kwargs)
```

Ensures that `func(*args, **kwargs)` is called at program termination time.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

13.6 Site and User Customization

Python provides a specific hook to let each site customize some aspects of Python's behavior at the start of each run. Customization by each single user is not enabled by default, but Python specifies how programs that want to run user-provided code at startup can explicitly request such customization.

13.6.1 The `site` and `sitecustomize` Modules

Python loads standard module `site` just before the main script. If Python is run with option `-S`, Python does not load `site`. `-S` allows faster startup, but saddles the main script with initialization chores. `site`'s tasks are:

1. Putting `sys.path` in standard form (absolute paths, no duplicates).
2. Interpreting each `.pth` file found in the Python home directory, adding entries to `sys.path`, and/or importing modules, as each `.pth` file indicates.
3. Adding built-ins used to display information in interactive sessions (`quit`, `exit`, `copyright`, `credits`, and `license`).
4. Setting the default Unicode encoding to `'ascii'`. `site`'s source code includes two blocks, each guarded by `if 0:`, one to set the default encoding to be locale dependent, and the other to disable default encoding and decoding between Unicode and plain strings. You may optionally edit `site.py` to select either block.
5. Trying to import `sitecustomize` (should `import sitecustomize` raise an `ImportError` exception, `site` catches and ignores it). `sitecustomize` is the module that each site's installation can optionally use for further site-specific customization beyond `site`'s tasks. It is generally best not to edit `site.py`, as any Python upgrade or reinstallation might overwrite your customizations. `sitecustomize`'s main task is often to set the correct default encoding for the site. Western European sites, for example, may choose to call `sys.setdefaultencoding('iso-8859-1')`.
6. After `sitecustomize` is done, removing from module `sys` the attribute `sys.setdefaultencoding`.

Thus, Python's default Unicode encoding can be set only at the start of a run, not changed in midstream during the run. In an emergency, if a specific main script desperately needs to break this guideline and set a different default encoding from that used by all other scripts, you may place the following snippet at the start of the main script:

```
import sys                # get the sys module object
reload(sys)              # restore module sys from disk
sys.setdefaultencoding('iso-8859-15') # or whatever codec you need
del sys.setdefaultencoding # ensure against later accidents
```

However, this is not good style. You should refactor your script so that it can accept whatever default encoding the site has chosen, and pass the encoding name explicitly in those spots where a specific codec is necessary.

13.6.2 User Customization

Each interactive Python interpreter session runs the script indicated by environment variable `PYTHONSTARTUP`. Outside of interactive interpreter sessions, there is no automatic per-user customization. To request per-user customization, a Python main script can explicitly import `user`. Standard module `user`, when loaded, first determines the user's home directory, as indicated by environment variable `HOME` (or, failing that, `HOME_PATH`, possibly preceded by `HOMEDRIVE` on Windows systems only). If the environment does not indicate a home directory, `user` uses the current directory. If module `user` locates a file named `.pythonrc.py` in the indicated directory, `user` executes that file, with built-in function `execfile`, in module `user`'s own global namespace.

Scripts that don't import `user` do not load `.pythonrc.py`. Of course, any given script is free to arrange other specific ways to load whatever startup or plug-in user-supplied files it requires. Such application-specific arrangements are more common than importing `user`. A generic `.pythonrc.py`, as loaded via `import user`, needs to be usable with any application that loads it. Specialized, application-specific startup and plug-in user-supplied files only need to follow whatever convention a specific application documents.

For example, your application `MyApp.py` could document that it looks for a file named `.myapprc.py` in the user's home directory, as indicated by environment variable `HOME`, and loads it in the application main script's global namespace. You could then have the following code in your main script:

```
import os
homedir = os.environ.get('HOME')
if homedir is not None:
    userscript = os.path.join(homedir, '.myapprc.py')
    if os.path.isfile(userscript):
        execfile(userscript)
```

In this case, the `.myapprc.py` user customization script, if present, has to deal only with `MyApp`-specific user customization tasks.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 14. Threads and Processes

A *thread* is a flow of control that shares global state with other threads; all threads appear to execute simultaneously. Threads are not easy to master, but once you do, they may offer a simpler architecture or better performance (faster response, but typically not better throughput) for some problems. This chapter covers the facilities that Python provides for dealing with threads, including the `thread`, `threading`, and `Queue` modules.

A *process* is an instance of a running program. Sometimes you get better results with multiple processes than with threads. The operating system protects processes from one another. Processes that want to communicate must explicitly arrange to do so, via local inter-process communication (IPC). Processes may communicate via files (covered in [Chapter 10](#)) or via databases (covered in [Chapter 11](#)). In both cases, the general way in which processes communicate using such data storage mechanisms is that one process can write data, and another process can later read that data back. This chapter covers the process-related parts of module `os`, including simple IPC by means of pipes, and a cross-platform IPC mechanism known as memory-mapped files, supplied to Python programs by module `mmap`.

Network mechanisms are well suited for IPC, as they work between processes that run on different nodes of a network as well as those that run on the same node. [Chapter 19](#) covers low-level network mechanisms that provide a flexible basis for IPC. Other, higher-level mechanisms, known as distributed computing, such as CORBA, DCOM/COM+, EJB, SOAP, XML-RPC, and .NET, make IPC easier, whether locally or remotely. However, distributed computing is not covered in this book.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.1 Threads in Python

Python offers multithreading on platforms that support threads, such as Win32, Linux, and most variants of Unix. The Python interpreter does not freely switch threads. Python uses a global interpreter lock (GIL) to ensure that switching between threads happens only between bytecode instructions or when C code deliberately releases the GIL (Python's C code releases the GIL around blocking I/O and sleep operations). An action is said to be *atomic* if it's guaranteed that no thread switching within Python's process occurs between the start and the end of the action. In practice, an operation that looks atomic actually is atomic when executed on an object of a built-in type (augmented assignment on an immutable object, however, is not atomic). However, in general it is not a good idea to rely on atomicity. For example, you never know when you might be dealing with a derived class rather than an object of a built-in type, meaning there might be callbacks to Python code.

Python offers multithreading in two different flavors. An older and lower-level module, `thread`, offers a bare minimum of functionality, and is not recommended for direct use by your code. The higher-level module `threading`, built on top of `thread`, was loosely inspired by Java's threads, and is the recommended tool. The key design issue in multithreading systems is most often how best to coordinate multiple threads. `threading` therefore supplies several synchronization objects. Module `Queue` is very useful for thread synchronization as it supplies a synchronized FIFO queue type, which is extremely handy for communication and coordination between threads.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.2 The thread Module

The only part of the `thread` module that your code should use directly is the lock objects that module `thread` supplies. Locks are simple thread-synchronization primitives. Technically, `thread`'s locks are non-reentrant and unowned: they do not keep track of what thread last locked them, so there is no specific owner thread for a lock. A lock is in one of two states, locked or unlocked.

To get a new lock object (in the unlocked state), call the function named `allocate_lock` without arguments. This function is supplied by both modules `thread` and `threading`. A lock object `L` supplies three methods.

acquire

```
L.acquire(wait=True)
```

When `wait` is `True`, `acquire` locks `L`. If `L` is already locked, the calling thread suspends and waits until `L` is unlocked, then locks `L`. Even if the calling thread was the one that last locked `L`, it still suspends and waits until another thread releases `L`. When `wait` is `False` and `L` is unlocked, `acquire` locks `L` and returns `True`. When `wait` is `False` and `L` is locked, `acquire` does not affect `L`, and returns `False`.

locked

```
L.locked( )
```

Returns `True` if `L` is locked, otherwise `False`.

release

```
L.release( )
```

Unlocks `L`, which must be locked. When `L` is locked, any thread may call `L.release`, not just the thread that last locked `L`. When more than one thread is waiting on `L` (i.e., has called `L.acquire`, finding `L` locked, and is now waiting for `L` to be unlocked), `release` wakes up an arbitrary waiting thread. The thread that calls `release` is not suspended: it remains ready and continues to execute.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.3 The Queue Module

The `Queue` module supplies first-in, first-out (FIFO) queues that support multithread access, with one main class and two exception classes.

Queue

```
class Queue(maxsize=0)
```

`Queue` is the main class for module `Queue` and is covered in the next section. When `maxsize` is greater than 0, the new `Queue` instance `q` is deemed full when `q` has `maxsize` items. A thread inserting an item with the `block` option, when `q` is full, suspends until another thread extracts an item. When `maxsize` is less than or equal to 0, `q` is never considered full, and is limited in size only by available memory, like normal Python containers.

Empty

`Empty` is the class of the exception that `q.get(False)` raises when `q` is empty.

Full

`Full` is the class of the exception that `q.put(x, False)` raises when `q` is full.

An instance `q` of class `Queue` supplies the following methods.

empty

```
q.empty( )
```

Returns `True` if `q` is empty, otherwise `False`.

full

```
q.full( )
```

Returns `True` if `q` is full, otherwise `False`.

get, get_nowait

```
q.get(block=True)
```

When `block` is `False`, `get` removes and returns an item from `q` if one is available, otherwise `get` raises `Empty`. When `block` is `True`, `get` removes and returns an item from `q`, suspending the calling thread, if need be, until an item is available. `q.get_nowait()` is like `q.get(False)`. `get` removes and returns items in the same order as `put` inserted them (first in, first out).

put, put_nowait

```
q.put(item,block=True)
```

When `block` is `False`, `put` adds `item` to `q` if `q` is not full, otherwise `put` raises `Full`. When `block` is `True`, `put` adds `item` to `q`, suspending the calling thread, if need be, until `q` is not full. `q.put_nowait(item)` is like `q.put(item,False)`.

qsize

```
q.qsize( )
```

Returns the number of items that are currently in `q`.

`Queue` offers a good example of the idiom "it's easier to ask forgiveness than permission" (EAFP), covered in [Chapter 6](#). Due to multithreading, each non-mutating method of `q` can only be advisory. When some other thread executes and mutates `q`, things can change between the instant a thread gets the information and the very next moment, when the thread acts on the information. Relying on the "look before you leap" (LBYL) idiom is futile, and fiddling with locks to try and fix things is a substantial waste of effort. Just avoid LBYL code such as:

```
if q.empty( ): print "no work to perform"
else: x=q.get_nowait( )
```

and instead use the simpler and more robust EAFP approach:

```
try: x=q.get_nowait( )
except Queue.Empty: print "no work to perform"
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.4 The threading Module

The `threading` module is built on top of module `thread` and supplies multithreading functionality in a more usable form. The general approach of `threading` is similar to that of Java, but locks and conditions are modeled as separate objects (in Java, such functionality is part of every object), and threads cannot be directly controlled from the outside (meaning there are no priorities, groups, destruction, or stopping). All methods of objects supplied by `threading` are atomic.

`threading` provides numerous classes for dealing with threads, including `Thread`, `Condition`, `Event`, `RLock`, and `Semaphore`. Besides factory functions for the classes detailed in the following sections of this chapter, `threading` supplies the `currentThread` factory function.

currentThread

```
currentThread( )
```

Returns a `Thread` object for the calling thread. If the calling thread was not created by module `threading`, `currentThread` creates and returns a semi-dummy `Thread` object with limited functionality.

14.4.1 Thread Objects

A `Thread` object `t` models a thread. You can pass `t`'s main function as an argument when you create `t`, or you can subclass `Thread` and override the `run` method (you may also override `__init__`, but should not override other methods). `t` is not ready to run when you create it: to make `t` ready (active), call `t.start()`. Once `t` is active, it terminates when its main function ends, either normally or by propagating an exception. A `Thread` `t` can be a daemon, meaning that Python can terminate even if `t` is still active, while a normal (non-daemon) thread keeps Python alive until the thread terminates. Class `Thread` exposes the following constructor and methods.

Thread

```
class Thread(name=None, target=None, args=( ), kwargs={ })
```

Always call `Thread` with named arguments: the number and order of formal arguments may change in the future, but the names of existing arguments are guaranteed to stay. When you instantiate class `Thread` itself, you should specify `target`: `t.run` calls `target(*args, **kwargs)`. When you subclass `Thread` and override `run`, you normally don't specify `target`. In either case, execution doesn't begin until you call `t.start()`. `name` is `t`'s name. If `name` is `None`, `Thread` generates a unique name for `t`. If a subclass `T` of `Thread` overrides `__init__`, `T.__init__` must call `Thread.__init__` on `self` before any other `Thread` method.

getName, setName

```
t.getName( )
t.setName(name)
```

`getName` returns `t`'s name, and `setName` rebinds `t`'s name. The `name` string is arbitrary, and a thread's name need not be unique among threads.

isAlive

```
t.isAlive( )
```

Returns `True` if `t` is active (i.e., if `t.start` has executed and `t.run` has not yet terminated). Otherwise, `isAlive` returns `False`.

isDaemon, setDaemon

```
t.isDaemon( )
t.setDaemon(daemonic)
```

`isDaemon` returns `True` if `t` is a daemon (i.e., Python can terminate the whole process even if `t` is still active—such a termination also terminates `t`); otherwise `isDaemon` returns `False`. Initially, `t` is a daemon if and only if the thread creating `t` is a daemon. You can call `t.setDaemon` only before `t.start`: it sets `t` to be a daemon if `daemonic` is true.

join

```
t.join(timeout=None)
```

The calling thread (which must not be `t`) suspends until `t` terminates. `timeout` is covered in the upcoming section [Section 14.4.2.1](#). You can call `t.join` only after `t.start`.

run

```
t.run( )
```

`run` is the method that executes `t`'s main function. Subclasses of `Thread` often override `run`. Unless overridden, `run` calls the `target` callable passed on `t`'s creation. Do *not* call `t.run` directly—calling `t.run` appropriately is the job of `t.start`!

start

```
t.start( )
```

`start` makes `t` active and arranges for `t.run` to execute in a separate thread. You must call `t.start` only once for any given thread object `t`.

14.4.2 Thread Synchronization Objects

The `threading` module supplies several synchronization primitives, which are objects that let threads communicate and coordinate. Each primitive has specialized uses. However, as long as you avoid global variables that several threads access, `Queue` can often provide all the coordination you need. "Threaded Program Architecture" later in this chapter shows how to use `Queue` objects to give your multithreaded programs simple and effective architectures, often without needing any synchronization primitives.

14.4.2.1 Timeout parameters

Synchronization primitives `Condition` and `Event` supply `wait` methods that accept a `timeout` argument. A `Thread` object's `join` method also accepts a `timeout` argument. A `timeout` argument can be `None`, the default, to obtain normal blocking behavior (the calling thread suspends and waits until the desired condition is met). If not `None`, a `timeout` argument is a floating-point value that indicates an interval of time in seconds (`timeout` can have a fractional part and so can indicate any time interval, even a very short one). If `timeout` seconds elapse, the calling thread becomes ready again, even if the desired condition has not been met. `timeout` lets you design systems that are able to overcome occasional anomalies in one or a few threads, and thus are more robust. However, using `timeout` may also make your program slower.

14.4.2.2 Lock and RLock objects

The `Lock` objects exposed by module `threading` are the same as those supplied by module `thread` and covered in "The thread Module" earlier in this chapter. `RLock` objects supply the same methods as `Lock` objects. The semantics of an `RLock` object `r` are, however, often more convenient. When `r` is locked, it keeps track of the owning thread (i.e., the thread that locked it). The owning thread can call `r.acquire` again without blocking: `r` just increments an internal count. In a similar situation involving a `Lock` object, the thread would block forever (until the lock is released by some other thread).

An `RLock` object `r` is unlocked only when `release` has been called as many times as `acquire`. Only the thread owning `r` should call `r.release`. An `RLock` is useful to ensure exclusive access to an object when the object's methods call each other; each method can acquire at the start, and release at the end, the same `RLock` instance. `try/finally` is a good way to ensure the lock is indeed released.

14.4.2.3 Condition objects

A `Condition` object `c` wraps a `Lock` or `RLock` object `L`. Class `Condition` exposes the following constructor and methods.

Condition

```
class Condition(lock=None)
```

`Condition` creates and returns a new `Condition` object `c` with the lock `L` set to `lock`. If `lock` is `None`, `L` is set to a newly created `RLock` object.

acquire, release

```
c.acquire(wait=1)
c.release( )
```

These methods call `L`'s corresponding methods. A thread must never call any other method on `c` unless the thread holds lock `L`.

notify, notifyAll

```
c.notify( )
c.notifyAll( )
```

`notify` wakes up one of the threads waiting on `c`. The calling thread must hold `L` before it calls `c.notify()`, and `notify` does not release `L`. The woken-up thread does not become ready until it can acquire `L` again. Therefore, the calling thread normally calls `release` after calling `notify`. `notifyAll` is like `notify`, but wakes up all waiting threads, not just one.

wait

```
c.wait(timeout=None)
```

`wait` releases `L`, then suspends the calling thread until some other thread calls `notify` or `notifyAll` on `c`. The calling thread must hold `L` before it calls `c.wait()`. `timeout` is covered earlier in [Section 14.4.2.1](#). After a thread wakes up, either by notification or timeout, the thread becomes ready when it acquires `L` again. When `wait` returns, the calling thread always holds `L` again.

In typical use, a `Condition` object `c` regulates access to some global state `s` that is shared between threads. When a thread needs to wait for `s` to change, the thread loops as follows:

```
c.acquire( )
while not is_ok_state(s):
    c.wait( )
do_some_work_using_state(s)
c.release( )
```

Meanwhile, each thread that modifies *s* calls `notify` (or `notifyAll`, if it needs to wake up all waiting threads, not just one) each time *s* changes:

```
c.acquire( )
do_something_that_modifies_state(s)
c.notify( )    # or, c.notifyAll( )
c.release( )
```

As you see, you always need to acquire and release *c* around each use of *c*'s methods, which makes using `Condition` somewhat error-prone.

14.4.2.4 Event objects

Event objects let any number of threads suspend and wait. All threads waiting on `Event` object *e* become ready when some other thread calls `e.set()`. *e* has a flag recording whether the event happened, initially `False` when *e* is created. `Event` is thus a bit like a simplified `Condition`. Event objects are useful to signal one-shot changes, but are brittle for more general uses, as resetting an event object (i.e., relying on calls to `e.clear()`) is quite error-prone. Class `Event` exposes the following methods.

Event

```
class Event( )
```

`Event` creates and returns a new `Event` object *e*.

clear

```
e.clear( )
```

Sets *e*'s flag to `False`.

isSet

```
e.isSet( )
```

Returns the value of *e*'s flag, `True` or `False`.

set

```
e.set( )
```

Sets *e*'s flag to `True`. All threads waiting on *e*, if any, become ready to run.

wait

```
e.wait(timeout=None)
```

If `e`'s flag is `True`, `wait` returns immediately. Otherwise, `wait` suspends the calling thread until some other thread calls `set`. `timeout` is covered earlier in [Section 14.4.2.1](#).

14.4.2.5 Semaphore objects

Semaphores are a generalization of locks. The state of a `Lock` can be seen as `True` or `False`; the state of a `Semaphore` `s` is a number between `0` and some `n` set when `s` is created. Semaphores can be useful to manage a fixed pool of resources (e.g., four printers or twenty sockets), although it's often more robust to use a `Queue`. A semaphore object `s` exposes the following methods.

Semaphore

```
class Semaphore(n=1)
```

`Semaphore` creates and returns a semaphore object `s` with the state set to `n`.

acquire

```
s.acquire(wait=True)
```

When `s`'s state is greater than `0`, `acquire` decrements the state by `1` and returns `True`. When `s`'s state is `0` and `wait` is `True`, `acquire` suspends the calling thread and waits until some other thread calls `s.release`. When `s`'s state is `0` and `wait` is `False`, `acquire` immediately returns `False`.

release

```
s.release( )
```

When `s`'s state is greater than `0` or when the state is `0` but no thread is waiting on `s`, `release` increments the state by `1`. When `s`'s state is `0` and some thread is waiting on `s`, `release` leaves `s`'s state at `0` and wakes up an arbitrary waiting thread. The thread that calls `release` is not suspended: it remains ready and continues to execute normally.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.5 Threaded Program Architecture

A threaded program should always arrange for a *single* thread to deal with any given object or subsystem that is external to the program (such as a file, a database, a GUI, or a network connection). Having multiple threads that deal with the same external object can often cause unpredictable problems.

Whenever your threaded program must deal with some external object, devote a thread to such dealings, using a `Queue` object from which the external-interfacing thread gets work requests that other threads post. The external-interfacing thread can return results by putting them on one or more other `Queue` objects. The following example shows how to package this architecture into a general, reusable class, assuming that each unit of work on the external subsystem can be represented by a callable object:

```
import Threading, Queue
class ExternalInterfacing(Threading.Thread):
    def __init__(self, externalCallable, **kwds):
        Threading.Thread.__init__(self, **kwds)
        self.setDaemon(1)
        self.externalCallable = externalCallable
        self.workRequestQueue = Queue.Queue( )
        self.resultQueue = Queue.Queue( )
        self.start( )
    def request(self, *args, **kwds):
        "called by other threads as externalCallable would be"
        self.workRequestQueue.put((args,kwds))
        return self.resultQueue.get( )
    def run(self):
        while 1:
            args, kwds = self.workRequestQueue.get( )
            self.resultQueue.put(self.externalCallable(*args, **kwds))
```

Once some `ExternalInterfacing` object *ei* is instantiated, all other threads may now call *ei.request* just like they would call *someExternalCallable* without such a mechanism (with or without arguments as appropriate). The advantage of the `ExternalInterfacing` mechanism is that all calls upon *someExternalCallable* are now serialized. This means they are performed by just one thread (the thread object bound to *ei*) in some defined sequential order, without overlap, race conditions (hard-to-debug errors that depend on which thread happens to get there first), or other anomalies that might otherwise result.

If several callables need to be serialized together, you can pass the callable as part of the work request, rather than passing it at the initialization of class `ExternalInterfacing`, for greater generality. The following example shows this more general approach:

```
import Threading, Queue
class Serializer(Threading.Thread):
    def __init__(self, **kwds):
        Threading.Thread.__init__(self, **kwds)
        self.setDaemon(1)
        self.workRequestQueue = Queue.Queue( )
        self.resultQueue = Queue.Queue( )
```

```

        self.start( )
def apply(self, callable, *args, **kws):
    "called by other threads as callable would be"
    self.workRequestQueue.put((callable, args,kws))
    return self.resultQueue.get( )
def run(self):
    while 1:
        callable, args, kws = self.workRequestQueue.get( )
        self.resultQueue.put(callable(*args, **kws))

```

Once a `Serializer` object `ser` has been instantiated, other threads may call `ser.apply(someExternalCallable)` just like they would call `someExternalCallable` without such a mechanism (with or without further arguments as appropriate). The `Serializer` mechanism has the same advantages as `ExternalInterfacing`, except that all calls to the same or different callables wrapped by a single `ser` instance are now serialized.

The user interface of the whole program is an external subsystem and thus should be dealt with by a single thread, specifically the main thread of the program (this is mandatory for some user interface toolkits and advisable even when not mandatory). A `Serializer` thread is therefore inappropriate. Rather, the program's main thread should deal only with user interface issues, and farm out actual work to worker threads that accept work requests on a `Queue` object and return results on another. A set of worker threads is also known as a *thread pool*. As shown in the following example, all worker threads should share a single queue of requests and a single queue of results, since the main thread will be the only one posting work requests and harvesting results:

```

import Threading
class Worker(Threading.Thread):
    requestID = 0
    def __init__(self, requestsQueue, resultsQueue, **kws):
        Threading.Thread.__init__(self, **kws)
        self.setDaemon(1)
        self.workRequestQueue = requestsQueue
        self.resultQueue = resultsQueue
        self.start( )
    def performWork(self, callable, *args, **kws):
        "called by the main thread as callable would be, but w/o return"
        Worker.requestID += 1
        self.workRequestQueue.put((Worker.requestID, callable, args,kws))
        return Worker.requestID
    def run(self):
        while 1:
            requestID, callable, args, kws = self.workRequestQueue.get( )
            self.resultQueue.put((requestID, callable(*args, **kws)))

```

The main thread creates the two queues, then instantiates worker threads as follows:

```

import Queue
requestsQueue = Queue.Queue( )
resultsQueue = Queue.Queue( )
for i in range(numberOfWorkers):
    worker = Worker(requestsQueue, resultsQueue)

```

Now, whenever the main thread needs to farm out work (execute some callable object that may take

substantial time to produce results), the main thread calls `worker.performWork(callable)` much like it would call `callable` without such a mechanism (with or without further arguments as appropriate). However, `performWork` does not return the result of the call. Instead of the results, the main thread gets an `id` that identifies the work request. If the main thread needs the results, it can keep track of that `id`, since the request's results will be tagged with that `id` when they appear. The advantage of the mechanism is that the main thread does not block waiting for the callable's lengthy execution to complete, but rather becomes ready again at once and can immediately return to its main business of dealing with the user interface.

The main thread must arrange to check the `resultsQueue`, since the result of each work request eventually appears there, tagged with the request's `id`, when the worker thread that took that request from the queue finishes computing the result. How the main thread arranges to check for both user interface events and the results coming back from worker threads onto the results queue depends on what user interface toolkit is used, or, if the user interface is text-based, on the platform on which the program runs.

A widely applicable general strategy is for the main thread to *poll* (i.e., check the state of the results queue periodically). On most Unix-like platforms, function `alarm` of module `signal` allows polling. The `Tkinter` GUI toolkit supplies method `after`, usable for polling. Some toolkits and platforms afford more effective strategies, letting a worker thread alert the main thread when it places some result on the results queue, but there is no generally available, cross-platform, and cross-toolkit way to arrange for this. Therefore, the following artificial example ignores user interface events, and just simulates work by evaluating random expressions, with random delays, on several worker threads, thus completing the previous example:

```
import random, time
def makeWork( ):
    return "%d %s %d"%(random.randrange(2,10),
        random.choice(('+', '-', '*', '/', '%', '**')),
        random.randrange(2,10))
def slowEvaluate(expressionString):
    time.sleep(random.randrange(1,5))
    return eval(expressionString)
workRequests = { }
def showResults( ):
    while 1:
        try: id, results = resultsQueue.get_nowait( )
            except Queue.Empty: return
        print 'Result %d: %s -> %s' % (id, workRequests[id], results)
        del workRequests[id]
for i in range(10):
    expressionString = makeWork( )
    id = worker.performWork(slowEvaluate, expressionString)
    workRequests[id] = expressionString
    print 'Submitted request %d: %s' % (id, expressionString)
    time.sleep(1)
    showResults( )
while workRequests:
    time.sleep(1)
    showResults( )
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.6 Process Environment

The operating system supplies each process *P* with an *environment*, which is a set of environment variables whose names are identifiers (most often, by convention, uppercase identifiers) and whose contents are strings. For example, in [Chapter 3](#), we covered environment variables that affect Python's operations. Operating system shells offer various ways to examine and modify the environment, by such means as shell commands and others mentioned in [Chapter 3](#).

The environment of any process *P* is determined when *P* starts. After startup, only *P* itself can change *P*'s environment. Nothing that *P* does affects the environment of *P*'s parent process (the process that started *P*), nor those of child processes previously started from *P* and now running, nor of processes unrelated to *P*. Changes to *P*'s environment affect only *P* itself: the environment is *not* a means of IPC. Child processes of *P* normally get a copy of *P*'s environment as their starting environment: in this sense, changes to *P*'s environment do affect child processes that *P* starts after such changes.

Module `os` supplies attribute `environ`, a mapping that represents the current process's environment. `os.environ` is initialized from the process environment when Python starts. Changes to `os.environ` update the current process's environment if the platform supports such updates. Keys and values in `os.environ` must be strings. On Windows, but not on Unix-like platforms, keys into `os.environ` are implicitly uppercased. For example, here's how to try to determine what shell or command processor you're running under:

```
import os
shell = os.environ.get('COMSPEC')
if shell is None: shell = os.environ.get('SHELL')
if shell is None: shell = 'an unknown command processor'
print 'Running under', shell
```

If a Python program changes its own environment (e.g., via `os.environ['X']='Y'`), this does not affect the environment of the shell or command processor that started the program. Like in other cases, changes to a process's environment affect only the process itself, not others.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.7 Running Other Programs

The `os` module offers several ways for your program to run other programs. The simplest way to run another program is through function `os.system`, although this offers no way to control the external program. The `os` module also provides a number of functions whose names start with `exec`. These functions offer fine-grained control. A program run by one of the `exec` functions, however, replaces the current program (i.e., the Python interpreter) in the same process. In practice, therefore, you use the `exec` functions mostly on platforms that let a process duplicate itself by `fork` (i.e., Unix-like platforms). Finally, `os` functions whose names start with `spawn` and `popen` offer intermediate simplicity and power: they are cross-platform and not quite as simple as `system`, but simple and usable enough for most purposes.

The `exec` and `spawn` functions run a specified executable file given the executable file's path, arguments to pass to it, and optionally an environment mapping. The `system` and `popen` functions execute a command, a string passed to a new instance of the platform's default shell (typically `/bin/sh` on Unix, `command.com` or `cmd.exe` on Windows). A command is a more general concept than an executable file, as it can include shell functionality (pipes, redirection, built-in shell commands) using the normal shell syntax specific to the current platform.

execl, execl_e, execlp, execv, execv_e, execvp, execvpe

```
execl(path, *args)
execl_e(path, *args)
execlp(path, *args)
execv(path, args)
execv_e(path, args, env)
execvp(path, args)
execvpe(path, args, env)
```

These functions run the executable file (program) indicated by string `path`, replacing the current program (i.e., the Python interpreter) in the current process. The distinctions encoded in the function names (after the prefix `exec`) control three aspects of how the new program is found and run:

- Does `path` have to be a complete path to the program's executable file, or can the function also accept just a name as the `path` argument and search for the executable in several directories, like operating system shells do? `execlp`, `execvp`, and `execvpe` can accept a `path` argument that is just a filename rather than a complete path. In this case, the functions search for an executable file of that name along the directories listed in `os.environ['PATH']`. The other functions require `path` to be a complete path to the executable file for the new program.
- Are arguments for the new program accepted as a single sequence argument `args` to the function or as separate arguments to the function? Functions whose names start with `execv` take a single argument `args` that is the sequence of the arguments to use for the new program. Functions whose names start with `execl` take the new program's arguments as separate arguments (`execl_e`, in particular, uses its last argument as the environment for the new program).

- Is the new program's environment accepted as an explicit mapping argument *env* to the function, or is `os.environ` implicitly used? `execle`, `execve`, and `execvpe` take an argument *env* that is a mapping to be used as the new program's environment (keys and values must be strings), while the other functions use `os.environ` for this purpose.

Each `exec` function uses the first item in *args* as the name under which the new program is told it's running (for example, `argv[0]` in a C program's `main`); only `args[1:]` are passed as arguments proper to the new program.

popen

```
popen(cmd, mode='r', bufsize=-1)
```

Runs the string command *cmd* in a new process *P*, and returns a file-like object *f* that wraps a pipe to *P*'s standard input or from *P*'s standard output (depending on *mode*). *mode* and *bufsize* have the same meaning as for Python's built-in `open` function, covered in [Chapter 10](#). When *mode* is 'r' (or 'rb', for binary-mode reading), *f* is read-only and wraps *P*'s standard output. When *mode* is 'w' (or 'wb', for binary-mode writing), *f* is write-only and wraps *P*'s standard input.

The key difference of *f* with respect to other file objects is the behavior of method `f.close`. `f.close` waits for *P* to terminate, and returns `None`, as `close` methods of file-like objects normally do, when *P*'s termination is successful. However, if the operating system associates an integer error code with *P*'s termination indicating that *P*'s termination was unsuccessful, `f.close` also returns *c*. Not all operating systems support this mechanism: on some platforms, `f.close` therefore always returns `None`. On Unix-like platforms, if *P* terminates with the system call `exit(n)` (e.g., if *P* is a Python program and terminates by calling `sys.exit(n)`), `f.close` receives from the operating system, and returns to `f.close`'s caller, the code `256*n`.

popen2, popen3, popen4

```
popen2(cmd, mode='t', bufsize=-1)
popen3(cmd, mode='t', bufsize=-1)
popen4(cmd, mode='t', bufsize=-1)
```

Each of these functions runs the string command *cmd* in a new process *P*, and returns a tuple of file-like objects that wrap pipes to *P*'s standard input and from *P*'s standard output and standard error. *mode* must be 't' to get file-like objects in text mode, or 'b' to get them in binary mode. On Windows, *bufsize* must be `-1`. On Unix, *bufsize* has the same meaning as for Python's built-in `open` function, covered in [Chapter 10](#).

`popen2` returns a pair `(fi, fo)`, where *fi* wraps *P*'s standard input (so the calling process can write to *fi*) and *fo* wraps *P*'s standard output (so the calling process can read from *fo*). `popen3` returns a tuple with three items `(fi, fo, fe)`, where *fe* wraps *P*'s standard error (so the calling process can read from *fe*). `popen4` returns a pair `(fi, foe)`, where *foe* wraps both *P*'s standard output and error (so the calling process can read from *foe*). While `popen3` is in a sense the most general of the three functions, it can be difficult to coordinate your reading from *fo* and *fe*. `popen2` is simpler to use than `popen3` when it's okay for *cmd*'s standard error to go to the same destination as your own process's standard error, and `popen4` is simpler when it's okay for *cmd*'s standard error and output to be mixed with each other.

File objects *fi*, *fo*, *fe*, and *foe* are all normal ones, without the special semantics of the `close` method as covered for function `popen`. In other words, there is no way in which the caller of `popen2`, `popen3`, or `popen4` can learn about *P*'s termination code.

Depending on the buffering strategy of command *cmd* (which is normally out of your control, unless you're the author of *cmd*), there may be nothing to read on files *fo*, *fe*, and/or *foe* until your process has closed file *fi*. Therefore, the normal pattern of usage is something like:

```
import os
def pipethrough(cmd, list_of_lines):
    fi, fo = os.popen2(cmd, 't')
    fi.writelines(list_of_lines)
    fi.close( )
    result_lines = fo.readlines( )
    fo.close( )
    return result_lines
```

Functions in the `popen` group are generally not suitable for driving another process interactively (i.e., writing something, then reading *cmd*'s response to that, then writing something else, and so on). The first time your program tries to read the response, if *cmd* is following a typical buffering strategy, everything blocks. In other words, your process is waiting for *cmd*'s output but *cmd* has already placed its pending output in a memory buffer, which your process can't get at, and is now waiting for more input. This is a typical case of deadlock.

If you have some control over *cmd*, you can try to work around this issue by ensuring that *cmd* runs without buffering. For example, if *cmd.py* is a Python program, you can run *cmd* without buffering as follows:

```
C: /> python -u cmd.py
```

Other possible approaches include module `telnetlib`, covered in [Chapter 18](#), if your platform supports *telnet*, and third-party, Unix-like-only extensions such as *expectpy.sf.net* and packages such as *pexpect.sf.net*. There is no general solution applicable to all platforms and all *cmds* of interest.

spawnv, spawnve

```
spawnv(mode, path, args)
spawnve(mode, path, args, env)
```

These functions run the program indicated by *path* in a new process *P*, with the arguments passed as sequence *args*. `spawnve` uses mapping *env* as *P*'s environment (both keys and values must be strings), while `spawnv` uses `os.environ` for this purpose. On Unix-like platforms only, there are other variations of `os.spawn`, corresponding to variations of `os.exec`, but `spawnv` and `spawnve` are the only two that exist on Windows.

mode must be one of two attributes supplied by the `os` module: `os.P_WAIT` indicates that the calling process waits until the new process terminates, while `os.P_NOWAIT` indicates that the calling process continues executing simultaneously with the new process. When *mode* is `os.P_WAIT`, the function returns the termination code *c* of *P*: 0 indicates successful termination, *c* less than 0 indicates *P* was killed by a *signal*, and *c* greater than 0 indicates normal but unsuccessful termination. When *mode* is `os.P_NOWAIT`, the function returns *P*'s process ID (on Windows, *P*'s process handle). There is no cross-platform way to use *P*'s

ID or handle; platform-specific ways (not covered further in this book) include function `os.waitpid` on Unix-like platforms and the `win32all` extensions (*starship.python.net/crew/mhammond*) on Windows.

For example, your interactive program can give the user a chance to edit a text file that your program is about to read and use. You must have previously determined the full path to the user's favorite text editor, such as `c:\windows\notepad.exe` on Windows or `/bin/vim` on a Unix-like platform. Say that this path string is bound to variable `editor`, and the path of the text file you want to let the user edit is bound to `textfile`:

```
import os
os.spawnv(os.P_WAIT, editor, [textfile])
```

When `os.spawnv` returns, the user has closed the editor (whether or not he has made any changes to the file), and your program can continue by reading and using the file as needed.

system

```
system(cmd)
```

Runs the string command `cmd` in a new process, and returns `0` if the new process terminates successfully (or if Python is unable to ascertain the success status of the new process's termination, as happens on Windows 95 and 98). If the new process terminates unsuccessfully (and Python is able to ascertain this unsuccessful termination), `system` returns an integer error code not equal to `0`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

14.8 The mmap Module

The `mmap` module supplies memory-mapped file objects. An `mmap` object behaves similarly to a plain (not Unicode) string, so you can often pass an `mmap` object where a plain string is expected. However, there are differences:

- An `mmap` object does not supply the methods of a string object
- An `mmap` object is mutable, while string objects are immutable
- An `mmap` object also corresponds to an open file and behaves polymorphically to a Python file object (as covered in [Chapter 10](#))

An `mmap` object `m` can be indexed or sliced, yielding plain strings. Since `m` is mutable, you can also assign to an indexing or slicing of `m`. However, when you assign to a slice of `m`, the right-hand side of the assignment statement must be a string of exactly the same length as the slice you're assigning to. Therefore, many of the useful tricks available with list slice assignment (covered in [Chapter 4](#)) do not apply to `mmap` slice assignment.

Module `mmap` supplies a factory function that is different on Unix-like systems and Windows.

mmap

```
mmap(filedesc, length, tagname='')    # Windows
mmap(filedesc, length, flags=MAP_SHARED,
     prot=PROT_READ|PROT_WRITE)      # Unix
```

Creates and returns an `mmap` object `m` that maps into memory the first `length` bytes of the file indicated by file descriptor `filedesc`. `filedesc` must normally be a file descriptor opened for both reading and writing (except, on Unix-like platforms, when argument `prot` requests only reading or only writing). File descriptors are covered in [Section 10.2.8](#). To get an `mmap` object `m` that refers to a Python file object `f`, use `m=mmap.mmap(f.fileno(), length)`.

On Windows only, you can pass a string `tagname` to give an explicit tag name for the memory mapping. This tag name lets you have several memory mappings on the same file, but this functionality is rarely necessary. Calling `mmap` with only two arguments has the advantage of keeping your code portable between Windows and Unix-like platforms. On Windows, all memory mappings are readable and writable and shared between processes, so that all processes with a memory mapping on a file can see changes made by each such process.

On Unix-like platforms only, you can pass `mmap.MAP_PRIVATE` as the `flags` argument to get a mapping that is private to your process and copy-on-write. `mmap.MAP_SHARED`, the default, gets a mapping that is shared with other processes, so that all processes mapping the file can see changes made by one process (same as on Windows). You can pass `mmap.PROT_READ` as the `prot` argument to get a mapping that you can only read, not write. Passing `mmap.PROT_WRITE` gets a mapping that you can only write, not read. The bitwise-OR `mmap.PROT_READ|mmap.PROT_WRITE`, the default, gets a mapping that you can both read and

write (same as on Windows).

14.8.1 Methods of mmap Objects

An `mmap` object `m` supplies the following methods.

close

```
m.close( )
```

Closes the file of `m`.

find

```
m.find(str, start=0)
```

Returns the lowest index `i` greater than or equal to `start` such that `str = m[i:i+len(str)]`. If no such `i` exists, `m.find` returns `-1`. This is the same functionality as for the `find` method of string objects, covered in [Chapter 9](#).

flush

```
m.flush([offset, n])
```

Ensures that all changes made to `m` also exist on `m`'s file. Until you call `m.flush`, it's uncertain whether the file reflects the current state of `m`. You can pass a starting byte offset `offset` and a byte count `n` to limit the flushing effect's guarantee to a slice of `m`. You must pass both arguments, or neither: it is an error to call `m.flush` with exactly one argument.

move

```
m.move(dstoff, srcoff, n)
```

Like the slicing `m[dstoff:dstoff+n] = m[srcoff:srcoff+n]`, but potentially faster. The source and destination slices can overlap. Apart from such potential overlap, `move` does not affect the source slice (i.e., the `move` method *copies* bytes but does not move them, despite the method's name).

read

```
m.read(n)
```

Reads and returns a string *s* containing up to *n* bytes starting from *m*'s file pointer, then advances *m*'s file pointer by `len(s)`. If there are less than *n* bytes between *m*'s file pointer and *m*'s length, returns the bytes available. In particular, if *m*'s file pointer is at the end of *m*, returns the empty string "".

read_byte

```
m.read_byte( )
```

Returns a string of length 1 containing the character at *m*'s file pointer, then advances *m*'s file pointer by 1. `m.read_byte()` is similar to `m.read(1)`. However, if *m*'s file pointer is at the end of *m*, `m.read(1)` returns the empty string "", while `m.read_byte()` raises a `ValueError` exception.

readline

```
m.readline( )
```

Reads and returns one line from the file of *m*, from *m*'s current file pointer up to the next '\n', included (or up to the end of *m*, if there is no '\n'), then advances *m*'s file pointer to point just past the bytes just read. If *m*'s file pointer is at the end of *m*, `readline` returns the empty string "".

resize

```
m.resize(n)
```

Changes the length of *m*, so that `len(m)` becomes *n*. Does not affect the size of *m*'s file. *m*'s length and the file's size are independent. To set *m*'s length to be equal to the file's size, call `m.resize(m.size())`. If *m*'s length is larger than the file's size, *m* is padded with null bytes (\x00).

seek

```
m.seek(pos, how=0)
```

Sets the file pointer of *m* to the integer byte offset *pos*. *how* indicates the reference point (point 0): when *how* is 0, the reference point is the start of the file; when 1, *m*'s current file pointer; when 2, the end of *m*. A `seek` that tries to set *m*'s file pointer to a negative byte offset, or to a positive offset beyond *m*'s length, raises a `ValueError` exception.

size

```
m.size( )
```


Returns the length (number of bytes) of the file of *m*, not the length of *m* itself. To get the length of *m*, use `len(m)`.

tell

```
m.tell( )
```

Returns the current position of the file pointer of *m*, as a byte offset from the start of *m*'s file.

write

```
m.write(str)
```

Writes the bytes in *str* into *m* and at the current position of *m*'s file pointer, overwriting the bytes that were there, and then advances *m*'s file pointer by `len(str)`. If there aren't at least `len(str)` bytes between *m*'s file pointer and the length of *m*, `write` raises a `ValueError` exception.

write_byte

```
m.write_byte(byte)
```

Writes *byte*, which must be a single-character string, into mapping *m* at the current position of *m*'s file pointer, overwriting the byte that was there, and then advances *m*'s file pointer by 1. When *x* is a single-character string, `m.write_byte(x)` is similar to `m.write(x)`. However, if *m*'s file pointer is at the end of *m*, `m.write_byte(x)` silently does nothing, while `m.write(x)` raises a `ValueError` exception. Note that this is the reverse of the relationship between `read` and `read_byte` at end-of-file: `write` and `read_byte` raise `ValueError`, while `read` and `write_byte` don't.

14.8.2 Using mmap Objects for IPC

The way in which processes communicate using `mmap` is similar to IPC using files: one process can write data, and another process can later read the same data back. Since an `mmap` object rests on an underlying file, you can also have some processes doing I/O directly on the file, as covered in [Chapter 10](#), while others use `mmap` to access the same file. You can choose between `mmap` and I/O on file objects on the basis of convenience: the functionality is the same. For example, here is a simple program that uses file I/O to make the contents of a file equal to the last line interactively typed by the user:

```
fileob = open('xxx', 'w')
while True:
    data = raw_input('Enter some text:')
    fileob.seek(0)
    fileob.write(data)
    fileob.truncate( )
    fileob.flush( )
```

And here is another simple program that, when run in the same directory as the former, uses `mmap` (and the `time.sleep` function, covered in [Chapter 12](#)) to check every second for changes to the file and print out the file's new contents:

```
import mmap, os, time
mx = mmap.mmap(os.open('xxx',os.O_RDWR), 1)
last = None
while True:
    mx.resize(mx.size( ))
    data = mx[:]
    if data != last:
        print data
        last = data
    time.sleep(1)
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 15. Numeric Processing

In Python, you can perform numeric computations with operators (as covered in [Chapter 4](#)) and built-in functions (as covered in [Chapter 8](#)). Python also provides the `math`, `cmath`, `operator`, and `random` modules, which support additional numeric computation functionality, as documented in this chapter.

You can represent arrays in Python with lists and tuples (covered in [Chapter 4](#)), as well as with the `array` standard library module, which is covered in this chapter. You can also build advanced array manipulation functions with loops, list comprehensions, iterators, generators, and built-ins such as `map`, `reduce`, and `filter`, but such functions can be complicated and slow. Therefore, when you process large arrays of numbers in these ways, your program's performance can be below your machine's full potential.

The `Numeric` package addresses these issues, providing high-performance support for multidimensional arrays (matrices) and advanced mathematical operations, such as linear algebra and Fourier transforms. `Numeric` does not come with standard Python distributions, but you can freely download it at <http://sourceforge.net/projects/numpy>, either as source code (which is easy to build and install on many platforms) or as a prebuilt self-installing `.exe` file for Windows. Visit <http://www.pfdubois.com/numpy/> for an extensive tutorial and other resources, such as a mailing list about `Numeric`. Note that the `Numeric` package is not just for numeric processing. Much of `Numeric` is about multidimensional arrays and advanced array handling that you can use for any Python sequence.

`Numeric` is a large, rich package. For full understanding, study the tutorial, work through the examples, and experiment interactively. This chapter presents a reference to an essential subset of `Numeric` on the assumption that you already have some grasp of array manipulation and numeric computing issues. If you are unfamiliar with this subject, the `Numeric` tutorial can help.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.1 The math and cmath Modules

The `math` module supplies mathematical functions on floating-point numbers, while the `cmath` module supplies equivalent functions on complex numbers. For example, `math.sqrt(-1)` raises an exception, but `cmath.sqrt(-1)` returns `1j`.

Each module also exposes two attributes of type `float` bound to the values of fundamental mathematical constants, `pi` and `e`.

acos

math and cmath

`acos(x)`

Returns the arccosine of `x` in radians.

acosh

cmath only

`acosh(x)`

Returns the arc hyperbolic cosine of `x` in radians.

asin

math and cmath

`asin(x)`

Returns the arcsine of `x` in radians.

asinh

cmath only

`asinh(x)`

Returns the arc hyperbolic sine of `x` in radians.

atan

math and cmath

`atan(x)`

Returns the arctangent of `x` in radians.

*atanh**cmath only*

`atanh(x)`

Returns the arc hyperbolic tangent of `x` in radians.

*atan2**math only*

`atan2(y, x)`

Like `atan(y/x)`, except that when `x` equals 0, `atan2` returns `pi/2`, while dividing by `x` would raise `ZeroDivisionError`.

*ceil**math only*

`ceil(x)`

Returns the lowest integer `i` such that `i` is greater than or equal to `x` as a floating-point value.

*cos**math and cmath*`cos(x)`

Returns the cosine of `x` in radians.

*cosh**math and cmath*`cosh(x)`

Returns the hyperbolic cosine of `x` in radians.

*e**math and cmath*

The mathematical constant `e`.

*exp**math and cmath*

`exp(x)`

Returns e^{*x} .

*fabs**math only*

`fabs(x)`

Returns the absolute value of x .

*floor**math only*

`floor(x)`

Returns the highest integer i such that i is less than or equal to x as a floating-point value.

*fmod**math only*`fmod(x,y)`

Returns $x\%y$ (on most platforms).

*frexp**math only*`frexp(x)`

Returns a pair (m,e) with the mantissa and exponent of x . m is a floating-point number and e is an integer such that $x = m \cdot (2^{*e})$ and $0.5 \leq \text{abs}(m) < 1$, except that `frexp(0)` returns $(0.0, 0)$.

*hypot**math only*`hypot(x,y)`

Returns $\text{sqrt}(x^2+y^2)$.

*ldexp**math only*`ldexp(x,i)`

Returns $x^{(2**i)}$.

log

math and cmath

`log(x)`

Returns the natural logarithm of x .

log10

math and cmath

`log10(x)`

Returns the base-10 logarithm of x .

modf

math only

`modf(x)`

Returns a pair (f,i) with fractional and integer parts of x , each a floating-point value with the same sign as x .

pi

math and cmath

The mathematical constant π .

pow

math only

`pow(x,y)`

Returns $x**y$.

sin

math and cmath

`sin(x)`

Returns the sine of x in radians.

sinh

math and cmath

`sinh(x)`

Returns the hyperbolic sine of `x` in radians.

sqrt

math and cmath

`sqrt(x)`

Returns the square root of `x`.

tan

math and cmath

`tan(x)`

Returns the tangent of `x` in radians.

tanh

math and cmath

`tanh(x)`

Returns the hyperbolic tangent of `x` in radians.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.2 The operator Module

The `operator` module supplies functions that are equivalent to Python's operators. These functions are handy for use with `map` and `reduce`, and in other cases where callables must be stored, passed as arguments, or returned as function results. The functions in `operator` have the same names as the corresponding special methods (covered in [Chapter 5](#)). Each function is available with two names, with and without the leading and trailing double underscores (e.g., both `operator.add(a,b)` and `operator.__add__(a,b)` return `a+b`). [Table 15-1](#) lists the functions supplied by `operator`.

Table 15-1. Functions supplied by operator

Method	Signature	Behaves like
<code>abs</code>	<code>abs(a)</code>	<code>abs(a)</code>
<code>add</code>	<code>add(a,b)</code>	<code>a+b</code>
<code>and_</code>	<code>and_(a,b)</code>	<code>a&b</code>
<code>concat</code>	<code>concat(a,b)</code>	<code>a+b</code>
<code>contains</code>	<code>contains(a,b)</code>	<code>b in a</code>
<code>countOf</code>	<code>countOf(a,b)</code>	<code>a.count(b)</code>
<code>delitem</code>	<code>delitem(a,b)</code>	<code>del a[b]</code>
<code>delslice</code>	<code>delslice(a,b,c)</code>	<code>del a[b:c]</code>
<code>div</code>	<code>div(a,b)</code>	<code>a/b</code>
<code>getitem</code>	<code>getitem(a,b)</code>	<code>a[b]</code>
<code>getslice</code>	<code>getslice(a,b,c)</code>	<code>a[b:c]</code>
<code>indexOf</code>	<code>indexOf(a,b)</code>	<code>a.index(b)</code>
<code>invert, inv</code>	<code>invert(a), inv(a)</code>	<code>~a</code>
<code>lshift</code>	<code>lshift(a,b)</code>	<code>a<<b</code>
<code>mod</code>	<code>mod(a,b)</code>	<code>a%b</code>
<code>mul</code>	<code>mul(a,b)</code>	<code>a*b</code>
<code>neg</code>	<code>neg(a)</code>	<code>-a</code>
<code>not_</code>	<code>not_(a)</code>	<code>not a</code>
<code>or_</code>	<code>or_(a,b)</code>	<code>a b</code>
<code>pos</code>	<code>pos(a)</code>	<code>+a</code>
<code>repeat</code>	<code>repeat(a,b)</code>	<code>a*b</code>
<code>rshift</code>	<code>rshift(a,b)</code>	<code>a>>b</code>
<code>setitem</code>	<code>setitem(a,b,c)</code>	<code>a[b]=c</code>
<code>setslice</code>	<code>setslice(a,b,c,d)</code>	<code>a[b:c]=d</code>
<code>sub</code>	<code>sub(a,b)</code>	<code>a-b</code>

<code>truth</code>	<code>truth(a)</code>	<code>not not a</code>
<code>xor_</code>	<code>xor(a,b)</code>	<code>a^b</code>

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.3 The random Module

The `random` module generates pseudo-random numbers with various distributions. The underlying uniform pseudo-random generator uses the Whichmann-Hill algorithm, with a period of length 6,953,607,871,644. The resulting pseudo-random numbers, while quite good, are not of cryptographic quality. If you want physically generated random numbers rather than algorithmically generated pseudo-random numbers, you may use `/dev/random` or `/dev/urandom` on platforms that support such pseudo-devices (such as recent Linux releases). For an alternative, see <http://www.fourmilab.ch/hotbits>.

All functions of module `random` are methods of a hidden instance of class `random.Random`. You can instantiate `Random` explicitly to get multiple generators that do not share state. Explicit instantiation is advisable if you require random numbers in multiple threads (threads are covered in [Chapter 14](#)). This section documents the most frequently used functions exposed by module `random`.

choice

```
choice(seq)
```

Returns a random item from non-empty sequence `seq`.

getstate

```
getstate( )
```

Returns an object `S` that represents the current state of the generator. You can later pass `S` to function `setstate` in order to restore the generator's state.

jumpahead

```
jumpahead(n)
```

Advances the generator state as if `n` random numbers had been generated. Computing the new state is faster than generating `n` random numbers would be.

random

```
random( )
```

Returns a random floating-point number `r` from a uniform distribution, such that $0 \leq r < 1$.

randrange

```
randrange([start,]stop[,step])
```

Like `choice(range(start,stop,step))`, but faster, since `randrange` does not need to build the list that `range` would create.

seed

```
seed(x=None)
```

Initializes the generator state. `x` can be any hashable object. When `x` is `None`, and also automatically when module `random` is first loaded, `seed` uses the current system time to get a seed. `x` is normally a long integer up to `27814431486575L`. Larger `x` values are accepted, but may produce the same generator states as smaller ones.

setstate

```
setstate(S)
```

Restores the generator state. `S` must be the result of a previous call to `getstate`.

shuffle

```
shuffle(alist)
```

Shuffles, in place, mutable sequence `alist`.

uniform

```
uniform(a,b)
```

Returns a random floating-point number `r` from a uniform distribution, such that `a<=r<b`.

Module `random` also supplies functions that generate pseudo-random floating-point numbers from many other probability distributions (Beta, Gamma, exponential, Gauss, Pareto, etc.). All of these functions internally call `random.random` as their source of randomness.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.4 The array Module

The `array` module supplies a type, also called `array`, whose instances are mutable sequences, like lists. An `array a` is a one-dimensional sequence whose items can be only characters, or only numbers of one specific numeric type that is fixed when `a` is created.

The extension module `Numeric`, covered later in this chapter, also supplies a type called `array` that is far more powerful than `array.array`. For advanced array operations and multidimensional arrays, I recommend `Numeric` even if your array elements are not numbers.

`array.array` is a simple type, whose main advantage is that, compared to a list, it can save memory to hold objects all of the same (numeric or character) type. An `array` object `a` has a one-character read-only attribute `a.typecode`, set when `a` is created, that gives the type of `a`'s items. [Table 15-2](#) shows the possible type codes for `array`.

Table 15-2. Type codes for the array module

Type code	C type	Python type	Minimum size
'c'	char	str (length 1)	1 byte
'b'	char	int	1 byte
'B'	unsigned char	int	1 byte
'h'	short	int	2 bytes
'H'	unsigned short	int	2 bytes
'i'	int	int	2 bytes
'I'	unsigned	long	2 bytes
'l'	long	int	4 bytes
'L'	unsigned long	long	4 bytes
'f'	float	float	4 bytes
'd'	double	float	8 bytes

The size in bytes of each item may be larger than the minimum, depending on the machine's architecture, and is available as the read-only attribute `a.itemsize`. Module `array` supplies just one function, a factory function called `array`.

array

```
array(typecode, init='')
```

Creates and returns an `array` object `a` with the given `typecode`. `init` can be a plain string whose length is a multiple of `itemsize`; the string's bytes, interpreted as machine values, directly initialize `a`'s items. Alternatively, `init` can be a list (of characters when `typecode` is 'c', otherwise of numbers): each item of

the list initializes one item of *a*.

Array objects expose all the methods and operations of mutable sequences, as covered in [Chapter 4](#), except method `sort`. Concatenation (with both `+` and `extend`) and assignment to slices require both operands to be arrays with the same type code (i.e., there is no implicit coercion between sequences). In addition to the methods of mutable sequences, an `array` object *a* also exposes the following methods.

byteswap

```
a.byteswap( )
```

Swaps the byte order of each item of *a*.

fromfile

```
a.fromfile(f,n)
```

Reads *n* items, taken as machine values, from file object *f*, and appends the items to *a*. Note that *f* should be open for reading in binary mode, for example with mode `'rb'`. When less than *n* items are available in *f*, `fromfile` raises `EOFError` after appending the items that are available.

fromlist

```
a.fromlist(L)
```

Appends to *a* all items of list *L*.

fromstring

```
a.fromstring(s)
```

Appends to *a* the bytes, interpreted as machine values, of string *s*. `len(s)` must be a multiple of `a.itemsize`.

tofile

```
a.tofile(f)
```

Writes all items of *a*, taken as machine values, to file object *f*. Note that *f* should be open for reading in binary mode, for example with mode `'rb'`.

tolist

```
a.tolist( )
```

Creates and returns a list object with the same items as *a*.

tostring

```
a.tostring( )
```

Returns the string with the bytes from all items of *a*, taken as machine values. For any *a*, `len(a.tostring())` always equals `len(a)*a.itemsize`. `f.write(a.tostring())` is the same as `a.tofile(f)`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.5 The Numeric Package

The main module in the `Numeric` package is the `Numeric` module, which provides the `array` object type, a set of functions that manipulate these objects, and universal functions that operate on arrays and other sequences. The `Numeric` package also supports a variety of optional modules for things like linear algebra, random numbers, masked arrays, and Fast Fourier Transforms.

`Numeric` is one of the rare Python packages often used with the idiom `from Numeric import *`. You can also use `import Numeric` and qualify each name by preceding it with `Numeric`. However, if you need many of the package's names, importing all the names at once is handy. Another popular alternative is to import `Numeric` with a shorter name (e.g., `import Numeric as N`) and qualify each name by preceding it with `N`.

Although quite solid and stable, `Numeric` is under continuous development, with functionality being added and limitations removed. This chapter describes specifically `Numeric` Version 21.3, the latest released version at the time of this writing. A successor to `Numeric`, named `numarray`, is being developed by the `Numeric` community, and is not quite ready for production use yet. `numarray` is not totally compatible with `Numeric`, but shares most of `Numeric`'s functionality and enriches it further. Information on `numarray` is available at <http://stdas.stsci.edu/numarray/>.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.6 Array Objects

`Numeric` provides an `array` type that represents a grid of items. An `array` object `a` has a specified number of dimensions, known as its *rank*, up to some arbitrarily high limit (normally 40, when `Numeric` is built with default options). A scalar (i.e., a single number) has rank 0, a vector has rank 1, a matrix has rank 2, and so forth.

15.6.1 Type Codes

The values that occupy cells in the grid of an `array` object, known as the *elements* of the array, are homogeneous, meaning they are all of the same type, and all element values are stored within one memory area. This contrasts with a list or tuple, where the items may be of different types and each is stored as a separate Python object. This means a `Numeric` array occupies far less memory than a Python list or tuple with the same number of items. The type of `a`'s elements is encoded as `a`'s type code, a one-character string, as shown in [Table 15-3](#). Factory functions that build `array` instances, covered in [Section 15.6.6](#) later in this chapter, take a *typecode* argument that is one of the values in [Table 15-3](#).

Table 15-3. Type codes for Numeric arrays

Type code	C type	Python type	Synonym
'c'	char	str (length 1)	Character
'b'	unsigned char	int	UnsignedInt8
'l'	signed char	int	Int8
's'	short	int	Int16
'i'	int	int	Int32
'l'	long	int	Int
'f'	float	float	Float32
'F'	two floats	complex	Complex32
'd'	double	float	Float
'D'	two doubles	complex	Complex
'O'	PyObject*	any	PyObject

`Numeric` supplies readable attribute names for each type code, as shown in the last column of [Table 15-3](#). `Numeric` also supplies, on all platforms, the names `Int0`, `Float0`, `Float8`, `Float16`, `Float64`, `Complex0`, `Complex8`, `Complex16`, and `Complex64`. In each case, the name refers to the smallest type of the requested kind with at least that many bits. For example, `Float8` is the smallest floating-point type of at least 8 bits (generally the same as `Float32`, but some platforms may provide very small floating-point types), while `Complex0` is the smallest complex type. On some platforms, but not all, `Numeric` also supplies the names `Int64`, `Int128`, `Float128`, and `Complex128`, with similar meanings. These names are not supplied on all platforms because not all platforms provide numbers with that many bits. The next release of `Numeric` will also support unsigned integer types.

A type code of 'O' indicates that elements are references to Python objects. In this case, elements can be of different types. This lets you use `Numeric array` objects as Python containers, for advanced array-processing tasks that may have nothing to do with numeric processing. When you build an array `a` with one of `Numeric`'s factory functions, you can either specify `a`'s type code explicitly or accept a default data-dependent type code.

To get the type code of an array `a`, call `a.typecode()`. `a`'s type code determines how many bytes each element of `a` takes up in memory. Call `a.itemsize()` to get this information. When the type code is 'O', the item size is small (e.g., 4 bytes on a 32-bit platform), but this size accounts only for the reference held in each of `a`'s cells. The objects indicated by the references are stored elsewhere as separate Python objects; each such object may occupy an arbitrary amount of extra memory, which is not accounted for in the item size of an array with type code 'O'.

15.6.2 Shape and Indexing

Each `array` object `a` has an attribute `a.shape`, which is a tuple of integer values. `len(a.shape)` is `a`'s rank, so for example, a one-dimensional array of numbers (also known as a *vector*) has rank 1, and `a.shape` has just one item. More generally, each item of `a.shape` is the length of the corresponding dimension of `a`. `a`'s number of elements, known as its *size*, is the product of all items of `a.shape`. Each dimension of `a` is also known as an *axis*. Axis indices are from 0 up, as usual in Python. Negative axis indices are allowed and count from the right, so `-1` is the last (rightmost) axis.

Each array `a` is a Python sequence. Each item `a[i]` of `a` is a subarray of `a`, meaning it is an array with a rank one less than `a`'s:

```
a[i].shape = a.shape[1:]
```

For example, if `a` is a two-dimensional matrix (`a` is of rank 2), `a[i]`, for any valid index `i`, is a one-dimensional subarray of `a` corresponding to a row of the matrix. When `a`'s rank is 1 or 0, `a`'s items are `a`'s elements. Since `a` is a sequence, you can index `a` with normal indexing syntax to access or change `a`'s items. Note that `a`'s items are `a`'s subarrays; only for an array of rank 1 or 0 are the array's items the same thing as the array's elements.

You can also use `a` in a `for` loop, as for any other sequence. For example:

```
for x in a:
    process(x)
```

means the same thing as:

```
for i in range(len(a)):
    x = a[i]
    process(x)
```

In these examples, each item `x` of `a` in the `for` loop is a subarray of `a`. For example, if `a` is a two-dimensional matrix, each `x` in either of these loops is a one-dimensional subarray of `a` corresponding to a row of the matrix.

You can also index `a` by a tuple. For example, if `a`'s rank is at least 2, you can write `a[i][j]` as `a[i, j]` for any valid `i` and `j`, for rebinding as well as for access. Tuple indexing is faster and more convenient. You do not need to use parentheses inside the brackets in order to indicate that you are indexing `a` by a tuple: it

suffices to write the indices one after the other, separated by commas. In other words, `a[i, j]` means the same thing as `a[(i, j)]`, but the syntax without the parentheses is more natural and readable.

If the result of indexing is a single number, `Numeric` implicitly converts the result from a rank-zero array to a scalar quantity of the appropriate Python type. In other words, as a result of such an indexing you get a number, not an array with one number in it. While this makes it convenient to pass array elements to other non-`Numeric` software, it also has unfortunate consequences, and this behavior will change in `numarray`. With the present behavior, special-casing is required. For example:

```
a[i].shape= a.shape[1:]
```

does not execute correctly as Python code when `a`'s rank is 1. In this case, `a[i]` is just a number, and numbers don't have a `shape` attribute. Thus, an `AttributeError` exception results.

15.6.3 Storage

An `array` object `a` is usually stored in a continuous memory area, with the elements one after the other in what is traditionally called row-major order. This means that, for example, when `a`'s rank is 2, the elements of `a`'s first row (`a[0]`) come first, immediately followed by those of `a`'s second row (`a[1]`), and so on.

An array can be noncontiguous when it shares some of the storage of a larger array, as covered in the following section [Section 15.6.4](#). For example, if `a`'s rank is 2, the slice `b=a[:, 0]` is the first column of `a`, and is stored noncontiguously because it occupies some of the same storage as `a`. In other words, `b[0]` occupies the same storage as `a[0, 0]`, while `b[1]` occupies the same storage as `a[1, 0]`, which cannot be adjacent to the memory occupied by `a[0, 0]` when `a` has more than one column.

`Numeric` handles both contiguous and noncontiguous arrays transparently in most cases. In the rest of this chapter, I will point out the rare exceptions where a contiguous array is needed. When you want to copy a noncontiguous array `b` into a new contiguous array `c`, use method `copy`, covered in [Section 15.6.7](#) later in this chapter.

15.6.4 Slicing

Arrays may share some or all of their data with other arrays. `Numeric` shares data between arrays whenever feasible. If you want `Numeric` to copy data, explicitly ask for a copy. Data sharing particularly applies to slices. For built-in Python lists and standard library `array` objects, slices are copies, but for `Numeric array` objects, slices share data with the array they're sliced from:

```
from Numeric import *
alist=range(10)
list_slice=alist[3:7]
list_slice[2]=22
print list_slice, alist          # prints: [3,4,22,6] [0,1,2,3,4,5,6,7,8,9]
anarray=array(alist)
arr_slice=anarray[3:7]
arr_slice[2]=33
print arr_slice, anarray        # prints: [ 3 4 33 6] [ 0 1 2 3 4 33 6 7 8 9]
```

Rebinding an item of `list_slice` does not affect the list `alist` that `list_slice` is sliced from, since for built-in lists, slicing performs a copy. However, because for `Numeric` arrays, slicing shares data, assigning to

an item of `arr_slice` does affect the `array` object `anarray` that `arr_slice` is sliced from. This behavior may be unexpected for a beginner, but was chosen to enable high performance.

15.6.4.1 Slicing examples

You can use a tuple to slice an array, just as you can to index it. For arrays, slicing and indexing blend into each other. Each item in a slicing tuple can be an integer, and the slice has one fewer axis than the array being sliced. Slicing removes the axis for which you give a number by selecting the indicated plane of the array.

A slicing tuple item can also be a slice expression; the general syntax is `start:stop:step`, and you can omit one or more of the three parts (see [Section 4.6](#) in [Chapter 4](#), and function `slice` in [Chapter 8](#), for details on slice semantics and defaults). Here are some example slicings:

```
# a is [[ 0, 1, 2, 3, 4, 5],
#       [10,11,12,13,14,15],
#       [20,21,22,23,24,25],
#       [30,31,32,33,34,35],
#       [40,41,42,43,44,45],
#       [50,51,52,53,54,55]]
a[0,2:4)          # array([2,3])
a[3:,3:]         # array([[33,34,35],
#                       [43,44,45],
#                       [53,54,55]])
a[:,4]          # array([4,14,24,34,44,54])
a[2::2,::2]    # array([[20,22,24],
#                       [40,42,44]])
```

A slicing-tuple item can also use an ellipsis (`...`) to indicate that the following items in the slicing tuple apply to the last (rightmost) axes of the array you're slicing. For example, consider slicing an array `b` of rank 3:

```
b.shape          # (4,2,3)
b[1].shape       # (2,3)
b[... ,1].shape  # (4,2)
```

When we slice with `b[1]` (equivalent to indexing), we give an integer index for axis 0, and therefore we select a specific plane along `b`'s axis 0. By selecting a specific plane, we remove that axis from the result's shape. Therefore, the result's shape is `b.shape[1:]`. When we slice with `b[... ,1]`, we select a specific plane along `b`'s axis -1 (the rightmost axis of `b`). Again, by selecting a specific plane, we remove that axis from the result's shape. Therefore, the result's shape in this case is `b.shape[:-1]`.

A slicing-tuple item can also be the pseudo-index `NewAxis`. The resulting slice has an additional axis at the point at which you use `NewAxis`, with a value of 1 in the corresponding item of the shape tuple. Continuing the previous example:

```
b[NewAxis,... ,NewAxis].shape  # (1,4,2,3,1)
```

Here, rather than selecting and thus removing some of `b`'s axes, we have added two new axes, one at the start of the shape and one at the end, thanks to the ellipsis.

Axis removal and addition can both occur in the same slicing. For example:

```
b[NewAxis, :, 0, :, NewAxis].shape      # (1, 4, 3, 1)
```

Here, we both add new axes at the start and end of the shape, and select a specific index from the middle axis (axis 1) of `b` by giving an index for that axis. Therefore, axis 1 of `b` is removed from the result's shape. The colons (`:`) used as the second and fourth items in the slicing tuple in this example are slice expressions with both *start* and *stop* omitted, meaning that all of the corresponding axis is included in the slice. In all these examples, all slices share some or all of `b`'s data. Slicing affects only the shape of the resulting array. No data is copied, and no operations are performed on the data.

15.6.4.2 Assigning to array slices

Assignment to array slices is less flexible than assignment to list slices. Normally, you can assign to an array slice only another array of the same shape as the slice. However, if the right-hand side of the assignment is not an array, `Numeric` implicitly creates a temporary array from it. Each element of the right-hand side is coerced to the left-hand side's type. If the right-hand side array is not the same shape as the left-hand side slice, broadcasting applies, as covered in [Section 15.6.8](#) later in this chapter. So, for example, you can assign a scalar (a single number) to any slice of a numeric array. In this case, the right-hand side number is coerced, then broadcast (replicated) as needed to make the assignment succeed.

When you assign to an array slice (or indexing) a right-hand side of a type different from that of the left-hand side, `Numeric` coerces the values to the left-hand side's type, for example by truncating floating-point numbers to integers. This does not apply if the right-hand side values are complex. Full coercion does not apply to in-place operators, which can only cast the right-hand side values upwards (for example, an integer right-hand side may be used for in-place operations with a floating-point left-hand side, but not vice versa), as covered in [Section 15.6.8.2](#) later in this chapter.

15.6.5 Truth Values

Although an `array` object `a` is a Python sequence, in recent versions of `Numeric` `a` does not follow Python's normal rule for truth values of sequences, where `bool(a)` depends only on `len(a)` and not on `a`'s elements (i.e., the rule by which any sequence is false only when empty, otherwise it is true). Rather, `a` is false when `a` has no elements or all of `a`'s elements are numeric 0. This lets you test for element-wise equality of arrays in the natural way:

```
if a == b:
```

Without this proviso, such an `if` condition would be satisfied by any non-empty comparable arrays `a` and `b`.

Do remember, however, that you have to be explicit when you want to test whether `a` has any items or whether `a` has any elements, as these are two different conditions:

```
a = Numeric.array( [ [ ], [ ], [ ] ] )
if a: print 'a is true'
else: print 'a is false'                # prints: a is false
if len(a): print 'a has some items'
else: print 'a has no items'           # prints: a has some items
if Numeric.size(a): print 'a has some elements'
else: print 'a has no elements'        # prints: a has no elements
```

In most cases, the best way to compare arrays of numbers is for approximate equality with function

`allclose`, covered later in this chapter.

15.6.6 Factory Functions

`Numeric` supplies numerous factory functions that create `array` objects.

array

```
array(data, typecode=None, copy=True, savespace=False)
```

Returns a new `array` object `a`. `a`'s shape depends on `data`. When `data` is a number, `a` has rank 0 and `a.shape` is the empty tuple `()`. When `data` is a sequence of numbers, `a` has rank 1 and `a.shape` is the singleton tuple `(len(data),)`. When `data` is a sequence of sequences of numbers, all of `data`'s items must have the same length, `a` has rank 2, and `a.shape` is the pair `(len(data), len(data[0]))`. This idea generalizes to any nesting level of `data` as a sequence of sequences, up to the arbitrarily high limit on rank mentioned earlier in this chapter. If data is nested over that limit, `array` raises `TypeError`. (This is unlikely to be a problem in practice, as an array of rank at least 40, with each axis of length at least 2, would have well over a million of millions of elements).

`typecode` can be any of the values shown in [Table 15-2](#) or `None`. When `typecode` is `None`, `array` chooses a default type code depending on the types of the elements of `data`. When any one or more elements in `data` are long integer values or are neither numbers nor plain strings (e.g., `None` or Unicode strings), the type code is `PyObject`. When all elements are plain strings, the type code is `Character`. When any one or more elements (but not all) are plain strings, all others are numbers (not long integers), and `typecode` is `None`, `array` raises `TypeError`. You must explicitly pass `'O'` or `PyObject` as argument `typecode` if you want to have `array` build an array from some plain strings and some non-long integers. When all elements are numbers (not long integers), the default type code depends on the widest numeric type among the elements. When any of the elements is a `complex`, the type code is `Complex`. When no elements are complex but some are floating-point values, the type code is `Float`. When all elements are integers, the type code is `Int`.

Function `array`, by default, returns an `array` object `a` that doesn't share data with others. If `data` is an `array` object, and you explicitly pass a false value for argument `copy`, `array` returns an `array` object `a` that shares data with `data`, if feasible.

By default, an `array` object with a numeric type code is implicitly cast up when operated with numbers of wider numeric types. When you do not need this implicit casting, you can save some memory by explicitly passing a true value for argument `savespace` to the `array` factory function, to set the resulting `array` object `a` into space-saving mode. For example:

```
array(range(4), typecode='b')+2.0      # array([2., 3., 4., 5.])
array(range(4), typecode='b', savespace=True)+2.0
# array([2, 3, 4, 5])
array(range(4), typecode='b', savespace=True)+258.7
# array([2, 3, 4, 5])
```

The first statement creates an array of floating-point values, as `savespace` is not specified and thus each element is implicitly cast up to a `float` when added to `2.0`. The second and third statements create arrays

of 8-bit integers, since *savespace* is specified. Therefore, instead of implicit casting up of the array's element, we get implicit casting down of the `float` added to each element. `258.7` is cast down to `2`: the fractional part `.7` is lost because of the cast to an integer, and the resulting `258` becomes `2` because, since the cast is to 8-bit integers, only the lowest 8 bits are kept. The *savespace* mode can be very useful for large arrays, but be careful lest you suffer unexpected loss of precision when using it.

arrayrange, arange

```
arrayrange([start,]stop[,step=1],typecode=None)
```

Like `array(range(start,stop,step),typecode)`, but faster. See built-in function [range](#), covered in [Chapter 8](#), for details about *start*, *stop*, and *step*. `arrayrange` allows `float` values for these arguments, not just `int` values. Be careful when exploiting this feature, since the approximations inherent in floating-point arithmetic may lead to a result with one more or fewer items than you might expect. `arange` is a synonym of `arrayrange`.

fromstring

```
fromstring(data,count=None,typecode=Int)
```

Returns a one-dimensional array *a* of shape `(count,)` with data copied from the bytes of string *data*. When *count* is `None`, `len(data)` must be a multiple of *typecode*'s item size, and *a*'s shape is `(len(data)/a.itemsize(),)`. When *count* is not `None`, `len(data)` must be greater than or equal to `count*a.itemsize()`, and `fromstring` ignores *data*'s trailing bytes, if any.

Together with methods `a.tostring` and `a.byteswapped` (covered in the following section [Section 15.6.7](#)), function `fromstring` allows binary input/output of `array` objects. When you need to save arrays and later reload them, and don't need to use the saved form in non-Python programs, it's simpler and faster to use module `cPickle`, covered in [Chapter 11](#). Many experienced users prefer to use a portable self-describing file format such as `netCDF` (see <http://met-www.cit.cornell.edu/noon/ncmodule.html>).

identity

```
identity(n,typecode=Int)
```

Returns a two-dimensional array *a* of shape `(n,n)`. *a*'s elements are `0`, except those on the main diagonal (`a[j,j]` for *j* in `range(n)`), which are `1`.

ones

```
ones(shapetuple,typecode=Int,savespace=False)
```

Returns an array *a* such that `a.shape=shapetuple`. All of *a*'s elements are `1`.

zeros

```
zeros(shape tuple, typecode=Int, savespace=False)
```

Returns an array *a* such that *a.shape* = *shape tuple*. All of *a*'s elements are 0.

Note that, by default, *identity*, *ones*, and *zeros* all return arrays whose type is *Int*. Be sure to specify explicitly a different type code, such as *Float*, if that is what you really want. For example, be sure to avoid the following common mistake:

```
a = zeros(3)
a[0] = 0.3          # a is array([0,0,0])
```

Since *a* is *Int* in this snippet, the *0.3* we assign to one of its items gets truncated to the integer *0*. Instead, you typically want something closer to the following:

```
a = zeros(3,Float)
a[0] = 0.3          # a is array([0.3,0.,0.] )
```

Here, we have explicitly specified *Float* as the type code for *a*, and therefore no truncation occurs when we assign *0.3* to one of *a*'s items.

15.6.7 Attributes and Methods

For most array manipulations, *Numeric* supplies functions you can call with array arguments. You can also use Python lists as arguments; this polymorphism offers flexibility that is not available for functionality packaged up as array attributes and methods. Each *array* object *a* also supplies some methods and attributes, for direct access to functionality that would not benefit from polymorphic possibilities.

astype

```
a.astype(typecode)
```

Returns a new array *b* with the same shape as *a*. *b*'s elements are *a*'s elements coerced to the type indicated by *typecode*. *b* does not share *a*'s data, even if *typecode* equals *a.typecode*().

byteswapped

```
a.byteswapped( )
```

Returns a new *array* object *b* with the same type code and shape as *a*. Each element of *b* is copied from the corresponding element of *a*, inverting the order of the bytes in the value. This swapping transforms each value from little-endian to big-endian or vice versa. Together with function *fromstring* and method *a.tostring*, this helps when you have binary data from one kind of machine and need them for the other kind (for example, Intel platforms are little-endian, while Sun platforms are big-endian).

copy

```
a.copy( )
```

Returns a new contiguous `array` object `b`, identical to `a`, but not sharing `a`'s data.

flat

`a.flat` is an attribute that contains an array with rank of one less than `a` and of the same size as `a`, sharing `a`'s data. Indexing or slicing `a.flat` lets you access or change `a`'s elements through this alternate view of `a`. Trying to access `a.flat` raises a `TypeError` exception if `a` is noncontiguous. When `a` is contiguous, `a.flat` is in row-major order. This means that, for example, when `a`'s shape is `(7,4)` (i.e., `a` is a two-dimensional matrix with seven rows and four columns), `a.flat[i]` is the same as `a[divmod(i,4)]` for all `i` in `range(28)`.

imag, imaginary, real

Trying to access the `a.real` and `a.imag` attributes raises a `TypeError` exception unless `a`'s type code is complex. When `a`'s type code is complex, each of `a.real` and `a.imag` is a noncontiguous array with the same shape as `a` and a `float` type code, sharing data with `a`. By accessing or modifying `a.real` or `a.imag`, you access or modify the real or imaginary parts of `a`'s complex-number elements. `imaginary` is a synonym of `imag`.

iscontiguous

```
a.iscontiguous( )
```

Returns `True` if `a`'s data occupies contiguous storage, otherwise `False`. This matters particularly when interfacing to C-coded extensions. `a.copy()` makes a contiguous copy of `a`. Noncontiguous arrays arise when slicing or transposing arrays, as well as for attributes `a.real` and `a.imag` of an array `a` with a complex type code.

itemsize

```
a.itemsize( )
```

Returns the number of bytes of memory used by each of `a`'s elements (not by each of `a`'s items, which are subarrays of `a`).

savespace

```
a.savespace(flag=True)
```

Sets or resets the space-saving mode of array *a*, depending on the truth value of *flag*. When *flag* is true, `a.savespace(flag)` sets *a*'s space-saving mode so that *a*'s elements are not implicitly cast up when operated with arrays of wider numeric types. For more details on this, see the discussion of *savespace* for function `array` earlier in this chapter. When *flag* is false, `a.savespace(flag)` resets *a*'s space-saving mode so that *a*'s elements *are* implicitly cast up when needed.

shape

The `a.shape` attribute is a tuple with one item per axis of *a*, giving the length of that axis. You can assign a sequence of integers to `a.shape` to change the shape of *a*, but *a*'s size (the total number of elements) must remain the same. When you assign to `a.shape` another sequence *s*, one of *s*'s items can be `-1`, meaning that the length along that axis is whatever is needed to keep *a*'s size unchanged. However, the product of the other items of *s* must evenly divide *a*'s size, or else the reshaping raises an exception. When you need to change the total number of elements in *a*, call function `resize` (covered in [Section 15.6.9](#) later in this chapter).

spacesaver

```
a.spacesaver( )
```

Returns `True` if space-saving mode is on for array *a*, otherwise `False`. See the discussion of *savespace* for function `array` earlier in this chapter.

tolist

```
a.tolist( )
```

Returns a list *L* equivalent to *a*. For example, if `a.shape` is `(2,3)` and *a*'s type code is `'d'`, *L* is a list of two lists of three `float` values each. In other words, for each valid *i* and *j*, `L[i][j] = a[i,j]`. Note that `list(a)` converts only the top-level (axis 0) of array *a* into a list, and thus is not equivalent to `a.tolist()` if *a*'s rank is 2 or more. For example:

```
a=array([[1,2,3],[4,5,6]],typecode='d')
print a.shape          # prints: (2,3)
print a                # prints: [[1. 2. 3.]
                        #           [4. 5. 6.]]

print list(a)
# prints: [array([1.,2.,3.]), array([4.,5.,6.])]
print a.tolist( )
```

```
# prints: [[1.0,2.0,3.0],[4.0,5.0,6.0]]
```

tostring

```
a.tostring( )
```

Returns a binary string *s* whose bytes are a copy of the bytes of *a*'s elements.

typecode

```
a.typecode( )
```

Returns the type code of *a* as a one-character string.

15.6.8 Operations on Arrays

Arithmetic operators `+`, `-`, `*`, `/`, `%`, and `**`, comparison operators `>`, `>=`, `<`, `<=`, `=`, and `!=`, and bitwise operators `&`, `|`, `^`, and `~` (all covered in [Chapter 4](#)) also apply to arrays. If both operands *a* and *b* are arrays with equal shapes and type codes, the result is a new array *c* with the same shape and type code. Each element of *c* is the result of the operator on corresponding elements of *a* and *b* (element-wise operation).

Arrays do not follow sequence semantics for `*` (replication) and `+` (concatenation), but rather use `*` and `+` for element-wise arithmetic. Similarly, `*` does not mean matrix multiplication, but element-wise multiplication. `Numeric` supplies functions to perform replication, concatenation, and matrix multiplication; all operators on arrays perform element-wise operations.

When the type codes of *a* and *b* differ, the narrower numeric type is converted to the wider one, like for other Python numeric operations. As usual, operations between numeric and non-numeric values are disallowed. In the case of arrays, you can inhibit casting up by setting an array into space-saving mode with method `savespace`. Use space-saving mode with care, since it can result in silent loss of significant data. For more details on this, see the discussion of `savespace` for function `array` earlier in this chapter.

15.6.8.1 Broadcasting

Element-wise operations between arrays of different shapes are generally not possible: attempting such operations raises an exception. `Numeric` allows some such operations by broadcasting (replicating) a smaller array up to the shape of the larger one when feasible. To make broadcasting efficient, the replication is only conceptual: `Numeric` does not need to physically copy the data being broadcast (i.e., you need not worry that performance will be degraded because an operation involves broadcasting).

The simplest case of broadcasting is when one operand, *a*, is a scalar (an array of rank 0), while *b*, the other operand, is an array. In this case, `Numeric` conceptually builds a temporary array *t*, with shape `b.shape`, where each element of *t* equals *a*. `Numeric` then performs the requested operation between *t* and *b*. In practice, therefore, when you operate an array *b* with a scalar *a*, as in `a+b` or `b+a`, the resulting array has the same shape as *b*, and each element is the result of applying the operator to the corresponding element of *b* and the single number *a*.

More generally, broadcasting can also apply when both operands *a* and *b* are arrays. Conceptually, broadcasting works according to rather complicated general rules:

1. When *a* and *b* differ in rank, the one whose shape tuple is shorter is padded up to the other's rank by adding leading axes, each with a length of 1.
2. *a.shape* and *b.shape*, padded to the same length as per rule 1, are compared starting from the right (i.e., from the length of the last axis).
3. When the axis length along the axis being examined is the same for *a* and *b*, that axis is okay, and examination moves leftward to the previous axis.
4. When the lengths of the axes differ and both are greater than 1, `Numeric` raises an exception.
5. When one axis length is 1, `Numeric` broadcasts the corresponding array by replication along that plane to the axis length of the other array.

Broadcasting's rules are complicated because of their generality, but most typical applications of broadcasting are in simple cases. For example, say we compute $a+b$, and *a.shape* is (5,3) (a matrix of five rows, three columns). Further, say typical values for *b.shape* include () (a scalar), (3,) (a one-dimensional vector with three elements), and (5,1) (a matrix with five rows, one column). In each of these cases, *b* is broadcast up to a temporary array *t* with shape (5,3) by replicating *b*'s elements along the needed axis (both axes, when *b* is a scalar), and `Numeric` computes $a+t$. The simplest and most frequent case, of course, is when *b.shape* is (5,3), the same shape as *a*'s. In this case, no broadcasting is needed.

15.6.8.2 In-place operations

Arrays support in-place operations through augmented assignment operators `+=`, `-=`, and so on. The left-hand side array or slice cannot be broadcast, but the right-hand side can be. Similarly, the left-hand side cannot be cast up, but the right-hand side can be. In other words, in-place operations treat the left-hand side as rigid in both shape and type, but the right-hand side is subject to the normal, more lenient rules.

15.6.9 Functions

`Numeric` defines several functions that operate on arrays, or polymorphically on Python sequences, conceptually forming temporary arrays from non-array operands.

allclose

```
allclose(x,y,rtol=1.e-5,atol=1.e-8)
```

Returns `True` when every element of *x* is close to the corresponding element of *y*, otherwise `False`. Two elements *ex* and *ey* are defined to be close if:

```
abs(ex-ey)<atol+rtol*abs(ey)
```

In other words, *ex* and *ey* are close if both are tiny (less than *atol*) or if the relative difference is small

(less than `rtol`). `allclose` is generally a better way to check array equality than `=`, since floating-point arithmetic requires some comparison tolerance. However, `allclose` is not applicable to complex arrays, only to floating-point and integer arrays. To compare two complex arrays `x` and `y` for approximate equality, you can use:

```
allclose(x.real, y.real) and allclose(x.imag, y.imag)
```

argmax, argmin

```
argmax(a,axis=-1)
argmin(a,axis=-1)
```

`argmax` returns a new integer array `m` whose shape tuple is `a.shape` minus the indicated `axis`. Each element of `m` is the index of a maximal element of `a` along `axis`. `argmin` is similar, but indicates minimal elements rather than maximal ones.

argsort

```
argsort(a,axis=-1)
```

Returns a new integer array `m` with the same shape as `a`. Each vector of `m` along `axis` is the index sequence needed to sort the corresponding axis of `a`. In particular, if `a` has rank 1, the most common case, `take(a,argsort(a))=sort(a)`. For example:

```
x = [52, 115, 99, 111, 114, 101, 97, 110, 100, 55]
print Numeric.argsort(x)    # prints: [0 9 6 2 8 5 7 3 4 1]
print Numeric.sort(x)
# prints: [52 55 97 99 100 101 110 111 114 115]
print Numeric.take(x, Numeric.argsort(x))
# prints: [52 55 97 99 100 101 110 111 114 115]
```

Here, the result of `Numeric.argsort(x)` tells us that `x`'s smallest element is `x[0]`, the second smallest is `x[9]`, the third smallest is `x[6]`, and so on. The call to `Numeric.take` in the last `print` statement takes `x`'s elements exactly in this order, and therefore produces the same sorted array as the call to `Numeric.sort` in the second `print` statement.

array2string

```
array2string(a,max_line_width=None,precision=None,
             suppress_small=None,separator=' ',
             array_output=False)
```

Returns a string representation `s` of array `a`, showing elements within brackets, separated by string `separator`. The last dimension is horizontal, the penultimate one vertical, and further dimensions are denoted by bracket nesting. If `array_output` is true, `s` starts with `'array('` and ends with `)'`. `s` ends with `", 'X')"` instead if `X`, which is `a`'s type code, is not `Float`, `Complex`, or `Int`, which lets you later use `eval(s)` if `separator` is `' '`.

Lines longer than *max_line_width* (by default, 77) are broken up. *precision* determines how many digits are used per element (by default, 8). If *suppress_small* is true, very small numbers are shown as 0. You can change these defaults by binding attributes of module `sys` named `output_line_width`, `float_output_precision`, and `float_output_suppress_small`.

`str(a)` is like `array2string(a)`. `repr(a)` is like `array2string(a, separator=',', array_output=True)`.

average

```
average(a, axis=0, weights=None, returned=False)
```

Returns *a*'s average along *axis*. When *axis* is `None`, returns the average of all *a*'s elements. When *weights* is not `None`, *weights* must be an array with *a*'s shape, or a one-dimensional array with the length of *a*'s given *axis*, and *average* computes a weighted average. When *returned* is true, returns a pair: the first item is the average, the second item is the sum of weights (the count of values, when *weights* is `None`).

choose

```
choose(a, values)
```

Returns an array *c* with the same shape as *a*. *values* is a sequence. *a*'s elements are integers between 0, included, and `len(values)`, excluded. Each element of *c* is the item of *values* whose index is the corresponding element of *a*. For example:

```
print Numeric.choose(Numeric.identity(3), 'ox')
# prints: [[x o o]
#          [o x o]
#          [o o x]]
```

clip

```
clip(m, min, max)
```

Returns an array *c* with the same type code and shape as *a*. Each element *ec* of *c* is the corresponding element *ea* of *a*, where `min <= ea <= max`. Where `ea < min`, *ec* is `min`; where `ea > max`, *ec* is `max`. For example:

```
print Numeric.clip(Numeric.arange(10), 2, 7)
# prints: [2 2 2 3 4 5 6 7 7 7]
```

compress

```
compress(condition, a, axis=0)
```

Returns an array *c* with the same type code and rank as *a*. *c* includes only the elements of *a* for which the item of *condition*, corresponding along the given *axis*, is true. For example, `compress((1,0,1),a) = take(a,(0,2),0)` since `(1,0,1)` has true values only at indices 0 and 2. Here's how to get only the even numbers from an array:

```
a = Numeric.arange(10)
print Numeric.compress(a%2==0, a) # prints: [0 2 4 6 8]
```

concatenate

```
concatenate(arrays, axis=0)
```

arrays is a sequence of arrays, all with the same shape except possibly along the given *axis*. `concatenate` returns an array that is the concatenation of the *arrays* along the given *axis*. In particular, `concatenate((s,)*n)` has the same sequence replication semantics that `s*n` would have if *s* were a generic Python sequence rather than an array. For example:

```
print Numeric.concatenate([Numeric.arange(5),
                           Numeric.arange(3)])
# prints: [0 1 2 3 4 0 1 2]
```

convolve

```
convolve(a,b,mode=2)
```

Returns an array *c* with rank 1, the linear convolution of rank 1 arrays *a* and *b*. Linear convolution is defined over unbounded sequences. `convolve` conceptually extends *a* and *b* to infinite length by padding with 0, then clips the infinite-length result to its central part, yielding *c*. When *mode* is 2, the default, `convolve` clips only the padding, so *c*'s shape is `(len(a)+len(b)-1,)`. Otherwise, `convolve` clips more. Say `len(a)` is greater than or equal to `len(b)`: when *mode* is 0, `len(c)` is `len(a)-len(b)+1`; when *mode* is 1, `len(c)` is `len(a)`. When `len(a)` is less than `len(b)`, the effect is symmetrical. For example:

```
a = Numeric.arange(6)
b = Numeric.arange(4)
print Numeric.convolve(a, b)
# prints: [0 0 1 4 10 16 22 22 15]
print Numeric.convolve(a, b, 1)
# prints: [0 1 4 10 16 22]
print Numeric.convolve(a, b, 0) # prints: [4 10 16]
```

cross_correlate

```
cross_correlate(a,b,mode=0)
```

Like `convolve(a,b[::-1],mode)`.

diagonal

```
diagonal(a,k=0,axis1=0,axis2=1)
```

Returns the elements of *a* whose index along *axis1* and index along *axis2* differ by *k*. When *a* has rank 2, this means the main diagonal when *k* equals 0, subdiagonals above the main one when *k* is greater than 0, and subdiagonals below the main one when *k* is less than 0. For example:

```
# a is [[0 1 2 3]
#       [4 5 6 7]
#       [8 9 10 11]
#       [12 13 14 15]]
print Numeric.diagonal(a)      # prints: [0 5 10 15]
print Numeric.diagonal(a,1)    # prints: [1 6 11]
print Numeric.diagonal(a,-1)   # prints: [4 9 14]
```

As shown, `diagonal(a)` is the main diagonal, `diagonal(a,1)` the subdiagonal just above the main one, and `diagonal(a,-1)` the subdiagonal just below the main one.

indices

```
indices(shape, typecode=None)
```

Returns an integer array *x* of shape $(\text{len}(\text{shape}),) + \text{shape}$. Each element of subarray *x*[*i*] is equal to the element's *i* index in the subarray. For example:

```
print Numeric.indices((2,4))    # prints: [[[0 0 0 0]
#                                     [1 1 1 1]]
#                                     [[0 1 2 3]
#                                     [0 1 2 3]]]
```

innerproduct

```
innerproduct(a,b)
```

Returns an array *m* with the result of the inner product of *a* and *b*, like `matrixmultiply(a,transpose(b))`. *a*.shape[-1] must equal *b*.shape[-1], and *m*.shape is the tuple *a*.shape[:-1]+*b*.shape[0:-1:-1].

matrixmultiply

```
matrixmultiply(a,b)
```

Returns an array *m* with *a* times *b* in the matrix-multiplication sense, rather than element-wise multiplication. *a*.shape[-1] must equal *b*.shape[0], and *m*.shape is the tuple *a*.shape[:-1]+*b*.shape[1:].

nonzero

```
nonzero(a)
```

Returns the indices of those elements of *a* that are not equal to 0, like the expression:

```
array([i for i in range(len(a)) if a[i] != 0])
```

a must be a sequence or one-dimensional array.

put

```
put(a, indices, values)
```

a must be a contiguous array. *indices* is a sequence of integers, taken as indices into *a.flat*. *values* is a sequence of values that can be converted to *a*'s type code (if shorter than *indices*, *values* is repeated as needed). Each element of *a* indicated by an item in *indices* is replaced by the corresponding item in *values*. *put* is therefore similar to (but faster than) the loop:

```
for i,v in zip(indices, values*len(indices)):
    a.flat[i]=v
```

putmask

```
putmask(a, mask, values)
```

a must be a contiguous array. *mask* is a sequence with the same length as *a.flat*. *values* is a sequence of values that can be converted to *a*'s type code (if shorter than *mask*, *values* is repeated as needed). Each element of *a* corresponding to a true item in *mask* is replaced by the corresponding item in *values*. *putmask* is therefore similar to (but faster than) the loop:

```
for i,v in zip(xrange(len(mask)), values*len(mask)):
    if mask[i]: a.flat[i]=v
```

rank

```
rank(a)
```

Returns the rank of *a*, just like `len(array(a, copy=False).shape)`.

ravel

```
ravel(a)
```

Returns the flat form of *a*, just like `array(a, copy=False).flat`.

repeat

```
repeat(a, repeat, axis=0)
```

Returns an array with the same type code and rank as *a*, where each of *a*'s elements is repeated along *axis* as many times as the value of the corresponding element of *repeat*. *repeat* is an integer, or an integer sequence of length `a.shape[axis]`.

reshape

```
reshape(a, shapetuple)
```

Returns an array *r* with shape *shapetuple*, sharing *a*'s data. `r=reshape(a, shapetuple)` is just like `r=a; r.shape=shapetuple`. The product of *shapetuple*'s items must equal the product of *a.shape*'s, but one of *shapetuple*'s items may be `-1` to ask for adaptation of that axis's length. For example:

```
print Numeric.reshape(range(12), (3, -1))
# prints: [[0 1 2 3]
#          [4 5 6 7]
#          [8 9 10 11]]
```

resize

```
resize(a, shapetuple)
```

Returns an array *r* with shape *shapetuple* and data copied from *a*. If *r*'s size is smaller than *a*'s size, `r.flat` is copied from the start of `ravel(a)`; if *r*'s size is larger, the data in `ravel(a)` is replicated as many times as needed. In particular, `resize(s, (n*len(s),))` has the sequence replication semantics that `s*n` would have if *s* were a generic Python sequence rather than an array. For example:

```
print Numeric.resize(range(5), (3, 4))
# prints: [[0 1 2 3]
#          [4 0 1 2]
#          [3 4 0 1]]
```

searchsorted

```
searchsorted(a, values)
```

a must be a sorted rank 1 array. `searchsorted` returns an array of integers *s* with the same shape as *values*. Each element of *s* is the index in *a* where the corresponding element of *values* would fit in the sorted order of *a*. For example:

```
print Numeric.searchsorted([0,1],
    [0.2,-0.3,0.5,1.3,1.0,0.0,0.3])
# prints: [1 0 1 2 1 0 1]
```

This specific idiom returns an array with `0` in correspondence to each element `x` of `values` when `x` is less than or equal to `0`; `1` when `x` is greater than `0` and less than or equal to `1`; and `2` when `x` is greater than `1`. With slight generalization, and with appropriate thresholds as the elements of sorted array `a`, this idiom allows very fast classification of what subrange each element `x` of `values` falls into.

shape

```
shape(a)
```

Returns the shape of `a`, just like `array(a, copy=False).shape`.

size

```
size(a, axis=None)
```

When `axis` is `None`, returns the total number of elements in `a`. Otherwise, returns the number of elements of `a` along `axis`, like `array(a, copy=False).shape[axis]`.

sort

```
sort(a, axis=-1)
```

Returns an array `s` with the same type code and shape as `a`, with elements along each plane of the given `axis` reordered so that the plane is sorted in increasing order. For example:

```
# x is [[0 1 2 3]
#       [4 0 1 2]
#       [3 4 0 1]]
print Numeric.sort(x)      # prints: [[0 1 2 3]
#                               [0 1 2 4]
#                               [0 1 3 4]]
print Numeric.sort(x,0)    # prints: [[0 0 0 1]
#                               [3 1 1 2]
#                               [4 4 2 3]]
```

`sort(x)` returns a result where each row is sorted. `sort(x,0)` returns a result where each column is sorted.

swapaxes

```
swapaxes(a, axis1, axis2)
```

Returns an array *s* with the same type code, rank, and size as *a*, sharing *a*'s data. *s*'s shape is the same as *a*, but with the lengths of axes *axis1* and *axis2* swapped. In other words, *s*=*swapaxes(a,axis1,axis2)* is like:

```
swapped_shape=length(a.shape)
swapped_shape[axis1]=axis2
swapped_shape[axis2]=axis1
s=transpose(a,swapped_shape)
```

take

```
take(a, indices, axis=0)
```

Returns an array *t* with the same type code and rank as *a*, containing the subset of *a*'s elements that would be in a slice along *axis* comprising the given *indices*. For example, after *t*=*take(a,(1,3))*, *t.shape*=(2,)+*a.shape*[1:], and *t*'s elements are those in the second and fourth rows of *a*.

trace

```
trace(a, k=0)
```

Returns the sum of *a*'s elements along the *k* diagonal, like *sum(diagonal(a,k))*.

transpose

```
transpose(a, axes=None)
```

Returns an array *t*, with the same type code, rank, and size as *a*, sharing *a*'s data. *t*'s axes are permuted with respect to *a*'s by the axis indices in sequence *axes*. When *axes* is *None*, *t*'s axes invert the order of *a*'s, as if *axes* were *a.shape[::-1]*.

where

```
where(condition, x, y)
```

Returns an array *w* with the same shape as *condition*. Where an element of *condition* is true, the corresponding element of *w* is the corresponding element of *x*; otherwise it is the corresponding element of *y*. For example, *clip(a,min,max)* is the same as *where(greater(a,max),max,where(greater(a,min),a,min))*.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.7 Universal Functions (ufuncs)

`Numeric` supplies named functions with the same semantics as Python's arithmetic, comparison, and bitwise operators. Similar semantics (element-wise operation, broadcasting, coercion) are also available with other mathematical functions, both binary and unary, that `Numeric` supplies. For example, `Numeric` supplies typical mathematical functions similar to those supplied by built-in module `math`, such as `sin`, `cos`, `log`, and `exp`.

These functions are objects of type `ufunc` (which stands for universal function) and share several traits in addition to those they have in common with array operators. Every `ufunc` instance `u` is callable, is applicable to sequences as well as to arrays, and lets you specify an optional `output` argument. If `u` is binary (i.e., if `u` accepts two operand arguments), `u` also has four callable attributes, named `u.accumulate`, `u.outer`, `u.reduce`, and `u.reduceat`. The `ufunc` objects supplied by `Numeric` apply only to arrays with numeric type codes (i.e., not to arrays with type code 'O' or 'c').

Any `ufunc` `u` applies to sequences, not just to arrays. When you start with a list `L`, it's faster to call `u` directly on `L` rather than to convert `L` to an array. `u`'s return value is an array `a`; you can perform further computation, if any, on `a`, and then, if you need a list result, you can convert the resulting array to a list by calling its method `tolist`. For example, say you must compute the logarithm of each item of a list and return another list. On my system, with `N` set to `2222` and using `python -O`, a list comprehension such as:

```
def logsupto(N):
    return [math.log(x) for x in range(2,N)]
```

takes about 5.6 milliseconds. Using Python's built-in `map`:

```
def logsupto(N):
    return map(math.log, range(2,N))
```

takes around half the time, 2.8 milliseconds. Using `Numeric`'s `ufunc` named `log`:

```
def logsupto(N):
    return Numeric.log(range(2,N)).tolist( )
```

reduces the time to about 2.0 milliseconds. Taking some care to exploit the `output` argument to the `log` `ufunc`:

```
def logsupto(N):
    temp = Numeric.arange(2, N, typecode=Numeric.Float)
    Numeric.log(temp, temp)
    return temp.tolist( )
```

further reduces the time, down to just 0.9 milliseconds. The ability to accelerate such simple but massive computations (here by about 6 times) with so little effort is a good part of the attraction of `Numeric`, and particularly of `Numeric`'s `ufunc` objects.

15.7.1 The Optional output Argument

Any `ufunc u` accepts an optional last argument `output` that specifies an output array. If supplied, `output` must be an array or array slice of the right shape and type for `u`'s results (i.e., no coercion, no broadcasting). `u` stores results in `output` and does not create a new array. `output` can be the same as an input array argument `a` of `u`. Indeed, `output` is normally specified in order to substitute common idioms such as `a=u(a,b)` with faster equivalents such as `u(a,b,a)`. However, `output` cannot share data with `a` without being `a` (i.e., `output` can't be a different view of some or all of `a`'s data). If you pass such a disallowed `output` argument, `Numeric` is normally unable to diagnose your error and raise an exception, so instead you get wrong results.

Whether you pass the optional `output` argument or not, a `ufunc u` returns its results as the function's return value. When you do not pass `output`, `u` stores the results it returns in a new `array` object, so you normally bind `u`'s return value to some reference in order to be able to access `u`'s results later. When you pass the `output` argument, `u` stores the results in `output`, so you need not bind `u`'s return value. You can later access `u`'s results as the new contents of the `array` object passed as `output`.

15.7.2 Callable Attributes

Every binary `ufunc u` supplies four attributes that are also callable objects.

accumulate

```
u.accumulate(a,axis=0)
```

Returns an array `r` with the same shape and type code as `a`. Each element of `r` is the accumulation of elements of `a` along the given `axis` with the function or operator underlying `u`. For example:

```
print add.accumulate(range(10))
# prints: [0 1 3 6 10 15 21 28 36 45]
```

Since `add`'s underlying operator is `+`, and `a` is sequence `0,1,2,...,9`, `r` is `0,0+1,0+1+2,...,0+1+...+8+9`. In other words, `r[0]` is `a[0]`, `r[1]` is `r[0] + a[1]`, `r[2]` is `r[1] + a[2]`, and so on (i.e., each `r[i]` is `r[i-1] + a[i]`).

outer

```
u.outer(a,b)
```

Returns an array `r` whose shape tuple is `a.shape+b.shape`. For each tuple `ta` indexing `a` and `tb` indexing `b`, `a[ta]`, operated (with the function or operator underlying `u`) with `b[tb]`, is put in `r[ta+tb]` (the `+` here indicates tuple concatenation). The overall operation is known in mathematics as the outer product when `u` is `multiply`. For example:

```
a = Numeric.arange(3, 5)
b = Numeric.arange(1, 6)
c = Numeric.multiply.outer(a, b)
print a.shape, b.shape, c.shape # prints: (2,) (5,) (2,5)
print c                          # prints: [[3 6 9 12 15]
```

```
# [4 8 12 16 20]
```

`c.shape` is `(2,5)`, the concatenation of the shape tuples of operands `a` and `b`. Each `i` row of `c` is the whole of `b` multiplied by the corresponding `i` element of `a`.

reduce

```
u.reduce(a,axis=0)
```

Returns an array `r` with the same type code as `a` and rank one less than `a`'s rank. Each element of `r` is the reduction of the elements of `a`, along the given `axis`, with the function or operator underlying `u`. The functionality of `u.reduce` is therefore close to that of Python's built-in `reduce` function, covered in [Chapter 8](#). For example, since $0+1+2+\dots+9$ is 45, `add.reduce(range(10))` is 45. This is just like, when using built-in `reduce` and `import operator, reduce(operator.add,range(10))` is also 45.

reduceat

```
u.reduceat(a,indices)
```

Returns an array `r` with the same type code as `a` and the same shape as `indices`. Each element of `r` is the reduction, with the function or operator underlying `u`, of elements of `a` starting from the corresponding item of `indices` up to the next one excluded (up to the end, for the last one). For example:

```
print add.reduceat(range(10),(2,6,8)) # prints: [14 13 17]
```

Here, `r`'s elements are the partial sums $2+3+4+5$, $6+7$, and $8+9$.

15.7.3 ufunc Objects Supplied by Numeric

`Numeric` supplies several `ufunc` objects, as listed in [Table 15-4](#).

Table 15-4. ufunc objects supplied by Numeric

ufunc	Behavior
<code>absolute</code>	Behaves like the <code>abs</code> built-in function
<code>add</code>	Behaves like the <code>+</code> operator
<code>arccos</code>	Behaves like the <code>acos</code> function in <code>math</code> and <code>cmath</code>
<code>arccosh</code>	Behaves like the <code>acosh</code> function in <code>cmath</code>
<code>arcsin</code>	Behaves like the <code>asin</code> function in <code>math</code> and <code>cmath</code>
<code>arcsinh</code>	Behaves like the <code>asinh</code> function in <code>cmath</code>
<code>arctan</code>	Behaves like the <code>atan</code> function in <code>math</code> and <code>cmath</code>
<code>arctanh</code>	Behaves like the <code>atanh</code> function in <code>cmath</code>

<code>bitwise_and</code>	Behaves like the <code>&</code> operator
<code>bitwise_not</code>	Behaves like the <code>~</code> operator
<code>bitwise_or</code>	Behaves like the <code> </code> operator
<code>bitwise_xor</code>	Behaves like the <code>^</code> operator
<code>ceil</code>	Behaves like the <code>ceil</code> function in <code>math</code>
<code>conjugate</code>	Computes the complex conjugate of each element (unary)
<code>cos</code>	Behaves like the <code>cos</code> function in <code>math</code> and <code>cmath</code>
<code>cosh</code>	Behaves like the <code>cosh</code> function in <code>cmath</code>
<code>divide</code>	Behaves like the <code>/</code> operator
<code>equal</code>	Behaves like the <code>=</code> operator
<code>exp</code>	Behaves like the <code>exp</code> function in <code>math</code> and <code>cmath</code>
<code>fabs</code>	Behaves like the <code>fabs</code> function in <code>math</code>
<code>floor</code>	Behaves like the <code>floor</code> function in <code>math</code>
<code>fmod</code>	Behaves like the <code>fmod</code> function in <code>math</code>
<code>greater</code>	Behaves like the <code>></code> operator
<code>greater_equal</code>	Behaves like the <code>/=</code> operator
<code>less</code>	Behaves like the <code><</code> operator
<code>less_equal</code>	Behaves like the <code><=</code> operator
<code>log</code>	Behaves like the <code>log</code> function in <code>math</code> and <code>cmath</code>
<code>log10</code>	Behaves like the <code>log10</code> function in <code>math</code> and <code>cmath</code>
<code>logical_and</code>	Behaves like the <code>&</code> operator; always returns an array containing 0s and 1s, the truth values of the operands' elements
<code>logical_not</code>	Returns an array of 0s and 1s, logical negations of the operand's elements
<code>logical_or</code>	Behaves like the <code> </code> operator; always returns an array containing 0s and 1s, the truth values of the operands' elements
<code>logical_xor</code>	Behaves like the <code>^</code> operator; always returns an array containing 0s and 1s, the truth values of the operands' elements
<code>maximum</code>	Returns element-wise the larger of the two elements being operated on
<code>minimum</code>	Returns element-wise the smaller of the two elements being operated on
<code>multiply</code>	Behaves like the <code>*</code> operator
<code>not_equal</code>	Behaves like the <code>!=</code> operator
<code>power</code>	Behaves like the <code>**</code> operator
<code>remainder</code>	Behaves like the <code>%</code> operator
<code>sin</code>	Behaves like the <code>sin</code> function in <code>math</code> and <code>cmath</code>
<code>sinh</code>	Behaves like the <code>sinh</code> function in <code>cmath</code>
<code>sqrt</code>	Behaves like the <code>sqrt</code> function in <code>math</code> and <code>cmath</code>
<code>subtract</code>	Behaves like the <code>-</code> operator
<code>tan</code>	Behaves like the <code>tan</code> function in <code>math</code> and <code>cmath</code>
<code>tanh</code>	Behaves like the <code>tanh</code> function in <code>cmath</code>

Here's how you might use the `maximum` ufunc to get a numeric ramp that goes down and then back up again:


```
print Numeric.maximum(range(1,20),range(20,1,-1))  
# prints: [20 19 18 17 16 15 14 13 12 11 11 12 13 14 15 16 17 18 19]
```

15.7.4 Shorthand for Commonly Used ufunc Methods

`Numeric` defines function synonyms for some commonly used methods of `ufunc` objects, as listed in [Table 15-5](#).

Table 15-5. Synonyms for ufunc methods

Synonym	Stands for
<code>alltrue</code>	<code>logical_and.reduce</code>
<code>cumproduct</code>	<code>multiply.accumulate</code>
<code>cumsum</code>	<code>add.accumulate</code>
<code>product</code>	<code>multiply.reduce</code>
<code>sometrue</code>	<code>logical_or.reduce</code>
<code>sum</code>	<code>add.reduce</code>

[\[Team LiB \]](#)

[\[Team LiB \]](#)

15.8 Optional Numeric Modules

Many other modules are built on top of `Numeric` or cooperate with it. You can download some of them from the same URL as `Numeric` (<http://sourceforge.net/projects/numpy>). Some of these extra modules may already be included in the package you have downloaded. Documentation for the modules is also part of the documentation for `Numeric`. A rich library of scientific tools that work well with `Numeric` is `SciPy`, available at <http://www.scipy.org>. I highly recommend it if you are using Python for scientific or engineering computing.

Here are some key optional `Numeric` modules:

`MLab`

`MLab` supplies many Python functions written on top of `Numeric`. `MLab`'s functions are similar in name and operation to functions supplied by the product `Matlab`.

`FFT`

`FFT` supplies Python-callable Fast Fourier Transforms (FFTs) of data held in `Numeric` arrays. `FFT` can wrap either the well-known `FFTPACK` Fortran-coded library or the compatible C-coded `fftpack` library.

`LinearAlgebra`

`LinearAlgebra` supplies Python-callable functions, operating on data held in `Numeric` arrays, that wrap either the well-known `LAPACK` Fortran-coded library or the compatible C-coded `lapack_lite` library. `LinearAlgebra` lets you invert matrices, solve linear systems, compute eigenvalues and eigenvectors, perform singular value decomposition, and least-squares-solve overdetermined linear systems.

`RandomArray`

`RandomArray` supplies fast, high-quality pseudo-random number generators, using various random distributions, that work with `Numeric` arrays.

`MA`

`MA` supports masked arrays (i.e., arrays that can have missing or invalid values). `MA` supplies a large subset of `Numeric`'s functionality, albeit sometimes at reduced speed. The extra functionality of `MA` is the ability to associate to each array an optional `mask`, an auxiliary array of `False` and `True`, where `True` indicates array elements that are missing, unknown, or invalid. Computations propagate masks, and you can turn masked arrays into plain `Numeric` ones by using a fill-in value for invalid elements. `MA` is widely applicable because experimental data quite often has missing or inapplicable elements. Furthermore, when you need to extend or specialize some aspect of `Numeric`'s behavior for your application's purposes, it often turns out to be simplest and most effective to start with `MA`'s sources rather than with `Numeric`'s. The latter are often quite hard to understand and modify, due to the extreme degree of optimization applied to them over the years.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 16. Tkinter GUIs

Most professional applications interact with users through a graphical user interface (GUI). A GUI is normally programmed through a *toolkit*, which is a library that implements *controls* (also known as *widgets*) that are visible objects such as buttons, labels, text entry fields, and menus. A GUI toolkit lets you compose controls into a coherent whole, display them on-screen, and interact with the user, receiving input via such devices as the keyboard and mouse.

Python gives you a choice among many GUI toolkits. Some are platform-specific, but most are cross-platform to different degrees, supporting at least Windows and Unix-like platforms, and often the Macintosh as well. Check http://phaseit.net/claird/comp.lang.python/python_GUI.html for a list of dozens of GUI toolkits available for Python. One package, *anygui* (<http://anygui.org>), lets you program simple GUIs to one common programming interface and deploy them with any of a variety of backends.

The most widespread Python GUI toolkit is Tkinter. Tkinter is an object-oriented Python wrapper around the cross-platform toolkit Tk, which is also used with other scripting languages such as Tcl (for which it was originally developed) and Perl. Tkinter, like the underlying Tcl/Tk, runs on Windows, Macintosh, and Unix-like platforms. Tkinter itself comes with standard Python distributions. On Windows, the standard Python distribution also includes the Tcl/Tk components needed to run Tkinter. On other platforms, you must obtain and install Tcl/Tk separately.

This chapter covers an essential subset of Tkinter, sufficient to build simple graphical frontends for Python applications. A richer introduction is available at <http://www.pythonware.com/library/tkinter/introduction/>.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.1 Tkinter Fundamentals

The `Tkinter` module makes it easy to build simple GUI applications. You simply import `Tkinter`, create, configure, and position the widgets you want, and then enter the `Tkinter` main loop. Your application becomes *event-driven*, which means that the user interacts with the widgets, causing events, and your application responds via the functions you installed as handlers for these events.

The following example shows a simple application that exhibits this general structure:

```
import sys, Tkinter
Tkinter.Label(text="Welcome!").pack( )
Tkinter.Button(text="Exit", command=sys.exit).pack( )
Tkinter.mainloop( )
```

The calls to `Label` and `Button` create the respective widgets and return them as results. Since we specify no parent windows, `Tkinter` puts the widgets directly in the application's main window. The named arguments specify each widget's configuration. In this simple case, we don't need to bind variables to the widgets. We just call the `pack` method on each widget, handing control of the widget's geometry to a layout manager object known as the packer. A *layout manager* is an invisible component whose job is to position widgets within other widgets (known as *container* or *parent* widgets), handling geometrical layout issues. The previous example passes no arguments to control the packer's operation, so therefore the packer operates in a default way.

When the user clicks on the button, the `command` callable of the `Button` widget executes without arguments. The example passes function `sys.exit` as the argument named `command` when it creates the `Button`. Therefore, when the user clicks on the button, `sys.exit()` executes and terminates the application (as covered in [Chapter 8](#)).

After creating and packing the widgets, the example calls `Tkinter`'s `mainloop` function, and thus enters the `Tkinter` main loop and becomes event-driven. Since the only event for which the example installs a handler is a click on the button, nothing happens from the application's viewpoint until the user clicks the button. Meanwhile, however, the `Tkinter` toolkit responds in the expected way to other user actions, such as moving the `Tkinter` window, covering and uncovering the window, and so on. When the user resizes the window, the packer layout manager works to update the widgets' geometry. In this example, the widgets remain centered, close to the upper edge of the window, with the label above the button.

All strings going to or coming from `Tkinter` are Unicode strings, so be sure to review [Section 9.6](#) in [Chapter 9](#) if you need to show, or accept as input, characters outside of the ASCII encoding (you may then need to use some other appropriate codec).

Note that all the scripts in this chapter are meant to be run standalone (i.e., from a command line or in a platform-dependent way, such as by double clicking on a script's icon). Running a GUI script from inside another program that has its own GUI, such as a Python integrated development environment (e.g., IDLE or PythonWin), can cause various anomalies. This can be a particular problem when the GUI script attempts to terminate (and thus close down the GUI), since the script's GUI and the other program's GUI may interfere with each other.

Note also that this chapter refers to several all-uppercase, multi-letter identifiers (e.g., `LEFT`, `RAISED`, `ACTIVE`). All these identifiers are constant attributes of module `Tkinter`, used for a wide variety of

purposes. If your code uses `from Tkinter import *`, you can then use the identifiers directly. If your code uses `import Tkinter` instead, you need to qualify those identifiers, just like all others you import from `Tkinter`, by preceding them with `'Tkinter.'`. `Tkinter` is one of the rare Python modules designed to support `from Tkinter import *`, but of course you may choose to use `import Tkinter` anyway, sacrificing some convenience and brevity in favor of greater clarity. A good compromise between convenience and clarity is often to import `Tkinter` with a shorter name (e.g., `import Tkinter as Tk`).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.2 Widget Fundamentals

The `Tkinter` module supplies many kinds of widgets, and most of them have several things in common. All widgets are instances of classes that inherit from class `Widget`. Class `Widget` itself is *abstract*; that is, you never instantiate `Widget` itself. You only instantiate concrete subclasses corresponding to specific kinds of widgets. Class `Widget`'s functionality is common to all the widgets you instantiate.

To instantiate any kind of widget, call the widget's class. The first argument is the parent window of the widget, also known as the widget's *master*. If you omit this positional argument, the widget's master is the application's main window. All other arguments are in named form, `option=value`. You can also set or change options on an existing widget `w` by calling `w.config(option=value)`. You can get an option of `w` by calling `w.cget('option')`, which returns the option's value. Each widget `w` is a mapping, so you can also get an option as `w['option']` and set or change it with `w['option']=value`.

16.2.1 Common Widget Options

Many widgets accept some common options. Some options affect a widget's colors, others affect lengths (normally in pixels), and there are various other kinds. This section details the most commonly used options.

16.2.1.1 Color options

Tkinter represents colors with strings. The string can be a color name, such as `'red'` or `'orange'`, or it may be of the form `'#RRGGBB'`, where each of `R`, `G`, and `B` is a hexadecimal digit, to represent a color by the values of red, green, and blue components on a scale of 0 to 255. Don't worry; if your screen can't display millions of different colors, as implied by this scheme; Tkinter maps any requested color to the closest color that your screen can display. The common color options are:

`activebackground`

Background color for the widget when the widget is *active*, meaning that the mouse is over the widget and clicking on it makes something happen

`activeforeground`

Foreground color for the widget when the widget is active

`background` (also `bg`)

Background color for the widget

`disabledforeground`

Foreground color for the widget when the widget is *disabled*, meaning that clicking on the widget is ignored

`foreground` (also `fg`)

Foreground color for the widget

`highlightbackground`

Background color of the highlight region when the widget has focus
`highlightcolor`

Foreground color of the highlight region when the widget has focus
`selectbackground`

Background color for the selected items of the widget, for widgets that have selectable items, such as `Listbox`
`selectforeground`

Foreground color for the selected items of the widget

16.2.1.2 Length options

Tkinter normally expresses a length as an integer number of pixels; other units of measure are possible, but rarely used. The common length options are:

`borderwidth`

Width of the border (if any), giving a 3D look to the widget
`highlightthickness`

Width of the highlight rectangle when the widget has focus (when `0`, the widget does not draw a highlight rectangle)
`padx`, `pady`

Extra space the widget requests from its geometry manager beyond the minimum the widget needs to display its contents, in the `x` and `y` directions
`selectborderwidth`

Width of the 3D border (if any) around selected items of the widget
`wraplength`

Maximum line length for widgets that perform word wrapping (when less than or equal to `0`, no wrapping: the widget breaks lines of text only at `'\n'`)

16.2.1.3 Options expressing numbers of characters

Some options indicate a widget's requested geometry not in pixels, but rather as a number of characters, using average width or height of the widget's fonts:

`height`

Desired height of the widget; must be greater than or equal to `1`
`underline`

Index of the character to underline in the widget's text (`0` is the first character, `1` the second one, and so on). The underlined character also determines what shortcut key reaches or activates the widget.
`width`

Desired width of the widget (when less than or equal to `0`, desired width is just enough to hold the

widget's current contents)

16.2.1.4 Other common options

Other options accepted by many kinds of widgets are a mixed bag, dealing with both behavior and presentation issues.

`anchor`

Where the information in the widget is displayed; must be `N`, `NE`, `E`, `SE`, `S`, `SW`, `W`, `NW`, or `CENTER` (all except `CENTER` are compass directions)

`command`

Callable without arguments; executes when the user clicks on the widget (only for widgets `Button`, `Checkbutton`, and `Radiobutton`)

`font`

Font for the text in this widget (see [Section 16.6.6](#) later in this chapter)

`image`

An image to display in the widget instead of text; the value must be a `Tkinter` image object (see [Section 16.2.4](#) later in this chapter)

`justify`

How lines are justified when a widget shows more than a line of text; must be `LEFT`, `CENTER`, or `RIGHT`

`relief`

The 3D effect that indicates how the interior of the widget appears relative to the exterior; must be `RAISED`, `SUNKEN`, `FLAT`, `RIDGE`, `SOLID`, or `GROOVE`

`state`

Widget look and behavior on mouse and keyboard clicks; must be `NORMAL`, `ACTIVE`, or `DISABLED`

`takefocus`

If true, the widget accepts focus when the user navigates among widgets by pressing the Tab or Shift-Tab keys

`text`

The text string displayed by the widget

`textvariable`

The `Tkinter` variable object associated with the widget (see [Section 16.2.3](#) later in this chapter)

16.2.2 Common Widget Methods

A widget `w` supplies many methods. Besides event-related methods, mentioned in [Section 16.9](#) later in this chapter, commonly used widget methods are the following.

cget

```
w.cget(option)
```

Returns the value configured in *w* for *option*.

config

```
w.config(**options)
```

w.config(), without arguments, returns a dictionary where each possible option of *w* is mapped to a tuple that describes it. Called with one or more named arguments, *config* sets those options in *w*'s configuration.

focus_set

```
w.focus_set()
```

Sets focus to *w*, so that all keyboard events for the application are sent to *w*.

grab_set, grab_release

```
w.grab_set()  
w.grab_release()
```

grab_set ensures that all of the application's events are sent to *w* until a corresponding call to *grab_release*.

mainloop

```
w.mainloop()
```

Enters a Tkinter event loop. Event loops may be nested; each call to *mainloop* enters one further-nested level of the event loop.

quit

```
w.quit()
```

Quits a Tkinter event loop. When event loops are nested; each call to *quit* exits one nested level of the event loop.

update

```
w.update( )
```

Handles all pending events. *Never* call this while handling an event!

update_idletasks

```
w.update_idletasks( )
```

Handles those pending events that would normally be handled only when the event loop is idle (such as layout-manager updates and widget redrawing) but does not perform any callbacks. You can safely call this method at any time.

wait_variable

```
w.wait_variable(v)
```

v must be a `Tkinter` variable object (covered in the next section). `wait_variable` returns only when the value of *v* changes. Meanwhile, other parts of the application remain active.

wait_visibility

```
w.wait_visibility(w1)
```

w1 must be a widget. `wait_visibility` returns only when *w1* becomes visible. Meanwhile, other parts of the application remain active.

wait_window

```
w.wait_window(w1)
```

w1 must be a widget. `wait_window` returns only when *w1* is destroyed. Meanwhile, other parts of the application remain active.

winfo_height

```
w.winfo_height( )
```

Returns *w*'s height in pixels.

winfo_width

```
w.winfo_width( )
```

Returns *w*'s width in pixels.

w supplies many other methods whose names start with *winfo_*, but the two above are the most often called, typically after calling *w.update_idletasks*. They let you ascertain a widget's dimensions after the user has resized a window, causing the layout manager to rearrange the widgets' geometry.

16.2.3 Tkinter Variable Objects

The *Tkinter* module supplies classes whose instances represent variables. Each class deals with a specific data type: *DoubleVar* for *float*, *IntVar* for *int*, *StringVar* for *str*. You can instantiate any of these classes without arguments to obtain an instance *x*, also known in *Tkinter* as a *variable object*. Then, *x.set(datum)* sets *x*'s value to the given value, and *x.get()* returns *x*'s current value.

You can pass *x* as the *textvariable* or *variable* configuration option for a widget. Once you do this, the widget's text changes to track any change to *x*'s value, and *x*'s value, in turn, tracks changes to the widget (for some kinds of widgets). Further, a single *Tkinter* variable can control more than one widget. *Tkinter* variables let you control widget contents more transparently, and sometimes more conveniently, than explicitly querying and setting widget properties. The following example shows how to use a *StringVar* to connect an *Entry* widget and a *Label* widget automatically:

```
import Tkinter

root = Tkinter.Tk( )
tv = Tkinter.StringVar( )
Tkinter.Label(textvariable=tv).pack( )
Tkinter.Entry(textvariable=tv).pack( )
tv.set('Welcome!')
Tkinter.Button(text="Exit", command=root.quit).pack( )

Tkinter.mainloop( )
print tv.get( )
```

As you edit the *Entry*, you'll see the *Label* change automatically. This example instantiates the *Tkinter* main window explicitly, binds it to name *root*, and then sets as the *Button*'s command the bound method *root.quit*, which quits *Tkinter*'s main loop but does not terminate the Python application. Thus, the example ends with a *print* statement, to show on standard output the final value of variable object *tv*.

16.2.4 Tkinter Images

The *Tkinter* class *PhotoImage* supports Graphical Interchange Format (GIF) and Portable PixMap (PPM) images. You instantiate class *PhotoImage* with a keyword argument *file=path* to load the image's data from the image file at the given *path* and get an instance *x*.

You can set `x` as the `image` configuration option for one or more widgets. When you do this, the widget displays the image rather than text. If you need image processing functionality and support for many image formats (including JPEG, PNG, and TIFF), use PIL, the Python Imaging Library (<http://www.pythonware.com/products/pil/>), designed to work with `Tkinter`. I do not cover PIL further in this book.

`Tkinter` also supplies class `BitmapImage`, whose instances are usable wherever instances of `PhotoImage` are. `BitmapImage` supports some file formats known as bitmaps. I do not cover `BitmapImage` further in this book.

Being set as the `image` configuration option of a widget does not suffice to keep instances of `PhotoImage` and `BitmapImage` alive. Be sure to hold such instances in a Python container object, typically a list or dictionary, to ensure that the instances are not garbage-collected. The following example shows how to display GIF images:

```
import os
import Tkinter

root = Tkinter.Tk( )
L = Tkinter.Listbox(selectmode=Tkinter.SINGLE)
gifsdict = { }

dirpath = 'imgs'
for gifname in os.listdir(dirpath):
    if not gifname[0].isdigit( ): continue
    gifpath = os.path.join(dirpath, gifname)
    gif = Tkinter.PhotoImage(file=gifpath)
    gifsdict[gifname] = gif
    L.insert(Tkinter.END, gifname)

L.pack( )
img = Tkinter.Label( )
img.pack( )
def list_entry_clicked(*ignore):
    imgname = L.get(L.curselection( )[0])
    img.config(image=gifsdict[imgname])
L.bind('<ButtonRelease-1>', list_entry_clicked)
root.mainloop( )
```

Assuming you have in some directory (`'imgs'` in the example) several GIF files whose filenames start with digits, the example loads the images into memory, shows the filenames in a `Listbox` instance, and shows in a `Label` instance the GIF whose filename you click on. Note that for simplicity, the example does not give the `Listbox` widget a `Scrollbar` (we'll see how to equip a `Listbox` with a `Scrollbar` shortly).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.3 Commonly Used Simple Widgets

The `Tkinter` module provides a number of simple widgets that cover most needs of basic GUI applications. This section documents the `Button`, `Checkbutton`, `Entry`, `Label`, `Listbox`, `Radiobutton`, `Scale`, and `Scrollbar` widgets.

16.3.1 Button

Class `Button` implements a *pushbutton*, which the user clicks to execute an action. Instantiate `Button` with option `text=somestring` to let the button show text, or `image=imageobject` to let the button show an image. You normally use option `command=callable` to have `callable` execute without arguments when the user clicks the button. `callable` can be a function, a bound method of an object, an instance of a class with a `__call__` method, or a `lambda`.

Besides methods common to all widgets, an instance `b` of class `Button` supplies two button-specific methods.

flash

```
b.flash( )
```

Draws the user's attention to button `b` by redrawing `b` a few times, alternatively in normal and active states.

invoke

```
b.invoke( )
```

Calls without arguments the callable object that is `b`'s `command` option, just like `b.cget('command')()`. This can be handy when, within some other action, you want the program to act just as if the button had been clicked.

16.3.2 Checkbutton

Class `Checkbutton` implements a *checkbox*, which is a little box, optionally displaying a checkmark, that the user clicks to toggle on or off. You normally instantiate `Checkbutton` with exactly one of the two options `text=somestring`, to label the box with text, or `image=imageobject`, to label the box with an image. Optionally, use option `command=callable` to have `callable` execute without arguments when the user clicks the box. `callable` can be a function, a bound method of an object, an instance of a class with a `__call__` method, or a `lambda`.

An instance `c` of `Checkbutton` must be associated with a `Tkinter` variable object `v`, using configuration

option `variable=v` of `c`. Normally, `v` is an instance of `IntVar`, and `v`'s value is `0` when the box is unchecked, and `1` when the box is checked. The value of `v` changes when the box is checked or unchecked (either by the user clicking on it, or by your code calling `c`'s methods `deselect`, `select`, `toggle`). Vice versa, when the value of `v` changes, `c` shows or hides the checkmark as appropriate.

Besides methods common to all widgets, an instance `c` of class `Checkbutton` supplies five checkbox-specific methods.

deselect

```
c.deselect( )
```

Removes `c`'s checkmark, like `c.cget('variable').set(0)`.

flash

```
c.flash( )
```

Draws the user's attention to checkbox `c` by redrawing `c` a few times, alternately in normal and active states.

invoke

```
c.invoke( )
```

Calls without arguments the callable object that is `c`'s `command` option, just like `c.cget('command')()`.

select

```
c.select( )
```

Shows `c`'s checkmark, like `c.cget('variable').set(1)`.

toggle

```
c.deselect( )
```

Toggles the state of `c`'s checkmark, as if the user had clicked on `c`.

16.3.3 Entry

Class `Entry` implements a *text entry field* (i.e., a widget in which the user can input and edit a line of text). An instance `e` of `Entry` supplies several methods and configuration options allowing fine-grained control of widget operation and contents, but in most GUI programs you can get by with just three `Entry`-specific idioms:

```
e.delete(0, END)           # clear the widget's contents
e.insert(END, somestring) # append somestring to the widget's contents
somestring = e.get( )     # get the widget's contents
```

An `Entry` instance with `state=DISABLED` is a good way to display a line of text while letting the user copy it to the clipboard. To display more than one line of text, use an instance of class `Text`, covered later in this chapter. `DISABLED` stops your program, as well as the user, from altering `e`'s contents. To perform any alteration, temporarily set `state=NORMAL`:

```
e.config(state=NORMAL)    # allow alteration of e's contents
# call e.delete and/or e.insert as needed
e.config(state=DISABLED)  # make e's contents inalterable again
```

16.3.4 Label

Class `Label` implements a widget that just displays text or an image without interacting with user input. Instantiate `Label` either with option `text=somestring` to let the widget display text, or `image=imageobject` to let the widget display an image.

An instance `L` of class `Label` does not let the user copy text from `L` to the clipboard. `L` is therefore not the right widget to use when you show text that the user may want to copy, say in order to paste it into an email or some other document. Instead, use an instance `e` of class `Entry`, with option `state=DISABLED` to avoid alteration of `e`'s contents, as discussed in the previous section.

16.3.5 Listbox

Class `Listbox` displays textual items and lets the user select one or more items. To set the text items for an instance `L` of class `Listbox`, in most GUI programs you can get by with just two `Listbox`-specific idioms:

```
L.delete(0, END)          # clear the listbox's items
L.insert(END, somestring) # add somestring to the listbox's items
```

To get the text item at index `idx`, call `L.get(idx)`. To get a list of all text items between indices `idx1` and `idx2`, call `L.get(idx1, idx2)`. To get the list of all text items, call `L.get(0, END)`.

Option `selectmode` defines the selection mode of a `Listbox` instance `L`. The selection mode indicates how many items the user can select at once: only one in modes `SINGLE` and `BROWSE`, more than one in modes `MULTIPLE` and `EXTENDED`. Secondly, `selectmode` also defines the details of what user actions cause items to be selected or unselected. `BROWSE` mode is the default; it differs from `SINGLE` mode in that the user may change the one selected item by moving up and down while holding down the left mouse button. In `MULTIPLE` mode, each click on a list item selects or deselects the item without affecting the selection state of other items. In `EXTENDED` mode, a normal click on a list item selects that item and deselects all other items; however, clicking while holding down a Ctrl key selects an item without deselecting others, and clicking while holding down a Shift key selects a contiguous range of items.

An instance `L` of class `Listbox` supplies three selection-related methods.

curselection

```
L.curselection( )
```

Returns a sequence of zero or more indices, from 0 upwards, of selected items. Depending on the underlying release of Tk, `curselection` may return string representations of the integer indices, rather than the integers themselves. To remove this uncertainty, you can use:

```
indices = [ int(x) for x in L.curselection( ) ]
```

However, `[L.get(x) for x in L.curselection()]` is always the list of the zero or more text items that are selected, no matter what form of indices `curselection` returns. Therefore, if you're interested in selected text items rather than selected indices, the uncertainty may not be an issue.

select_clear

```
L.select_clear(i, j=None)
```

Deselects the `i` item (all items from the `i` to the `j`, if `j` is not `None`).

select_set

```
L.select_set(i, j=None)
```

Selects the `i` item (all items from the `i` to the `j`, if `j` is not `None`). `select_set` does not automatically deselect other items, even if `L`'s selection mode is `SINGLE` or `BROWSE`.

16.3.6 Radiobutton

Class `Radiobutton` implements a little box that is optionally checked. The user clicks the radiobutton to toggle it on or off. Radiobuttons come in groups: checking a radiobutton automatically unchecks all other radiobuttons of the same group. Instantiate `Radiobutton` with option `text=somestring` to label the button with text, or `image=imageobject` to label the button with an image. Optionally, use option `command=callable` to have `callable` execute without arguments when the user clicks the radiobutton. `callable` can be a function, a bound method of an object, an instance of a class with a `__call__` method, or a `lambda`.

An instance `r` of `Radiobutton` must be associated with a `Tkinter` variable object `v`, using configuration option `variable=v` of `r`, and with a designated value `X`, using option `value=X` of `r`. Most often, `v` is an instance of `IntVar`. The value of `v` changes to `X` when `r` is checked, either by the user clicking on `r` or by your code calling `r.select()`. Vice versa, when the value of `v` changes, `r` is checked if, and only if, `v.get() = X`. Several instances of `Radiobutton` form a group if they have the same `variable` and different `values`; selecting an instance changes the variable's value, and therefore automatically unchecks whichever other instance was previously checked.

Note that `Radiobutton` instances form a group if, and only if, they share the same value for the `variable` option. There is no special container to use to make `Radiobutton` instances into a group, nor is it even necessary for the `Radiobutton` instances to be children of the same widget. However, it would be confusing to the user if you dispersed a group of `Radiobutton` instances among several disparate locations.

Besides methods common to all widgets, an instance `r` of class `Radiobutton` supplies four radiobutton-specific methods.

deselect

```
r.deselect( )
```

Unchecks `r` and sets the associated variable object to an empty string, like `r.cget('variable').set('')`.

flash

```
c.flash( )
```

Draws the user's attention to `r` by redrawing `r` a few times, alternately in normal and active states.

invoke

```
c.invoke( )
```

Calls without arguments the callable object that is `r`'s `command` option, just like `r.cget('command')()`.

select

```
r.select( )
```

Checks `r` and sets the associated variable object to `r`'s value, like `r.cget('variable').set(r.cget('value'))`.

16.3.7 Scale

Class `Scale` implements a widget in which the user can input a value by sliding a cursor along a line. `Scale` supports configuration options to control the widget's looks and the value's range, but in most GUI programs the only option you specify is `orient=HORIZONTAL` when you want the line to be horizontal (by default, the line is vertical).

Besides methods common to all widgets, an instance `s` of class `Scale` supplies two scale-specific methods.

get

```
s.get( )
```

Returns the current position of *s*'s cursor, normally on a scale of 0 to 100.

set

```
s.set(p)
```

Sets the current position of *s*'s cursor, normally on a scale of 0 to 100.

16.3.8 Scrollbar

Class `Scrollbar` implements a widget similar to class `Scale`, almost always used to scroll another widget (most often a `Listbox`, covered earlier, or a `Text` or `Canvas`, covered later) rather than to let the user input a value.

A `Scrollbar` instance *s* is connected to the widget that *s* controls (e.g., a `Listbox` instance *L*) through one configuration option on each of *s* and *L*. Exactly for this purpose, the widgets most often associated with a scrollbar supply a method named `yview` and a configuration option named `yscrollcommand` for vertical scrolling. (For horizontal scrolling, widgets such as `Text`, `Canvas`, and `Entry` supply a method named `xview` and a configuration option named `xscrollcommand`.) For vertical scrolling, use *s*'s option `command=L.yview` so that user actions on *s* call *L*'s bound method `yview` to control *L*'s scrolling, and also use *L*'s option `yscrollcommand=s.set` so that changes to *L*'s scrolling, in turn, adjust the way *s* displays by calling *s*'s bound method `set`. The following example uses a `Scrollbar` to control vertical scrolling of a `Listbox`:

```
import Tkinter
s = Tkinter.Scrollbar( )
L = Tkinter.Listbox( )
s.pack(side=Tkinter.RIGHT, fill=Tkinter.Y)
L.pack(side=Tkinter.LEFT, fill=Tkinter.Y)
s.config(command=L.yview)
L.config(yscrollcommand=s.set)
for i in range(30): L.insert(Tkinter.END, str(i)*3)
Tkinter.mainloop( )
```

Since *s* and *L* need to refer to each other, we cannot set their respective options on construction in both cases, so for uniformity we call their `config` methods to set the options later for both. Clearly, in this example we do need to bind names to the widgets in order to be able to call `pack` and `config` methods of the widgets, use the widgets' bound methods, and populate the `Listbox`. Note that `L=Tkinter.Listbox().pack()` does not bind *L* to the `Listbox`, but rather to the result of method `pack` (i.e., `None`). Therefore, code this in two statements instead (as shown in the previous example):

```
L = Tkinter.Listbox( )
L.pack( )
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.4 Container Widgets

The `Tkinter` module supplies widgets whose purpose is to contain other widgets. A `Frame` instance does nothing more than act as a container. A `Toplevel` instance (including `Tkinter`'s *root window*, also known as the application's main window) is a top-level window, so your window manager interacts with it (typically by supplying suitable decoration and handling certain requests). To ensure that a widget *parent*, which must be a `Frame` or `Toplevel` instance, is the parent (also known as master) of another widget *child*, pass *parent* as the first parameter when you instantiate *child*.

16.4.1 Frame

Class `Frame` represents a rectangular area of the screen contained in other frames or top-level windows. `Frame`'s only purpose is to contain other widgets. Option `borderwidth` defaults to `0`, so an instance of `Frame` normally displays no border. You can configure the option with `borderwidth=1` if you want the frame border's outline to be visible.

16.4.2 Toplevel

Class `Toplevel` represents a rectangular area of the screen that is a top-level window and therefore receives decoration from whatever window manager handles your screen. Each instance of `Toplevel` can interact with the window manager and can contain other widgets. Every program using `Tkinter` has at least one top-level window, known as the root window. You can instantiate `Tkinter`'s root window explicitly using `root=Tkinter.Tk()`; otherwise `Tkinter` instantiates its root window implicitly as and when first needed. If you want to have more than one top-level window, first instantiate the main one with `root=Tkinter.Tk()`. Later in your program, you can instantiate other top-level windows as needed, with calls such as `another_toplevel=Tkinter.Toplevel()`.

An instance *T* of class `Toplevel` supplies many methods enabling interaction with the window manager. Many are platform-specific, relevant only with some window managers for the X Windowing System (used mostly on Unix and Unix-like systems). The cross-platform methods used most often are as follows.

deiconify

```
T.deiconify( )
```

Makes *T* display normally, even if previously *T* was iconic or invisible.

geometry

```
T.geometry([geometry_string])
```

`T.geometry()`, without arguments, returns a string encoding `T`'s size and position: `widthxheight+x_offset+y_offset`, with `width`, `height`, `x_offset`, and `y_offset` being the decimal forms of the corresponding numbers of pixels. `T.geometry(S)`, with one argument `S` (a string of the same form), sets `T`'s size and position according to `S`.

iconify

`T.deiconify()`

Makes `T` display as an icon (in Windows, as a button in the taskbar).

maxsize

`T.maxsize([width,height])`

`T.maxsize()`, without arguments, returns a pair of integers whose two items are `T`'s maximum width and height in pixels. `T.maxsize(W,H)`, with two integer arguments `W` and `H`, sets `T`'s maximum width and height in pixels to `W` and `H`, respectively.

minsize

`T.minsize([width,height])`

`T.minsize()`, without arguments, returns a pair of integers whose two items are `T`'s minimum width and height in pixels. `T.minsize(W,H)`, with two integer arguments `W` and `H`, sets `T`'s minimum width and height in pixels to `W` and `H`, respectively.

overrideredirect

`T.overrideredirect([avoid_decoration])`

`T.overrideredirect()`, without arguments, returns `False` for a normal window, `True` for a window that has asked the window manager to avoid decorating it. `T.overrideredirect(x)`, with one argument `x`, asks the window manager to avoid decorating `T` if, and only if, `x` is true. A top-level window without decoration has no title. The user cannot act via the window manager to close, move, or resize such an undecorated top-level window.

protocol

`T.protocol(protocol_name, callable)`

By calling `protocol` with a first argument of `'WM_DELETE_WINDOW'` (the only meaningful protocol on most platforms), you install `callable` as the handler for attempts by the user to close `T` through the window manager (for example by clicking on the X in the upper right corner on Windows and KDE). Python then calls `callable` without arguments when the user makes such an attempt. `callable` itself must call `T.destroy()` in order to close `T`, otherwise `T` stays open. By default, if `T.protocol` has not been called, such attempts implicitly call `T.destroy()` and thus unconditionally close `T`.

resizable

```
T.resizable([width,height])
```

`T.resizable()`, without arguments, returns a pair of integers (each 0 or 1) whose two items indicate if user action via the window manager can change `T`'s width and height, respectively. `T.resizable(W,H)`, with two integer arguments `W` and `H` (each 0 or 1), sets the user's ability to change `T`'s width and height according to the truth values of `W` and `H`. With some releases of Tk, `resizable`, when called without arguments, returns a string such as `'1 1'` rather than a pair of integers such as `(1,1)`. To remove this uncertainty, use:

```
resizable_wh = T.resizable( )
if len(resizable_wh) != 2: resizable_wh = map(int,
resizable_wh.split( ))
resizable_w, resizable_h = resizable_wh
```

state

```
T.state( )
```

Returns `'normal'` if `T` is displaying normally, `'withdrawn'` if `T` is invisible, `'icon'` or `'iconic'` (depending on the window manager) if `T` is displaying as an icon (e.g., in Windows, only as a button in the taskbar).

title

```
T.title([title_string])
```

`T.title()`, without arguments, returns a string that is `T`'s window title. `T.title(title_string)`, with one argument `title_string`, sets `T`'s window title to string `title_string`.

withdraw

```
T.withdraw( )
```

Makes `T` invisible.

The following example shows a root window with an `Entry` widget that lets the user edit the window's title

and buttons to perform various root window operations.

```
import Tkinter
root = Tkinter.Tk( )
var = Tkinter.StringVar( )
entry = Tkinter.Entry(root, textvariable=var)
entry.focus_set( )
entry.pack( )
var.set(root.title( ))
def changeTitle( ): root.title(var.get( ))
Tkinter.Button(root, text="Change Title", command=changeTitle).pack( )
Tkinter.Button(root, text="Iconify", command=root.iconify).pack( )
Tkinter.Button(root, text="Close", command=root.destroy).pack( )
Tkinter.mainloop( )
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.5 Menus

Class `Menu` implements all kinds of menus: menubars of top-level windows, submenus, and pop-up menus. To use a `Menu` instance `m` as the menubar for a top-level window `w`, set `w`'s configuration option `menu=m`. To use `m` as a submenu of a `Menu` instance `x`, call `x.add_cascade` with a named argument `menu=m`. To use `m` as a pop-up menu, call method `m.post`.

Besides configuration options covered in [Section 16.2.1](#) earlier in this chapter, a `Menu` instance `m` supports option `postcommand=callable`. `Tkinter` calls `callable` without arguments each time it is about to display `m` (whether because of a call to `m.post` or because of user actions). You can use this option to update a dynamic menu just in time when necessary.

By default, a `Tkinter` menu shows a tear-off entry (a dashed line before other entries), which lets the user get a copy of the menu in a separate `Toplevel` window. Since such tear-offs are not part of user interface standards on popular platforms, you may want to disable tear-off functionality by using configuration option `tearoff=0` for the menu.

16.5.1 Menu-Specific Methods

Besides methods common to all widgets, an instance `m` of class `Menu` supplies several menu-specific methods.

*add, add_cascade, add_checkbutton, add_command,
add_radiobutton, add_separator*

```
m.add(entry_kind, **entry_options)
```

Adds after `m`'s existing entries a new entry whose kind is the string `entry_kind`, which is one of the strings `'cascade'`, `'checkbutton'`, `'command'`, `'radiobutton'`, or `'separator'`. [Section 16.5.2](#) later in this chapter covers entry kinds and options.

Methods whose names start with `add_` work just like method `add`, but they accept no positional argument; what kind of entry each method adds is implied by the method's name.

delete

```
m.delete(i[, j])
```

`m.delete(i)` removes `m`'s `i` entry. `m.delete(i, j)` removes `m`'s entries from the `i` one to the `j` one, included. The first entry has index 0.

entryconfigure, entryconfig

```
m.entryconfigure(i, **entry_options)
```

Changes entry options for *m*'s *i* entry. `entryconfig` is an exact synonym.

insert, *insert_cascade*, *insert_checkbutton*,
insert_command, *insert_radiobutton*,
insert_separator

```
m.insert(i,entry_kind, **entry_options)
```

Adds before *m*'s entry *i* a new entry whose kind is the string *entry_kind*, which is one of the strings 'cascade', 'checkbutton', 'command', 'radiobutton', or 'separator'. [Section 16.5.2](#) later in this chapter covers entry kinds and options.

Methods whose names start with `insert_` work just like method `insert`, except that they don't accept a second positional argument; what kind of entry each method inserts is implied by the method's name.

invoke

```
m.invoke(i)
```

Invokes *m*'s *i* entry, just as if the user clicked on it.

post

```
m.post(x,y)
```

Displays *m* as a pop-up menu, with *m*'s upper left corner at coordinates *x,y* (offsets in pixels from upper left corner of `Tkinter`'s root window).

unpost

```
m.unpost( )
```

Closes *m* if *m* was displaying as a pop-up menu, otherwise does nothing.

16.5.2 Menu Entries

When a menu *m* displays, it shows a vertical (horizontal for a menubar) list of entries. Each entry can be one of the following kinds:

`cascade`

A submenu; option `menu=x` must give as `x` another `Menu` instance

`checkboxbutton`

Similar to a `Checkbutton` widget; typical options are `variable` (which must indicate a `Tkinter` variable object), `onvalue`, `offvalue`, and optionally `command`, quite similarly to a `Checkbutton` instance

`command`

Similar to a `Button` widget; typical option is `command=callable`

`radiobutton`

Similar to a `Radiobutton` widget; typical options are `variable` (which must indicate a `Tkinter` variable object), `value`, and optionally `command`, quite similarly to a `Radiobutton` instance

`separator`

A line segment that separates groups of other entries

Other entry options often used with menu entries are:

`image`

Option `image=x` uses `x`, a `Tkinter` image object, to label the entry with an image rather than text

`label`

Option `label=somestring` labels the entry with a text string

`underline`

Option `underline=x` gives `x` as the index of the character to underline within the entry's label (0 is the first character, 1 the second one, and so on)

16.5.3 Menu Example

The following example shows how to add a menubar with typical File and Edit menus:

```
import Tkinter

root = Tkinter.Tk( )
bar = Tkinter.Menu( )

def show(menu, entry): print menu, entry

fil = Tkinter.Menu( )
for x in 'New', 'Open', 'Close', 'Save':
    fil.add_command(label=x,command=lambda x=x:show('File',x))
bar.add_cascade(label='File',menu=fil)

edi = Tkinter.Menu( )
for x in 'Cut', 'Copy', 'Paste', 'Clear':
    edi.add_command(label=x,command=lambda x=x:show('Edit',x))
bar.add_cascade(label='Edit',menu=edi)
```

In this example, each menu command just outputs information to standard output for demonstration purposes. Note the `x=x` idiom to snapshot the value of `x` at the time we create each `lambda`. Otherwise, the current value of `x` at the time a `lambda` executes, 'Clear', would show up at each menu selection. A good alternative to the `lambda` expressions would be a closure. Instead of `def show`, use:

```
def mkshow(menu):  
    def emit(entry, menu=menu): print menu, entry  
    return emit
```

and use `command=mkshow('File')` and `command=mkshow('Edit')`, respectively, in the calls to the `add_command` methods of `fil` and `edi`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.6 The Text Widget

Class `Text` implements a powerful multiline text editor, able to display images and embedded widgets as well as text in one or more fonts and colors. An instance `t` of `Text` supports many ways to refer to specific points in `t`'s contents. `t` supplies methods and configuration options allowing fine-grained control of operations, content, and rendering. This section covers a large, frequently used subset of this vast functionality. In some very simple cases, you can get by with just three `Text`-specific idioms:

```
t.delete('1.0', END)           # clear the widget's contents
t.insert(END, astring)        # append astring to the widget's contents
somestring = t.get('1.0', END) # get the widget's contents as a string
```

`END` is an index on any `Text` instance `t`, indicating the end of `t`'s text. `'1.0'` is also an index, indicating the start of `t`'s text (first line, first column). For more about indices, see [Section 16.6.5](#) later in this chapter.

16.6.1 Text Widget Methods

An instance `t` of class `Text` supplies many methods. Methods dealing with marks and tags are covered in later sections. Many methods accept one or two indices into `t`'s contents. The most frequently used methods are the following.

delete

```
t.delete(i[,j])
```

`t.delete(i)` removes `t`'s character at index `i`. `t.delete(i,j)` removes all characters from index `i` to index `j`, included.

get

```
t.get(i[,j])
```

`t.get(i)` returns `t`'s character at index `i`. `t.get(i,j)` returns a string made up of all characters from index `i` to index `j`, included.

image_create

```
t.image_create(i,**window_options)
```

Inserts an embedded image in `t`'s contents at index `i`. Call `image_create` with option `image=e`, where `e` is

a `Tkinter` image object, as covered in [Section 16.2.4](#) earlier in this chapter.

insert

```
t.insert(i,s[,tags])
```

Inserts string `s` in `t`'s contents at index `i`. `tags`, if supplied, is a sequence of strings to attach as tags to the new text, as covered in [Section 16.6.4](#) later in this chapter.

search

```
t.search(pattern,i,**search_options)
```

Finds the first occurrence of string `pattern` in `t`'s contents not earlier than index `i` and returns a string that is the index of the occurrence, or an empty string "" if not found. Option `nocase=True` makes the search case-insensitive; by default, or with an explicit option `nocase=False`, the search is case-sensitive. Option `stop=j` makes the search stop at index `j`; by default, the search wraps around to the start of `t`'s contents. When you need to avoid wrapping, you can use `stop=END`.

see

```
t.see(i)
```

Scrolls `t`, if needed, to make sure the contents at index `i` are visible. If the contents at index `i` are already visible, `see` does nothing.

window_create

```
t.window_create(i,**window_options)
```

Inserts an embedded widget in `t`'s contents at index `i`. `t` must be the parent of the widget `w` that you are inserting. Call `window_create` either with option `window=w` to insert an already existing widget `w`, or with option `create=callable`. If you use option `create`, `Tkinter` calls `callable` without arguments the first time the embedded widget needs to be displayed, and `callable` must create a widget `w` (with `t` as `w`'s parent) and return `w` as `callable`'s result. Option `create` lets you arrange creation of embedded widgets just in time and only if needed, and is useful as an optimization when you have many embedded widgets in a very long text.

xview, yview

```
t.xview([...])
t.yview([...])
```

`xview` and `yview` handle scrolling in horizontal and vertical directions respectively, and accept several different patterns of arguments. `t.xview()`, without arguments, returns a tuple of two floats between `0.0` and `1.0` indicating the fraction of `t`'s contents corresponding to the first (leftmost) and last (rightmost) currently visible columns. `t.xview(MOVETO,frac)` scrolls `t` left or right so that the first (leftmost) visible column becomes the one corresponding to fraction `frac` of `t`'s contents, between `0.0` and `1.0`. `yview` supports the same patterns of arguments, but uses lines rather than columns, and scrolls up and down rather than left and right. `yview` supports one more pattern of arguments: `t.yview(i)`, for any index `i`, scrolls `t` up or down so that the first (topmost) visible line becomes the one of index `i`.

16.6.2 Giving Text a Scrollbar

You'll often want to couple a `Scrollbar` instance to a `Text` instance in order to let the user scroll through the text. The following example shows how to use a `Scrollbar` `s` to control vertical scrolling of a `Text` instance `T`:

```
import Tkinter

root = Tkinter.Tk( )
s = Tkinter.Scrollbar(root)
T = Tkinter.Text(root)
T.focus_set( )
s.pack(side=Tkinter.RIGHT, fill=Tkinter.Y)
T.pack(side=Tkinter.LEFT, fill=Tkinter.Y)
s.config(command=T.yview)
T.config(yscrollcommand=s.set)
for i in range(40): T.insert(Tkinter.END, "This is line %d\n" % i)
Tkinter.mainloop( )
```

16.6.3 Marks

A *mark* on a `Text` instance `t` is a symbolic name indicating a point within the contents of `t`. `INSERT` and `CURRENT` are predefined marks on any `Text` instance `t`, with special predefined meanings. `INSERT` names the point where the *insertion cursor* (also known as the text caret) is located in `t`. By default, when the user enters text at the keyboard with the focus on `t`, `t` inserts the text at index `INSERT`. `CURRENT` names the point in `t` that was closest to the mouse cursor when the user last moved the mouse within `t`. By default, when the user clicks the mouse on `t`, `t` gets focus and sets `INSERT` to `CURRENT`.

To create other marks on `t`, call method `t.mark_set`. Each mark is an arbitrary string containing no whitespace. To avoid any confusion with other forms of index, use no punctuation in a mark. A mark is an index, as covered in [Section 16.6.5](#) later in this chapter; you can pass a string that is a mark on `t` wherever a method of `t` accepts an index argument.

When you insert or delete text before a mark `m`, `m` moves accordingly. Deleting a portion of text that surrounds `m` does not remove `m`. To remove a mark on `t`, call method `t.mark_unset`. What happens when you insert text at a mark `m` depends on `m`'s gravity setting, which can be `RIGHT` (the default) or `LEFT`. When `m` has gravity `RIGHT`, `m` moves to remain at the end (i.e., to the right) of text inserted at `m`. When `m` has

gravity `LEFT`, *m* does not move when you insert text at *m*: text inserted at *m* goes after *m*, and *m* itself remains at the start (i.e., to the left) of such inserted text.

A `Text` instance *t* supplies the following methods related to marks on *t*.

mark_gravity

```
t.mark_gravity(mark[, gravity])
```

mark is a mark on *t*. *t*.`mark_gravity(mark)` returns *mark*'s gravity setting, `RIGHT` or `LEFT`. *t*.`mark_gravity(mark, gravity)` sets *mark*'s gravity to *gravity*, which must be `RIGHT` or `LEFT`.

mark_set

```
t.mark_set(mark, i)
```

If *mark* was not yet a mark on *t*, `mark_set` creates *mark* at index *i*. If *mark* was already a mark on *t*, `mark_set` moves *mark* to index *i*.

mark_unset

```
t.mark_unset(mark)
```

mark is a user-defined mark on *t* (not one of the predefined marks `INSERT` or `CURRENT`). `mark_unset` removes *mark* from among the marks on *t*.

16.6.4 Tags

A *tag* on a `Text` instance *t* is a symbolic name indicating zero or more regions (ranges) in the contents of a `Text` instance *t*. `SEL` is a predefined tag on any `Text` instance *t*, and names a single range of *t* that is selected, normally by the user dragging over it with the mouse. `Tkinter` typically displays the `SEL` range with distinctive background and foreground colors. To create other tags on *t*, call the *t*.`tag_add` or *t*.`tag_config` method, or use optional parameter *tags* of method *t*.`insert`. Ranges of various tags on *t* may overlap. *t* renders text having several tags by using options from the uppermost tag, according to calls to methods *t*.`tag_raise` or *t*.`tag_lower`. By default, a tag created more recently is above one created earlier.

Each tag is an arbitrary string containing no whitespace. Each tag has two indices, *first* (start of the tag's first range) and *last* (end of the tag's last range). You can pass a tag's index wherever a method of *t* accepts an index argument. `SEL_FIRST` and `SEL_LAST` indicate the *first* and *last* indices of predefined tag `SEL`.

A `Text` instance *t* supplies the following methods related to tags on *t*.

tag_add

```
t.tag_add(tag, i[, j])
```

t.tag_add(tag, i) adds tag *tag* to the single character at index *i* in *t*. *t.tag_add(tag, i, j)* adds tag *tag* to characters from index *i* to index *j*.

tag_bind

```
t.tag_bind(tag, event_name, callable[, '+'])
```

t.tag_bind(tag, event_name, callable) sets *callable* as the callback object for *event_name* on *tag*'s ranges. *t.tag_bind(tag, event_name, callable, '+')* adds *callable* to the previous bindings. Events, callbacks, and bindings are covered in [Section 16.9](#) later in this chapter.

tag_cget

```
t.tag_cget(tag, tag_option)
```

Returns the value currently associated with option *tag_option* for tag *tag*. For example, *t.tag_cget(SEL, 'background')* returns the color that *t* is using as the background of *t*'s selected range.

tag_config

```
t.tag_config(tag, **tag_options)
```

Sets or changes tag options associated with tag *tag*, determining the way *t* renders text in *tag*'s region. The most frequently used tag options are:

background, foreground

Background and foreground colors

bgstipple, fgstipple

Background and foreground stipples, typically 'gray12', 'gray25', 'gray50', or 'gray75'; by default, solid colors (no stippling)

borderwidth

Width in pixels of the text border; default is 0 (no border)

font

Font used for text in the tag's ranges (see [Section 16.6.6](#) later in this chapter)

justify

Text justification, **LEFT** (default), **CENTER**, or **RIGHT**

`lmargin1, lmargin2, rmargin`

Left margin (first line, other lines) and right margin (all lines), in pixels; default is 0 (no margin)

`offset`

Offset from baseline in pixels (greater than 0 for superscript, less than 0 for subscript); default is 0

(no offset, i.e., text aligned with the baseline)

`overstrike`

If true, draw a line right over the text

`relief`

Text relief: **FLAT** (default), **SUNKEN**, **RAISED**, **GROOVE**, or **RIDGE**

`spacing1, spacing2, spacing3`

Extra spacing in pixels (before first line, between lines, after last line); default is 0 (no extra spacing)

`underline`

If true, draw a line under the text

`wrap`

Wrapping mode: **WORD** (default), **CHAR**, or **NONE**

For example:

```
t.tag_config(SEL, background='black', foreground='yellow')
```

tells *t* to display *t*'s selected range with yellow text on a black background.

tag_delete

```
t.tag_delete(tag)
```

Forgets all information associated with tag *tag* on *t*.

tag_lower

```
t.tag_lower(tag)
```

Gives *tag*'s options minimum priority for ranges overlapping with other tags.

tag_names

```
t.tag_names([i])
```

Returns a sequence of strings whose items are all the tags that include index *i*. Called without arguments, returns a sequence of strings whose items are all the tags that currently exist on *t*.

tag_raise

`t.tag_raise(tag)`

Gives *tag*'s options maximum priority for ranges overlapping with other tags.

tag_ranges

`t.tag_ranges(tag)`

Returns a sequence with an even number of strings (zero if *tag* is not a tag on *t* or has no ranges), alternating start and stop indices of *tag*'s ranges.

tag_remove

`t.tag_remove(tag, i[, j])`

`t.tag_remove(tag, i)` removes tag *tag* from the single character at index *i* in *t*.

`t.tag_remove(tag, i, j)` removes tag *tag* from characters from index *i* to index *j*. Removing a tag from characters that do not have that tag is not an error; it's an innocuous no-operation.

tag_unbind

`t.tag_unbind(tag, event)`

`t.tag_unbind(tag, event)` removes any binding for *event* on *tag*'s ranges. Events and bindings are covered in [Section 16.9](#) later in this chapter.

16.6.5 Indices

All ways to indicate a spot in the contents of a `Text` instance *t* are known as *indices* on *t*. The basic form of an index is a string of the form `'%d.%d'%(L, C)`, indicating the spot in the text that is at line *L* (the first line is 1), column *C* (the first column is 0). For example, `'1.0'` is a basic-form index indicating the start of text for any *t*. `t.index(i)` returns the basic-form equivalent to an index *i* of any form.

`END` is an index indicating the end of text for any *t*. `'%d.end'%L`, for any line number *L*, is an index indicating the end (the `\n` end-of-line marker) of line *L*. For example, `'1.end'` indicates the end of the first line. To get the number of characters in line number *L* of a `Text` instance *t*, you can use:

```
def line_length(t, L):
    return int(t.index('%d.end'%L).split('.')[0])
```

'@%d,%d'%(x,y) is also an index on *t*, where *x* and *y* are coordinates in pixels within *t*'s window.

Any tag on *t* is associated with two indices, strings '*s.first*'*tag* (the start of *tag*'s first range) and '*s.last*'*tag* (the end of *tag*'s last range). For example, right after *t.tag_add('mytag',i,j)*, '*mytag.first*' indicates the same spot in *t* as index *i*, and '*mytag.last*' indicates the same spot in *t* as index *j*. Trying to use an index such as '*x.first*' or '*x.last*' when no characters in *t* are tagged with '*x*' raises an exception.

SEL_FIRST and *SEL_LAST* are indices (the start and end of the selection, the *SEL* tag). Trying to use *SEL_FIRST* or *SEL_LAST* when there is no selected range on *t*, however, raises an exception.

Marks (covered earlier), including predefined marks *INSERT* and *CURRENT*, are also indices. Moreover, any image or widget embedded in *t* is also an index on *t* (methods *image_create* and *window_create* are also covered earlier in this chapter).

Another form of index, *index expressions*, are obtained by concatenating to the string form of any index one or more of the following modifier string literals:

'+ *n* chars ', '- *n* chars '

n characters toward the end or start of the text (including newlines)

'+ *n* lines ', '- *n* lines '

n lines toward the end or start of the text

'linestart', 'lineend'

Column 0 in the index's line or the '\n' in the index's line

'wordstart', 'wordend'

Start or end of the word that comprises the index (in this context, a *word* is a sequence of letters, digits, and underscores)

You can optionally omit spaces and abbreviate keywords (even down to one character). For example, '*s-4c*'%END means "four characters before the end of *t*'s text contents," and '*s+1line linestart*'%*SEL_LAST* means "the start of the line immediately after the line where *t*'s selection ends."

A *Text* instance *t* supplies two methods related to indices on *t*.

compare

```
t.compare(i, op, j)
```

Returns *True* or *False* reflecting the comparison of indices *i* and *j*, where a lower number means earlier, and *op* is one of '<', '>', '<=', '>=', '= =', or '!='. For example, *t.compare('1.0+90c', '<', END)* returns *True* if *t* contains more than 90 characters, counting each line end as a character.

index

```
t.index(i)
```

Returns the basic form '*L.C*' of index *i* where *L* and *C* are decimal string forms of the line and column of *i* (lines start from 1, columns start from 0).

16.6.6 Fonts

You can change fonts on any `Tkinter` widget with option `font=font`. In most cases it makes no sense to change widgets' fonts. However, in `Text` instances, and for specific tags on them, changing fonts can be quite useful.

Module `tkFont` supplies class `Font`, attributes `BOLD`, `ITALIC`, and `NORMAL` to define font characteristics, and functions `families` (returns a sequence of strings naming all families of available fonts) and `names` (returns a sequence of strings naming all user-defined fonts). Frequently used font options are:

`family`

Font family (e.g. 'courier' or 'helvetica')

`size`

Font size (in points if positive, in pixels if negative)

`slant`

`NORMAL` (default) or `ITALIC`

`weight`

`NORMAL` (default) or `BOLD`

An instance `F` of `Font` supplies the following frequently used methods.

actual

```
F.actual([font_option])
```

`F.actual()`, without arguments, returns a dictionary with all options actually used in `F` (best available approximations to those requested). `F.actual(font_option)` returns the value actually used in `F` for the option `font_option`.

cget

```
F.cget(font_option)
```

Returns the value configured (i.e., requested) in `F` for `font_option`.

config

```
F.config(**font_options)
```

F.config(), without arguments, returns a dictionary with all options configured (i.e., requested) in *F*. Called with one or more named arguments, `config` sets font options in *F*'s configuration.

copy

```
F.copy( )
```

Returns a font *G* that is a copy of *F*. You can then modify either or both of *F* and *G* separately, and any modifications on one do not affect the other.

16.6.7 Text Example

To exemplify some of the many features of class `Text`, the following example shows one way to highlight all occurrences of a string in the text:

```
from Tkinter import *

root = Tk( )

# at top of root, left to right, put a Label, an Entry, and a Button
fram = Frame(root)
Label(fram,text='Text to find:').pack(side=LEFT)
edit = Entry(fram)
edit.pack(side=LEFT, fill=BOTH, expand=1)
edit.focus_set( )
butt = Button(fram, text='Find')
butt.pack(side=RIGHT)
fram.pack(side=TOP)

# fill rest of root with a Text and put some text there
text = Text(root)
text.insert('1.0',
'''Nel mezzo del cammin di nostra vita
mi ritrovai per una selva oscura
che la diritta via era smarrita
''')
text.pack(side=BOTTOM)

# action-function for the Button: highlight all occurrences of string
def find( ):
    # remove previous uses of tag `found', if any
    text.tag_remove('found', '1.0', END)
    # get string to look for (if empty, no searching)
    s = edit.get( )
```

```
if s:
    # start from the beginning (and when we come to the end, stop)
    idx = '1.0'
    while 1:
        # find next occurrence, exit loop if no more
        idx = text.search(s, idx, nocase=1, stopindex=END)
        if not idx: break
        # index right after the end of the occurrence
        lastidx = '%s+%dc' % (idx, len(s))
        # tag the whole occurrence (start included, stop excluded)
        text.tag_add('found', idx, lastidx)
        # prepare to search for next occurrence
        idx = lastidx
    # use a red foreground for all the tagged occurrences
    text.tag_config('found', foreground='red')
# give focus back to the Entry field
edit.focus_set( )

# install action-function to execute when user clicks Button
butt.config(command=find)

# start the whole show (go event-driven)
root.mainloop( )
```

This example also shows how to use a `Frame` to perform a simple widget layout task (put three widgets side by side, with the `Text` below them all). [Figure 16-1](#) shows this example in action.

Figure 16-1. Highlighting in a Text instance

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.7 The Canvas Widget

Class `Canvas` is a powerful, flexible widget used for many purposes, including plotting and, in particular, building custom widgets. Building custom widgets is an advanced topic, and I do not cover it further in this book. This section covers only a subset of `Canvas` functionality used for the simplest kind of plotting.

Coordinates within a `Canvas` instance `c` are in pixels, with the origin at the upper left corner of `c` and positive coordinates growing rightward and downward. There are advanced methods that let you change `c`'s coordinate system, but I do not cover them in this book.

What you draw on a `Canvas` instance `c` are canvas items, which can be lines, polygons, `Tkinter` images, arcs, ovals, texts, and others. Each item has an *item handle* by which you can refer to the item. You can also assign symbolic names called *tags* to sets of canvas items (the sets of items with different tags can overlap). `ALL` is a predefined tag that applies to all items; `CURRENT` is a predefined tag that applies to the item under the mouse pointer.

Tags on a `Canvas` instance are different from tags on a `Text` instance. The canvas tags are nothing more than sets of items with no independent existence. When you perform any operation, passing a `Canvas` tag as the item identifier, the operation occurs on those items that are in the tag's current set. It makes no difference if items are later removed from or added to that tag's set.

You create a canvas item by calling on `c` a method with a name of the form `create_kindofitem`, which returns the new item's handle. Methods `itemcget` and `itemconfig` of `c` let you get and change items' options.

16.7.1 Canvas Methods on Items

A `Canvas` instance `c` supplies methods that you can call on items. The *item* argument can be an item's handle, as returned for example by `c.create_line`, or a tag, meaning all items in that tag's set (or no items at all, if the tag's set is currently empty), unless otherwise indicated in the method's description.

bbox`c.bbox(item)`

Returns an approximate bounding box for *item*, a tuple of four integers: the pixel coordinates of minimum *x*, minimum *y*, maximum *x*, maximum *y*, in this order. For example, `c.bbox(ALL)` returns the minimum and maximum *x* and *y* coordinates of all items on `c`. When `c` has no items at all, `c.bbox(ALL)` returns `None`.

coords`c.coords(item,*coordinates)`

Changes the coordinates for *item*. Operates on just one item. If *item* is a tag, *coords* operates on an arbitrary one of the items currently in the tag's set. If *item* is a tag with an empty set, *coords* is an innocuous no-operation.

delete

```
c.delete(item)
```

Deletes *item*. For example, *c.delete(ALL)* deletes all items on *c*.

gettags

```
c.gettags(item)
```

Returns the sequence of all tags whose sets include *item* (but not tag *ALL*, which includes all items, nor *CURRENT*, whether or not it includes *item*).

itemcget

```
c.itemcget(item,option)
```

Returns the value of *option* for *item*. Operates on just one item. If *item* is a tag, *itemcget* returns the value of *option* for an arbitrary one of the items currently in the tag's set. If *item* is a tag with an empty set, *itemcget* returns the empty string "".

itemconfig

```
c.itemconfig(item,**options)
```

Sets or changes the value of *options* for *item*. For example, *c.itemconfig(ALL, fill='red')* sets all items on *c* to color red.

tag_bind

```
c.tag_bind(tag,event_name,callable[, '+'])
```

c.tag_bind(tag,event_name,callable) sets *callable* as the callback object for *event_name* on the items currently in *tag*'s set. Calling *c.tag_bind(tag,event_name,callable, '+')* adds *callable* to the previous bindings. Events, callbacks, and bindings are covered in [Section 16.9](#) later in this chapter.

tag_unbind

```
c.tag_unbind(tag,event)
```

`c.tag_unbind(tag,event)` removes any binding for `event` on the items currently in `tag`'s set. Events and bindings are covered in [Section 16.9](#) later in this chapter.

16.7.2 The Line Canvas Item

A `Canvas` instance `c` supplies one method to create a `line` item.

create_line

```
c.create_line(*coordinates, **line_options)
```

Creates a `line` item with vertices at the given `coordinates` and returns the item's handle. `coordinates` must be an even number of positional parameters, alternately `x` and `y` values for each vertex of the line. Canvas coordinates, by default, are in pixels, with the origin (coordinates `0,0`) in the upper left corner, the `x` coordinate growing rightward, and the `y` coordinate growing downward. You may set different coordinate systems on `c`, but I do not cover these possibilities in this book. `line_options` may include:

`arrow`

Sets which ends of the line have arrow heads; may be `NONE` (default), `FIRST`, `LAST`, or `BOTH`

`fill`

The line's color (default is black)

`smooth`

If true, the line is drawn as a smooth curve (a B-spline); otherwise (default), the line is drawn as a polygonal (a sequence of line segments)

`tags`

A string (to assign a single tag to this item) or a tuple of strings (to assign multiple tags to this item)

`width`

Width of the line in pixels (default `1`)

For example:

```
x=c.create_line(0,150, 50,100, 0,50, 50,0 smooth=1)
```

draws a somewhat S-like curve on `c`, and binds the curve's handle to variable `x`. You can then change the curve's color to blue with:

```
c.itemconfig(x,fill='blue')
```

16.7.3 The Polygon Canvas Item

A `Canvas` instance `c` supplies one method to create a `polygon` item.

create_polygon

```
c.create_polygon(*coordinates, **poly_options)
```

Creates a `polygon` item with vertices at the given `coordinates` and returns the item's handle. `coordinates` must be an even number of positional parameters, alternately `x` and `y` values for each vertex of the polygon, and there must be at least six positional parameters (three vertices). `poly_options` may include:

`fill`

The polygon's interior color (default is black)

`outline`

The polygon's perimeter color (default is black)

`smooth`

If true, the polygon is drawn as a smooth curve (a B-spline); otherwise (default), the line is drawn as a normal polygon (a sequence of sides)

`tags`

A string (to assign a single tag to this item) or a tuple of strings (to assign multiple tags to this item)

`width`

Width of the perimeter line in pixels (default 1)

For example:

```
x=c.create_polygon(0,150, 50,100, 0,50, 50,0 fill='',
                  outline='red')
```

draws two empty red triangles on `c` as a single polygon, and binds the polygon's handle to variable `x`. You can then fill the triangles with blue using:

```
c.itemconfig(x,fill='blue')
```

16.7.4 The Rectangle Canvas Item

A `Canvas` instance `c` supplies one method to create a `rectangle` item.

create_rectangle

```
c.create_rectangle(x0,y0,x1,y1,**rect_options)
```

Creates a `rectangle` item with vertices at the given coordinates and returns the item's handle. `rect_options` may include:

`fill`

The rectangle's interior color (default is empty)

`outline`

The rectangle's perimeter color (default is black)

`tags`

A string (to assign a single tag to this item) or a tuple of strings (to assign multiple tags to this item)

`width`

Width of the perimeter line in pixels (default 1)

16.7.5 The Text Canvas Item

A `Canvas` instance `c` supplies one method to create a `text` item.

create_text

`c.create_text(x,y,**text_options)`

Creates a `text` item at the given `x` and `y` coordinates and returns the item's handle. `text_options` may include:

`anchor`

The exact spot of the text's bounding box that `x` and `y` refer to: may be `N`, `E`, `S`, `W`, `NE`, `NW`, `SE`, or `SW`, compass directions indicating the corners and sides of the bounding box, or `CENTER` (the default)

`fill`

The text's color (default is black)

`font`

Font to use for this text

`tags`

A string (to assign a single tag to this item) or a tuple of strings (to assign multiple tags to this item)

`text`

The text to display

16.7.6 A Simple Plotting Example

The following example shows how to use a `Canvas` to perform an elementary plotting task, graphing a user-specified function:

```
from Tkinter import *
import math

root = Tk( )

# first, a row for function entry and action button
fram = Frame(root)
Label(fram, text='f(x):').pack(side=LEFT)
func = Entry(fram)
func.pack(side=LEFT, fill=BOTH, expand=1)
butt = Button(fram, text='Plot')
butt.pack(side=RIGHT)
fram.pack(side=TOP)

# then a row to enter bounds in
fram = Frame(root)
bounds = [ ]
for label in 'minX', 'maxX', 'minY', 'maxY':
    Label(fram, text=label+':').pack(side=LEFT)
    edit = Entry(fram, width=6)
    edit.pack(side=LEFT)
    bounds.append(edit)
fram.pack(side=TOP)

# and finally the canvas
c = Canvas(root)
c.pack(side=TOP, fill=BOTH, expand=1)

def minimax(values=[0.0, 1.0, 0.0, 1.0]):
    "Adjust and display X and Y bounds"
    for i in range(4):
        edit = bounds[i]
        try: values[i] = float(edit.get( ))
        except: pass
        edit.delete(0, END)
        edit.insert(END, '%.2f'%values[i])
    return values

def plot( ):
    "Plot given function with given bounds"
    minx, maxx, miny, maxy = minimax( )

    # get and compile the function
    f = func.get( )
    f = compile(f, f, 'eval')

    # get Canvas X and Y dimensions
    CX = c.winfo_width( )
    CY = c.winfo_height( )

    # compute coordinates for line
    coords = [ ]
```

```
for i in range(0,CX,5):
    coords.append(i)
    x = minx + ((maxx-minx)*i)/CX
    y = eval(f, vars(math), {'x':x})
    j = CY*(y-miny)/(maxy-miny)
    coords.append(j)

# draw line
c.delete(ALL)
c.create_line(*coords)

butt.config(command=plot)

# give an initial sample in lieu of docs
f = 'sin(x) + cos(x)'
func.insert(END, f)
minimax([0.0, 10.0, -2.0, 2.0])

root.mainloop( )
```

[Figure 16-2](#) shows the output resulting from this example.

Figure 16-2. A sample Canvas

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.8 Geometry Management

In all the examples so far, we have made each widget visible by calling method `pack` on the widget. This is representative of real-life `Tkinter` usage. However, two other layout managers exist and are sometimes useful. This section covers all three layout managers provided by the `Tkinter` module.

Never mix geometry managers for the same container widget: all children of each given container widget must be handled by the same geometry manager, or very strange effects (including `Tkinter` going into infinite loops) may result.

16.8.1 The Packer

Calling method `pack` on a widget delegates widget geometry management to a simple and flexible layout manager component called the `Packer`. The `Packer` sizes and positions each widget within a container (parent) widget, according to each widget's space needs (including options `padx` and `pady`). Each widget `w` supplies the following `Packer`-related methods.

pack

```
w.pack(**pack_options)
```

Delegates geometry management to the packer. `pack_options` may include:

`expand`

When true, `w` expands to fill any space not otherwise used in `w`'s parent.

`fill`

Determines whether `w` fills any extra space allocated to it by the packer, or keeps its own minimal dimensions: `NONE` (default), `X` (fill only horizontally), `Y` (fill only vertically), or `BOTH` (fill both horizontally and vertically).

`side`

Determines which side of the parent `w` packs against: `TOP` (default), `BOTTOM`, `LEFT`, or `RIGHT`. To avoid confusion, don't mix different values for option `side=` in widgets that are children of the same container. When more than one child requests the same side (for example `TOP`), the rule is first come, first served: the first child packs at the top, the second child packs second from the top, and so on.

pack_forget

```
w.pack_forget()
```

The packer forgets about `w`. `w` remains alive but invisible, and you may show `w` again later (by calling `w.pack`

again, or perhaps `w.grid` or `w.place`).

pack_info

```
w.pack_info( )
```

Returns a dictionary with the current *pack_options* of *w*.

16.8.2 The Gridder

Calling method `grid` on a widget delegates widget geometry management to a specialized layout manager component called the `Gridder`. The `Gridder` sizes and positions each widget into cells of a table (grid) within a container (parent) widget. Each widget *w* supplies the following `Gridder`-related methods.

grid

```
w.grid(**grid_options)
```

Delegates geometry management to the gridder. *grid_options* may include:

`column`

The column to put *w* in; default 0 (leftmost column).

`columnspan`

How many columns *w* occupies; default 1.

`ipadx, ipady`

How many pixels to pad *w*, horizontally and vertically, inside *w*'s borders.

`padx, pady`

How many pixels to pad *w*, horizontally and vertically, outside *w*'s borders.

`row`

The row to put *w* in; default the first row that is still empty.

`rowspan`

How many rows *w* occupies; default 1.

`sticky`

What to do if the cell is larger than *w*. By default, with `sticky=''`, *w* is centered in its cell. `sticky` may be the string concatenation of zero or more of `N`, `E`, `S`, `W`, `NE`, `NW`, `SE`, and `SW`, compass directions indicating the sides and corners of the cell to which *w* sticks. For example, `sticky=N` means that *w* sticks to the cell's top and is centered horizontally, while `sticky=N+S` means that *w* expands vertically to fill the cell and is centered horizontally.

For example:

```
import Tkinter
root = Tkinter.Tk( )
for r in range(3):
    for c in range(4):
        Tkinter.Label(root, text='R%s/C%s'%(r,c),
            borderwidth=1 ).grid(row=r,column=c)
root.mainloop( )
```

displays 12 labels arrayed in a 3 x 4 grid.

grid_forget

```
w.grid_forget( )
```

The gridder forgets about *w*. *w* remains alive but invisible, and you may show *w* again later (by calling *w.grid* again, or perhaps *w.pack* or *w.place*).

grid_info

```
w.grid_info( )
```

Returns a dictionary with the current *grid_options* of *w*.

16.8.3 The Placer

Calling method *place* on a widget explicitly handles widget geometry management, thanks to a simple layout manager component called the *Placer*. The *Placer* sizes and positions each widget *w* within a container (parent) widget exactly as *w* explicitly requires. Other layout managers are usually preferable, but the *Placer* can help you implement custom layout managers. Each widget *w* supplies the following *Placer*-related methods.

place

```
w.place(**place_options)
```

Delegates geometry management to the placer. *place_options* may include:

anchor

The exact spot of *w* other options refer to: may be *N*, *E*, *S*, *W*, *NE*, *NW*, *SE*, or *SW*, compass directions indicating the corners and sides of *w*; default is *NW* (the upper left corner of *w*)

bordermode

INSIDE (the default) to indicate that other options refer to the parent's inside (ignoring the parent's border); *OUTSIDE* otherwise

`height, width`

Height and width in pixels

`relheight, relwidth`

Height and width as a float between `0.0` and `1.0`, as a fraction of the height and width of the parent widget

`relx, rely`

Horizontal and vertical offset as a float between `0.0` and `1.0`, as a fraction of the height and width of the parent widget

`x, y`

Horizontal and vertical offset in pixels

place_forget

`w.place_forget()`

The placer forgets about `w`. `w` remains alive but invisible, and you may show `w` again later (by calling `w.place` again, or perhaps `w.pack` or `w.grid`).

place_info

`w.place_info()`

Returns a dictionary with the current *place_options* of `w`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

16.9 Tkinter Events

So far, we've seen only the most elementary kind of event handling: the callbacks performed on callables installed with the `command=` option of buttons and menu entries of various kinds. `Tkinter` also lets you install callables to call back when needed to handle a variety of events. However, `Tkinter` does not let you create your own custom events; you are limited to working with events predefined by `Tkinter` itself.

16.9.1 The Event Object

General event callbacks must accept one argument `event` that is a `Tkinter` event object. Such an event object has several attributes describing the event:

`char`

A single-character string that is the key's code (only for keyboard events)

`keysym`

A string that is the key's symbolic name (only for keyboard events)

`num`

Button number (only for mouse-button events); 1 and up

`x, y`

Mouse position, in pixels, relative to the upper left corner of the widget

`x_root, y_root`

Mouse position, in pixels, relative to the upper left corner of the screen

`widget`

The widget in which the event has occurred

16.9.2 Binding Callbacks to Events

To bind a callback to an event in a widget `w`, call `w.bind`, describing the event with a string, usually enclosed in angle brackets ('<...>'). The following example prints 'Hello World' each time the user presses the Enter key:

```
from Tkinter import *

root = Tk( )
def greet(*ignore): print 'Hello World'
root.bind('<Return>', greet)
root.mainloop( )
```

Method `tag_bind` of classes `Canvas` and `Text`, covered earlier in this chapter, lets you bind event callbacks to specific sets of items of a `Canvas` instance, or to ranges within a `Text` instance.

16.9.3 Event Names

Frequently used event names, which are almost all enclosed in angle brackets, fall into a few categories.

16.9.3.1 Keyboard events

Key

The user clicked any key. The event object's attribute `char` tells you which key, but for normal keys only, not for special keys. The event object's attribute `keysym` is equal to attribute `char` for letters and digits, is the character's name for punctuation characters, and is the key name for special keys, as covered in the next paragraph.

Special keys

Special keys are associated with event names: `F1`, `F2`, ..., up to `F12` for function keys; `Left`, `Right`, `Up`, `Down` for arrow keys; `Prior`, `Next` for page-up, page-down; `BackSpace`, `Delete`, `End`, `Home`, `Insert`, `Print`, `Tab`, for keys so labeled; `Escape` for the key often labeled `Esc`; `Return` for the key often labeled `Enter`; `Caps_Lock`, `Num_Lock`, `Scroll_Lock` for locking-request keys; `Alt_L`, `Control_L`, `Shift_L` for the modifier keys `Alt`, `Ctrl`, `Shift` (without distinction among the multiple instances of such modifier keys in a typical keyboard). All of these event names are placed within angle brackets, like almost all event names.

Normal keys

Normal keys are associated with event names without surrounding angle brackets-the only event names to lack such brackets. The event name of each normal key is just the associated character, such as `'w'`, `'1'`, or `'+'`. Two exceptions are the `Space` key, whose event name is `'<space>'`, and the key associated with the less-than character, whose event name is `'<less>'`.

All key event names can be modified by prefixing `'Alt-'`, `'Shift-'`, or `'Control-'`. In this case, the whole event name does always have to be surrounded with `'<...>'`. For example, `'<Control-Q>'` and `'<Alt-Up>'` name events corresponding to normal or special keys with modifiers.

16.9.3.2 Mouse events

`Button-1`, `Button-2`, `Button-3`

The user pressed the left, middle, or right mouse-button. A two-button mouse produces only events `Button-1` and `Button-3`, since it has no middle button.

`B1-Motion`, `B2-Motion`, `B3-Motion`

The user moved the mouse while pressing the left, middle, or right mouse button (there is no mouse event for mouse motion without pressing a button, except for `Enter` and `Leave`).

`ButtonRelease-1`, `ButtonRelease-2`, `ButtonRelease-3`

The user released the left, middle, or right mouse button.

`Double-Button-1`, `Double-Button-2`, `Double-Button-3`

The user double-clicked the left, middle, or right mouse button (such an action also generates `Button-1`, `Button-2`, or `Button-3` before the double-click event).

Enter

The user moved the mouse so that the mouse entered the widget.

Leave

The user moved the mouse so that the mouse exited the widget.

16.9.4 Event-Related Methods

Each widget *w* supplies the following event-related methods.

bind

```
w.bind(event_name, callable[, '+'])
```

w.bind(event_name, callable) sets *callable* as the callback for *event_name* on *w*.

w.bind(event_name, callable, '+') adds *callable* to the previous bindings for *event_name* on *w*.

bind_all

```
w.bind_all(event_name, callable[, '+'])
```

w.bind_all(event_name, callable) sets *callable* as the callback for *event_name* on any widget of the application, whatever widget *w* you call the method on. *w.bind_all(event_name, callable, '+')* adds *callable* to the previous bindings for *event_name* on any widget.

unbind

```
w.unbind(event_name)
```

Removes all callbacks for *event_name* on *w*.

unbind_all

```
w.unbind_all(event_name)
```

Removes all callbacks for *event_name* on any widget, previously set by calling method *bind_all* on any widget.

16.9.5 An Events Example

The following example shows how to detect key presses and mouse-button presses and releases using the `bind_all` method:

```
import Tkinter
from Tkinter import *

root = Tk( )
prompt='Click any button, or press a key'
L = Label(root, text=prompt, width=len(prompt))
L.pack( )

def key(event):
    if event.char==event.keysym:
        msg='Normal Key %r' % event.char
    elif len(event.char)==1:
        msg='Punctuation Key %r (%r)' % (event.keysym, event.char)
    else:
        msg='Special Key %r' % event.keysym
    L.config(text=msg)
L.bind_all('<Key>', key)

def do_mouse(eventname):
    def mouse_binding(event):
        msg = 'Mouse event %s' % eventname
        L.config(text=msg)
    L.bind_all('<%s>'%eventname, mouse_binding)

for i in range(1,4):
    do_mouse('Button-%s'%i)
    do_mouse('ButtonRelease-%s'%i)
    do_mouse('Double-Button-%s'%i)

root.mainloop( )
```

16.9.6 Other Callback-Related Methods

Each widget `w` supplies the following other callback-related methods.

after

```
w.after(ms, callable, *args)
```

Starts a timer that calls `callable(*args)` about `ms` milliseconds from now. Returns an ID that you can pass to `after_cancel` to cancel the timer. The timer is one-shot: for a function to be called periodically, the function itself must call `after` to install itself as a callback again.

after_cancel

```
w.after_cancel(id)
```

Cancels the timer identified by *id*.

after_idle

```
w.after_idle(callable,*args)
```

Registers a callback to *callable(*args)* to be performed when the event loop is idle (i.e., when all pending events have been processed).

The following example shows how to use *after* to implement a simple digital clock:

```
import Tkinter
import time

curtime = ''
clock = Tkinter.Label( )
clock.pack( )

def tick( ):
    global curtime
    newtime = time.strftime('%H:%M:%S')
    if newtime != curtime:
        curtime = newtime
        clock.config(text=curtime)
    clock.after(200, tick)

tick( )
clock.mainloop( )
```

The kind of polling that method *after* lets you establish is an important *Tkinter* technique. Several *Tkinter* widgets have no callbacks to let you know about user actions on them, so if you want to track such actions in real-time, polling may be your only option. For example, here's how to use polling established with *after* to track a *ListBox* selection in real time:

```
import Tkinter

F1 = Tkinter.Frame( )
s = Tkinter.Scrollbar(F1)
L = Tkinter.ListBox(F1)
s.pack(side=Tkinter.RIGHT, fill=Tkinter.Y)
L.pack(side=Tkinter.LEFT, fill=Tkinter.Y)
s['command'] = L.yview
L['yscrollcommand'] = s.set
for i in range(30): L.insert(Tkinter.END, str(i))
F1.pack(side=Tkinter.TOP)

F2 = Tkinter.Frame( )
```

```
lab = Tkinter.Label(F2)
def poll( ):
    lab.after(200, poll)
    sel = L.curselection( )
    lab.config(text=str(sel))
lab.pack( )
F2.pack(side=Tkinter.TOP)

poll( )
Tkinter.mainloop( )
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 17. Testing, Debugging, and Optimizing

You're not finished with a programming task when you're done writing the code: you're finished when your code is running correctly and with acceptable performance. *Testing* means verifying that your code is running correctly by exercising the code under known conditions and checking that the results are as expected. *Debugging* means discovering the causes of incorrect behavior and removing them (the removal is often easy once you have figured out the causes).

Optimizing is often used as an umbrella term for activities meant to ensure acceptable performance. Optimizing breaks down into *benchmarking* (measuring performance for given tasks and checking that it's within acceptable bounds), *profiling* (instrumenting the program to find out what parts are performance bottlenecks), and optimizing proper (removing bottlenecks to make overall program performance acceptable). Clearly, you can't remove performance bottlenecks until you've found out where they are (using profiling), which in turn requires knowing that there *are* performance problems (using benchmarking).

All of these tasks are large and important, and each could fill a book by itself. This chapter does not explore every related technique and implication; it focuses on Python-specific techniques, approaches, and tools.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

17.1 Testing

In this chapter, I distinguish between two rather different kinds of testing: unit testing and system testing. Testing is a rich and important field, and even more distinctions could be drawn, but my goal is to focus on the issues of most immediate importance to software developers.

17.1.1 Unit Testing and System Testing

Unit testing means writing and running tests to exercise a single module or an even smaller unit, such as a class or function. *System testing* (also known as functional testing) involves running an entire program with known inputs. Some classic books on testing draw the distinction between *white-box testing*, done with knowledge of a program's internals, and *black-box testing*, done from the outside. This classic viewpoint parallels the modern one of unit versus system testing.

Unit and system testing serve different goals. Unit testing proceeds apace with development; you can and should test each unit as you're developing it. Indeed, one modern approach is known as *test-first coding*. For each feature that your program must have, you first write unit tests, and only then do you proceed to write code that implements the feature. Test-first coding seems a strange approach, but it has several advantages. For example, it ensures that you won't omit unit tests for some feature. Further, test-first coding is helpful because it urges you to focus first on what tasks a certain function, class, or method should accomplish, and to deal only afterwards with implementing that function, class, or method. In order to test a unit, which may depend on other units not yet fully developed, you often have to write *stubs*, which are fake implementations of various units' interfaces that give known and correct responses in cases needed to test other units.

System testing comes afterwards, since it requires the system to exist with some subset of system functionality believed to be in working condition. System testing provides a sanity check: given that each module in the program works properly (passes unit tests), does the whole program work? If each unit is okay but the system as a whole is not, there is a problem with integration between units. For this reason, system testing is also known as integration testing.

System testing is similar to running the system in production use except that you fix the inputs in advance, so any problems you find are easy to reproduce. The cost of failure in system testing is lower than in production use, since outputs from system testing are not used to make decisions, control external systems, and so on. Rather, outputs from system testing are systematically compared with the outputs that the system should produce given the known inputs. The purpose of the whole procedure is to find discrepancies between what the program should do and what the program actually does in a cheap and reproducible way.

Failures discovered by system testing, just like system failures in production use, reveal defects in unit tests as well as defects in the code. Unit testing may have been insufficient; a module's unit tests may have failed to exercise all needed functionality of that module. In this case, the unit tests clearly need to be beefed up.

More often, failures in system testing reveal communication problems within the development team: a module may correctly implement a certain interface functionality, but another module expects different functionality. This kind of problem (an integration problem in the strict sense) is harder to pinpoint in unit testing. In good development practice, unit tests must run often, so it is crucial that they run fast. It's therefore essential that each unit can assume other units are working correctly and as expected.

Unit tests that are run in reasonably late stages of development can reveal integration problems if the system architecture is hierarchical, a common and reasonable organization. In such an architecture, lower-level modules depend on no others (except perhaps library modules, which you can assume to be correct), and thus their unit tests, if complete, suffice to assure correctness. Higher-level modules depend on lower-level ones, and therefore also depend on correct team communication about what interfaces each module expects and supplies. Running complete unit tests on higher-level modules, using the true lower-level modules rather than stubs, automatically exercises the interface between modules, as well as the higher-level modules' own code.

Unit tests for higher-level modules are thus run in two ways. You run the tests with stubs for the lower levels during the early stages of development when the lower-level modules are not yet ready, or, later, when you need to check correctness of the higher levels only. During later stages of development, you also regularly run the higher-level modules' unit tests using the true lower-level modules. In this way, you check the correctness of the whole subsystem, from the higher levels downwards.

System testing is similar to running the program in normal ways. You need special support only to ensure that known inputs are supplied and that outputs are captured for comparison with expected outputs. This is easy for programs whose I/O uses files, but terribly hard for programs whose I/O relies on a GUI, network, or other communication with independent external entities. To simulate such external entities and make them predictable and entirely observable, platform-dependent infrastructure is generally necessary.

Another useful piece of supporting infrastructure for system testing is a *testing framework* that automates the running of system tests, including logging of successes and failures. Such a framework can also help testers prepare sets of known inputs and corresponding expected outputs.

Both free and commercial programs for these purposes exist, but they are not dependent on what programming languages are used in the system under test. As mentioned, system testing is akin to what was classically known as black-box testing—testing independent of the implementation of the system under test, and therefore, in particular, of the programming languages used for implementation. Instead, testing frameworks usually depend on the operating system platform on which they run, since the tasks they perform are platform-dependent: running programs with given inputs, capturing their outputs, and particularly simulating and capturing GUI, network, and other interprocess communication I/O. Since frameworks for system testing depend on the platform and not on programming languages, I do not cover them further in this book.

17.1.2 The doctest Module

The `doctest` module has the primary purpose of letting you create good usage examples in your code's docstrings, by checking that the examples do in fact produce the results that your docstrings show for them.

As you're developing a module, keep the docstrings up to date, and gradually enrich them with examples. Each time part of the module (e.g., a function) is ready, or even partially ready, make it a habit to add examples to the docstrings. Import the module into an interactive session, and interactively use the parts you just developed in order to provide examples with a mix of typical cases, limit cases, and failing cases. For this specific purpose only, use `from module import *` so that your examples don't prefix `module.` to each name the module supplies. Copy and paste the text of the interactive session into the docstring in your favorite editor, adjust any mistakes, and you're almost done.

Your documentation is now enriched with examples, and readers will have an easier time following it, assuming you chose a good mix of examples and seasoned it wisely with non-example text. Make sure you have docstrings, with examples, for your module as a whole, and for each function, class, and method that

the module exports. You may skip functions, classes, and methods whose names start with `_`, since, as their names indicate, they're meant to be private implementation details; `doctest` by default ignores them, and so should most readers of your module's sources.

Examples that don't match the way your code works are worse than useless. Documentation and comments are useful only if they match reality. Docstrings and comments often get out of date as code changes, and then they become misinformation, hampering rather than helping any reader of the source. Better to have no comments and docstrings at all than to have ones that lie. `doctest` can help, at least, with the examples in your docstrings. A failing `doctest` run will often prompt you to review the whole docstring that contains the failing examples, thus reminding you to keep the docstring's text updated, too.

At the end of your module's source, insert the following small snippet:

```
if __name__ == '__main__':
    import doctest, sys
    doctest.testmod(sys.modules[__name__])
```

This code calls function `testmod` of module `doctest` on your module when you run your module as the main program. `testmod` examines all relevant docstrings (the module docstring, and docstrings of all public functions, public classes, and public methods of public classes). In each docstring, `testmod` finds all examples (by looking for occurrences of the interpreter prompt `>>>`, possibly preceded by whitespace) and runs each example. `testmod` checks that each example's results are equal to the output given in the docstring right after the example. In the case of exceptions, `testmod` ignores the traceback, but checks that the expected and observed error messages are equal.

When everything goes right, `testmod` terminates silently. Otherwise, it outputs detailed messages about examples that failed, showing expected and actual output. [Example 17-1](#) shows a typical example of `doctest` at work on a module `mod.py`.

Example 17-1. Using doctest

```
"""
This module supplies a single function reverseWords that reverses
a string by words.

>>> reverseWords('four score and seven years')
'years seven and score four'
>>> reverseWords('justoneword')
'justoneword'
>>> reverseWords('')
''
"""
```

You must call `reverseWords` with one argument, and it must be a string:

```
>>> reverseWords( )
Traceback (most recent call last):
...
TypeError: reverseWords( ) takes exactly 1 argument (0 given)
>>> reverseWords('one', 'another')
Traceback (most recent call last):
...
TypeError: reverseWords( ) takes exactly 1 argument (2 given)
```

```
>>> reverseWords(1)
Traceback (most recent call last):
...
AttributeError: 'int' object has no attribute 'split'
>>> reverseWords(u'however, unicode is all right too')
u'too right all is unicode however,'
```

As a side effect, `reverseWords` eliminates any redundant spacing:

```
>>> reverseWords('with  redundant  spacing')
'spacing redundant with'
```

```
"""
def reverseWords(astring):
    words = astring.split( )
    words.reverse( )
    return ' '.join(words)
if __name__ == '__main__':
    import doctest, sys
    doctest.testmod(sys.modules[__name__])
```

I have snipped the tracebacks from the docstring, as is commonly done, since `doctest` ignores them and they add nothing to the explanatory value of each failing case. Apart from this, the docstring is the copy and paste of an interactive session, with the addition of some explanatory text and empty lines for readability. Save this source as `mod.py`, and then run it with `python mod.py`. It produces no output, meaning that all examples work just right. Also try `python mod.py -v` to get an account of all tests tried and a verbose summary at the end. Finally, try altering the example results in the module docstring, making them incorrect, to see the messages `doctest` provides for errant examples.

`doctest` is not meant for general-purpose unit testing, but can nevertheless be a convenient tool for the purpose. The recommended way to do unit testing in Python is with module `unittest`, covered in the next section. However, unit testing with `doctest` can be easier and faster to set up, since it requires little more than copy and paste from an interactive session. If you need to maintain a module that lacks unit tests, retrofitting such tests into the module with `doctest` may be a reasonable compromise. It's certainly better to have `doctest`-based unit tests than not to have any unit tests at all, as might otherwise happen should you decide that setting up tests properly with `unittest` would take you too long.

If you do decide to use `doctest` for unit testing, don't cram extra tests into your module's docstrings. That would damage the docstrings by making them too long and hard to read. Keep in the docstrings the right amount and kind of examples, strictly for explanatory purposes, just as if unit testing was not in the picture. Instead, put the extra tests into a global variable of your module, a dictionary named `__test__`. The keys in `__test__` are strings used as arbitrary test names, and the corresponding values are strings that `doctest` picks up and uses just as it uses docstrings. The values in `__test__` may also be function and class objects, in which case `doctest` examines their docstrings for tests to run. This is also a convenient way to run `doctest` on objects with private names, which `doctest` skips by default.

17.1.3 The unittest Module

The `unittest` module is the Python version of a unit-testing framework originally developed by Kent Beck for Smalltalk. Similar and equally widespread versions of the same framework also exist for other programming languages (e.g., the `JUnit` package for Java).

To use `unittest`, you don't put your testing code in the same source file as the tested module, but instead write a separate test module per module being tested. A popular convention is to name the test module the same as the module being tested, with a prefix such as `'test_'`, and put it in a subdirectory named `test` of the directory where you keep your sources. For example, the test module for `mod.py` can be `test/test_mod.py`. You need a simple and consistent naming convention to make it easy for you to write and maintain auxiliary scripts that find and run all unit tests for a package.

Separation between a module's source code and its unit-testing code lets you refactor the module more easily, including possibly recoding its functionality in C, without perturbing the unit-testing code. Knowing that `test_mod.py` stays intact, whatever changes you make to `mod.py`, enhances your confidence that passing the tests in `test_mod.py` indicates that `mod.py` still works correctly after the changes.

A unit-testing module defines one or more subclasses of `unittest`'s `TestCase` class. Each subclass may define a single *test case* by overriding method `runTest`. Better yet, the subclass may define one or more test cases, not by overriding `runTest`, but rather by defining *test-case methods*, which are methods that are callable without arguments and whose names start with `test`. The subclass may also override methods `setUp`, which the framework calls to prepare a new instance for each test case, and `tearDown`, which the framework calls to clean things up after each test case. Each test-case method calls methods of class `TestCase` whose names start with `assert`, in order to express the conditions that the test must meet. `unittest` runs the test-case methods within a `TestCase` subclass in arbitrary order, running `setUp` just before each test case and `tearDown` just after each test case.

`unittest` provides other facilities, such as grouping test cases into test suites, and other more advanced functionality. You do not need such extras unless you're defining a custom unit-testing framework or, at the very least, structuring complicated testing procedures for equally complicated packages. In almost all cases, the concepts and details covered in this section are sufficient to perform effective and systematic unit testing. [Example 17-2](#) shows how to use `unittest` to provide unit tests for the module `mod.py` of [Example 17-1](#). For illustration purposes, this example uses `unittest` to perform exactly the same tests that [Example 17-1](#) encoded as examples in docstrings using `doctest`.

Example 17-2. Using unittest

```
""" This module tests function reverseWords provided by module mod.py. """
import unittest
import mod

class ModTest(unittest.TestCase):

    def testNormalCase(self):
        self.assertEqual(mod.reverseWords('four score and seven years'),
                         'years seven and score four')

    def testSingleWord(self):
        self.assertEqual(mod.reverseWords('justoneword'), 'justoneword')

    def testEmpty(self):
        self.assertEqual(mod.reverseWords(''), '')

    def testRedundantSpacing(self):
        self.assertEqual(mod.reverseWords('with   redundant   spacing'),
                         'spacing redundant with')
```

```

def testUnicode(self):
    self.assertEqual(mod.reverseWords(u'unicode is all right too'),
                     u'too right all is unicode')

def testExactlyOneArgument(self):
    self.assertRaises(TypeError, mod.reverseWords)
    self.assertRaises(TypeError, mod.reverseWords, 'one', 'another')

def testMustBeString(self):
    self.assertRaises((AttributeError, TypeError), mod.reverseWords, 1)

if __name__ == '__main__':
    unittest.main( )

```

Running this module with `python test_mod.py` is by default a bit more verbose, than using `python mod.py` to run `doctest`, as in [Example 17-1](#). `test_mod.py` outputs a single `.` for each test-case method it runs, then a separator line of dashes, and finally a summary line, such as "Ran 7 tests in 0.110s", and a final line of "OK" if every test was indeed okay.

Each test-case method makes one or more calls to methods whose names start with `assert` (or their synonyms whose names start with `fail`). Here, we have only one test-case method in which we make two such calls, method `testExactlyOneArgument`. In more complicated cases, such multiple calls to `assert` methods from a single test-case method can be quite common.

Even in a case as simple as this, one minor aspect shows that, for unit testing, `unittest` is more powerful and flexible than `doctest`. In method `testMustBeString`, we pass as the first argument to `assertRaises` a pair of exception classes, meaning we accept either kind of exception. `test_mod.py` therefore accepts as valid different implementations of `mod.py`. It accepts the implementation in [Example 17-1](#), which tries calling method `split` on its argument, and therefore raises `AttributeError` when called with an argument that is not a string. However, it also accepts a different hypothetical implementation, one that raises `TypeError` instead when called with an argument of the wrong type. It would be possible to code this testing functionality with `doctest`, but it would be awkward and non-obvious, while `unittest` makes it simple and natural.

This kind of flexibility is crucial for real-life unit tests, which essentially act as executable specifications for their modules. You could, pessimistically, view the need for flexibility as indicating that the interface of the code we're testing is not well defined. However, it's best to view the interface as being defined with a useful amount of flexibility for the implementer: under circumstance *X* (argument of invalid type passed to function `reverseWords`, in this example), either of two things (raising `AttributeError` or `TypeError`) is allowed to happen.

Thus, implementations with either of the different behaviors can be correct, and the implementer can choose between them on the basis of such considerations as performance and clarity. By viewing unit tests as executable specifications for their modules (the modern view, and the basis of test-first coding) rather than as white-box tests strictly constrained to a specific implementation (as in some traditional taxonomies of testing), the tests become a more vital component of the software development process.

17.1.3.1 The `TestCase` class

With `unittest`, you write test cases by subclassing class `TestCase` and adding methods, callable without

arguments, whose names start with `test`. Such test-case methods, in turn, call methods that your subclass inherits from `TestCase`, whose names start with `assert` (or their synonyms, whose names start with `fail`), to indicate conditions that must hold for the test to succeed.

Class `TestCase` also defines two methods that your subclass can optionally override in order to group actions to perform right before and right after each test-case method runs. This doesn't exhaust `TestCase`'s functionality, but you won't need the rest unless you're developing testing frameworks or performing some similarly advanced task. The frequently called methods in a `TestCase` instance `t` are the following.

assert_, failUnless

```
t.assert_(condition, msg=None)
```

Fails and outputs `msg` if `condition` is false, otherwise does nothing. The underscore in the name is needed because `assert` is a Python keyword. `failUnless` is a synonym.

assertEqual, failUnlessEqual

```
t.assertEqual(first, second, msg=None)
```

Fails and outputs `msg` if `first != second`, otherwise does nothing. `failUnlessEqual` is a synonym.

assertNotEqual, failIfEqual

```
t.assertNotEqual(first, second, msg=None)
```

Fails and outputs `msg` if `first == second`, otherwise does nothing. `failIfEqual` is a synonym.

assertRaises, failUnlessRaises

```
t.assertRaises(exceptionSpec, callable, *args)
```

Calls `callable(*args)`. Fails if the call doesn't raise any exception. If the call raises an exception not meeting `exceptionSpec`, `assertRaises` propagates the exception. If the call raises an exception meeting `exceptionSpec`, `assertRaises` does nothing. `exceptionSpec` can be an exception class or a tuple of classes, just like the first argument to the `except` clause of a `try/except` statement. `failUnlessRaises` is a synonym.

fail

```
t.fail(msg=None)
```

Fails unconditionally and outputs *msg*.

failf

```
t.failIf(condition, msg=None)
```

Fails and outputs *msg* if *condition* is true, otherwise does nothing.

setUp

```
t.setUp( )
```

The framework calls `t.setUp()` just before calling a test-case method. The implementation in `TestCase` does nothing. This method is provided in order to let your subclass override it if it needs to perform some preparation for each test.

tearDown

```
t.tearDown( )
```

The framework calls `t.tearDown()` just after calling a test-case method. The implementation in `TestCase` does nothing. This method is provided in order to let your subclass override it if it needs to perform some cleanup after each test.

17.1.3.2 Unit tests dealing with large amounts of data

Unit tests must be fast, since they are run frequently during development. Therefore, it's best to unit-test each aspect of your modules' functionality on small amounts of data when possible. This makes each unit test faster, and also lets you conveniently embed all needed data in the test's source code. When you test a function that reads from or writes to a file object, in particular, you normally use an instance of class `cStringIO` (covered in [Chapter 10](#)) to simulate a file object while holding the data in memory.

However, in some rare cases, it may be impossible to fully exercise a module's functionality without supplying and/or comparing data in quantities larger than can be reasonably embedded in a test's source code. In such cases, your unit test will have to rely on auxiliary external data files to hold the data it needs to supply to the module it tests, and/or the data it needs to compare to the tested module's output. Even then, you're generally better off reading the data into instances of `cStringIO` rather than directing the tested module to perform actual disk I/O. Similarly, I suggest you generally use stubs to test modules meant to interact with other external entities, such as a database, a GUI, or some other program over a network. It's easier for you to control all aspects of the test when using stubs rather than real external entities. Also, to reiterate, the speed at which you can run tests is important, and it's invariably faster to perform simulated operations in stubs, rather than real operations.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

17.2 Debugging

Since Python's development cycle is so fast, the most effective way to debug is often to edit your code to make it output relevant information at key points. Python has many ways to let your code explore its own state in order to extract information that may be relevant for debugging. The `inspect` and `traceback` modules specifically support such exploration, which is also known as reflection or introspection.

Once you have obtained debugging-relevant information, statement `print` is often the simplest way to display it. You can also log debugging information to files. Logging is particularly useful for programs that run unattended for a long time, as is typically the case for server programs. Displaying debugging information is like displaying other kinds of information, as covered in [Chapter 10](#) and [Chapter 16](#), and similarly for logging it, as covered in [Chapter 10](#) and [Chapter 11](#). Python 2.3 will also include a module specifically dedicated to logging. As covered in [Chapter 8](#), rebinding attribute `excepthook` of module `sys` lets your program log detailed error information just before your program is terminated by a propagating exception.

Python also offers hooks enabling interactive debugging. Module `pdb` supplies a simple text-mode interactive debugger. Other interactive debuggers for Python are part of integrated development environments (IDEs), such as IDLE and various commercial offerings. However, I do not cover IDEs in this book.

17.2.1 The inspect Module

The `inspect` module supplies functions to extract information from all kinds of objects, including the Python call stack (which records all function calls currently executing) and source files. At the time of this writing, module `inspect` is not yet available for Jython. The most frequently used functions of module `inspect` are as follows.

getargspec, formatargspec

`getargspec(f)`

f is a function object. `getargspec` returns a tuple with four items (`arg_names`, `extra_args`, `extra_kwds`, `arg_defaults`). `arg_names` is the sequence of names of *f*'s formal arguments. `extra_args` is the name of the special formal argument of the form `*args`, or `None` if *f* has no such special argument. `extra_kwds` is the name of the special formal argument of the form `**kwds`, or `None` if *f* has no such special argument. `arg_defaults` is the tuple of default values for *f*'s arguments. You can deduce other details about *f*'s signature from `getargspec`'s results. For example, *f* has `len(arg_names) - len(arg_defaults)` mandatory arguments, and the names of *f*'s optional arguments are the strings that are the items of the list slice `arg_names[-len(arg_defaults):]`.

`formatargspec` accepts one to four arguments that are the same as the items of the tuple that `getargspec` returns, and returns a formatted string that displays this information. Thus, `formatargspec(*getargspec(f))` returns a formatted string with *f*'s formal arguments (i.e., *f*'s *signature*) in parentheses, as used in the `def` statement that created *f*.

getargvalues, formatargvalues

`getargvalues(f)`

f is a frame object, for example the result of a call to the function `_getframe` in module `sys` (covered in [Chapter 8](#)) or to function `currentframe` in module `inspect`. `getargvalues` returns a tuple with four items (`arg_names`, `extra_args`, `extra_kwds`, `locals`). `arg_names` is the sequence of names of *f*'s function's formal arguments. `extra_args` is the name of the special formal argument of form `*args`, or `None` if *f*'s function has no such special argument. `extra_kwds` is the name of the special formal argument of form `**kwds`, or `None` if *f*'s function has no such special argument. `locals` is the dictionary of local variables for *f*. Since arguments, in particular, are local variables, the value of each actual argument can be obtained from `locals` by indexing the `locals` dictionary with the argument's name.

`formatargvalues` accepts one to four arguments that are the same as the items of the tuple that `getargvalues` returns, and returns a formatted string that displays this information.

`formatargvalues(*getargvalues(f))` returns a formatted string with *f*'s actual arguments in parentheses, in named (keyword) form, as used in the call statement that created *f*. For example:

```
def f(x=23): return inspect.currentframe( )
print inspect.formatargvalues(inspect.getargvalues(f( )))
# prints: (x=23)
```

currentframe

`currentframe()`

Returns the frame object for the current function (caller of `currentframe`).

`formatargvalues(getargvalues(currentframe()))`, for example, returns a formatted string with the actual arguments of the calling function.

getdoc

`getdoc(obj)`

Returns the docstring for *obj*, with tabs expanded to spaces and redundant whitespace stripped from each line.

getfile, getsourcefile

`getfile(obj)`

Returns the name of the file that defined *obj*, and raises `TypeError` when unable to determine the file. For example, `getfile` raises `TypeError` if *obj* is built-in. `getfile` returns the name of a binary or source file. `getsourcefile` returns the name of a source file, and raises `TypeError` when it can determine only a

binary file, not the corresponding source file.

getmembers

```
getmembers(obj, filter=None)
```

Returns all attributes (members) of *obj*, a sorted list of (*name,value*) pairs. When *filter* is not *None*, returns only attributes for which callable *filter* returns a true result when called on the attribute's *value*, like:

```
[ (n, v) for n, v in getmembers(obj) if filter(v) ]
```

getmodule

```
getmodule(obj)
```

Returns the module object that defined *obj*, or *None* if unable to determine it.

getmro

```
getmro(c)
```

Returns a tuple of bases and ancestors of class *c* in method resolution order. *c* is the first item in the tuple. Each class appears only once in the tuple.

getsource, getsourcelines

```
getsource(obj)
```

Returns a single multiline string that is the source code for *obj*, and raises *IOError* if unable to determine or fetch it. *getsourcelines* returns a pair: the first item is the source code for *obj* (a list of lines), and the second item is the line number of the list's first line in the source file it comes from.

isbuiltin, isclass, iscode, isframe, isfunction, ismethod, ismodule, isroutine

```
isbuiltin(obj)
```

Each of these functions accepts a single argument *obj* and returns *True* if *obj* belongs to the type indicated in the function name. Accepted objects are, respectively: built-in (C-coded) functions, class objects, code objects, frame objects, Python-coded functions (including *lambda* expressions), methods, modules, and, for *isroutine*, all methods or functions, either C-coded or Python-coded. These functions are often used as the

filter argument to `getmembers`.

stack

```
stack(context=1)
```

Returns a list of six-item tuples. The first tuple is about `stack`'s caller, the second tuple is about the caller's caller, and so on. Each tuple's items, in order, are: frame object, filename, line number, function name, list of *context* source code lines around the current line, and index of current line within the list.

For example, suppose that at some point in your program you execute a statement such as:

```
x.f( )
```

and unexpectedly receive an `AttributeError` informing you that object `x` has no attribute named `f`. This means that object `x` is not as you expected, so you want to determine more about `x` as a preliminary to ascertaining why `x` is that way and what you should do about it. Change the statement to:

```
try: x.f( )
except AttributeError:
    import sys, inspect
    sys.stderr.write('x is type %s(%r)\n'%(x,type(x)))
    sys.stderr.write("x's methods are: ")
    for n, v in inspect.getmembers(x, callable):
        sys.stderr.write('%s %n')
    sys.stderr.write('\n')
    raise
```

This example uses `sys.stderr` (covered in [Chapter 8](#)), since it's displaying diagnostic information related to an error, not program results. Function `getmembers` of module `inspect` obtains the name of all methods available on `x` in order to display them. Of course, if you need this kind of diagnostic functionality often, you should package it up into a separate function, such as:

```
import sys, inspect
def show_obj_methods(obj, name, show=sys.stderr.write):
    show('%s is type %s(%r)\n'%(name,obj,type(obj)))
    show("%s's methods are: "%name)
    for n, v in inspect.getmembers(obj, callable):
        show('%s %n')
    show('\n')
```

And then the example becomes just:

```
try: x.f( )
except AttributeError:
    show_obj_methods(x, 'x')
    raise
```

Good program structure and organization are just as necessary in code intended for diagnostic and debugging purposes as they are in code that implements your program's functionality. See also [Section 6.6.4](#) in [Chapter 6](#) for a good technique to use when defining diagnostic and debugging functions.

17.2.2 The traceback Module

The `traceback` module lets you extract, format, and output information about tracebacks as normally produced by uncaught exceptions. By default, module `traceback` reproduces the formatting Python uses for tracebacks. However, module `traceback` also lets you exert fine-grained control. The module supplies many functions, but in typical use you will use only one of them.

print_exc

```
print_exc(limit=None, file=sys.stderr)
```

Call `print_exc` from an exception handler or a function directly or indirectly called by an exception handler. `print_exc` outputs to file-like object `file` the traceback information that Python outputs to `stderr` for uncaught exceptions. When `limit` is not `None`, `print_exc` outputs only `limit` traceback nesting levels. For example, when, in an exception handler, you want to cause a diagnostic message just as if the exception propagated, but actually stop the exception from propagating any further (so that your program keeps running, and no further handlers are involved), call `traceback.print_exc()`.

17.2.3 The pdb Module

The `pdb` module exploits the Python interpreter's debugging and tracing hooks to implement a simple, command-line-oriented interactive debugger. `pdb` lets you set breakpoints, single-step on sources, examine stack frames, and so on.

To run some code under `pdb`'s control, you import `pdb` and then call `pdb.run`, passing as the single argument a string of code to execute. To use `pdb` for post-mortem debugging (meaning debugging of code that terminated by propagating an exception at an interactive prompt), call `pdb.pm()` without arguments. When `pdb` starts, it first reads text files named `.pdbrc` in your home directory and in the current directory. Such files can contain any `pdb` commands, but most often they use the `alias` command in order to define useful synonyms and abbreviations for other commands.

When `pdb` is in control, it prompts you with the string `'(Pdb) '`, and you can enter `pdb` commands. Command `help` (which you can also enter in the abbreviated form `h`) lists all available commands. Call `help` with an argument (separated by a space) to get help about any specific command. You can abbreviate most commands to the first one or two letters, but you must always enter commands in lowercase: `pdb`, like Python itself, is case-sensitive. Entering an empty line repeats the previous command. The most frequently used `pdb` commands are the following.

```
!
```

```
! statement
```

Executes Python statement `statement` in the currently debugged context.

alias, unalias

```
alias [ name [ command ] ]
```

`alias` without arguments lists currently defined aliases. `alias name` outputs the current definition of the alias `name`. In the full form, `command` is any `pdb` command, with arguments, and may contain `%1`, `%2`, and so on to refer to arguments passed to the new alias `name` being defined, or `%*` to refer to all such arguments together. Command `unalias name` removes an alias.

args, a

```
args
```

Lists all actual arguments passed to the function you are currently debugging.

break, b

```
break [ location [ ,condition ] ]
```

`break` without arguments lists currently defined breakpoints and the number of times each breakpoint has triggered. With an argument, `break` sets a breakpoint at the given `location`. `location` can be a line number or a function name, optionally preceded by `filename`: to set a breakpoint in a file that is not the current one or at the start of a function whose name is ambiguous (i.e., a function that exists in more than one file). When `condition` is present, `condition` is an expression to evaluate (in the debugged context) each time the given line or function is about to execute; execution breaks only when the expression returns a true value. When setting a new breakpoint, `break` returns a breakpoint number, which you can then use to refer to the new breakpoint in any other breakpoint-related `pdb` command.

clear, cl

```
clear [ breakpoint-numbers ]
```

Clears (removes) one or more breakpoints. `clear` without arguments removes all breakpoints after asking for confirmation. To deactivate a breakpoint without removing it, see `disable`.

condition

```
condition breakpoint-number [ expression ]
```

`condition n expression` sets or changes the condition on breakpoint `n`. `condition n`, without `expression`, makes breakpoint `n` unconditional.

continue, c, cont

`continue`

Continues execution of the code being debugged, up to a breakpoint if any.

disable

`disable [breakpoint-numbers]`

Disables one or more breakpoints. `disable` without arguments disables all breakpoints (after asking for confirmation). This differs from `clear` in that the debugger remembers the breakpoint, and you can reactivate it via `enable`.

down, d

`down`

Moves one frame down in the stack (i.e., toward the most recent function call). Normally, the current position in the stack is at the bottom (i.e., at the function that was called most recently and is now being debugged). Therefore, command `down` can't go further down. However, command `down` is useful if you have previously executed command `up`, which moves the current position upward.

enable

`enable [breakpoint-numbers]`

Enables one or more breakpoints. `enable` without arguments enables all breakpoints after asking for confirmation.

ignore

`ignore breakpoint-number [count]`

Sets the breakpoint's ignore count (to 0, if `count` is omitted). Triggering a breakpoint whose ignore count is greater than 0 just decrements the count. Execution stops, presenting you with an interactive `pdb` prompt, only when you trigger a breakpoint whose ignore count is 0. For example, say that module `foo.py` contains the following code:

```
def f( ):
    for i in range(1000):
```

```
g(i)
```

```
def g(i):
    pass
```

Now, consider the following interactive `pdb` session:

```
>>> import pdb
>>> import fob
>>> pdb.run('fob.f( )')
> <string>(0)?( )
(Pdb) break fob.g
Breakpoint 1 at C:\mydir\fob.py:6
(Pdb) ignore 1 500
Will ignore next 500 crossings of breakpoint 1.
(Pdb) continue
> <string>(1)?( )
(Pdb) continue
> C:\mydir\fob.py(6)g( )
-> pass
(Pdb) print i
500
```

The `ignore` command, as `pdb` shows in response to it, asks `pdb` to ignore the next 500 hits on breakpoint 1, which we just set at `fob.g` in the previous `break` statement. Therefore, when execution finally stops, function `g` has already been called 500 times, as we show by printing its argument `i`, which indeed is now 500. Note that the ignore count of breakpoint 1 is now 0; if we give another `continue` and `print i`, `i` will then show as 501. In other words, once the ignore count is decremented back to 0, execution stops every time the breakpoint is hit. If we want to skip some more hits, we need to give `pdb` another `ignore` command, in order to set the ignore count of breakpoint 1 at some value greater than 0 yet again.

list, l

```
list [ first [ , last ] ]
```

`list` without arguments lists 11 lines centered on the current one, or the next 11 lines if the previous command was also a `list`. By giving arguments to the `list` command, you may explicitly specify the first and last lines to list within the current file. The `list` command deals with physical lines, including comments and empty lines, not with logical lines.

next, n

```
next
```

Executes the current line, without stepping into any function called from the current line. However, hitting breakpoints in functions called directly or indirectly from the current line does stop execution.

p

`p expression`

Evaluates `expression` in the current context and displays the result.

quit, q

`quit`

Immediately terminates both `pdb` and the program being debugged.

return, r

`return`

Executes the rest of the current function, stopping only at breakpoints if any.

step, s

`step`

Executes the current line, stepping into any function called from the current line.

tbreak

`tbreak [location [,condition]]`

Like `break`, but the breakpoint is temporary (i.e., `pdb` automatically removes the breakpoint as soon as the breakpoint is triggered).

up, u

`up`

Moves one frame up in the stack (i.e., away from the most recent function call and toward the calling function).

where, w

`where`

Shows the stack of frames and indicates the current one (i.e., in what frame's context command `!` executes statements, command `args` shows arguments, command `p` evaluates expressions, etc.).

17.2.4 Debugging in IDLE

IDLE, the Interactive DeveLopment Environment that comes with Python, offers debugging functionality similar to that of `pdb`, although not quite as powerful. Thanks to IDLE's GUI, however, you may find the functionality easier to access. For example, instead of having to ask for source lists and stack lists explicitly with such `pdb` commands as `list` and `where`, you just activate one or more of four checkboxes in the Debug Control window to see source, stack, locals, and globals always displayed in the same window at each step.

To start IDLE's interactive debugger, use menu `Debug` `Debugger` in IDLE's `*Python Shell*` window. IDLE opens the Debug Control window, outputs `[DEBUG ON]` in the shell window, and gives you another `>>>` prompt in the shell window. Keep using the shell window as you normally would—any command you give at the shell window's prompt now runs under the debugger. To deactivate the debugger, use `Debug` `Debugger` again; IDLE then toggles the debug state, closes the Debug Control window, and outputs `[DEBUG OFF]` in the shell window. To control the debugger when the debugger is active, use the GUI controls in the Debug Control window. You can toggle the debugger away only when it is not busy actively tracking code: otherwise, IDLE disables the `Quit` button in the Debug Control window.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

17.3 The warnings Module

Warnings are messages about errors or anomalies that may not be serious enough to be worth disrupting the program's control flow (as would happen by raising a normal exception). The `warnings` module offers you fine-grained control over which warnings are output and what happens to them. Your code can conditionally output a warning by calling function `warn` in module `warnings`. Other functions in the module let you control how warnings are formatted, set their destinations, and conditionally suppress some warnings (or transform some warnings into exceptions).

17.3.1 Classes

Module `warnings` supplies several exception classes representing warnings. Class `Warning` subclasses `Exception` and is the base class for all warnings. You may define your own warning classes; they must subclass `Warning`, either directly or via one of its other existing subclasses, which are:

`DeprecationWarning`

Using deprecated features only supplied for backward compatibility

`RuntimeWarning`

Using features whose semantics are error-prone

`SyntaxWarning`

Using features whose syntax is error-prone

`UserWarning`

Other user-defined warnings that don't fit any of the above cases

17.3.2 Objects

In the current version of Python, there are no concrete warning objects. A warning is composed of a *message* (a text string), a *category* (a subclass of `Warning`), and two pieces of information that identify where the warning was raised from: *module* (name of the module raising the warning) and *lineno* (line number of the source code line raising the warning). Conceptually, you may think of these as attributes of a warning object `w`, and I use attribute notation later for clarity, but no specific warning object `w` actually exists.

17.3.3 Filters

At any time, module `warnings` keeps a list of active filters for warnings. When you import `warnings` for the first time in a run, the module examines `sys.warnoptions` to determine the initial set of filters. You can run Python with option `-W` to set `sys.warnoptions` for a given run. Do not rely on the initial set of filters being held specifically in `sys.warnoptions`, as this is an implementation aspect that may change in future releases of Python.

As each warning *w* occurs, `warnings` tests *w* against each filter until a filter matches. The matching filter determines what happens to *w*. Each filter is a tuple of five items. The first item, *action*, is a string that defines what happens on a match. The other four items, *message*, *category*, *module*, and *lineno*, control what it means for *w* to match the filter, and all conditions must be satisfied for a match. Here are the meanings of these items (using attribute notation to indicate conceptual attributes of *w*):

message

A regular expression object; the match condition is `message.match(w.message)` (the match is case-insensitive)

category

Warning or a subclass of Warning; the match condition is `issubclass(w.category,category)`

module

A regular expression object; the match condition is `module.match(w.module)` (the match is case-sensitive)

lineno

An integer; the match condition is `lineno in (0, w.lineno)`, i.e., either *lineno* is 0, meaning *w.lineno* does not matter, or *w.lineno* must exactly equal *lineno*

Upon a match, the first field of the filter, the *action*, determines what happens:

'always'

`w.message` is output whether or not *w* has already occurred

'default'

`w.message` is output if, and only if, this is the first time *w* occurs from this specific location (i.e., this specific *w.module*, *w.location* pair)

'error'

`w.category(w.message)` is raised as an exception

'ignore'

w is ignored

'module'

`w.message` is output if, and only if, this is the first time *w* occurs from *w.module*

'once'

`w.message` is output if, and only if, this is the first time *w* occurs from any location

17.3.4 Functions

Module `warnings` supplies the following functions.

filterwarnings

```
filterwarnings(action,message='.*',category=Warning,
              module='.*',lineno=0, append=False)
```

Adds a filter to the list of active filters. When *append* is true, *filterwarnings* adds the filter after all other existing filters (i.e., appends the filter to the list of existing filters); otherwise *filterwarnings* inserts the filter before any other existing filter. All components, save *action*, have default values meaning match everything. As detailed above, *message* and *module* are pattern strings for regular expressions, *category* is some subclass of *Warning*, *lineno* is an integer, and *action* is a string that determines what happens when a message matches this filter.

formatwarning

```
formatwarning(message,category,filename,lineno)
```

Returns a string that represents the given warning with standard formatting.

resetwarnings

```
resetwarnings( )
```

Removes all filters from the list of filters. *resetwarnings* also discards any filters originally added with the *-W* command-line option.

showwarning

```
showwarning(message,category,filename,lineno,file=sys.stderr)
```

Outputs the given warning to the given file object. Filter actions that output warnings call *showwarning*, letting argument *file* default to *sys.stderr*. To change what happens when filter actions output warnings, code your own function with this signature and bind it to *warnings.showwarning*.

warn

```
warn(message,category=UserWarning,stacklevel=1)
```

Sends a warning, so that the filters examine and possibly output it. The location of the warning is the current function (caller of *warn*) if *stacklevel* is 1, or its caller if *stacklevel* is 2. Thus, passing 2 as the value of *stacklevel* lets you write functions that send warnings on their caller's behalf, such as:

```
def toUnicode(astr):
    try:
        return unicode(astr)
```

```
except UnicodeError:
    warnings.warn("Invalid characters in (%s)"%astr,
                  stacklevel=2)
    return unicode(astr, errors='ignore')
```

Thanks to parameter *stacklevel=2*, the warning appears as coming from the caller of `toUnicode`, rather than from function `toUnicode` itself. This is particularly important when the *action* of the filter matching this warning is *default* or *module*, since these actions output a warning only the first time the warning occurs from a given location or module.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

17.4 Optimization

"First make it work. Then make it right. Then make it fast." This quotation, often with slight variations, is widely known as the golden rule of programming. As far as I've been able to ascertain, the quotation is attributed to Kent Beck, who credits his father with it. Being widely known makes the principle no less important, particularly because it's more honored in the breach than in the observance. A negative form, slightly exaggerated for emphasis, is in a quotation by Don Knuth: "Premature optimization is the root of all evil in programming."

Optimization is premature if your code is not working yet. First make it work. Optimization is also premature if your code is working but you are not satisfied with the overall architecture and design. Remedy structural flaws before worrying about optimization: first make it work, then make it right. These first two steps are not optional-working, well-architected code is always a must.

In contrast, you don't always need to make it fast. Benchmarks may show that your code's performance is already acceptable after the first two steps. When performance is not acceptable, profiling often shows that all performance issues are in a small subset, perhaps 10% to 20% of the code where your program spends 80% or 90% of the time. Such performance-crucial regions of your code are also known as its *bottlenecks*, or *hot spots*. It's a waste of effort to optimize large portions of code that account for, say, 10% of your program's running time. Even if you made that part run 10 times as fast (a rare feat), your program's overall runtime would only decrease by 9%, a speedup no user will even notice. If optimization is needed, focus your efforts where they'll matter, on bottlenecks. You can optimize bottlenecks while keeping your code 100% pure Python. In some cases, you can resort to recoding some computational bottlenecks as Python extensions, potentially gaining even better performance.

17.4.1 Developing a Fast-Enough Python Application

Start by designing, coding, and testing your application in Python, often using some already available extension modules. This takes much less time than it would take with a classic compiled language. Then benchmark the application to find out if the resulting code is fast enough. Often it is, and you're done-congratulations!

Since much of Python itself is coded in highly optimized C, as are many of its standard and extension modules, your application may even turn out to be already faster than typical C code. However, if the application is too slow, you need to re-examine your algorithms and data structures. Check for bottlenecks due to application architecture, network traffic, database access, and operating system interactions. For typical applications, each of these factors is more likely than language choice to cause slowdowns. Tinkering with large-scale architectural aspects can often speed up an application dramatically, and Python is an excellent medium for such experimentation.

If your program is still too slow, you should profile it to find out where the time is going. Applications often exhibit computational bottlenecks-small areas of the source code, generally between 10% and 20%, which account for 80% or more of the running time. You can now optimize the bottlenecks, applying the techniques suggested in the rest of this chapter.

If normal Python-level optimizations still leave some outstanding computational bottlenecks, you can recode them as Python extension modules, as covered in [Chapter 24](#). In the end, your application will run at roughly

the same speed as if you had coded it all in C, C++, or Fortran-or faster, when large-scale experimentation has let you find a better architecture. Your overall programming productivity with this process is not much less than if you coded everything in Python. Future changes and maintenance are easy, since you use Python to express the overall structure of the program, and lower-level, harder-to-maintain languages only for a few specific computational bottlenecks.

As you produce applications in a given area according to this process, you will accumulate a library of reusable Python extension modules for that area. You therefore become more and more productive at developing other fast-running Python applications in the same field.

Even if external constraints should eventually force you to recode the whole application in a lower-level language, you're still better off for having started in Python. Rapid prototyping has long been acknowledged as the best way to get a software architecture just right. A working prototype lets you check that you have identified the right problems and taken the best path to their solution. A prototype affords the kind of large-scale architectural experimentation that can make a real difference to performance. Starting your prototype with Python allows a gradual migration to other languages by way of extension modules. The application remains in a fully functional and testable state at each stage. This ensures against the risk of compromising a design's architectural integrity in the coding stage. The resulting software is likely to be faster and more robust than if all of the coding had been lower-level from the start, and your productivity, while not quite as good as with a pure Python or mostly Python application, is still better than if you had been coding at a lower level throughout.

17.4.2 Benchmarking

Benchmarking is similar to system testing: both activities are like running the program as it's meant to be run for production purposes. In both cases, you need to have at least some subset of the program's intended functionality working, and you need to use known, reproducible inputs. In the case of benchmarking, you don't need to capture and check your program's output: since you make it work and make it right before you make it fast, you are already confident about your program's correctness by the time you benchmark it. You do need inputs that are representative of typical system operations, particularly those that may be most challenging for your program's performance. If your program performs several kinds of operations, make sure you run one or two benchmarks for each different kind of operation.

Elapsed time as measured by your wristwatch is probably precise enough to benchmark most programs. Programs with hard real-time constraints are obviously another matter, but they have needs very different from those of normal programs in most respects. A 5% or 10% difference in performance, except for programs with very peculiar constraints, makes no practical difference to a program's real-life usability.

When you benchmark "toy" programs in order to help you choose an algorithm or data structure, you may need more precision. In that case, you may want to set up an artificial environment, with a machine as quiescent as possible, no network activity, and accurate timekeeping. Python time operations are covered in [Chapter 12](#). The benchmarking discussed in this section is a different kind of issue: an approximation of real-life program operation, for the sole purpose of checking whether the program's performance at each task is acceptable, before embarking on profiling and other optimization activities. For such system benchmarking, a situation that approximates the program's normal operating conditions is best, and accuracy in timing is not particularly important.

17.4.3 Large-Scale Optimization

The aspects of your program that are most important for performance are large-scale ones: choice of

algorithms, overall architecture, and choice of data structures.

The performance issues that you must almost always take into account are those connected with the traditional big-O notation of computer science. Informally, if you call N the input size of an algorithm, big-O notation expresses algorithm performance, for large values of N , as proportional to a function of N (in precise computer science lingo, this should actually be called big-Theta, but in practical use programmers in the field call this big-O). An $O(N)$ algorithm is one where, for large enough N , handling twice as much data takes about twice as much time, three times as much data three times as much time, and so on, growing linearly with N . An $O(N^2)$ algorithm is one where, for large enough N , handling twice as much data takes about four times as much time, three times as much data nine times as much time, and so on, growing with N squared.

You will find more information on big-O notation, as well as other issues about algorithms and their complexity, in any good book about algorithms and data structures. Unfortunately, at the time of this writing, there aren't yet any such books using Python. However, if you are at least moderately familiar with C, I can recommend *Mastering Algorithms with C*, by Kyle Loudon (O'Reilly).

To understand the practical importance of big-O considerations in your programs, consider two different ways to accept all items from an input iterator and accumulate them into a list in reverse order:

```
def slow(it):
    result = [ ]
    for item in it: result.insert(0, item)
    return result

def fast(it):
    result = [ ]
    for item in it: result.append(item)
    result.reverse( )
    return result
```

We could express each of these functions more concisely, but the key difference is best appreciated by presenting them in these elementary terms. Function `slow` builds the result list by inserting each input item before all previously received ones. Function `fast` appends each input item after all previously received ones, then reverses the result list just before returning it. Intuitively, one might think that the final reversing represents extra work, and therefore `slow` should be faster than `fast`. But that's not the way things work out.

Each call to `result.append` takes roughly the same amount of time, independent of how many items are already in list `result`, since there is always a free slot for an extra item at the end of the list. The `for` loop in function `fast` executes N times to receive N items. Since each iteration of the loop takes a constant time, overall loop time is $O(N)$. `result.reverse` also takes time $O(N)$, as it is directly proportional to the total number of items. Thus, the total running time of `fast` is also $O(N)$. (If you don't understand why a sum of two quantities, each $O(N)$, is also $O(N)$, consider that the sum of two linear functions of N is also a linear function of N).

In contrast, each call to `result.insert` must make space at slot 0 for the new item to insert, by moving all items that are already in list `result` forward one slot. That takes a time proportional to the number of items that are already in the list. The overall amount of time to receive N items is therefore proportional to $1+2+3+\dots+N-1$, a sum whose value is $O(N^2)$. Therefore, the total running time of `slow` is also $O(N^2)$.

It's almost always worth replacing an $O(N^2)$ solution with an $O(N)$ one, unless you can somehow assign rigorous limits to the input size N . If N can grow without bounds, the $O(N^2)$ solution will inevitably turn out to be disastrously slower than the $O(N)$ one for large enough values of N , no matter what the proportionality

constants in each case may be (and no matter what profiling tells you). Unless you have other $O(N^2)$ or even worse bottlenecks elsewhere that you cannot eliminate, a part of the program that is $O(N^2)$ will inevitably turn into the program's bottleneck and dominate runtime for large enough values of N . Do yourself a favor and watch out for the big O: all other performance issues, in comparison, are insignificant.

Incidentally, function `fast` can be made substantially faster by expressing it in more idiomatic Python. Just replace the first two lines with the single statement:

```
result = list(it)
```

This change does not affect `fast`'s big-O character (`fast` is still $O(N)$ after the change), but does speed things up by a constant factor. Often, in Python, the simplest, clearest, most idiomatic way to express something is also the fastest.

Choosing algorithms with good big-O characteristics is roughly the same task in Python as in any other language. You just need a few indications about the big-O performance of Python's elementary building blocks.

17.4.3.1 List operations

Python lists are internally implemented with vectors (also known as arrays), not with linked lists. This fundamental implementation choice determines just about all performance characteristics of Python lists, in big-O terms.

Chaining two lists of length $N1$ and $N2$ is $O(N1+N2)$. Multiplying a list of length N by the number M is $O(N*M)$. Accessing or rebinding any list item is $O(1)$ (also known as constant time, meaning that the time taken does not depend on how many items are in the list). `len()` on a list is also $O(1)$. Accessing any slice of length M is $O(M)$. Rebinding a slice of length M with one of identical length is also $O(M)$. Rebinding a slice of length $M1$ with one of different length $M2$ is $O(M1+M2+N1)$, where $N1$ is the number of items after the slice in the target list.

Most list methods, as shown way back in [Table 4-3](#), are equivalent to slice rebindings and have the same big-O performance. Methods `count`, `index`, `remove`, and `reverse`, and operator `in`, are $O(N)$. Method `sort` is generally $O(N*\log(N))$, but has optimizations that let it be $O(N)$ in some important special cases, like when the list is already sorted, reverse sorted, or sorted except for a few items at the end (in Python 2.3, `sort` will also be $O(N)$ in a few more important special cases). `range(a,b,c)` is $O((b-a)/c)$. `xrange(a,b,c)` is $O(1)$, but looping on `xrange`'s result is $O((b-a)/c)$.

17.4.3.2 String operations

Most methods on a string of length N (be it plain or Unicode) are $O(N)$. `len(astring)` is $O(1)$. The fastest way to produce a copy of a string with transliterations and/or removal of specified characters is the string's method `translate`. The most practically important big-O consideration involving strings is covered in [Section 17.4.5](#) later in this chapter.

17.4.3.3 Dictionary operations

Python dictionaries are internally implemented with hash tables. This fundamental implementation choice determines just about all performance characteristics of Python dictionaries, in big-O terms.

Accessing, rebinding, adding, or removing a dictionary item is generally $O(1)$, as are methods `has_key`, `get`, `setdefault`, and `popitem`, and operator `in`. `d1.update(d2)` is $O(\text{len}(d2))$. `len(adict)` is $O(1)$. Methods `keys`, `items`, and `values` are $O(N)$. Methods `iterkeys`, `iteritems`, and `itervalues` are $O(1)$, but looping on the iterators that those methods return is $O(N)$. When the keys in a dictionary are instances of classes that define `__hash__` and equality comparison methods, dictionary performance is of course affected by those methods. The indications presented in this paragraph are valid only if both hashing and equality comparison are $O(1)$.

17.4.4 Profiling

Most programs have hot spots (i.e., regions of source code that account for most of the time elapsed during a program run). Don't try to guess where your program's hot spots are; programmers' intuition is notoriously unreliable in this field. Use module `profile` to collect profile data over one or more runs of your program, with known inputs. Then, use module `pstats` to collate, interpret, and display that profile data. To gain accuracy, you can calibrate the Python profiler for your machine (i.e., determine what overhead profiling incurs on your machine). Module `profile` can then subtract this overhead from the times it measures so that the profile data you collect is closer to reality.

17.4.4.1 The profile module

The `profile` module supplies one function you will often use.

run

```
run(code, filename=None)
```

code is a string such as you could use with statement `exec`, normally a call to the main function of the program you're profiling. *filename* is the path of a file that `run` creates or rewrites with profile data. Usually you call `run` a few times, specifying different filenames, and possibly different arguments to your program's main function, in order to exercise various program parts proportionately. Then, you use module `pstats` to display collated results.

You may call `run` without a *filename* to obtain a summary report, similar to the one module `pstats` could give you, directly on standard output. However, this approach gives no control at all over output format, nor does it offer any way to consolidate several runs into one report. In practice, you rarely use this feature: collecting profile data into files is generally preferable.

Module `profile` also supplies class `Profile`, mentioned in the next section. By instantiating `Profile` directly, you can access advanced functionality, such as the ability to run a command in specified local and global dictionaries. I do not cover such advanced functionality of class `profile.Profile` further in this book.

17.4.4.2 Calibration

To calibrate `profile` for your machine, you need to use class `Profile`, which module `profile` supplies and internally uses in function `run`. An instance *p* of `Profile` supplies one method you use for calibration.

calibrate

```
p.calibrate(N)
```

Loops *N* times, then returns a number that is the profiling overhead per call on your machine. *N* must be large if your machine is fast. Call `p.calibrate(10000)` a few times and check that the various numbers it returns are very close to each other, then pick the smallest one of them. If the numbers exhibit substantial variation, try again with larger values of *N*.

The calibration procedure can be time consuming. However, you need to perform it only once, repeating it only when you make changes that could alter your machine's characteristics, such as applying patches to your operating system, adding memory, or changing Python version. Once you know your machine's overhead, you can tell `profile` about it each time you import it, right before using `profile.run`. The simplest way to do this is as follows:

```
import profile
profile.Profile.bias = ...the overhead you measured...
profile.run('main( )', 'somefile')
```

17.4.4.3 The `pstats` module

The `pstats` module supplies a single class, `Stats`, that you use to analyze, consolidate, and report on the profile data contained in one or more files written by function `profile.run`.

Stats

```
class Stats(filename,*filenames)
```

Instantiates `Stats` with one or more filenames of files of profile data written by function `profile.run`.

An instance *s* of class `Stats` provides methods to add profile data and sort and output results. Each method returns *s*, so you can chain several calls in the same expression. *s*'s main methods are as follows.

add

```
s.add(filename)
```

Adds another file of profile data to the set that *s* is holding for analysis.

print_callees, print_callers

s

```
s.print_callees(*restrictions)
```

Outputs the list of functions in *s*'s profile data, sorted according to the latest call to *s.sort_stats*, and subject to the given restrictions, if any. You can call each printing method with zero or more *restrictions*, which are applied one after the other, in order, to reduce the number of output lines. A restriction that is an integer *n* limits the output to the first *n* lines. A restriction that is a floating-point value *f* between 0.0 and 1.0 limits the output to a fraction *f* of the lines. A restriction that is a string is compiled as a regular expression (as covered in [Chapter 9](#)); only lines satisfying a *search* method call on the regular expressions are output. Restrictions are cumulative. For example, *s.print_calls(10,0.5)* outputs the first 5 lines (half of 10). Output restrictions apply only after the summary and header lines: summary and header are output unconditionally.

Each function *f* that is output is accompanied by the list of *f*'s callers (the functions that called *f*) or *f*'s callees (the functions that *f* called) according to the name of the method.

print_stats

```
s.print_stats(*restrictions)
```

Outputs statistics about *s*'s profile data, sorted according to the latest call to *s.sort_stats*, and subject to the given restrictions, if any, as covered in *print_callees*. After a few summary lines (date and time on which profile data was collected, number of function calls, and sort criteria used), the output, absent restrictions, is one line per function, with six fields per line, labeled in a header line. For each function *f*, *print_stats* outputs six fields:

1. Total number of calls to function *f*
2. Total time spent in function *f*, exclusive of other functions that *f* called
3. Total time per call (i.e., field 2 divided by field 1)
4. Cumulative time spent in function *f*, and in all functions directly or indirectly called from *f*
5. Cumulative time per call (i.e., field 4 divided by field 1)
6. The name of function *f*

sort_stats

```
s.sort_stats(key, *keys)
```

Gives one or more keys (primary first, if more than one) on which to sort future output. Each key is a string. The sort is descending for keys indicating times or numbers, alphabetical (ascending) for key 'nfl'. The

most frequently used keys when calling `sort_stats` are:

`'calls'`

Number of calls to the function (like field 1 covered in `print_stats`)

`'cumulative'`

Cumulative time spent in the function and all functions it called (like field 4 i covered in `print_stats`)

`'nfl'`

Name of the function, its module, line number of the function in its file (like field 6 covered in `print_stats`)

`'time'`

Total time spent in the function itself, exclusive of functions it called (like field 2 covered in `print_stats`)

strip_dirs

```
s.strip_dirs( )
```

Alters `s` by stripping directory names from all the module names that `s` holds, to make future output more compact. `s` is unsorted after `s.strip_dirs()`, and therefore you normally call `s.sort_stats` with the arguments you desire right after calling `s.strip_dirs`.

17.4.5 Small-Scale Optimization

Fine tuning of program operations is rarely important. Such tuning may make a small but meaningful difference in some particularly hot spot, but hardly ever is it a decisive factor. And yet, such fine tuning, in the pursuit of mostly irrelevant microefficiencies, is where a programmer's instincts are likely to lead. It is in good part because of this that most optimization is premature and best avoided. The most that can be said in favor of fine tuning is that, if one idiom is always speedier than another when the difference is measurable, it's worth getting into the habit of always using the former and not the latter.

Most often, in Python, if you do what comes naturally and choose simplicity and elegance, you end up with code that has good performance as well as clarity and maintainability. In a few cases, an approach that may not be intuitive offers performance advantages, as discussed in the rest of this section.

The simplest possible optimization is to run your Python programs using `python -O` or `-OO`. `-OO` makes little direct difference to performance compared to `-O`, but `-OO` may save memory, since it removes docstrings from the bytecode, and memory availability is sometimes (indirectly) a performance bottleneck. The optimizer is not very powerful in current releases of Python, but it may still gain you performance advantages on the order of 10%, sometimes as large as 20% (potentially even larger, if you make heavy use of `assert` statements and `if __debug__`: guards as suggested in [Chapter 6](#)). The best aspect of `-O` is that it costs nothing-as long as your optimization isn't premature, of course. `-O` does impede use of debuggers, such as `pdb`, and may thus make debugging somewhat harder if your program isn't fully tested and working correctly. So, don't use `-O` on a program you're still developing.

17.4.5.1 Building up a string from pieces

The single Python anti-idiom that's likeliest to kill your program's performance, to the point that you should never use it, is to build up a large string from pieces by looping on string concatenation statements such as `big_string+=piece`. Since Python strings are immutable, such a concatenation makes Python free the M bytes previously allocated for `big_string`, and allocate and fill $M+K$ bytes for the new version. Doing this repeatedly in a loop, you end up with roughly $O(N^2)$ performance, where N is the total number of characters. More often than not, $O(N^2)$ performance where $O(N)$ is available is a performance disaster. On some platforms, things may be even bleaker due to memory fragmentation effects caused by freeing many memory areas, all of different sizes, and allocating progressively larger ones.

To achieve $O(N)$ performance, accumulate intermediate pieces in a list rather than building up the string piece by piece. Lists, unlike strings, are mutable, so appending to a list has $O(1)$ performance (amortized). Change each occurrence of `big_string+=piece` into `temp_list.append(piece)`. Then, when you're done accumulating, use the following to build your desired string result in $O(N)$ time:

```
big_string = ''.join(temp_list)
```

Other $O(N)$ ways to build up big strings are to concatenate the pieces to an instance of `array.array('c')`, or to write the pieces to an instance of `cStringIO.StringIO`.

In the special case where you want to output the resulting string, you may gain a further small slice of performance by using `writelines` on `temp_list` (never building `big_string` in memory). When feasible (i.e., when you have the output file object open and available in the loop), it's at least as effective to perform a `write` call for each `piece`, without any accumulation.

Although not nearly as crucial as `+=` on a big string in a loop, another case where removing string concatenation may give a slight performance improvement is when you're concatenating several values in an expression:

```
oneway = str(x)+' eggs and '+str(y)+' slices of '+k+' ham'
another = '%s eggs and %s slices of %s ham' % (x, y, k)
```

Using operator `%` for string formatting is often a good performance choice.

17.4.5.2 Searching and sorting

Operator `in`, the most natural tool for searching, is $O(1)$ when the right-hand side operand is a dictionary, but $O(N)$ when the right-hand side operand is a list. If you need to perform many searches on a container, you're generally much better off using a dictionary, rather than a list, as the container. Python dictionaries are highly optimized for searching and fetching items by key.

Method `sort` of Python lists is also a highly optimized and sophisticated tool. You can rely on `sort`'s performance. Performance dramatically degrades, however, if you pass `sort` a custom callable to perform comparisons in order to sort a list based on anything but built-in comparisons. To satisfy such needs, consider using the decorate-sort-undecorate (DSU) idiom instead. This idiom has the following steps:

decorate

Build an auxiliary list A where each item is a tuple made up of the sort keys, ending with the item of the original list L or with the item's index

sort

Call `A.sort()` without arguments
undecorate

Extract the items in order from the now-sorted `A`

The `decorate` and `undecorate` steps are most often handily performed with list comprehensions. If you need the sort to be in-place, assign the final sorted list to `L[:]`. Otherwise, DSU provides a sorted copy, without disturbing the original list `L`.

For example, say we have in `L` a large list of strings, each of at least two words, and we want to sort `L` in-place by the second word of each string:

```
A = [ (s.split( )[1], s) for s in L ]
A.sort( )
L[:] = [ t[1] for t in A ]
```

This is much faster than passing to `L.sort` a function that compares two strings by their second words, as in:

```
def cmp2ndword(a, b): return cmp(a.split( )[1], b.split( )[1])
L.sort(cmp2ndword)
```

On a series of benchmarks with Python 2.2 on lists of 10,000 strings, I measured the DSU version as 7 to 10 times faster than the non-DSU one.

17.4.5.3 Avoiding `exec` and `from ... import *`

If a function contains an `exec` statement without explicit dictionaries, the whole function slows down substantially. The presence of such an `exec` statement forces the Python compiler to avoid the modest but precious optimizations it normally performs because such an `exec` might cause any alteration at all to the function's namespace. A `from` statement of the form:

```
from MyModule import *
```

causes similar performance loss, since it, too, can alter a function's namespace unpredictably.

`exec` itself is also quite slow, particularly if you apply it to a string of source code rather than to a code object. By far the best approach, for performance, for correctness, and for clarity, is to avoid `exec` altogether. It's most often possible to find better (faster, more solid, and clearer) solutions. If you must use `exec`, always use it with explicit dictionaries. If you need to `exec` a dynamically obtained string more than once, `compile` the string one time and repeatedly `exec` the resulting code object.

`eval` works on expressions, not on statements; therefore, although it's still slow, at least it avoids some of the worst performance impacts of `exec`. With `eval`, too, you're best advised to use explicit dictionaries, and, if you need repeated evaluation of the same dynamically obtained string, `compile` the string just once, then repeatedly `eval` the resulting code object.

17.4.5.4 Optimizing loops

Most of your program's bottlenecks will be in loops, particularly nested loops, because loop bodies often execute repeatedly. Python does not implicitly perform any code hoisting: if you have any code inside a loop that might be executed just once by hoisting it out of the loop, and the loop is a performance bottleneck, hoist the code out yourself. Sometimes the presence of code to hoist may not be immediately obvious:

```
def slower(anobject, ahugenumber):
    for i in xrange(ahugenumber): anobject.amethod(i)
def faster(anobject, ahugenumber):
    themethod = anobject.amethod
    for i in xrange(ahugenumber): themethod(i)
```

In this case, the code that `faster` hoists out of the `for` loop is the attribute lookup `anobject.amethod`. `slower` repeats the lookup each and every time, while `faster` performs it just once. The two functions are not 100% equivalent: it is (just barely) conceivable that executing `amethod` might cause such changes on `anobject` that the next lookup for the same named attribute fetches a different method object. This is part of why Python doesn't perform such optimizations itself. In practice, such subtle, obscure, and tricky cases happen far less than one time in ten thousand. So you're quite safe performing such optimizations yourself, when you're trying to squeeze the last drop of performance out of some crucial bottleneck.

It's faster for Python to use local variables than global ones. So, if one of your loops is repeatedly accessing a global variable whose value does not change between iterations of the loop, put the value in a local variable and have the loop access the local variable instead. This also applies to built-in functions:

```
def slightly_slower(asequence, adict):
    for x in asequence: adict[x] = hex(x)
def slightly_faster(asequence, adict):
    myhex = hex
    for x in asequence: adict[x] = myhex(x)
```

Here, the speedup is very modest, on the order of 5% or so.

Do not cache `None`. `None` is currently an ordinary built-in identifier, but it is scheduled to become a keyword in Python 2.3 or 2.4, so no further optimization will be needed.

List comprehensions can be faster than loops, and so can `map` and `filter`. For optimization purposes, try changing loops into list comprehensions or `map` and `filter` calls where feasible. However, the performance advantage of `map` and `filter` is nullified if you have to use a `lambda` or an extra level of function call. Only when you pass to `map` or `filter` a built-in function, or a function you'd have to call anyway even from an explicit loop, do you stand to gain.

The loops that you can replace most naturally with list comprehensions, or `map` and `filter` calls, are loops that build up a list by repeatedly calling `append` on the list. In such cases, if you know in advance the length of the resulting list, a further optimization is available. Predefine the result list to the right length (e.g., with `result=[None]*N`), introduce an explicit index `i` that starts at 0 and grows by one at each iteration of the loop, and change each call to `result.append(x)` into `result[i]=x`. The following example shows this optimization in the context of a typical microperformance benchmark script:

```
import time

def slow(asequence):
    result = [ ]
    for x in asequence: result.append(-x)
    return result
```

```

def middling(asequence):
    return [ -x for x in asequence ]

def fast(asequence):
    result = [None]*len(asequence)
    for i in xrange(len(asequence)): result[i] = -asequence[i]
    return result

biggie = xrange(500*1000)
tentimes = [None]*10
def timit(afunc):
    lobi = biggie
    start = time.clock( )
    for x in tentimes: afunc(lobi)
    stend = time.clock( )
    return "%-10s: %.2f" % (afunc.__name__, stend-start)

for afunc in slow, middling, fast, fast, middling, slow:
    print timit(afunc)

```

Running this example with `python -O` (on a PC with a 1.2 GHz Athlon CPU, Python 2.2.1) shows `fast` taking 4.30 seconds, `middling` 4.81 to 4.84 seconds, and `slow` 6.50 to 7.02 seconds, on Windows 98. The time ranges on Linux are 4.19- 4.20, 5.15-5.20, and 6.91-7.00, respectively. With the current alpha version of Python 2.3 on Linux, the time ranges are 3.35-3.37 for `fast`, 4.61-4.64 for `middling`, and 6.43-6.44 for `slow`. In summary, on this machine, `slow` is 35%-40% slower than `middling`, and `middling` is about 15%-25% slower than `fast` (and Python 2.2 is 10%-25% slower than the current alpha of Python 2.3).

17.4.5.5 Optimizing I/O

If your program does substantial amounts of I/O, it's likely that performance bottlenecks are due to I/O, not to computation. Such programs are said to be I/O bound, rather than CPU bound. Your operating system tries to optimize I/O performance, but you can help it in a couple of ways. One such way is to perform your I/O in chunks of a size that is optimal for performance, rather than simply being convenient for your program's operations. Another way is to use threading.

From the point of view of a program's convenience and simplicity, the ideal amount of data to read or write at a time is generally small (one character or one line) or very large (an entire file at a time). That's often okay, because Python and your operating system work behind the scenes to let your program use convenient logical chunks for I/O, while arranging physical I/O operations with chunk sizes that are more attuned to performance. Reading and writing a whole file at a time is quite likely to be okay for performance as long as the file is not inordinately large. Specifically, file-at-a-time I/O is fine as long as the file's data fits in your machine's physical memory, leaving enough physical memory available for your program and operating system to perform whatever other tasks they need to perform at the same time. The hard problems of I/O-bound program performance tend to come with huge files.

If performance is an issue, don't use a file object's `readline` method, which is limited in the amount of chunking and buffering it can perform. Using `writeline`, on the other hand, gives no performance problem when that method is the one most convenient for your program. Loop directly on the file object (in Python 2.2) to get one line at a time with the best performance. If the file isn't too huge, time two versions of your program, one that loops directly on the file object and one that calls method `readlines`, which reads the

whole file into memory. Either solution may prove faster. In Python 2.1, you can't loop directly on the file object. Instead, use method `xreadlines` in a `for` loop. `xreadlines` will be deprecated in Python 2.3, but if you need top performance in this specific case and need to support Python 2.1, there is no alternative.

For binary files, specifically large binary files of whose contents you need just a part on each run of your program, module `mmap`, covered in [Chapter 14](#), can often give you both good performance and program simplicity.

Making an I/O-bound program multithreaded may sometimes afford substantial performance gains if you can arrange your program's architecture accordingly. Start a few worker threads devoted exclusively to I/O, have the computational threads request I/O operations from the I/O threads via `Queue` instances, and try to post the request for each input operation as soon as you know you'll eventually need that data. Performance will increase only if there are other tasks your computational threads can perform while an I/O thread is blocked waiting for data. Basically, you get better performance this way if you can manage to overlap computation and waiting for data, by having different threads do the computing and the waiting. See [Chapter 14](#) for detailed coverage of Python threading and a suggested architecture.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Part IV: Network and Web Programming

[Chapter 18](#)

[Chapter 19](#)

[Chapter 20](#)

[Chapter 21](#)

[Chapter 22](#)

[Chapter 23](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 18. Client-Side Network Protocol Modules

A program can work on the Internet as a *client* (a program that accesses resources) or as a *server* (a program that makes services available). Both kinds of program deal with protocol issues, such as how to access and communicate data, and with data formatting issues. For order and clarity, the Python library deals with these issues in several different modules. This book will cover the topics in separate chapters. This chapter deals with the modules in the Python library that support protocol issues of client programs.

Nowadays, data access can often be achieved most simply through Uniform Resource Locators (URLs). Python supports URLs with modules `urlparse`, `urllib`, and `urllib2`. For rarer cases, when you need fine-grained control of data access protocols normally accessed via URLs, Python supplies modules `httplib` and `ftplib`. Protocols for which URLs are often insufficient include mail (modules `poplib` and `smtplib`), Network News (module `nntplib`), and Telnet (module `telnetlib`). Python also supports the XML-RPC protocol for distributed computing with module `xmlrpclib`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

18.1 URL Access

A URL identifies a resource on the Internet. A URL is a string composed of several optional parts, called components, known as scheme, location, path, query, and fragment. A URL with all its parts looks something like:

```
scheme://lo.ca.ti.on/pa/th?query#fragment
```

For example, in <http://www.python.org:80/faq.cgi?src=fie>, the scheme is *http*, the location is *www.python.org:80*, the path is */faq.cgi*, the query is *src=fie*, and there is no fragment. Some of the punctuation characters form a part of one of the components they separate, while others are just separators and are part of no component. Omitting punctuation implies missing components. For example, in *mailto:me@you.com*, the scheme is *mailto*, the path is *me@you.com*, and there is no location, query, or fragment. The missing *//* means the URL has no location part, the missing *?* means it has no query part, and the missing *#* means it has no fragment part.

18.1.1 The `urlparse` Module

The `urlparse` module supplies functions to analyze and synthesize URL strings. In Python 2.2, the most frequently used functions of module `urlparse` are `urljoin`, `urlsplit`, and `urlunsplit`.

urljoin

```
urljoin(base_url_string, relative_url_string)
```

Returns a URL string *u*, obtained by joining *relative_url_string*, which may be relative, with *base_url_string*. The joining procedure that `urljoin` performs to obtain its result *u* may be summarized as follows:

- When either of the argument strings is empty, *u* is the other argument.
- When *relative_url_string* explicitly specifies a scheme different from that of *base_url_string*, *u* is *relative_url_string*. Otherwise, *u*'s scheme is that of *base_url_string*.
- When the scheme does not allow relative URLs (e.g., *mailto*), or *relative_url_string* explicitly specifies a location (even when it is the same as the location of *base_url_string*), all other components of *u* are those of *relative_url_string*. Otherwise, *u*'s location is that of *base_url_string*.
- *u*'s path is obtained by joining the paths of *base_url_string* and *relative_url_string* according to standard syntax for absolute and relative URL paths. For example:

```
import urlparse
urlparse.urljoin(
    'http://somehost.com/some/path/here',
```

```

    './other/path')
# Result is: 'http://somehost.com/some/other/path'

```

urlsplit

```
urlsplit(url_string, default_scheme='', allow_fragments=True)
```

Analyzes *url_string* and returns a tuple with five string items: scheme, location, path, query, and fragment. *default_scheme* is the first item when the *url_string* lacks a scheme. When *allow_fragments* is *False*, the tuple's last item is always "", whether or not *url_string* has a fragment. Items corresponding to missing parts are always "". For example:

```

urlparse.urlsplit(
    'http://www.python.org:80/faq.cgi?src=fie')
# Result is:
# ('http', 'www.python.org:80', '/faq.cgi', 'src=fie', '')

```

urlunsplit

```
urlunsplit(url_tuple)
```

url_tuple is a tuple with exactly five items, all strings. For example, any return value from a *urlsplit* call is an acceptable argument for *urlunsplit*. *urlunsplit* returns a URL string with the given components and the needed separators, but with no redundant separators (e.g., there is no # in the result when the fragment, *url_tuple*'s last item, is ""). For example:

```

urlparse.urlunsplit(('http', 'www.python.org:80',
    '/faq.cgi', 'src=fie', ''))
# Result is: 'http://www.python.org:80/faq.cgi?src=fie'

```

urlunsplit(urlsplit(x)) returns a normalized form of URL string *x*, not necessarily equal to *x* because *x* need not be normalized. For example:

```

urlparse.urlunsplit(
    urlparse.urlsplit('http://a.com/path/a?'))
# Result is: 'http://a.com/path/a'

```

In this case, the normalization ensures that redundant separators, such as the trailing *?* in the argument to *urlsplit*, are not present in the result.

Module *urlparse* also supplies functions *urlparse* and *urlunparse*. In Python 2.1, *urlparse* did not supply *urlsplit* and *urlunsplit*, so you had to use *urlparse* and *urlunparse* instead. *urlparse* and *urlunparse* are akin to *urlsplit* and *urlunsplit*, but are based on six components rather than five. The *parse* functions insert a *parameters* component between *path* and *query* using an older standard for URLs, where parameters applied to the entire path. According to the current standard, parameters apply to each part of the path separately. Therefore, the path URL component may now include parameters to subdivide in further phases of the analysis. For example:

```
u.urlsplit('http://a.com/path;with/some;params?anda=query')
```

```
# Result is: ('http', 'a.com', '/path;with/some;params', 'anda=query', '')
u.urlparse('http://a.com/path;with/some;params?anda=query')
# Result is: ('http', 'a.com', '/path;with/some', 'params', 'anda=query', '')
```

In this code, `urlparse` is able to split off the `;params` part of the parameters, but considers the `/path;with/some` substring to be the path. `urlsplit` considers the entire `/path;with/some;params` to be the path, returned as the third item in the result tuple. Should you then need to separate the `with` and `params` parameters parts of the path component, you can perform further string processing on the third item of `urlsplit`'s return tuple, such as splitting on `/` and then on `;`. In practice, very few URLs on the Net make use of parameters, so you may not care about this subtle distinction.

18.1.2 The urllib Module

The `urllib` module supplies simple functions to read data from URLs. `urllib` supports the following protocols (schemes): `http`, `https`, `ftp`, `gopher`, and `file`. `file` indicates a local file. `urllib` uses `file` as the default scheme for URLs that lack an explicit scheme. You can find simple, typical examples of `urllib` use in [Chapter 22](#) and [Chapter 23](#), where `urllib.urlopen` is used to fetch HTML and XML pages that various examples parse and analyze.

18.1.2.1 Functions

Module `urllib` supplies a number of functions, with `urlopen` being the most frequently used.

quote

```
quote(str, safe='/')
```

Returns a copy of `str` where special characters are changed into Internet-standard quoted form `%xx`. Does not quote alphanumeric characters, spaces, any of the characters `_, . -`, nor any of the characters in string `safe`.

quote_plus

```
quote_plus(str, safe='/')
```

Like `quote`, but also changes spaces into plus signs.

unquote

```
unquote(str)
```

Returns a copy of `str` where each quoted form `%xx` is changed into the corresponding character.

unquote_plus

```
unquote_plus(str)
```

Like `unquote`, but also changes plus signs into spaces.

urlcleanup

```
urlcleanup( )
```

Clears the cache of function `urlretrieve`, covered later in this section.

urlencode

```
urlencode(query, doseq=False)
```

Returns a string with the URL-encoded form of *query*. *query* can be either a sequence of (*name*, *value*) pairs, or a mapping, in which case the resulting string encodes the mapping's (*key*, *value*) pairs. For example:

```
urllib.urlencode([('ans', 42), ('key', 'val')])
# 'ans=42&key=val'
urllib.urlencode({'ans': 42, 'key': 'val'})
# 'key=val&ans=42'
```

Remember that the order of items in a dictionary is not defined: if you need the URL-encoded form to have the key/value pairs in a specific order, use a sequence as the *query* argument, as in the first call in this example.

When *doseq* is true, any *value* in *query* that is a sequence is encoded as separate parameters, one per item in *value*. For example:

```
u.urlencode([('K', ('x', 'y', 'z'))], 1)
# 'K=x&K=y&K=z'
u.urlencode([('K', ('x', 'y', 'z'))], 0)
# 'K=%28%27x%27%2C+%27y%27%2C+%27z%27%29'
```

When *doseq* is false (the default), each value is encoded as the `quote_plus` of its string form given by built-in `str`, whether the value is a sequence or not.

urlopen

```
urlopen(urlstring, data=None)
```

Accesses the given URL and returns a read-only file-like object *f*. *f* supplies file-like methods `read`, `readline`, `readlines`, and `close`, as well as two others:

```
f.geturl( )
```

Returns the URL of *f*. This may differ from *urlstring* both because of normalization (as mentioned for function `urlunsplit` earlier) and because the server may issue HTTP redirects (i.e., indications that the requested data is located elsewhere). `urllib` supports redirects transparently, and method `geturl` lets you check for them if you want.

```
f.info( )
```

Returns an instance *m* of class `Message` of module `mimertools`, covered in [Chapter 21](#). The main use of *m* is as a container of headers holding metadata about *f*. For example, `m['Content-Type']` is the MIME type and subtype of the data in *f*. You can also access this information by calling *m*'s methods `m.gettype()`, `m.getmaintype()`, and `m.getsubtype()`.

When *data* is `None` and *urlstring*'s scheme is `http`, `urlopen` sends a `GET` request. When *data* is not `None`, *urlstring*'s scheme must be `http`, and `urlopen` sends a `POST` request. *data* must then be in URL-encoded form, and you normally prepare it with function `urlencode`, covered earlier in this section.

`urlopen` can transparently use proxies that do not require authentication. Set environment variables `http_proxy`, `ftp_proxy`, and `gopher_proxy` to the proxies' URLs to exploit this. You normally perform such settings in your system's environment, in platform-dependent ways, before you start Python. On the Macintosh only, `urlopen` transparently and implicitly retrieves proxy URLs from your Internet configuration settings. `urlopen` does not support proxies that require authentication—for such advanced needs, use the richer and more complicated library module `urllib2`, covered in a moment.

urlretrieve

```
urlretrieve(urlstring, filename=None, reporthook=None, data=None)
```

Similar to `urlopen(urlstring, data)`, but instead returns a pair (*f*, *m*). *f* is a string that specifies the path to a file on the local filesystem. *m* is an instance of class `Message` of module `mimertools`, like the result of method `info` called on the result value of `urlopen`, covered earlier in this section.

When *filename* is `None`, `urlretrieve` copies retrieved data to a temporary local file, and *f* is the path to the temporary local file. When *filename* is not `None`, `urlretrieve` copies retrieved data to the file named *filename*, and *f* is *filename*. When *reporthook* is not `None`, it must be a callable with three arguments, as in the function:

```
def reporthook(block_count, block_size, file_size):
    print block_count
```

`urlretrieve` calls *reporthook* zero or more times while retrieving data. At each call, it passes *block_count*, the number of blocks of data retrieved so far; *block_size*, the size in bytes of each block; and *file_size*, the total size of the file in bytes. `urlretrieve` passes *file_size* as `-1` when unable to determine file size, which depends on the protocol involved and on how completely the server implements that protocol. The purpose of *reporthook* is to let your program give graphical or textual feedback to the user about the progress of the file retrieval operation that `urlretrieve` performs.

18.1.2.2 The FancyURLopener class

You normally use module `urllib` through the functions it supplies (most often `urlopen`). To customize `urllib`'s functionality, however, you can subclass `urllib`'s `FancyURLopener` class and bind an instance of your subclass to attribute `_urloper` of module `urllib`. The customizable aspects of an instance `f` of a subclass of `FancyURLopener` are the following.

prompt_user_passwd

`f.prompt_user_passwd(host, realm)`

Returns a pair `(user,password)` to use to authenticate access to `host` in the security `realm`. The default implementation in class `FancyURLopener` prompts the user for this data in interactive text mode. Your subclass can override this method for such purposes as interacting with the user via a GUI or fetching authentication data from persistent storage.

version

`f.version`

The string that `f` uses to identify itself to the server, for example via the User-Agent header in the HTTP protocol. You can override this attribute by subclassing, or rebind it directly on an instance of `FancyURLopener`.

18.1.3 The urllib2 Module

The `urllib2` module is a rich, highly customizable superset of module `urllib`. `urllib2` lets you work directly with rather advanced aspects of protocols such as HTTP. For example, you can send requests with customized headers as well as URL-encoded POST bodies, and handle authentication in various realms, in both Basic and Digest forms, directly or via HTTP proxies.

In the rest of this section, I cover only the ways in which `urllib2` lets your program customize these advanced aspects of URL retrieval. I do not try to impart the advanced knowledge of HTTP and other network protocols, independent of Python, that you need to make full use of `urllib2`'s rich functionality. As an HTTP tutorial, I recommend *Python Web Programming*, by Steve Holden (New Riders): it offers good coverage of HTTP basics with examples coded in Python, and a good bibliography if you need further details about network protocols.

18.1.3.1 Functions

`urllib2` supplies a function `urlopen` basically identical to `urllib`'s `urlopen`. To customize `urllib2`'s behavior, you can install, before calling `urlopen`, any number of handlers grouped into an opener using the `build_opener` and `install_opener` functions.

You can also optionally pass to `urlopen` an instance of class `Request` instead of a URL string. Such an

instance may include both a URL string and supplementary information on how to access it, as covered shortly in [Section 18.1.3.2](#).

build_opener

```
build_opener(*handlers)
```

Creates and returns an instance of class `OpenerDirector`, covered later in this chapter, with the given *handlers*. Each handler can be a subclass of class `BaseHandler`, instantiable without arguments, or an instance of such a subclass, however instantiated. `build_opener` adds instances of various handler classes provided by module `urllib2` in front of the handlers you specify, to handle proxies, unknown schemes, the *http*, *file*, and *https* schemes, HTTP errors, and HTTP redirects. However, if you have instances or subclasses of said classes in *handlers*, this indicates that you want to override these defaults.

install_opener

```
install_opener(opener)
```

Installs *opener* as the opener for further calls to `urlopen`. *opener* can be an instance of class `OpenerDirector`, such as the result of a call to function `build_opener`, or any signature-compatible object.

urlopen

```
urlopen(url,data=None)
```

Almost identical to the `urlopen` function in module `urllib`. However, you customize behavior via the opener and handler classes of `urllib2`, covered later in this chapter, rather than via class `FancyURLopener` as in module `urllib`. Argument *url* can be a URL string, like for the `urlopen` function in module `urllib`. Alternatively, *url* can be an instance of class `Request`, covered in the next section.

18.1.3.2 The Request class

You can optionally pass to function `urlopen` an instance of class `Request` instead of a URL string. Such an instance can embody both a URL and, optionally, other information on how to access the target URL.

Request

```
class Request(urlstring,data=None,headers={})
```

urlstring is the URL that this instance of class `Request` embodies. For example, if there are no *data* and *headers*, calling:

```
urllib2.urlopen(urllib2.Request(urlstring))
```

is just like calling:

```
urllib2.urlopen(urlstring)
```

When *data* is not *None*, the *Request* constructor implicitly calls on the new instance *r* its method *r.add_data(data)*. *headers* must be a mapping of header names to header values. The *Request* constructor executes the equivalent of the loop:

```
for k,v in headers.items(): r.add_header(k,v)
```

An instance *r* of class *Request* supplies the following methods.

add_data

```
r.add_data(data)
```

Sets *data* as *r*'s data. Calling *urlopen(r)* then becomes like calling *urlopen(r,data)*, i.e., it requires *r*'s scheme to be *http*, and uses a POST request with a body of *data*, which must be a URL-encoded string.

Despite its name, method *add_data* does not necessarily add the *data*. If *r* already had data, set in *r*'s constructor or by previous calls to *r.add_data*, the latest call to *r.add_data* replaces the previous value of *r*'s data with the new given one. In particular, *r.add_data(None)* removes *r*'s previous data, if any.

add_header

```
r.add_header(key,value)
```

Adds a header with the given *key* and *value* to *r*'s headers. If *r*'s scheme is *http*, *r*'s headers are sent as part of the request. When you add more than one header with the same *key*, later additions overwrite previous ones, so out of all headers with one given *key*, only the one given last matters.

get_data

```
r.get_data()
```

Returns the data of *r*, either *None* or a URL-encoded string.

get_full_url

```
r.get_full_url()
```

Returns the URL of *r*, as given in the constructor for *r*.

get_host

```
r.get_host( )
```

Returns the `host` component of `r`'s URL.

get_selector

```
r.get_selector( )
```

Returns the selector components of `r`'s URL (i.e., the path and all following components).

get_type

```
r.get_type( )
```

Returns the scheme component of `r`'s URL (i.e., the protocol).

has_data

```
r.has_data( )
```

Like `r.get_data()` is not `None`.

set_proxy

```
r.set_proxy(host, scheme)
```

Sets `r` to use a proxy at the given `host` and `scheme` for accessing `r`'s URL.

18.1.3.3 The `OpenerDirector` class

An instance `d` of class `OpenerDirector` collects instances of handler classes and orchestrates their use to open URLs of various schemes and to handle errors. Normally, you create `d` by calling function `build_opener`, and then install it by calling function `install_opener`. For advanced uses, you may also access various attributes and methods of `d`, but this is a rare need and I do not cover it further in this book.

18.1.3.4 Handler classes

Module `urllib2` supplies a class `BaseHandler` to use as the superclass of any custom handler classes you write. `urllib2` also supplies many concrete subclasses of `BaseHandler` that handle schemes *gopher*, *ftp*, *http*, *https*, and *file*, as well as authentication, proxies, redirects, and errors. Writing custom handlers is an advanced topic and I do not cover it further in this book.

18.1.3.5 Handling authentication

`urllib2`'s default opener does not include authentication handlers. To get authentication, call `build_opener` to build an opener that includes instances of classes `HTTPBasicAuthHandler`, `ProxyBasicAuthHandler`, `HTTPDigestAuthHandler`, and/or `ProxyDigestAuthHandler`, depending on whether you need the authentication to be directly in HTTP or to a proxy, and on whether you need Basic or Digest authentication.

To instantiate each of these authentication handlers, use an instance `x` of class `HTTPPasswordMgrWithDefaultRealm` as the only argument to the authentication handler's constructor. You normally use the same `x` to instantiate all the authentication handlers you need. To record users and passwords for given authentication realms and URLs, call `x.add_password` one or more times.

add_password

```
x.add_password(realm,URLs,user,password)
```

Records in `x` the pair `(user,password)` as the authentication in the given `realm` of applicable URLs, as determined by argument `URLs`. `realm` is either a string, the name of an authentication realm, or `None`, to apply this authentication as the default for any realm not specifically recorded. `URLs` is a URL string or a sequence of URL strings. A URL `u` is deemed applicable for this authentication if there is an item `u1` of `URLs` such that the `location` components of `u` and `u1` are equal, and the `path` component of `u1` is a prefix of that of `u`. Note that other components (scheme, query, and fragment) don't matter to applicability for authentication purposes.

The following example shows how to use `urllib2` with basic HTTP authentication:

```
import urllib2

x = urllib2.HTTPPasswordMgrWithDefaultRealm( )
x.add_password(None, 'http://myhost.com/', 'auser',
              'apassword')
auth = urllib2.HTTPBasicAuthHandler(x)
opener = urllib2.build_opener(auth)
urllib2.install_opener(opener)

flob = urllib2.urlopen('http://myhost.com/index.html')
for line in flob.readlines( ): print line,
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

18.2 Email Protocols

Most email today is sent via servers that implement the Simple Mail Transport Protocol (SMTP) and received via servers that implement the Post Office Protocol Version 3 (POP3). These protocols are supported by the Python standard library modules `smtplib` and `poplib`, respectively. Some servers, instead of or in addition to POP3, implement the richer and more advanced Internet Message Access Protocol Version 4 (IMAP4), supported by the Python standard library module `imaplib`, which I do not cover in this book.

18.2.1 The poplib Module

The `poplib` module supplies a class `POP3` to access a POP mailbox.

POP3

```
class POP3(host,port=110)
```

Returns an instance `p` of class `POP3` connected to the given `host` and `port`.

Instance `p` supplies many methods, of which the most frequently used are the following.

delete

```
p.delete(msgnum)
```

Marks message `msgnum` for deletion. The server performs deletions when this connection terminates by a call to method `quit`. Returns the response string.

list

```
p.list(msgnum=None)
```

Returns a pair `(response,messages)` where `response` is the response string and `messages` is a list of strings, each of two words `'msgnum bytes'`, giving the message number and the length in bytes of each message in the mailbox. When `msgnum` is not `None`, list `messages` has only one item, a string with two words: `msgnum` as requested, and the length `bytes`.

pass_


```
p.pass_(password)
```

Sends the password. Must be called after method `user`. The trailing underscore in the function's name is necessary because `pass` is a Python keyword. Returns the response string.

quit

```
p.quit( )
```

Ends the session and performs the deletions that were requested by calls to method `delete`. Returns the response string.

retr

```
p.retr(msgnum)
```

Returns a three-item tuple (*response*, *lines*, *bytes*), where *response* is the response string, *lines* is a list of all lines in message *msgnum*, and *bytes* is the total number of bytes in the message.

set_debuglevel

```
p.set_debuglevel(debug_level)
```

Sets the debug level to integer *debug_level*: `0`, the default, for no debugging; `1` to get a modest amount of debugging output; `2` or more to get a complete output trace of all control information exchanged with the server.

stat

```
p.stat( )
```

Returns a pair (*num_messages*, *bytes*), where *num_messages* is the number of messages in the mailbox, and *bytes* is the total number of bytes.

top

```
p.top(msgnum, maxlines)
```

Like `retr`, but returns no more than *maxlines* lines of text from the message after the headers. Can be useful to view the start of long messages.

user

```
p.user(username)
```

Sends the username. Must be followed by a call to method `pass_`.

18.2.2 The smtplib Module

The `smtplib` module supplies a class `SMTP` to send mail to any SMTP server.

SMTP

```
class SMTP([host,port=25])
```

Returns an instance `s` of class `SMTP`. When `host` (and optionally `port`) is given, implicitly calls `s.connect(host,port)`.

Instance `s` supplies many methods, of which the most frequently used are the following.

connect

```
s.connect(host=127.0.0.1,port=25)
```

Connects to an SMTP server on the given `host` (by default, the local host) and `port` (port 25 is the default port for the SMTP service).

login

```
s.login(user,password)
```

Logs in to the server with the given `user` and `password`. Needed only if the SMTP server requires authentication.

quit

```
s.quit( )
```

Terminates the SMTP session.

sendmail

```
s.sendmail(from_addr,to_addrs,msg_string)
```

Sends mail message *msg_string* from the sender whose email address is in string *from_addr* to each of the recipients whose email addresses are the items of list *to_addrs*. *msg_string* must be a complete RFC-822 message in a single multiline string: the headers, an empty line for separation, followed by the body. *from_addr* and *to_addrs* are used only to direct the mail transport, not to add or change headers within *msg_string*. To prepare RFC-822-compliant messages, use package `email`, covered in [Chapter 21](#).

[\[Team LiB \]](#)

[Team LiB]

18.3 The HTTP and FTP Protocols

Modules `urllib` and `urllib2` are most often the handiest ways to access servers for *http*, *https*, and *ftp* protocols. The Python standard library also supplies specific modules to use for these data access protocols.

18.3.1 The `httplib` Module

Module `httplib` supplies a class `HTTPConnection` to connect to an HTTP server.

HTTPConnection

```
class HTTPConnection(host, port=80)
```

Returns an instance *h* of class `HTTPConnection`, ready for connection (but not yet connected) to the given *host* and *port*.

Instance *h* supplies several methods, of which the most frequently used are the following.

close

```
h.close( )
```

Closes the connection to the HTTP server.

getresponse

```
h.getresponse( )
```

Returns an instance *r* of class `HTTPResponse`, which represents the response received from the HTTP server. Call after method `request` has returned. Instance *r* supplies the following attributes and methods:

```
r.getheader( name ,default =None)
```

Returns the contents of header *name*, or *default* if no such header exists.

```
r.msg
```

An instance of class `Message` of module `mimetypes`, covered in Chapter 21. You can use *r*.`msg` to access the response's headers and body.

```
r.read( )
```

Returns a string that is the body of the server's response.

```
r.reason
```

The string that the server gave as the reason for errors or anomalies. If the request was successful, `r.reason` could, for example, be 'OK'.

`r.status`

An integer, the status code that the server returned. If the request was successful, `r.status` should be between 200 and 299 according to the HTTP standards. Values between 400 and 599 are typical error codes again according to HTTP standards. For example, 404 is the error code that a server sends when the page you request cannot be found.

`r.version`

10 if the server supports only HTTP 1.0, 11 if the server supports HTTP 1.1.

request

```
h.request(command, URL, data=None, headers={})
```

Sends a request to the HTTP server. `command` is an HTTP command string, such as 'GET' or 'POST'. `URL` is an HTTP selector (i.e., a URL string without the scheme and location components—just the path component, possibly followed by query and/or fragment components). `data`, if not `None`, is a string sent as the body of the request normally meaningful only for such commands as 'POST' and 'PUT'. `request` computes and sends the Content-Length header to describe the length of `data`. To send other headers, pass them as part of dictionary argument `headers`, with the header name as the key and the header contents as the corresponding value.

Module `httplib` also supplies class `HTTPSConnection`, used in exactly the same way as class `HTTPConnection` but supporting connections that use protocol `https` rather than protocol `http`.

18.3.2 The `ftplib` Module

The `ftplib` module supplies a class `FTP` to connect to an FTP server.

FTP

```
class FTP([host[, user, passwd='']])
```

Returns an instance `f` of class `FTP`. When `host` is given, implicitly calls `f.connect(host)`. When `user` (and optionally `passwd`) is also given, implicitly calls `f.login(user, passwd)` afterward.

Instance `f` supplies many methods, of which the most frequently used are the following.

connect

```
f.connect(host, port=21)
```

Connects to an FTP server on the given `host` and `port`. Call once per instance `f`, as `f`'s first method call. Do not call if `host` was given on creation.

cwd

```
f.cwd(pathname)
```

Sets the current directory on the FTP server to *pathname* .

delete

```
f.delete(filename)
```

Tells the FTP server to delete a file, and returns a string, the server's response.

login

```
f.login(user='anonymous',passwd='')
```

Logs in to the FTP server. When *user* is 'anonymous' and *passwd* is "", *login* determines the real user and host and sends *user @ host* as the password, as normal anonymous FTP conventions require. Call once per instance *f* , as the first method call on *f* after connecting.

mkd

```
f.mkd(pathname)
```

Makes a new directory, named *pathname* , on the FTP server.

pwd

```
f.pwd( )
```

Returns the current directory on the FTP server.

quit

```
f.quit( )
```

Closes the connection to the FTP server. Call as the last method call on *f* .

rename

```
f.rename(oldname, newname)
```

Tells the FTP server to rename a file from *oldname* to *newname* .

retrbinary

```
f.retrbinary(command, callback, blocksize=8192, rest=None)
```

Retrieves data in binary mode. *command* is a string with an appropriate FTP command, typically 'RETR *filename*'. *callback* is a callable that *retrbinary* calls for each block of data returned, passing the block of data, a string, as the only argument. *blocksize* is the maximum size of each block of data. When *rest* is not *None* , it's the offset in bytes from the start of the file at which you want to start the retrieval, if the FTP server supports the 'REST' command. When *rest* is not *None* and the FTP server does not support the 'REST' command, *retrbinary* raises an exception.

retrlines

```
f.retrlines(command, callback=None)
```

Retrieves data in text mode. *command* is a string with an appropriate FTP command, typically 'RETR *filename*' or 'LIST'. *callback* is a callable that *retrlines* calls for each line of text returned, passing the line of text, a string, as the only argument (without the end-of-line marker). When *callback* is *None* , *retrlines* writes the lines of text to *sys.stdout* .

rmd

```
f.rmd(pathname)
```

Removes directory *pathname* on the FTP server.

sendcmd

```
f.sendcmd(command)
```

Sends string *command* as a command to the server and returns the server's response string. Suitable only for commands that don't open data connections.

set_pasv

```
f.set_pasv(pasv)
```

Sets passive mode on if *pasv* is true, off if false. Passive mode defaults to on.

size

```
f.size(filename)
```

Returns the size in bytes of the named file on the FTP server, or `None` if unable to determine the file's size.

storbinary

```
f.storbinary(command,file,blocksize=8192)
```

Stores data in binary mode. *command* is a string with an appropriate FTP command, typically `'STOR filename '`. *file* is a file open in binary mode, which `storbinary` reads, repeatedly calling `file.read(blocksize)`, to obtain the data to transfer to the FTP server.

storlines

```
f.storlines(command,file)
```

Stores data in text mode. *command* is a string with an appropriate FTP command, typically `'STOR filename '`. *file* is a file open in text mode, which `storlines` reads, repeatedly calling `file.readline()`, to obtain the data to transfer to the FTP server.

Here is a typical, simple example of `ftplib` use in an interactive interpreter session:

```
>>> import ftplib
>>> f = ftplib.FTP('ftp.python.org')
>>> f.login()
'230 Anonymous access granted, restrictions apply.'
>>> f.retrlines('LIST')
drwxrwxr-x   4 webmaster webmaster   512 Oct 12  2001 pub
'226 Transfer complete.'
>>> f.cwd('pub')
'250 CWD command successful.'
>>> f.retrlines('LIST')
drwxrwsr-x   2 barry      webmaster   512 Oct 12  2001 jython
lrwx-----   1 root      ftp        25 Aug  3  2001 python -> www.python.org/ftp/pyth
drwxrwxr-x  43 webmaster webmaster   2560 Sep  3 17:22 www.python.org
'226 Transfer complete.'
>>> f.cwd('python')
'250 CWD command successful.'
```



```
>>> f.retrlines('LIST')
drwxrwxr-x  2 webmaster webmaster      512 Aug 23  2001 2.0
 [ many result lines snipped ]
drwxrwxr-x  2 webmaster webmaster      512 Aug  2  2001 wpy
'226 Transfer complete.'
>>> f.retrlines('RETR README')
Python Distribution
=====
```

Most subdirectories have a README or INDEX files explaining the contents.

```
[ many result lines snipped ]
gzipped version of this file, and 'get misc.tar.gz' will fetch a
gzipped tar archive of the misc subdir.
'226 Transfer complete.'
```

In this case, the following far simpler code is equivalent:

```
print urllib.urlopen('ftp://ftp.python.org/pub/python/README').read( )
```

However, `ftplib` affords much more detailed control of FTP operations than `urllib` does. Thus, in some cases, `ftplib` may be useful for your programs.

[Team LiB]

[\[Team LiB \]](#)

18.4 Network News

Network News, also known as Usenet News, is mostly transmitted with the Network News Transport Protocol (NNTP). The Python standard library supports this protocol in its module `nntplib`. The `nntplib` module supplies a class `NNTP` to connect to an NNTP server.

NNTP

```
class NNTP(  
    host, port=119, user=None, passwd=None, readermode=False)
```

Returns an instance `n` of class `NNTP` connected to the given `host` and `port`, and optionally authenticated with the given `user` and `passwd` if `user` is not `None`. When `readermode` is `True`, also sends a `'mode reader'` command; you may need this, depending on what NNTP server you connect to and on what NNTP commands you send to that server.

18.4.1 Response Strings

An instance `n` of `NNTP` supplies many methods. Each of `n`'s methods returns a tuple whose first item is a string (referred to as `response` in the following section) that is the response from the NNTP server to the NNTP command corresponding to the method (method `post` just returns the `response` string, not a tuple). Each method returns the `response` string just as the NNTP server supplies it. The string starts with an integer in decimal form (the integer is known as the return code), followed by a space, followed by more text.

For some commands, the extra text after the return code is just a comment or explanation supplied by the NNTP server. For other commands, the NNTP standard specifies the format of the text that follows the return code on the response line. In those cases, the relevant method also parses the text in question, yielding other items in the method's resulting tuple, so your code need not perform such parsing itself; rather, you can just access further items in the method's result tuple, as specified in the following sections.

Return codes of the form `2xx`, for any two digits `xx`, are success codes (i.e., they indicate that the corresponding NNTP command succeeded). Return codes of other forms, such as `4xx` and `5xx`, indicate failures in the corresponding NNTP command. In these cases, the method does not return a result. Rather, the method raises an instance of exception class `nntplib.NNTPError` or some appropriate subclass of it, such as `NNTPTemporaryError` for errors that may (or may not) be automatically resolved if you try the operation again, or `NNTPPermanentError` for errors that are sure to occur again if you retry. When a method of an NNTP instance raises an `NNTPError` instance `e`, the server's response string, starting with a return code such as `4xx`, is accessible as `str(e)`.

18.4.2 Methods

The most frequently used methods of an `NNTP` instance `n` are as follows.

article

`n.article(id)`

id is a string, either an article ID enclosed in angle brackets (<>) or an article number in the current group. Returns a tuple of three strings and a list (*response,number,id,list*), where *number* is the article number in the current group, *id* is the article ID enclosed in angle brackets, and *list* is a list of strings that are the lines in the entire article (headers then body, with an empty-line separator, and without end-of-line characters).

body

`n.body(id,file)`

id is a string, either an article ID enclosed in angle brackets (<>) or an article number in the current group. Returns a tuple of three strings and a list (*response,number,id,list*), where *number* is the article number in the current group, *id* is the article ID enclosed in angle brackets, and *list* is a list of strings that are the lines in the article's body, without end-of-line characters. When *file* is not `None`, it can be either a string naming a file that `head` then opens for writing, or a file object already open for writing. In either case, `body` writes the article's body to the file, and *list* in the tuple it returns is an empty list.

group

`n.group(group_name)`

Makes *group_name* the current group, and returns a tuple of five strings (*response,count,first,last,group_name*), where *count* is the total number of articles in the group, *last* is the number of the most recent article, *first* is the number of the oldest article, and *group_name* is the group's name. Normally, the *group_name* that is the last item in the returned tuple will be the same as the one you requested (i.e., the argument to `n.group`). However, an NNTP server could conceivably set up aliases, or synonyms; therefore, you should always check the last item of the returned tuple to ascertain what newsgroup has been in fact set as the current one.

head

`n.head(id)`

Returns an article's headers. *id* is a string, either an article ID enclosed in angle brackets (<>) or an article number in the current group. `head` returns a tuple of three strings and a list (*response,number,id,list*), where *number* is the article number in the current group, *id* is the article ID enclosed in angle brackets, and *list* is a list of strings that are the lines in the article's headers, without end-of-line characters.

last

```
n.last( )
```

Returns a tuple of three strings (*response,number,id*), where *number* is the article number in the current group and *id* is the article ID, enclosed in angle brackets, for the last article in the current group.

list

```
n.list( )
```

Returns a pair (*response,group_stats*), where *group_stats* is a list of tuples with information about each group on the server. Each item of *group_stats* is a tuple of four strings (*group_name,last,first,group_flag*), where *group_name* is the group's name, *last* is the number of the most recent article, *first* is the number of the oldest article, and *group_flag* is 'y' when you're allowed to post, 'n' when you're not allowed to post, and 'm' when the group is moderated.

newgroups

```
n.newgroups(date,time)
```

date is a string indicating a date, of the form 'yymmdd'. *time* is a string indicating a time, of the form 'hhmmss'. *newgroups* returns a pair (*response,group_names*), where *group_names* is the list of the names of groups created since the given date and time.

newnews

```
n.newnews(group,date,time)
```

group is a string that is either a group name, meaning you only want data about articles in that group, or '*', meaning you want data about articles in any newsgroup on the server. *date* is a string indicating a date, of the form 'yymmdd'. *time* is a string indicating a time, of the form 'hhmmss'. *newnews* returns a pair (*response,article_ids*), where *article_ids* is the list of the identifiers of articles received since the given date and time.

next

```
n.next( )
```

Returns a tuple of three strings (*response,number,id*), where *number* is the article number in the current group and *id* is the article ID, enclosed in angle brackets, for the next article in the current group. The

current group is set by calling `n.group`. Each time you call `n.next`, you receive information about another article (i.e., `n` implicitly maintains a pointer to a current article within the group and advances the pointer on each call to `n.next`). When there is no next article (i.e., the current article is the last one in the current group), `n.next` raises `NNTPTemporaryError`.

post

```
n.post(file)
```

Posts an article to the current group, reading it from `file`. `file` is a file-like object open for reading; `post` reads the article's headers and body from the file by repeatedly calling `file.readline`. Note that `file` must contain all needed headers, then an empty-line separator, then the body. `post` returns a string, the `response` from the server to the posting request.

quit

```
n.quit( )
```

Closes the connection to the NNTP server. Call as the last method call on `n`.

stat

```
n.stat(id)
```

`id` is a string, either an article ID enclosed in angle brackets, or an article number in the current group. Returns a tuple of three strings (`response, number, id`), where `number` is the article number in the current group and `id` is the article ID enclosed in angle brackets.

18.4.3 Example

Here is a typical, simple example of `nntplib` use in an interactive interpreter session, using the free public NNTP server at `sunsite.dk`:

```
>>> import nntplib
>>> n = nntplib.NNTP('sunsite.dk')
>>> response, groups = n.list( )
>>> print response
215 Newsgroups in form "group high low flags".
>>> print 'sunsite.dk carries', len(groups), 'newsgroups'
sunsite.dk carries 679 newsgroups
>>> linux_groups = [g for g in groups if g[0].startswith('linux')]
>>> print 'sunsite.dk carries', len(linux_groups), 'newsgroups about linux'
sunsite.dk carries 311 newsgroups about linux
>>> n.group('linux.postgres')
```

```
('211 13 974 986 linux.postgres', '13', '974', '986', 'linux.postgres')
>>> response, artnum, artid, headers = n.head('974')
>>> len(headers)
17
>>> [h for h in headers if h.startswith('Subject:')]
['Subject: newbie question on networking in postgresql']
>>> n.quit( )
'205 .'
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

18.5 Telnet

Telnet is an old protocol, specified by RFC 854 (see <http://www.faqs.org/rfcs/rfc854.html>), and normally used for interactive user sessions. The Python standard library supports this protocol in its module `telnetlib`. Module `telnetlib` supplies a class `Telnet` to connect to a Telnet server.

Telnet

```
class Telnet(host=None, port=23)
```

Returns an instance `t` of class `Telnet`. When `host` (and optionally `port`) is given, implicitly calls `t.open(host, port)`.

Instance `t` supplies many methods, of which the most frequently used are as follows.

close

```
t.close( )
```

Closes the connection.

expect

```
t.expect(res, timeout=None)
```

Reads data from the connection until it matches any of the regular expressions that are the items of list `res`, or until `timeout` seconds elapse when `timeout` is not `None`. Regular expressions and match objects are covered in [Chapter 9](#). Returns a tuple of three items `(i, mo, txt)`, where `i` is the index in `res` of the regular expression that matched, `mo` is the match object, and `txt` is all the text read until the match, included. Raises `EOFError` when the connection is closed and no data is available; otherwise, when it gets no match, returns `(-1, None, txt)`, where `txt` is all the text read, or possibly "" if nothing was read before a timeout. Results are non-deterministic if more than one item in `res` can match, or if any of the items in `res` include greedy parts (such as `.*`).

interact

```
t.interact( )
```

Enters interactive mode, connecting standard input and output to the two channels of the connection, like a dumb Telnet client.

open

```
t.open(host,port=23)
```

Connects to a Telnet server on the given *host* and *port*. Call once per instance *t*, as *t*'s first method call. Don't call if *host* was given on creation.

read_all

```
t.read_all( )
```

Reads data from the connection until the connection is closed, then returns all available data. Blocks until the time the connection is closed.

read_eager

```
t.read_eager( )
```

Reads and returns everything that can be read from the connection without blocking; may be the empty string "". Raises `EOFError` if the connection is closed and no data is available.

read_some

```
t.read_some( )
```

Reads and returns at least one byte of data from the connection, unless the connection is closed, in which case it returns "". Blocks until at least one byte of data is available.

read_until

```
t.read_until(expected,timeout=None)
```

Reads data from the connection until it encounters string *expected*, or until *timeout* seconds elapse when *timeout* is not `None`. Returns whatever data is available at that time, or possibly the empty string "". Raises `EOFError` if the connection is closed and no data is available.

write


```
t.write(astring)
```

Writes string *astring* to the connection.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

18.6 Distributed Computing

There are many standards for distributed computing, from simple Remote Procedure Call (RPC) ones to rich object-oriented ones such as CORBA. You can find several third-party Python modules supporting these standards on the Internet.

The Python standard library comes with support for both server and client use of a simple yet powerful standard known as XML-RPC. For in-depth coverage of XML-RPC, I recommend the book *Programming Web Services with XML-RPC*, by Simon St. Laurent and Joe Johnson (O'Reilly). XML-RPC uses HTTP as the underlying transport and encodes requests and replies in XML. For server-side support, see [Section 19.2.2.4](#) in [Chapter 19](#). Client-side support is supplied by module `xmlrpclib`.

The `xmlrpclib` module supports a class `ServerProxy`, which you instantiate to connect to an XML-RPC server. An instance `s` of `ServerProxy` is a proxy for the server it connects to. In other words, you call arbitrary methods on `s`, and `s` packages up the method name and argument values as an XML-RPC request, sends the request to the XML-RPC server, receives the server's response, and unpackages the response as the method's result. The arguments to such method calls can be of any type supported by XML-RPC:

Boolean

Constant attributes `True` and `False` of module `xmlrpclib` (since module `xmlrpclib` predates the introduction of `bool` into Python, it does not use Python's built-in `True` and `False` values for this purpose)

Integers, floating-point numbers, strings, arrays

Passed and returned as Python `int`, `float`, `Unicode`, and `list` values

Structures

Passed and returned as Python `dict` values whose keys must be strings

Dates

Passed as instances of class `xmlrpclib.DateTime`; value is represented in seconds since the epoch, as in module `time` (see [Chapter 12](#))

Binary data

Passed as instances of class `xmlrpclib.Binary`; value is an arbitrary string of bytes

Module `xmlrpclib` supplies two factory functions.

binary

```
binary(bytestring)
```

Creates and returns an instance of `Binary` wrapping the given *bytestring*.

boolean

```
boolean(x)
```

Creates and returns an instance of `Boolean` with the truth value of `x`.

Module `xmlrpc.lib` supplies several classes.

Binary

```
class Binary(x)
```

`x` is a Python string of arbitrary bytes. `b` represents the same bytes as an XML-RPC binary object.

Boolean

```
class Boolean(x)
```

`x` is any Python value, and `b` has the same truth value as `x`.

DateTime

```
class DateTime(x)
```

`x` is a number of seconds since the epoch, as used in module `time`, covered in [Chapter 12](#).

ServerProxy

```
class ServerProxy(url)
```

If the server at the given `url` supports introspection, `s` supplies an attribute `s.server` that in turn supplies three methods:

```
s.server.listMethods( )
```

Returns a list of strings, one per each method supported by the server.

```
s.server.methodSignature( name )
```

Returns a list of strings, each a signature of method `name` on the server. A signature string is composed of type names separated by commas: first the type of the return value, then the type of each argument. When method `name` has no defined signature, `s.server.methodSignature(name)` returns some object that is not a list.

```
s.server.methodHelp( name )
```

Returns a string with help about method *name*. The string can be either plain text or HTML. When the method *name* has no defined help, `s.server.methodHelp(name)` returns an empty string "".

The following example uses `xmlrpclib` to access O'Reilly's Meerkat open wire service (see <http://www.oreillynet.com/meerkat/> for more information about Meerkat) and displays the last few news items about Python.

```
import xmlrpclib

proxy = xmlrpclib.ServerProxy(
    'http://www.oreillynet.com/meerkat/xml-rpc/server.php')
results = proxy.meerkat.getItems({'search': 'Python', 'num_items': 7})

want_keys = 'title link description'.split( )
n = 0
for result in results:
    n = n + 1
    for key in want_keys:
        print '%d. %s: %s' % (n, key.title( ), result.get(key))
    print
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 19. Sockets and Server-Side Network Protocol Modules

To communicate with the Internet, programs use devices known as *sockets*. The Python library supports sockets through module `socket`, as well as wrapping them into higher-level modules covered in [Chapter 18](#). To help you write server programs, the Python library also supplies higher-level modules to use as frameworks for socket servers. Standard and third-party Python modules and extensions also support timed and asynchronous socket operations. This chapter covers `socket`, the server-side framework modules, and the essentials of other, more advanced modules.

The modules covered in this chapter offer many conveniences compared to C-level socket programming. However, in the end, the modules rely on native socket functionality supplied by the underlying operating system. While it is often possible to write effective network clients by using just the modules covered in [Chapter 18](#), without needing to understand sockets, writing effective network servers most often does require some understanding of sockets. Thus, the lower-level module `socket` is covered in this chapter and not in [Chapter 18](#), even though both clients and servers use sockets.

However, I only cover the ways in which module `socket` lets your program access sockets; I do not try to impart the detailed understanding of sockets, and of other aspects of network behavior independent of Python, that you may need to make use of `socket`'s functionality. To understand socket behavior in detail on any kind of platform, I recommend W. Richard Stevens' *Unix Network Programming, Volume 1* (Prentice-Hall). Higher-level modules are simpler and more powerful, but a detailed understanding of the underlying technology is always useful, and sometimes it can prove indispensable.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

19.1 The socket Module

The `socket` module supplies a factory function, also named `socket`, that you call to generate a socket object `s`. You perform network operations by calling methods on `s`. In a client program, you connect to a server by calling `s.connect`. In a server program, you wait for clients to connect by calling `s.bind` and `s.listen`. When a client requests a connection, you accept the request by calling `s.accept`, which returns another socket object `s1` connected to the client. Once you have a connected socket object, you transmit data by calling its method `send`, and receive data by calling its method `recv`.

Python supports both current Internet Protocol (IP) standards. IPv4 is more widespread, while IPv6 is newer. In IPv4, a network address is a pair `(host, port)`, where `host` is a Domain Name System (DNS) hostname such as `'www.python.org'` or a dotted-quad IP address string such as `'194.109.137.226'`. `port` is an integer indicating a socket's port number. In IPv6, a network address is a tuple `(host, port, flowinfo, scopeid)`. Since IPv6 infrastructure is not yet widely deployed, I do not cover IPv6 further in this book. When `host` is a DNS hostname, Python implicitly looks up the name, using your platform's DNS infrastructure, and uses the dotted-quad IP address corresponding to that name.

Module `socket` supplies an exception class `error`. Functions and methods of the module raise `error` instances to diagnose socket-specific errors. Module `socket` also supplies many functions. Several of these functions translate data, such as integers, between your host's native format and network standard format. The higher-level protocol that your program and its counterpart are using on a socket determines what kind of conversions you must perform.

19.1.1 socket Functions

The most frequently used functions of module `socket` are as follows.

getfqdn

```
getfqdn(host='')
```

Returns the fully qualified domain name string for the given `host`. When `host` is "", returns the fully qualified domain name string for the local host.

gethostbyaddr

```
gethostbyaddr(ipaddr)
```

Returns a tuple with three items `(hostname, alias_list, ipaddr_list)`. `hostname` is a string, the primary name of the host whose IP dotted-quad address you pass as string `ipaddr`. `alias_list` is a list of 0 or more alias names for the host. `ipaddr_list` is a list of one or more dotted-quad addresses for the host.

gethostbyname_ex

```
gethostbyname_ex(hostname)
```

Returns the same results as `gethostbyaddr`, but takes as an argument a *hostname* string that can be either an IP dotted-quad address or a DNS name.

htonl

```
htonl(i32)
```

Converts the 32-bit integer *i32* from this host's format into network format.

htons

```
htons(i16)
```

Converts the 16-bit integer *i16* from this host's format into network format.

inet_aton

```
inet_aton(ipaddr_string)
```

Converts IP dotted-quad address string *ipaddr_string* to 32-bit network packed format and returns a string of 4 bytes.

inet_ntoa

```
inet_ntoa(packed_string)
```

Converts the 4-byte network packed format string *packed_string* and returns an IP dotted-quad address string.

ntohl

```
htonl(i32)
```

Converts the 32-bit integer *i32* from network format into this host's format, and returns a normal native integer.

ntohs

```
htons(i16)
```

Converts the 16-bit integer *i16* from network format into this host's format, and returns a normal native integer.

socket

```
socket(family, type)
```

Creates and returns a socket object with the given family and type. *family* is usually the constant attribute `AF_INET` of module `socket`, indicating you want a normal, Internet (i.e., TCP/IP) kind of socket. Depending on your platform, *family* may also be another constant attribute of module `socket`. For example, `AF_UNIX`, on Unix-like platforms only, indicates that you want a Unix-kind socket. This book does not cover sockets that are not of the Internet kind, since it focuses on cross-platform Python. *type* is one of a few constant attributes of module `socket`; generally, *type* is `SOCK_STREAM` to create a TCP (connection-based) socket, or `SOCK_DGRAM` to create a UDP (datagram-based) socket.

19.1.2 The socket Class

A `socket` object *s* supplies many methods. The most frequently used ones are as follows.

accept

```
s.accept( )
```

Accepts a connection request and returns a pair `(s1, (ipaddr, port))`, where *s1* is a new connected socket and *ipaddr* and *port* are the IP address and port number of the counterpart. *s* must be of type `SOCK_STREAM`, and you must have previously called `s.bind` and `s.listen`. If no client is trying to connect, `accept` blocks until some client tries to connect.

bind

```
s.bind((host, port))
```

Binds socket *s* to accept connections from host *host* serving on port number *port*. *host* can be the empty string "" to accept connections from any host. It's an error to call `s.bind` twice on any given socket object *s*.

close


```
s.close( )
```

Closes the socket, terminating any listening or connection on it. It's an error to call any other method on *s* after *s.close*.

connect

```
s.connect((host,port))
```

Connects socket *s* to the server on the given *host* and *port*. Blocks until the server accepts or rejects the connection attempt.

getpeername

```
s.getpeername( )
```

Returns a pair *(ipaddr,port)*, giving the IP address and port number of the counterpart. *s* must be connected, either because you called *s.connect* or because *s* was generated by another socket's *accept* method.

listen

```
s.listen(maxpending)
```

Listens for connection attempts to the socket, allowing up to *maxpending* queued attempts at any time. *maxpending* must be greater than 0 and less than or equal to a system-dependent value, which on all contemporary systems is at least 5.

makefile

```
s.makefile(mode='r')
```

Creates and returns a file object *f*, as covered in [Chapter 10](#), that reads from and/or writes to the socket. You can close *f* and *s* independently; Python closes the underlying socket only when both *f* and *s* are closed.

recv

```
s.recv(bufsize)
```

Receives up to *bufsize* bytes from the socket and returns a string with the data received. Returns an empty string when the socket is disconnected. If there is currently no data, blocks until the socket is disconnected or some data arrives.

recvfrom

```
s.recvfrom(bufsize)
```

Receives up to *bufsize* bytes from the socket and returns a tuple (*data*, (*ipaddr*, *port*)), where *data* is a string with the data received, and *ipaddr* and *port* are the IP address and port number of the sender. Useful with datagram-oriented sockets, which can receive data from different senders. If there is currently no data in the socket, blocks until some data arrives.

send

```
s.send(string)
```

Sends the bytes of *string* on the socket. Returns the number *n* of bytes sent. *n* may be lower than `len(string)`; your program must check, and resend the unsent substring `string[n:]` if non-empty. If there is no space in the socket's buffer, blocks until some space appears.

sendall

```
s.sendall(string)
```

Sends the bytes of *string* on the socket, blocking until all the bytes are sent.

sendto

```
s.sendto(string, (host, port))
```

Sends the bytes of *string* on the socket to the destination *host* and *port*, and returns the number *n* of bytes sent. Useful with datagram-oriented sockets, which can send data to various destinations. You must not have previously called method `s.bind`. *n* may be lower than `len(string)`; your program must check, and resend the unsent substring `string[n:]` if non-empty.

19.1.3 Echo Server and Client Using TCP Sockets

[Example 19-1](#) shows a TCP server that listens for connections on port 8881. When connected, the server loops, echoing all data back to the client, and goes back to accept another connection when the client is finished. To terminate the server, hit the interrupt key with the focus on the server's terminal window (console). The interrupt key combination, depending on your platform and settings, may be Ctrl-Break

(typical on Windows) or Ctrl-C.

Example 19-1. TCP echo server

```
import socket
sock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
sock.bind(('', 8881))
sock.listen(5)

# loop waiting for connections
# terminate with Ctrl-Break on Win32, Ctrl-C on Unix
try:
    while True:
        newSocket, address = sock.accept( )
        print "Connected from", address
        while True:
            receivedData = newSocket.recv(8192)
            if not receivedData: break
            newSocket.sendall(receivedData)
        newSocket.close( )
        print "Disconnected from", address
finally:
    sock.close( )
```

The argument passed to the `newSocket.recv` call, here `8192`, is the maximum number of bytes to receive at a time. Receiving up to a few thousand bytes at a time is a good compromise between performance and memory consumption, and it's usual to specify a power of 2 (e.g., $8192=2^{13}$) since memory allocation tends to round up to such powers anyway. It's important to close `sock` (to ensure we free its well-known port number `8881` as soon as possible), so we use a `try/finally` statement to ensure `sock.close` is called. Closing `newSocket`, which is system-allocated on any suitable free port, is not of the same importance; therefore we do not use a `try/finally` for it, although it would be fine to do so.

[Example 19-2](#) shows a simple TCP client that connects to port `8881` on the local host, sends lines of data, and prints what it receives back from the server.

Example 19-2. TCP echo client

```
import socket
sock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
sock.connect(('localhost', 8881))
print "Connected to server"
data = """A few lines of data
to test the operation
of both server and client."""
for line in data.splitlines( ):
    sock.sendall(line)
    print "Sent:", line
    response = sock.recv(8192)
    print "Received:", response
sock.close( )
```

Run the server of [Example 19-1](#) on a terminal window, and try a few runs of [Example 19-2](#) while the server

is running.

19.1.4 Echo Server and Client Using UDP Sockets

[Example 19-3](#) and [Example 19-4](#) implement an echo server and client with UDP (i.e., using datagram rather than stream sockets).

Example 19-3. UDP echo server

```
import socket
sock = socket.socket(socket.AF_INET, socket.SOCK_DGRAM)
sock.bind(('', 8881))

# loop waiting for datagrams
# (terminate with Ctrl-Break on Win32, Ctrl-C on Unix)
try:
    while True:
        data, address = sock.recvfrom(8192)
        print "Datagram from", address
        sock.sendto(data, address)
finally:
    sock.close( )
```

Example 19-4. UDP echo client

```
import socket
sock = socket.socket(socket.AF_INET, socket.SOCK_DGRAM)
data = """A few lines of data
to test the operation
of both server and client."""
for line in data.splitlines( ):
    sock.sendto(line, ('localhost', 8881))
    print "Sent:", line
    response = sock.recv(8192)
    print "Received:", response
sock.close( )
```

Run the server of [Example 19-3](#) on a terminal window, and try a few runs of [Example 19-4](#) while the server is running. [Example 19-3](#) and [Example 19-4](#), as well as [Example 19-1](#) and [Example 19-2](#), can run independently at the same time. There is no interference nor interaction, even though all are using port number 8881 on the local host, because TCP and UDP ports are separate. Note that if you run [Example 19-4](#) when the server of [Example 19-3](#) is not running, you don't receive an error message: the client of [Example 19-4](#) hangs forever, waiting for a response that will never arrive. Datagrams are not as robust and reliable as connections.

19.1.5 The timeoutsocket Module

Standard sockets, as supplied by module `socket`, have no concept of timing out. By default, each socket operation blocks until it either succeeds or fails. There are advanced ways to ask for non-blocking sockets

and to ensure that you perform socket operations only when they can't block (relying on module `select`, covered later in this chapter). However, explicitly arranging for such behavior, particularly in a cross-platform way, can be complicated and difficult.

It's generally simpler to deal with socket objects enriched by a timeout concept. Each operation on such an object fails, with an exception indicating a timeout condition, if the operation still has neither succeeded nor failed after a timeout period has elapsed. Such objects are internally implemented by using non-blocking sockets and selects, but your program is shielded from the complexities and deals only with objects that present a simple and intuitive interface.

In Python 2.3, sockets with timeout behavior will be part of the standard Python library. However, you can use such objects with earlier releases of Python by downloading Timothy O'Malley's `timeoutsocket` module from <http://www.timo-tasi.org/python/timeoutsocket.py>. Copy the file to your library directory (e.g., `C:\Python22\Lib`). Then, have your program execute a statement:

```
import timeoutsocket
```

before the program imports `socket` or any other module using sockets, such as `urllib` and others covered in [Chapter 18](#). Afterwards, any creation of a connection-oriented (TCP) socket creates instead an instance `t` of class `timeoutsocket.TimeoutSocket`. In addition to socket methods, `t` supplies two additional methods.

get_timeout

```
t.get_timeout( )
```

Returns the timeout value of `t`, in seconds.

set_timeout

```
t.set_timeout(s)
```

Sets the timeout value of `t` to `s` seconds. `s` is a `float` or `None`.

The default timeout value of each new instance `t` of `TimeoutSocket` is `None`, meaning that there is no timeout—`t` behaves like an ordinary socket instance. To change this, module `timeoutsocket` supplies two functions.

getDefaultSocketTimeout

```
getDefaultSocketTimeout( )
```

Returns the default timeout value, in seconds, used for newly created instances of class `TimeoutSocket`. Initially returns `None`.

setDefaultSocketTimeout

`setDefaultSocketTimeout(s)`

Sets the default timeout value, used for newly created instances of class `TimeoutSocket`, to `s` seconds. `s` is a `float` or `None`.

Socket methods that may block and wait forever when you call them on normal sockets, such as `connect`, `accept`, `recv`, and `send`, may time out when you call them on an instance `t` of `TimeoutSocket` with a timeout value `s` that is not `None`. If `s` seconds elapse after the call, and the wait is still going on, then `t` stops waiting and raises `timeoutsocket.Timeout`.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

19.2 The SocketServer Module

The Python library supplies a framework module, `SocketServer`, to help you implement Internet servers. `SocketServer` supplies server classes `TCPHandler`, for connection-oriented servers using TCP, and `UDPServer`, for datagram-oriented servers using UDP, with the same interface.

An instance `s` of either `TCPHandler` or `UDPServer` supplies many attributes and methods, and you can subclass either class and override some methods to architect your own specialized server framework. However, I do not cover such advanced and rarely used possibilities in this book.

Classes `TCPHandler` and `UDPServer` implement synchronous servers, able to serve one request at a time. Classes `ThreadingTCPHandler` and `ThreadingUDPServer` implement threaded servers, spawning a new thread per request. You are responsible for synchronizing the resulting threads as needed. Threading is covered in [Chapter 14](#).

19.2.1 The BaseRequestHandler Class

For normal use of `SocketServer`, subclass the `BaseRequestHandler` class provided by `SocketServer` and override the `handle` method. Then, instantiate a server class, passing the address pair on which to serve and your subclass of `BaseRequestHandler`. Finally, call method `serve_forever` on the server class instance.

An instance `h` of `BaseRequestHandler` supplies the following methods and attributes.

client_address

The `h.client_address` attribute is the pair `(host,port)` of the client, set by the base class at connection.

handle

`h.handle()`

Your subclass overrides this method, called by the server, on a new instance of your subclass for each new incoming request. Typically, for a TCP server, your implementation of `handle` conducts a conversation with the client on socket `h.request` to service the request. For a UDP server, your implementation of `handle` examines the datagram in `h.request[0]` and sends a reply string with `h.request[1].sendto`.

request

For a TCP server, the `h.request` attribute is the socket connected to the client. For a UDP server, the `h.request` attribute is a pair `(data,sock)`, where `data` is the string of data the client sent as a request (up to 8192 bytes) and `sock` is the server socket. Your `handle` method typically calls method `sendto` on `sock` to send a reply to the client.

server

The `h.server` attribute is the instance of the server class that instantiated this handler object.

[Example 19-5](#) uses module `SocketServer` to reimplement the server of [Example 19-1](#) with the added ability to serve multiple clients simultaneously by threading.

Example 19-5. Threaded TCP echo server using `SocketServer`

```
import SocketServer
class EchoHandler(SocketServer.BaseRequestHandler):
    def handle(self):
        print "Connected from", self.client_address
        while True:
            receivedData = self.request.recv(8192)
            if not receivedData: break
            self.request.sendall(receivedData)
        self.request.close( )
        print "Disconnected from", self.client_address
srv = SocketServer.ThreadingTCPServer(('',8881),EchoHandler)
srv.serve_forever( )
```

Run the server of [Example 19-5](#) on a terminal window, and try a few runs of [Example 19-2](#) while the server is running. Try also `telnet localhost 8881` on other terminal windows (or other platform-dependent Telnet-like programs) to verify the behavior of longer-term connections.

19.2.2 HTTP Servers

The `BaseHTTPServer`, `SimpleHTTPServer`, `CGIHTTPServer`, and `SimpleXMLRPCServer` modules implement HTTP servers of different completeness and sophistication on top of module `SocketServer`.

19.2.2.1 The `BaseHTTPServer` module

The `BaseHTTPServer` module supplies a server class `HTTPServer` that subclasses `SocketServer.TCPServer` and is used in the same way. It also provides a request handler class `BaseHTTPRequestHandler`, which subclasses `SocketServer.BaseRequestHandler` and adds attributes and methods useful for HTTP servers, of which the most commonly used are as follows.

command

The `h.command` attribute is the HTTP verb of the client's request, such as 'get', 'head', or 'post'.

handle

```
h.handle( )
```

Overrides the superclass's method `handle` and delegates request handling to methods whose names start with 'do_', such as `do_get`, `do_head`, and `do_post`. Class `BaseHTTPRequestHandler` supplies no `do_` methods; you must subclass it to supply the methods you want to implement.

end_headers

```
h.end_headers( )
```

Terminates the response's MIME headers by sending a blank line.

path

The `h.path` attribute is the HTTP path of the client's request, such as `'/index.html'`.

rfile

The `h.rfile` attribute is a file-like object open for reading, from which you can read optional data sent as the body of the client's request (e.g., URL-encoded form data for a POST).

send_header

```
h.send_header(keyword, value)
```

Adds to the response a MIME header with the given `keyword` and `value`. Each time `send_header` is called, another header is added to the response. Even when `send_header` is called repeatedly with the same `keyword`, multiple headers with that `keyword` are added, one per call to `send_header`, in the same order as the calls to `send_header`.

send_error

```
h.send_error(code, message=None)
```

Sends a complete error reply with HTTP code *code* and, optionally, more specific text from string *message*, when *message* is not *None*.

send_response

```
h.send_response(code, message=None)
```

Sends a response header with HTTP code *code* and, optionally, more specific text from string *message*, when *message* is not *None*. The headers sent automatically are *Server* and *Date*.

wfile

The *h.wfile* attribute is a file-like object open for writing, to which you can write the response body after calling *send_response*, optionally *send_header*, and *end_headers*.

As an example, here's a trivial HTTP server that just answers every request with the 404 error code and the corresponding message 'File not found'.

```
import BaseHTTPServer

class TrivialHTTPRequestHandler(BaseHTTPServer.BaseHTTPRequestHandler):
    """Trivial HTTP request handler, answers not found to every request"""

    server_version = "TrivialHTTP/1.0"

    def do_GET(self):
        """Serve a GET request."""
        self.send_error(404, "File not found")

    do_HEAD = do_POST = do_GET
```

19.2.2.2 The SimpleHTTPServer module

The *SimpleHTTPServer* module builds on top of *BaseHTTPServer*, supplying what's needed to serve GET HTTP requests for files in a given directory. It is most useful as an example of how to use *BaseHTTPServer* for a real, although simple, HTTP serving task.

19.2.2.3 The CGIHTTPServer module

The *CGIHTTPServer* module builds on top of *SimpleHTTPServer*, supplying the ability to serve GET and POST HTTP requests via CGI scripts, covered in [Chapter 20](#). You can use it to debug CGI scripts on your local machine.

19.2.2.4 The SimpleXMLRPCServer module

XML-RPC is a higher-level protocol that runs on top of HTTP. Python supports XML-RPC clients with module `xmlrpclib`, covered in [Chapter 18](#). The `SimpleXMLRPCServer` module, introduced in Python 2.2, supplies class `SimpleXMLRPCServer` to instantiate with the address pair on which to serve.

In Python 2.2 and 2.2.1, `SimpleXMLRPCServer` as supplied in the standard Python library has a defect: when a method called via XML-RPC raises an exception, the server does not correctly communicate exception details to the XML-RPC client. The defect is fixed in Python 2.3 and later. To get a fixed version for Python 2.2, download `SimpleXMLRPCServer.py` from URL <http://www.sweetapp.com/xmlrpc> to replace the file of the same name in the Python library directory (e.g., `c:\python22\Lib` for a standard Python 2.2 installation on Windows).

An instance `x` of class `SimpleXMLRPCServer` supplies two methods to call before `x.serve_forever()`.

register_function

```
x.register_function(callable, name=None)
```

Registers `callable`, callable with a single argument, to respond to XML-RPC requests for `name`. `name` can be an identifier or a sequence of identifiers joined by dots. When `name` is `None`, uses name `callable.__name__`. The argument to `callable` is the result of `xmlrpclib.loads(payload)` where `payload` is the request's payload.

register_instance

```
x.register_instance(inst)
```

Registers `inst` to respond to XML-RPC requests with names not registered via `register_function`. When `inst` supplies a method `_dispatch`, `inst._dispatch` is called with the request's name and parameters as arguments. When `inst` does not supply `_dispatch`, the request's name is used as an attribute name to search on `inst`. When the request's name contains dots, the search repeats recursively for each component. The attribute found by this search is then called with the request's parameters as arguments. Only one instance at a time can be registered with `register_instance`: if you call `x.register_instance` again, the instance passed in the previous call to `x.register_instance` is replaced by the one passed in the later call.

Simple examples of all typical usage patterns for `impleXMLRPCServer` are given in the docstring of module `SimpleXMLRPCServer.py`, which you can find in the `Lib` directory of your Python installation (Python 2.2 and later only). Here is a toy example of using the `_dispatch` method. In one terminal window, run the following tiny script:

```
import SimpleXMLRPCServer
class with_dispatch:
    def _dispatch(self, *args):
        print '_dispatch', args
        return args
```

```
server = SimpleXMLRPCServer.SimpleXMLRPCServer(('localhost',8888))
server.register_instance(with_dispatch( ))
server.serve_forever( )
```

From a Python interactive session on another terminal window of the same machine (or an IDLE interactive session on the same machine), you can now run:

```
>>> import xmlrpclib
>>> proxy = xmlrpclib.ServerProxy('http://localhost:8888')
>>> print proxy.whatever.method('any', 'args')
['whatever.method', ['any', 'args']]
```

[\[Team LiB \]](#)

[\[Team LiB \]](#)

19.3 Event-Driven Socket Programs

Socket programs, particularly servers, must often be ready to perform many tasks at once. [Example 19-1](#) accepts a connection request, then serves a single client until that client has finished—other connection requests must wait. This is not acceptable for servers in production use. Clients cannot wait too long: the server must be able to service multiple clients at once.

One approach that lets your program perform several tasks at once is threading, covered in [Chapter 14](#). Module `SocketServer` optionally supports threading, as covered earlier in this chapter. An alternative to threading that can offer better performance and scalability is *event-driven* (also known as *asynchronous*) programming.

An event-driven program sits in an event loop, where it waits for events. In networking, typical events are "a client requests connection," "data arrived on a socket," and "a socket is available for writing." The program responds to each event by executing a small slice of work to service that event, then goes back to the event loop to wait for the next event. The Python library supports event-driven network programming with low-level `select` module and higher-level `asyncore` and `asynchat` modules. Even more complete support for event-driven programming is in the Twisted package (available at <http://www.twistedmatrix.com>), particularly in subpackage `twisted.internet`.

19.3.1 The select Module

The `select` module exposes a cross-platform low-level function that lets you implement high-performance asynchronous network servers and clients. Module `select` offers additional platform-dependent functionality on Unix-like platforms, but I cover only cross-platform functionality in this book.

select

```
select(inputs, outputs, excepts, timeout=None)
```

`inputs`, `outputs`, and `excepts` are lists of socket objects waiting for input events, output events, and exceptional conditions, respectively. `timeout` is a float, the maximum time to wait in seconds. When `timeout` is `None`, there is no maximum wait: `select` waits until one or more objects receive events. When `timeout` is `0`, `select` returns at once, without waiting.

`select` returns a tuple with three items `(i,o,e)`. `i` is a list of zero or more of the items of `inputs`, those that received input events. `o` is a list of zero or more of the items of `outputs`, those that received output events. `e` is a list of zero or more of the items of `excepts`, those that received exceptional conditions (i.e., out-of-band data). Any or all of `i`, `o`, and `e` can be empty, but at least one of them is non-empty if `timeout` is `None`.

In addition to sockets, you can have in lists `inputs`, `outputs`, and `excepts` other objects that supply a method `fileno`, callable without arguments, returning a socket's file descriptor. For example, the server classes of module `SocketServer`, covered earlier in this chapter, follow this protocol. Therefore, you can

have instances of those classes in the lists. On Unix-like platforms, `select.select` has wider applicability, since it can also accept file descriptors that do not refer to sockets. On Windows, however, `select.select` can accept only file descriptors that do refer to sockets.

[Example 19-6](#) uses module `select` to reimplement the server of [Example 19-1](#) with the added ability to serve any number of clients simultaneously.

Example 19-6. Asynchronous TCP echo server using `select`

```
import socket
import select
sock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
sock.bind(('', 8881))
sock.listen(5)

# lists of sockets to watch for input and output events
ins = [sock]
ous = []
# mapping socket -> data to send on that socket when feasible
data = {}
# mapping socket -> (host, port) on which the client is running
adrs = {}

try:
    while True:
        i, o, e = select.select(ins, ous, []) # no excepts nor timeout
        for x in i:
            if x is sock:
                # input event on sock means client trying to connect
                newSocket, address = sock.accept( )
                print "Connected from", address
                ins.append(newSocket)
                adrs[newSocket] = address
            else:
                # other input events mean data arrived, or disconnections
                newdata = x.recv(8192)
                if newdata:
                    # data arrived, prepare and queue the response to it
                    print "%d bytes from %s" % (len(newdata), adrs[x])
                    data[x] = data.get(x, '') + newdata
                    if x not in ous: ous.append(x)
                else:
                    # a disconnect, give a message and clean up
                    print "disconnected from", adrs[x]
                    del adrs[x]
                    try: ous.remove(x)
                    except ValueError: pass
                    x.close( )
        for x in o:
            # output events always mean we can send some data
            tosend = data.get(x)
            if tosend:
```

```

        nsent = x.send(tosend)
        print "%d bytes to %s" % (nsent, adrs[x])
        # remember data still to be sent, if any
        tosend = tosend[nsent:]
    if tosend:
        print "%d bytes remain for %s" % (len(tosend), adrs[x])
        data[x] = tosend
    else:
        try: del data[x]
        except KeyError: pass
        ous.remove(x)
        print "No data currently remain for", adrs[x]
finally:
    sock.close( )

```

Programming at such a low level incurs substantial complications, as shown by the complexity of [Example 19-6](#) and its data structures. Run the server of [Example 19-6](#) on a terminal window and try a few runs of [Example 19-2](#) while the server is running. You should also try `telnet localhost 8881` on other terminal windows (or other platform-dependent Telnet-like programs) to verify the behavior of longer-term connections.

19.3.2 The `asyncore` and `asynchat` Modules

The `asyncore` and `asynchat` modules help you implement high-performance asynchronous network servers and clients at a higher, more productive level than module `select` affords.

19.3.2.1 The `asyncore` module

Module `asyncore` supplies one function.

loop

```
loop( )
```

Implements the asynchronous event loop, dispatching all network events to previously instantiated dispatcher objects. `loop` terminates when all dispatcher objects (i.e., all communication channels) are closed.

Module `asyncore` also supplies class `dispatcher`, which supplies all methods of socket objects, plus specific methods for event-driven programming, with names starting with `'handle_'`. Your class `X` subclasses `dispatcher` and overrides the `handle_` methods for all events you need to handle. To initialize an instance `d` of `dispatcher`, you can pass an argument `s`, an already connected socket object. Otherwise, you must call:

```
d.create_socket(socket.AF_INET, socket.SOCK_STREAM)
```

and then call on `d` either `connect`, to connect to a server, or `bind` and `listen`, to have `d` itself be a server. The most frequently used methods of an instance `d` of a subclass `X` of `dispatcher` are the following.

create_socket

```
d.create_socket(family, type)
```

Creates *d*'s socket with the given family and type. *family* is generally `socket.AF_INET`. *type* is generally `socket.SOCK_STREAM`, since class `dispatcher` normally uses a TCP (i.e., connection-based) socket.

handle_accept

```
d.handle_accept()
```

Called when a new client has connected. Your class *X* normally responds by calling `self.accept`, then instantiating another subclass *Y* of `dispatcher` with the resulting new socket, in order to handle the new client connection.

Your implementation of `handle_accept` need not return the resulting instance of *Y*: all instances of subclasses of `dispatcher` register themselves with the `asyncore` framework in method `dispatcher.__init__`, so that `asyncore` calls back to their methods as appropriate.

handle_close

```
d.handle_close()
```

Called when the connection is closing.

handle_connect

```
d.handle_connect()
```

Called when the connection is starting.

handle_read

```
d.handle_read()
```

Called when the socket has new data that you can read without blocking.

handle_write


```
d.handle_write( )
```

Called when the socket has buffer space, so you can write without blocking.

Module `asyncore` also supplies class `dispatcher_with_send`, a subclass of `dispatcher` that overrides one method.

send

```
d.send(data)
```

In class `dispatcher_with_send`, method `d.send` is equivalent to a socket object's method `send_all` in that it sends all the data. However, `d.send` does not send all the data at once and does not block; rather, `d` sends the data in small packets of 512 bytes each in response to `handle_write` events (callbacks). This strategy ensures good performance in simple cases.

[Example 19-7](#) uses module `asyncore` to reimplement the server of [Example 19-1](#), with the added ability to serve any number of clients simultaneously.

Example 19-7. Asynchronous TCP echo server using `asyncore`

```
import asyncore
import socket

class MainServerSocket(asyncore.dispatcher):
    def __init__(self, port):
        asyncore.dispatcher.__init__(self)
        self.create_socket(socket.AF_INET, socket.SOCK_STREAM)
        self.bind(('',port))
        self.listen(5)
    def handle_accept(self):
        newSocket, address = self.accept( )
        print "Connected from", address
        SecondaryServerSocket(newSocket)

class SecondaryServerSocket(asyncore.dispatcher_with_send):
    def handle_read(self):
        receivedData = self.recv(8192)
        if receivedData: self.send(receivedData)
        else: self.close( )
    def handle_close(self):
        print "Disconnected from", self.getpeername( )

MainServerSocket(8881)
asyncore.loop( )
```

The complexity of [Example 19-7](#) is modest, comparable with that of [Example 19-1](#). The additional functionality of serving multiple clients simultaneously, with the high performance and scalability of asynchronous event-driven programming, comes quite cheaply thanks to `asyncore`'s power.

Note that method `handle_read` of `SecondaryServerSocket` can freely use `self.send` without precautions because `SecondaryServerSocket` subclasses `dispatcher_with_send`, which overrides method `send` to ensure that it sends all data passed to it. We could not do that if we had instead chosen to subclass `asyncore.dispatcher` directly.

19.3.2.2 The `asynchat` module

The `asynchat` module supplies class `async_chat`, which subclasses `asyncore.dispatcher` and adds methods to support data buffering and line-oriented protocols. You subclass `async_chat` with your class `X` and override some methods. The most frequently used additional methods of an instance `x` of a subclass of `async_chat` are the following.

collect_incoming_data

```
x.collect_incoming_data(data)
```

Called whenever a byte string `data` of data arrives. Normally, `x` adds `data` to some buffer that `x` keeps, most often a list using the list's `append` method.

found_terminator

```
x.found_terminator( )
```

Called whenever the terminator, set by method `set_terminator`, is found. Normally, `x` processes the buffer it keeps, then clears the buffer.

push

```
x.push(data)
```

Your class `X` normally doesn't override this method. The implementation in base class `async_chat` adds string `data` to an output buffer that it sends as appropriate. Method `push` is therefore quite similar to method `send` of class `asyncore.dispatcher_with_send`, but method `push` has a more sophisticated implementation to ensure good performance in more cases.

set_terminator

```
x.set_terminator(terminator)
```

Your class `X` normally doesn't override this method. `terminator` is normally `'\r\n'`, the line terminator specified by most Internet protocols. `terminator` can also be `None`, to disable calls to `found_terminator`.

[Example 19-8](#) uses module `asynchat` to reimplement the server of [Example 19-7](#), with small differences due to using class `asynchat.async_chat` instead of class `asyncore.dispatcher_with_send`. To highlight `async_chat`'s typical use, [Example 19-8](#) responds (by echoing the received data back to the client, like all other server examples in this chapter) only when it has received a complete line (i.e., one ending with `\n`).

Example 19-8. Asynchronous TCP echo server using `asynchat`

```
import asyncore, asynchat, socket

class MainServerSocket(asyncore.dispatcher):
    def __init__(self, port):
        print 'initing MSS'
        asyncore.dispatcher.__init__(self)
        self.create_socket(socket.AF_INET, socket.SOCK_STREAM)
        self.bind(('',port))
        self.listen(5)
    def handle_accept(self):
        newSocket, address = self.accept( )
        print "Connected from", address
        SecondaryServerSocket(newSocket)

class SecondaryServerSocket(asynchat.async_chat):
    def __init__(self, *args):
        print 'initing SSS'
        asynchat.async_chat.__init__(self, *args)
        self.set_terminator('\n')
        self.data = []
    def collect_incoming_data(self, data):
        self.data.append(data)
    def found_terminator(self):
        self.push(''.join(self.data))
        self.data = []
    def handle_close(self):
        print "Disconnected from", self.getpeername( )
        self.close( )

MainServerSocket(8881)
asyncore.loop( )
```

To try out [Example 19-8](#), we cannot use [Example 19-2](#) as it stands because it does not ensure that it sends only entire lines terminated with `\n`. It doesn't take much to fix that, however. The following client program, for example, is quite suitable for testing [Example 19-8](#), as well as any of the other server examples in this chapter:

```
import socket
sock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
sock.connect(('localhost', 8881))
print "Connected to server"
data = """A few lines of data
to test the operation
of both server and client."""
```

```

for line in data.splitlines( ):
    sock.sendall(line+'\n')
    print "Sent:", line
    response = sock.recv(8192)
    print "Received:", response
sock.close( )

```

The only difference in this code with respect to [Example 19-2](#) is the change to the argument in the call to `sock.sendall`, in the first line of the loop body. This code simply adds a line terminator `'\n'`, to ensure it interoperates with [Example 19-8](#).

19.3.3 The Twisted Framework

The Twisted package (available at <http://www.twistedmatrix.com>) is a freely available framework for network clients and servers. Twisted includes powerful, high-level components such as a web server, a user authentication system, a mail server, instant messaging, and so on. Each is highly scalable and easily customizable, and all are integrated to interoperate smoothly. It's a tribute to the power of Python and to the ingenuity of Twisted's developers that so much can be accomplished within the small compass of half a megabyte's worth of download.

19.3.3.1 The `twisted.internet` and `twisted.protocols` packages

The `twisted.internet` package is the low-level, highly stable part of Twisted that supports event-driven clients and servers. `twisted.internet` supplies module `protocol`, supporting protocol handlers and factories, and object `reactor`, embodying the concept of an event loop. Note that to make fully productive use of `twisted.internet`, you need a good understanding of the design patterns used in distributed computing. Douglas Schmidt, of the Center for Distributed Object Computing of Washington University, documents such design patterns at <http://www.cs.wustl.edu/~schmidt/patterns-ace.html>.

`twisted.protocols` implements many protocols that use `twisted.internet`'s infrastructure, including SSH, DNS, FTP, HTTP, IRC, NNTP, POP3, SMTP, SocksV4, and Telnet.

19.3.3.2 Reactors

A reactor object allows you to establish protocol factories as listeners (servers) on given TCP/IP ports (or other transports, such as SSL), and to connect protocol handlers as clients. You can choose different reactor implementations. The default reactor uses the `select` module covered earlier in this chapter. Other specialized reactors integrate with GUI toolkits' event loops, or use platform-specific techniques such as the Windows event loop or the `poll` system call support available in the `select` module on some Unix-like systems. The default reactor is often sufficient, but the extra flexibility of being able to use other implementations can help you to integrate GUIs or other platform-specific capabilities, or to achieve even higher performance and scalability.

A reactor object `r` supplies many methods. Client TCP APIs should be finalized by the time you read this book, but they're not definitive yet, so I do not cover them. The reactor methods most frequently used for programs that implement TCP/IP servers with `twisted.internet` are the following.

callLater

```
r.callLater(delay, callable, *args, **kws)
```

Schedules a call to *callable(*args, **kws)* to happen *delay* seconds from now. *delay* is a float, so it can also express fractions of a second. Returns an ID that you may pass to method *cancelCallLater*.

cancelCallLater

```
r.cancelCallLater(ID)
```

Cancels a call scheduled by method *callLater*. *ID* must be the result of a previous call to *r.callLater*.

listenTCP

```
r.listenTCP(port, factory, backlog=5)
```

Establishes *factory*, which must be an instance of class *Factory* (or any subclass of *Factory*), as the protocol handler for a TCP server on the given *port*. No more than *backlog* clients can be kept waiting for connection at any given time.

run

```
r.run( )
```

Runs the event loop until *r.stop()* is called.

stop

```
r.stop( )
```

Stops the event loop started by calling *r.run()*.

19.3.3.3 Transports

A transport object embodies a network connection. Each protocol object calls methods on *self.transport* to write data to its counterpart and to disconnect. A transport object *t* supplies the following methods.

getHost

```
t.getHost( )
```

Returns a tuple identifying this side of the connection. The first item indicates the kind of connection, while other items depend on the kind of connection. For a TCP connection, returns ('INET', *host*, *port*).

getPeer

```
t.getPeer( )
```

Returns a tuple identifying the other side of the connection (easily confused by proxies, masquerading, firewalls, and so on), just like `getHost`'s result.

loseConnection

```
t.loseConnection( )
```

Tells *t* to disconnect as soon as *t* has finished writing all pending data.

write

```
t.write(data)
```

Transmits string *data* to the counterpart, or queues it up for transmission. *t* tries its best to ensure that all data you pass to `write` is eventually sent.

19.3.3.4 Protocol handlers and factories

The reactor instantiates protocol handlers using a factory, and calls methods on protocol handler instances when events occur. A protocol handler subclasses class `Protocol` and overrides some methods. A protocol handler may use its factory, available as `self.factory`, as a repository for state that needs to be shared among handlers or persist across multiple instantiations. A protocol factory may subclass class `Factory`, but this subclassing is not always necessary since in many cases the stock `Factory` supplies all you need. Just set the `protocol` attribute of a `Factory` instance *f* to a class object that is an appropriate subclass of `Protocol`, then pass *f* to the reactor.

An instance *p* of a subclass of `Protocol` supplies the following methods.

connectionLost

```
p.connectionLost(reason)
```

Called when the connection to the counterpart has been closed. Argument *reason* is an object explaining why the connection has been closed. *reason* is not an instance of a Python exception, but has an attribute *reason.value* that normally is such an instance. You can use `str(reason)` to get an explanation string, including a brief traceback, or `str(reason.value)` to get just the explanation string without any traceback.

connectionMade

```
p.connectionMade( )
```

Called when the connection to the counterpart has just succeeded.

dataReceived

```
p.dataReceived(data)
```

Called when string *data* has just been received from the counterpart.

19.3.3.5 Echo server using twisted

[Example 19-9](#) uses `twisted.internet` to implement an echo server with the ability to serve any number of clients simultaneously.

Example 19-9. Asynchronous TCP echo server using twisted

```
import twisted.internet.protocol
import twisted.internet.reactor

class EchoProtocol(twisted.internet.protocol.Protocol):
    def connectionMade(self):
        self.peer = self.transport.getPeer( )[1:]
        print "Connected from", self.peer
    def dataReceived(self, data):
        self.transport.write(data)
    def connectionLost(self, reason):
        print "Disconnected from", self.peer, reason.value

factory = twisted.internet.protocol.Factory( )
factory.protocol = EchoProtocol

twisted.internet.reactor.listenTCP(8881, factory)
twisted.internet.reactor.run( )
```

[Example 19-9](#) exhibits scalability at least as good as [Example 19-7](#), yet it's easily the simplest of the echo server examples in this chapter—a good indication of Twisted's power and simplicity. Note the statement:

```
factory.protocol = EchoProtocol
```

This binds the class object `EchoProtocol` as the attribute `protocol` of object `factory`. The right-hand side of the assignment must not be `EchoProtocol()`, with parentheses after the class name. Such a right-hand side would call, and therefore instantiate, class `EchoProtocol`, and therefore the statement would bind to `factory.protocol` a protocol instance object rather than a protocol class object. Such a mistake would make the server fail pretty quickly.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 20. CGI Scripting and Alternatives

When a web browser (or other web client) requests a page from a web server, the server may return either static or dynamic content. Serving dynamic content involves server-side web programs that generate and deliver content on the fly, often based on information that is stored in a database. The one longstanding Web-wide standard for server-side programming is known as CGI, which stands for Common Gateway Interface. In server-side programming, a client sends a structured request to a web server. The server runs another program, passing the content of the request. The server captures the output of the other program, and sends that output to the client as the response to the original request. In other words, the server's role is that of a gateway between the client and the other program. The other program is called a CGI program or CGI script.

CGI enjoys the typical advantages of standards. When you program to the CGI standard, your program can be deployed on different web servers, and work despite the differences. This chapter focuses on CGI scripting in Python. It also mentions the downsides of CGI (basically, issues of scalability under high load) and some of the alternative, nonstandard server-side architectures that you can use instead of CGI.

This chapter assumes that you are familiar with both HTML and HTTP. For reference material on both of these standards, see *Webmaster in a Nutshell*, by Stephen Spainhour and Robert Eckstein (O'Reilly). For detailed coverage of HTML, I recommend *HTML & XHTML: The Definitive Guide*, by Chuck Musciano and Bill Kennedy (O'Reilly). And for additional coverage of HTTP, see the *HTTP Pocket Reference*, by Clinton Wong (O'Reilly).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

20.1 CGI in Python

CGI's standardization lets you use any language to code CGI scripts. Python is a very-high-level, high-productivity language, and thus quite suitable for CGI coding. The Python standard library supplies modules to handle typical CGI-related tasks.

20.1.1 Form Submission Methods

CGI scripts are often used to handle HTML form submissions. In this case, the `action` attribute of the `form` tag specifies a URL for a CGI script to handle the form, and the `method` attribute is either `GET` or `POST`, indicating how the form data is sent to the script. According to the CGI standard, the GET method should be used for forms without side effects, such as asking the server to query a database and display the results, while the POST method is meant for forms with side effects, such as asking the server to update a database. In practice, however, GET is also often used to create side effects. The distinction between GET and POST in practical use is that GET encodes the form's contents as a query string joined to the `action` URL to form a longer URL, while POST transmits the form's contents as an encoded stream of data, which a CGI script sees as the script's standard input.

The GET method is slightly faster. You can use a fixed GET-form URL wherever you can use a hyperlink. However, GET cannot send large amounts of data to the server, since many clients and servers limit URL lengths (you're safe up to about 200 bytes). The POST method has no size limits. You must use POST when the form contains `input` tags with `type=file`-the `form` tag must then have `enctype=multipart/form-data`.

The CGI standard does not specify whether a single script can access both the query string (used for GET) and the script's standard input (used for POST). Many clients and servers let you get away with it, but relying on this nonstandard practice may negate the portability advantages that you would otherwise get from the fact that CGI is a standard. Python's standard module `cgi`, covered in the next section, recovers form data from the query string only, when any query string is present; otherwise, when no query string is present, `cgi` recovers form data from standard input.

20.1.2 The `cgi` Module

The `cgi` module supplies several functions and classes, mostly for backward compatibility or unusual needs. CGI scripts use one function and one class from module `cgi`.

escape

```
escape(str, quote=0)
```

Returns a copy of string `str`, replacing each occurrence of characters `&`, `<`, and `>` with the appropriate HTML entity (`&`, `<`, `>`). When `quote` is true, `escape` also replaces double quote characters (`"`) with `"`. Function `escape` lets a script prepare arbitrary text strings for output within an HTML document,

whether or not the strings contain characters that HTML interprets in special ways.

FieldStorage

```
class FieldStorage(keep_blank_values=0)
```

When your script instantiates a `FieldStorage` instance `f`, module `cgi` parses the query string, and/or standard input, as appropriate. You need not determine whether the client used the POST or GET method, as `cgi` hides the distinction. Your script must instantiate `FieldStorage` only once, since the instantiation may consume standard input.

An instance `f` of class `FieldStorage` is a mapping. `f`'s keys are the `name` attributes of the form's controls. When `keep_blank_values` is true, `f` also includes controls whose values are blank strings. By default, `f` ignores such controls. `f` supplies methods `f.has_key` and `f.keys`, with normal mapping semantics. The value for each key `n`, `f[n]`, can be either:

- A list of `k` `FieldStorage` instances, if `name n` occurs more than once in the form (`k` is the number of occurrences of `n`)
- A single `FieldStorage` instance, if `name n` occurs exactly once in the form

How often a `name` occurs in a form depends on HTML form rules. Groups of `radio` or `checkbox` controls share a `name`, but an entire group amounts to just one occurrence of the name.

Values in a `FieldStorage` instance are in turn `FieldStorage` instances, to let you handle nested forms. In practice, you don't need such complications. For each nested instance, just access the value (and occasionally other attributes), ignoring potential nested-mapping aspects. Avoid type tests: module `cgi` can optimize, using instances of `MiniFieldStorage`, a lightweight signature-compatible class instead of `FieldStorage` instances. You usually know what `name` values are repeated in the form, and thus you know which items of `f` can be lists. When you don't know, find out with `try/except`, not with type tests (see [Section 6.6](#) in [Chapter 6](#) for details on this idiom).

An instance `f` of class `FieldStorage` supplies the following three methods.

getfirst

```
f.getfirst(key, default=None)
```

When `f.has_key(key)`, and `f[key].value` is a single value, not a list of values, `getfirst` returns `f[key].value`. When `f.has_key(key)`, and `f[key].value` is a list of values, `getfirst` returns `f[key].value[0]`. When `key` is not a key in `f`, `getfirst` returns `default`.

Use `getfirst` when you know that there should be just one input field (or at most one input field) named `key` in the form from which your script's input comes. `getfirst` was introduced in Python 2.2, so don't use it if your script must remain compatible with older versions of Python.

getlist

```
f.getlist(key)
```

When `f.has_key(key)`, and `f[key].value` is a single value, not a list of values, `getlist` returns `[f[key].value]`, i.e., a list whose only item is `f[key].value`. When `f.has_key(key)`, and `f[key].value` is a list of values, `getlist` returns `f[key].value`. When `key` is not a key in `f`, `getlist` returns the empty list `[]`.

Use `getlist` when you know that there can be more than one input field named `key` in the form from which your script's input comes. `getlist` was introduced in Python 2.2, so don't use it if your script must remain compatible with older versions of Python.

getvalue

```
f.getvalue(key, default=None)
```

Like `f[key].value` when `f.has_key(key)`, otherwise returns `default`. `getvalue` is slightly less convenient than methods `getfirst` or `getlist`; the only reason to use `getvalue` is if your script must remain compatible with old versions of Python, since methods `getfirst` and `getlist` were introduced in Python 2.2.

An instance `f` of class `FieldStorage` supplies the following attributes:

`disposition`

The Content-Disposition header, or `None` if no such header is present

`disposition_options`

A mapping of all the options in the Content-Disposition header, if any

`headers`

A mapping of all headers, normally an instance of the `rfc822.Message` class covered in [Chapter 21](#)

`file`

A file-like object from which you can read the control's value, if applicable; `None` if the value is held in memory as a string, as happens for most controls

`filename`

The filename as specified by the client, for `file` controls; otherwise `None`

`name`

The `name` attribute of the control, or `None` if no such attribute is present

`type`

The Content-Type header, or `None` if no such header is present

`type_options`

A mapping of all the options in the Content-Type header, if any

`value`

The control's value as a string; if `f` is keeping the control's value in a file, then `f` implicitly reads the file into memory each time you access `f.value`

In most cases, attribute `value` is all you need. Other attributes are useful for `file` controls, which may have very large values and metadata such as content type and content disposition headers. `checkbox` controls that share a `name`, and multiple-choice `select` controls, have values that are strings representing comma-separated lists of options. The idiom:

```
values=f.getfirst(n,'').split(',')
```

breaks apart such composite value strings into a list of their individual component strings.

20.1.3 CGI Output and Errors

When the server runs a CGI script to meet a request, the response to the request is the standard output of the script. The script must output the HTTP headers it needs, then an empty line, then the response's body. In particular, the script must always output the Content-Type header. Most often, the script outputs the Content-Type header as:

```
Content-Type: text/html
```

In this case, the response body must be HTML. However, the script may also choose to output a content type of `text/plain` (i.e., the response body must be plain text) or any other MIME type followed by a response body conforming to that MIME type. The MIME type must be compatible with the Accept header that the client sent, if any.

Here is the simplest possible Python CGI script in the tradition of "Hello World," ignoring its input and outputting just one line of plain text output:

```
print "Content-Type: text/plain"
print
print "Hello, CGI World!"
```

Most often, you want to output HTML, and this is similarly easy:

```
print "Content-Type: text/html"
print
print "<html><head><title>Hello, HTML</title></head>"
print "<body><p>Hello, CGI and HTML together!</p></body></html>"
```

Browsers are quite forgiving in parsing HTML: you could get by without the HTML structure tags that this code outputs. However, being fully correct costs little. For other ways to generate HTML output, see [Chapter 22](#).

The web server collects all output from a CGI script, then sends it to the client browser in one gulp. Therefore, you cannot send to the client any progress information, just final results. If you need to output binary data (on a platform where binary and text files differ, such as Windows), you must ensure `python` is called with the `-u` switch, covered in [Chapter 3](#). A more robust approach is to text-encode your output, using the encoding modules covered in [Chapter 21](#) (typically with Base-64 encoding) and a suitable Content-Transfer-Encoding header. A standards-compliant browser will then decode your output according to the Content-Transfer-Encoding header and recover the binary data thus encoded.

Such encoding makes your output about 30% larger, which in some cases can give performance problems. In such cases, ensuring that your script's standard output stream is a binary file can be preferable. On Windows, specifically, an alternative to using the `-u` switch for this purpose is:

```
import msvcrt, os
msvcrt.setmode(1, os.OS_BINARY)
```

However, if you can ensure it's used, the `-u` switch is preferable, since it's cross-platform.

20.1.3.1 Error messages

If exceptions propagate from your script, Python outputs traceback diagnostics to standard error. With most web servers, error information ends up in error logs. The client browser receives a concise generic error message. This may be okay, if you can access the error logs. Seeing detailed error information in the client browser makes your life easier when you debug a CGI script. When you know that a script has bugs and you need an error trace for debugging, you can use a content type of `text/plain` and redirect standard error to standard output as shown here:

```
print "Content-Type: text/plain"
print
import sys
sys.stderr = sys.stdout
def witherror( ):
    return 1/0
print "Hello, CGI with an error!"
print "Trying to divide by 0 produces:",witherror( )
print "The script does not reach this part..."
```

If your script fails only occasionally and you want to see HTML-formatted output up to the point of failure, you can use a more sophisticated approach based on the `traceback` module covered in [Chapter 17](#), as shown here:

```
import sys
sys.stderr = sys.stdout
import traceback
print "Content-Type: text/html"
print
try:
    def witherror( ):
        return 1/0
    print "<html><head><title>Hello, traceback</title></head><body>"
    print "<p>Hello, CGI with an error traceback!"
    print "<p>Trying to divide by 0 produces:",witherror( )
    print "<p>The script does not reach this part..."
except:
    print "<br><strong>ERROR detected:</strong><br><pre>"
    traceback.print_exc( )
    sys.stderr = sys.__stderr__
    traceback.print_exc( )
```

After imports, redirection, and content-type output, this example runs the script's substantial part in the `try`

clause of a `try/except` statement. In the `except` clause, the script outputs a `
` tag, terminating any current line, and then a `<pre>` tag to ensure that further line breaks are honored. Function `print_exc` of module `traceback` outputs all error information. Lastly, the script restores standard error and outputs error information again. Thus, the information is also in the error logs for later study, not just transiently displayed in the client browser. These refinements are not very useful in this specific example, of course, since the error is repeatable, but they help track down real-life errors.

20.1.3.2 The `cgitb` module

The simplest way to provide good error reporting in CGI scripts is to use module `cgitb`. Module `cgitb` supplies two functions.

handle

```
handle(exception=None)
```

Reports an exception's traceback to the browser. `exception` is a tuple with three items (`type,value,tb`), just like the result of calling `sys.exc_info()`, covered in [Chapter 8](#). When `exception` is `None`, `handle` calls `exc_info` to get the information about the exception to display.

enable

```
enable(display=True, logdir=None, context=5)
```

Installs an exception hook, via `sys.excepthook`, to diagnose propagated exceptions. The hook displays the exception traceback on the browser if `display` is true. The hook logs the exception traceback to a file in directory `logdir` if `logdir` is not `None`. In the traceback, the hook shows `context` lines of source code per frame.

In practice, you can start all of your CGI scripts with:

```
import cgitb
cgitb.enable( )
```

and be assured of good error reporting to the browser with minimal effort on your part. Of course, when you don't want users of your page to see Python tracebacks from your scripts on their browsers, you can call `cgitb(False, '/my/log/dir')` and get the error reports, with exception tracebacks, as files in directory `/my/log/dir` instead.

20.1.4 Installing Python CGI Scripts

Installation of CGI scripts depends on the web browser and host platform. A script coded in Python is no different in this respect from scripts coded in other languages. Of course, you must ensure that the Python interpreter and standard library are installed and accessible. On Unix-like platforms, you must set the `x` permission bits for the script and use a so-called shebang line as the script's first line. For example:

```
#!/usr/local/bin/python
```

depending on the details of your platform and Python installation. If you copy or share files between Unix and Windows platforms, make sure the shebang line does not end with a carriage return (`\r`), which might confuse the shell or web server that parses the shebang line to find out which interpreter to use for your script.

20.1.4.1 Python CGI scripts on Microsoft web servers

If your web server is Microsoft IIS 3 or 4 or Microsoft PWS (Personal Web Server), assign file extensions to CGI scripts via entries in registry path

`HKLM\System\CurrentControlSet\Services\W3Svc\Parameters\Script_Map`. Each value in this path is named by a file extension, such as `.pyg` (each value's name starts with a period). The value is the interpreter command (e.g., `C:\Python22\Python.Exe -u %s %s`). You may also use file extensions such as `.cgi` or `.py` for this purpose, but I recommend a unique one such as `.pyg` instead. Assigning Python as the interpreter for all scripts named `.cgi` might interfere with your ability to use other interpreters for CGI purposes. Having all modules with a `.py` extension interpreted as CGI scripts is more accident-prone than dedicating a unique extension such as `.pyg` to this purpose, and may interfere with your ability to have your Python-coded CGI scripts import utility modules from the same directories.

With IIS 5, you can use the Administrative Tools Computer Management applet to associate a file extension with an interpreter command line. This is performed via Services and Applications Internet Information Services. Right-click either on [IISAdmin], for all sites, or on a specific web site, and choose Properties Configuration Add Mappings Add. Enter the extension, such as `.pyg`, in the Extension field, and the interpreter command line, such as `C:\Python22\Python.Exe -u %s %s`, in the Executable field.

20.1.4.2 Python CGI scripts on Apache

The popular free web server Apache is configured via directives in a text file (by default, `httpd.conf`). When the configuration has `ScriptAlias` entries, such as:

```
ScriptAlias /cgi-bin/ /usr/local/apache/cgi-bin/
```

any executable script in the aliased directory can run as a CGI script. You may also enable CGI execution in a specific directory by using for that directory the Apache directive:

```
Options +ExecCGI
```

In this case, to let scripts with a certain extension run as CGI scripts, you may also add a global `AddHandler` directive, such as:

```
AddHandler cgi-script pyg
```

to enable scripts with extension `.pyg` to run as CGI scripts. Apache determines what interpreter to use for a script by the shebang line at the script's start. Another way to enable CGI scripts in a directory (if global directive `AllowOverride Options` is set) is to use `Options +ExecCGI` in a file named `.htaccess` in that directory.

20.1.4.3 Python CGI scripts on Xitami

The free, lightweight, simple web server Xitami (<http://www.xitami.org>) makes it easy to install CGI scripts. When any component of a URL is named *cgi-bin*, Xitami takes the URL as a request for CGI execution. Xitami determines what interpreter to use for a script by the shebang line at the script's start, even on Windows platforms.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

20.2 Cookies

HTTP is a stateless protocol, meaning that it retains no session state between transactions. Cookies, as specified by the HTTP 1.1 standard, let web clients and servers cooperate to build a stateful session from a sequence of HTTP transactions.

Each time a server sends a response to a client's request, the server may initiate or continue a session by sending one or more Set-Cookie headers, whose contents are small data items called *cookies*. When a client sends another request to the server, the client may continue a session by sending Cookie headers with cookies previously received from that server or other servers in the same domain. Each cookie is a pair of strings, the name and value of the cookie, plus optional attributes. Attribute `max-age` is the maximum number of seconds the cookie should be kept. The client should discard saved cookies after their maximum age. If `max-age` is missing, then the client should discard the cookie when the user's interactive session ends.

Cookies have no intrinsic privacy nor authentication. Cookies travel in the clear on the Internet, and therefore are vulnerable to sniffing. A malicious client might return cookies different from cookies previously received. To use cookies for authentication or identification or to hold sensitive information, the server must encrypt and encode cookies sent to clients, and decode, decrypt, and verify cookies received back from clients.

Encryption, encoding, decoding, decryption, and verification may all be slow when applied to large amounts of data. Decryption and verification require the server to keep some amount of server-side state. Sending substantial amounts of data back and forth on the network is also slow. The server should therefore persist most state data locally, in files or databases. In most cases, a server should use cookies only as small, encrypted, verifiable keys confirming the identity of a user or session, using DBM files or a relational database (covered in [Chapter 11](#)) for session state. HTTP sets a limit of 2 KB on cookie size, but I suggest you normally use substantially smaller cookies.

20.2.1 The Cookie Module

The `Cookie` module supplies several classes, mostly for backward compatibility. CGI scripts normally use the following classes from module `Cookie`.

Morsel

A script does not directly instantiate class `Morsel`. However, instances of cookie classes hold instances of `Morsel`. An instance `m` of class `Morsel` represents a single cookie element: a key string, a value string, and optional attributes. `m` is a mapping. The only valid keys in `m` are cookie attribute names: `'comment'`, `'domain'`, `'expires'`, `'max-age'`, `'path'`, `'secure'`, and `'version'`. Keys into `m` are case-insensitive. Values in `m` are strings, each holding the value of the corresponding cookie attribute.

SimpleCookie

```
class SimpleCookie(input=None)
```

A `SimpleCookie` instance `c` is a mapping. `c`'s keys are strings. `c`'s values are `Morsel` instances that wrap strings. `c[k]=v` implicitly expands to:

```
c[k]=Morsel( ); c[k].set(k,str(v),str(v))
```

If `input` is not `None`, instantiating `c` implicitly calls `c.load(input)`.

SmartCookie

```
class SmartCookie(input=None)
```

A `SmartCookie` instance `c` is a mapping. `c`'s keys are strings. `c`'s values are `Morsel` instances that wrap arbitrary values serialized with `pickle`. `c[k]=v` has the semantics:

```
c[k]=Morsel( ); c[k].set(k,str(v),pickle.dumps(v))
```

Module `pickle` was covered in [Chapter 11](#). Since you have little control on what code executes during implicit deserialization via `pickle.loads`, class `SmartCookie` offers correspondingly little security. Unless your script is exposed only on a trusted intranet, avoid `SmartCookie`-use `SimpleCookie` instead. You can use any cryptographic approach to build, and take apart again, the strings wrapped by `Morsel` instance values in `SimpleCookie` instances. Modules covered in [Chapter 21](#) make it easy to encode arbitrary byte strings as text strings, quite apart from any cryptographic measures.

`SmartCookie` is more convenient than `SimpleCookie` plus cryptography, encoding, and decoding. Convenience and security are often in conflict. The choice is yours. Do not labor under the misapprehension that your system is secure because "after all, nobody knows what I'm doing": security through obscurity isn't. Good cryptography is a necessary (but not sufficient) condition for strong security.

20.2.1.1 Cookie methods

An instance `c` of `SimpleCookie` or `SmartCookie` supplies the following methods.

js_output

```
c.js_output(attrs=None)
```

Returns a string `s`, a JavaScript snippet that sets `document.cookie` to the cookies held in `c`. You can embed `s` in an HTML response to simulate cookies without sending an HTTP Set-Cookie header if the client browser supports JavaScript. If `attrs` is not `None`, `s`'s JavaScript sets cookie attributes whose names are in `attrs`.

load

```
c.load(data)
```

When *data* is a string, `load` parses it and adds to *c* each parsed cookie. When *data* is a mapping, `load` adds to *c* a new `Morsel` instance for each item in *data*. Normally, *data* is string `os.environ.get('HTTP_COOKIE', '')`, to recover the cookies the client sent.

output

```
c.output(attrs=None, header='Set-Cookie', sep='\n')
```

Returns a string *s* formatted as HTTP headers. You can `print c.output()` among your response's HTTP headers to send to the client the cookies held in *c*. Each header's name is string *header*, and headers are separated by string *sep*. If *attrs* is not `None`, *s*'s headers contain only cookie attributes whose names are in *attrs*.

20.2.1.2 Morsel attributes and methods

An instance *m* of class `Morsel` supplies three read-write attributes:

`coded_value`

The cookie's value, encoded as a string; *m*'s output methods use `m.coded_value` *key*

The cookie's name
`value`

The cookie's value, an arbitrary Python object

Instance *m* also supplies the following methods.

js_output

```
m.js_output(attrs=None)
```

Returns a string *s*, a JavaScript snippet that sets `document.cookie` to the cookie held in *m*. See also the `js_output` method of cookie instances.

output

```
m.output(attrs=None, header='Set-Cookie')
```

Returns a string *s* formatted as an HTTP header that sets the cookie held in *m*. See also the `output` method of cookie instances.

OutputString

```
m.OutputString(attrs=['path', 'comment', 'domain', 'max-age',
    'secure', 'version', 'expires'])
```

Return a string *s* that represents the cookie held in *m*, without decorations. *attrs* can be any container suitable as the right-hand operand of *in*, such as a list or a dictionary.

set

```
m.set(key, value, coded_value)
```

Sets *m*'s attributes. *key* and *coded_value* must be strings.

20.2.1.3 Using module Cookie

Module `Cookie` supports cookie handling in both client-side and server-side scripts. Typical usage is server-side, often in a CGI script. The following example shows a simple CGI script using cookies:

```
import Cookie, time, os, sys, traceback

sys.stderr = sys.stdout

try:
    # first, the script emits HTTP headers
    c = Cookie.SimpleCookie( )
    c["lastvisit"]=str(time.time( ))
    print c.output( )
    print "Content-Type: text/html"
    print
    # then, the script emits the response's body
    print "<html><head><title>Hello, visitor!</title></head><body>"
    # for the rest of the response, the scripts gets and decodes the cookie
    c = Cookie.SimpleCookie(os.environ.get("HTTP_COOKIE"))
    when = c.get("lastvisit")
    if when is None:
        print "<p>Welcome to this site on your first visit!</p>"
        print "<p>Please click the 'Refresh' button to proceed</p>"
    else:
        try: lastvisit = float(when.value)
        except:
            print "<p>Sorry, cannot decode cookie (%s)</p>"%when.value
            print "</br><pre>"
            traceback.print_exc( )
        else:
            formwhen = time.asctime(time.localtime(lastvisit))
```

```
        print "<p>Welcome back to this site!</p>"
        print "<p>You last visited on %s</p>"%formwhen
    print "</body></html>"
except:
    print "Content-Type: text/html"
    print
    print "</br><pre>"
    traceback.print_exc( )
```

Each time a client visits the script, the script sets a cookie encoding the current time. On successive visits, if the client browser supports cookies, the script greets the visitor appropriately. Module `time` is covered in [Chapter 12](#). Note that this example uses no cryptography or server-side persistence of state, since session state is small and not confidential.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

20.3 Other Server-Side Approaches

A CGI script runs as a new process each time a client requests it. Process startup time, interpreter initialization, connection to databases, and script initialization all add up to measurable overhead. On fast, modern server platforms, the overhead is bearable for light to moderate loads. On a busy server, CGI may not scale up well. Web servers support server-specific ways to reduce overhead, running scripts in processes that can serve for several hits rather than starting up a new CGI process per hit.

Microsoft's ASP (Active Server Pages) is a server extension leveraging a lower-level library, ISAPI, and Microsoft's COM technology. Most ASP pages are coded in the VBScript language, but ASP is language-independent. As the reptilian connection suggests, Python and ASP go very well together, as long as Python is installed with the platform-specific `win32all` extensions, specifically `ActiveScripting`. Many other server extensions are cross-platform, not tied to specific operating systems.

The popular content server framework Zope (<http://www.zope.org>) is a Python application. If you need advanced content management features, Zope should definitely be among the solutions you consider. However, Zope is a large, rich, powerful system, needing a full book of its own to do it justice. Therefore, I do not cover Zope further in this book.

20.3.1 FastCGI

FastCGI lets you write scripts similar to CGI scripts, yet use each process to handle multiple hits, either sequentially or simultaneously in separate threads. FastCGI is available for Apache and other free web servers, but at the time of this writing not for Microsoft IIS. See <http://www.fastcgi.com> for FastCGI overviews and details. Go to <http://alldunn.com/python/fcgi.py> for a pure Python interface to FastCGI, letting scripts exploit FastCGI if available and fall back to normal CGI otherwise.

20.3.2 LRWP

Long-Running Web Processes (LRWP) are currently available only for Xitami (see <http://www.xitami.org>). Go to <http://alldunn.com/python/lrwp.py> for a pure Python module (by Robin Dunn, the architect of LRWP) that lets scripts exploit LRWP if available and fall back to normal CGI otherwise. LRWP peer processes connect to the web server via sockets. The server can use any number of peers that offer the same service. The server uses simple round-robin scheduling among equivalent available peers. If a request arrives when all peers are busy, the web server queues the request until a peer is free. This simple, clean protocol makes it easy to load-balance service requests among any number of hosts connected to the server's host by a fast, trusted local area network. Robin Dunn's article about LRWP, at <http://www.imatix.com/html/xitami/index12.htm>, gives architectural details and C and Python examples of LRWP peers.

20.3.3 PyApache and mod_python

Apache's architecture is modular. Besides CGI and FastCGI, other modules support Python server-side scripting with Apache. Simple, lightweight PyApache (<http://bel-epa.com/pyapache/>) focuses on letting you use CGI-like scripts with low overhead. `mod_python` (<http://www.modpython.org>) affords fuller access to

Apache internals, including the ability to write authentication scripts. Both modules support the classic, widespread Apache 1.3 and the newer Apache 2.0.

20.3.4 Webware

Webware for Python (<http://webware.sf.net>) is a highly modular collection of software components for Python server-side web scripting. You can code Python scripts according to different programming models, such as CGI scripts with added-value wrappers, servlets, or Python Server Pages (PSP), and run them under Webware. Webware, in turn, can interface to your web server in many ways, including CGI, FastCGI, mod_python, the specialized Apache module mod_webkit, and special interfaces for Microsoft IIS and AOLServer. Webware offers you a lot of flexibility in architecting, coding, and deploying your server-side Python web scripts.

Among the many ways that Webware offers for you to generate web pages, one that will often be of interest is templating (i.e., automatic insertion of Python-computed values and some control logic in nearly formed HTML scripts). Webware supports templating via PSP, but also, with more power and sharper separation between logic and presentation parts, via the Cheetah package, covered in [Chapter 22](#).

20.3.5 Quixote

Quixote (<http://www.mems-exchange.org/software/quixote/>) is another framework for Python web applications that can interface to your web server via CGI, FastCGI, or mod_python. Quixote defines a new language, the Python Template Language (PTL), and an import hook that lets your Python application directly import PTL-coded modules.

Quixote's PTL is nearly the same as Python, but has a few extras that may be handy in web applications. For example, PTL keyword `template` defines functions returning string results, automatically called to respond to web requests, with expression statements taken as appending strings to the function's return value. For example, the PTL code:

```
template hw( ):
    'hello'
    'world'
```

is roughly the same as the following Python code:

```
def hw( ):
    _result = []
    _result.append('hello')
    _result.append('world')
    return ''.join(_result)
```

20.3.6 Custom Pure Python Servers

In [Chapter 19](#), we saw that the standard Python library includes modules that implement web servers. You can subclass `BaseHTTPServer` and implement special-purpose web servers with little effort. Such special-purpose servers are useful in low-volume applications, but they may not scale up well to handle moderate to high server loads.

Modules `asyncore` and `asynchat`, also covered in [Chapter 19](#), exhibit very different performance

characteristics. The event-driven architecture of `asynchat`-based applications affords high scalability and performance, beating applications that use lower-level languages and traditional architectures (multiprocess or multithreading).

The Twisted package, also covered in [Chapter 19](#), has the same performance advantages as `asyncore`, and supplies much richer functionality. With Twisted, you can program a web site at high levels of abstraction and still obtain superb scalability and performance.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 21. MIME and Network Encodings

What travels on a network are streams of bytes or text. However, what you want to send over the network often has more structure. The Multipurpose Internet Mail Extensions (MIME) and other encoding standards bridge the gap by specifying how to represent structured data as bytes or text. Python supports such encodings through many library modules, such as `base64`, `quopri`, `uu`, and the modules of the `email` package. This chapter covers these modules.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

21.1 Encoding Binary Data as Text

Several kinds of media (e.g., email messages) contain only text. When you want to transmit binary data via such media, you need to encode the data as text strings. The Python standard library supplies modules that support the standard encodings known as Base 64, Quoted Printable, and UU.

21.1.1 The base64 Module

The `base64` module supports the encoding specified in RFC 1521 as Base 64. The Base 64 encoding is a compact way to represent arbitrary binary data as text, without any attempt to produce human-readable results. Module `base64` supplies four functions.

decode

```
decode(infile, outfile)
```

Reads text-file-like object `infile`, by calling `infile.readline` until end of file (i.e, until a call to `infile.readline` returns an empty string), decodes the Base 64-encoded text thus read, and writes the decoded data to binary-file-like object `outfile`.

decodestring

```
decodestring(s)
```

Decodes text string `s`, which contains one or more complete lines of Base 64-encoded text, and returns the byte string with the corresponding decoded data.

encode

```
encode(infile, outfile)
```

Reads binary-file-like object `infile`, by calling `infile.read` (for a few bytes at a time-the amount of data that Base 64 encodes into a single output line) until end of file (i.e, until a call to `infile.read` returns an empty string). Then it encodes the data thus read in Base 64, and writes the encoded text as lines to text-file-like object `outfile`. `encode` appends `\n` to each line of text it emits, including the last one.

encodestring

```
encodestring(s)
```

Encodes binary string *s*, which contains arbitrary bytes, and returns a text string with one or more complete lines of Base 64-encoded data. `encodestring` always returns a text string ending with `\n`.

21.1.2 The quopri Module

The `quopri` module supports the encoding specified in RFC 1521 as Quoted Printable (QP). QP can represent any binary data as text, but it's mainly intended for data that is textual, with a relatively modest amount of characters with the high bit set (i.e., characters outside of the ASCII range). For such data, QP produces results that are both compact and rather human-readable. Module `quopri` supplies four functions.

decode

```
decode(infile, outfile, header=False)
```

Reads file-like object *infile*, by calling `infile.readline` until end of file (i.e, until a call to `infile.readline` returns an empty string), decodes the QP-encoded ASCII text thus read, and writes the decoded data to file-like object *outfile*. When *header* is true, `decode` also decodes `_` (underscores) into spaces.

decodestring

```
decodestring(s, header=False)
```

Decodes string *s*, which contains QP-encoded ASCII text, and returns the byte string with the decoded data. When *header* is true, `decodestring` also decodes `_` (underscores) into spaces.

encode

```
encode(infile, outfile, spaces, header=False)
```

Reads file-like object *infile*, by calling `infile.readline` until end of file (i.e, until a call to `infile.readline` returns an empty string), encodes the data thus read in QP, and writes the encoded ASCII text to file-like object *outfile*. When *spaces* is true, `encode` also encodes spaces and tabs. When *header* is true, `encode` encodes spaces as `_` (underscores).

encodestring

```
encodestring(s, spaces=False, header=False)
```

Encodes string *s*, which contains arbitrary bytes, and returns a string with QP-encoded ASCII text. When *spaces* is true, *encodestring* also encodes spaces and tabs. When *header* is true, *encodestring* encodes spaces as `_` (underscores).

21.1.3 The uu Module

The `uu` module supports the traditional Unix-to-Unix (UU) encoding, as implemented by Unix programs *uuencode* and *uudecode*. UU begins encoded data with a `begin` line, which also gives the filename and permissions of the file being encoded, and ends it with an `end` line. Therefore, UU encoding lets you embed encoded data in otherwise unstructured text, while Base 64 encoding relies on the existence of other indications of where the encoded data starts and finishes. Module `uu` supplies two functions.

decode

```
decode(infile, outfile=None, mode=None)
```

Reads file-like object *infile*, by calling *infile.readline* until end of file (i.e, until a call to *infile.readline* returns an empty string) or until a terminator line (the string 'end' surrounded by any amount of whitespace). `decode` decodes the UU-encoded text thus read, and writes the decoded data to file-like object *outfile*. When *outfile* is `None`, `decode` creates the file specified in the UU-format `begin` line, with the permission bits given by *mode* (the permission bits specified in the `begin` line, when *mode* is `None`). In this case, `decode` raises an exception if the file already exists.

encode

```
encode(infile, outfile, name='-', mode=0666)
```

Reads file-like object *infile*, by calling *infile.read* (for a few bytes at a time-the amount of data that UU encodes into a single output line) until end of file (i.e, until a call to *infile.read* returns an empty string). Then it encodes the data thus read in UU, and writes the encoded text to file-like object *outfile*. `encode` also writes a UU `begin` line before the encoded text, and a UU `end` line after the encoded text. In the `begin` line, `encode` specifies the filename as *name* and the mode as *mode*.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

21.2 MIME and Email Format Handling

Python supplies the `email` package to handle parsing, generation, and manipulation of MIME files such as email messages, network news posts, and so on. The Python standard library also contains other modules that handle some parts of these jobs. However, the new `email` package offers a more complete and systematic approach to these important tasks. I therefore suggest you use package `email`, not the older modules that partially overlap with parts of `email`'s functionality. Package `email` has nothing to do with receiving or sending email; for such tasks, see modules `poplib` and `smtplib`, covered in [Chapter 18](#). Instead, package `email` deals with how you handle messages after you receive them or before you send them.

21.2.1 Functions in Package `email`

Package `email` supplies two factory functions returning an instance `m` of class `email.Message.Message`. These functions rely on class `email.Parser.Parser`, but the factory functions are handier and simpler. Therefore, I do not cover module `Parser` further in this book.

message_from_string

```
message_from_string(s)
```

Builds `m` by parsing string `s`.

message_from_file

```
message_from_file(f)
```

Builds `m` by parsing the contents of file-like object `f`, which must be open for reading.

21.2.2 The `email.Message` Module

The `email.Message` module supplies class `Message`. All parts of package `email` produce, modify, or use instances of class `Message`. An instance `m` of `Message` models a MIME message, including headers and a payload (data content). You can create `m`, initially empty, by calling class `Message`, which accepts no arguments. More often, you create `m` by parsing via functions `message_from_string` and `message_from_file` of module `email`, or by other indirect means such as the classes covered in "Creating Messages" later in this chapter. `m`'s payload can be a string, a single other instance of `Message`, or a list of other `Message` instances for a multipart message.

You can set arbitrary headers on email messages you're building. Several Internet RFCs specify headers that you can use for a wide variety of purposes. The main applicable RFC is RFC 2822 (see

<http://www.faqs.org/rfcs/rfc2822.html>). An instance *m* of class `Message` holds headers as well as a payload. *m* is a mapping, with header names as keys and header value strings as values. The semantics of *m* as a mapping are rather different from those of a dictionary, to make *m* more convenient. *m*'s keys are case-insensitive. *m* keeps headers in the order in which you add them, and methods `keys`, `values`, and `items` return headers in that order. *m* can have more than one header named *key*- `m[key]` returns an arbitrary one of them, `del m[key]` deletes all of them. `len(m)` returns the total number of headers, counting duplicates, not just the number of distinct header names. If there is no header named *key*, `m[key]` returns `None` and does not raise `KeyError` (i.e., behaves like `m.get(key)`), and `del m[key]` is a no-operation.

An instance *m* of `Message` supplies the following attributes and methods dealing with *m*'s headers and payload.

add_header

```
m.add_header(_name, _value, **_params)
```

Like `m[_name]=_value`, but you can also supply header parameters as keyword arguments. For each keyword argument `pname=pvalue`, `add_header` changes underscores to dashes, then appends to the header's value a parameter of the form:

```
; pname="pvalue"
```

If `pvalue` is `None`, `add_header` appends only a parameter `'; pname'`.

add_payload

```
m.add_payload(payload)
```

Adds the `payload` to *m*'s payload. If *m*'s payload was `None`, *m*'s payload is now `payload`. If *m*'s payload was a list, appends `payload` to the list. If *m*'s payload was a single item *x*, *m*'s payload becomes the list `[x,payload]`, but only if *m*'s Content-Type header is missing or has a main type of `multipart`. Otherwise, when *m* has a single payload and a Content-Type whose main type is not `multipart`, `m.add_payload(payload)` raises a `MultipartConversionError` exception.

as_string

```
m.as_string(unixfrom=False)
```

Returns the entire message as a string. When `unixfrom` is true, also includes a first line, normally starting with `'From '`, known as the envelope header of the message.

epilogue

Attribute `m.epilogue` can be `None`, or a string that becomes part of the message's string form after the last boundary line. Mail programs normally don't display this text. `epilogue` is a normal attribute of `m`: your program can access it when you're examining an `m` that is fully built by whatever means, and your program can bind it when you're building or modifying `m` in your program.

get_all

```
m.get_all(name, default=None)
```

Returns a list with all values of headers named `name`, in the order in which the headers were added to `m`. When `m` has no header named `name`, `get_all` returns `default`.

get_boundary

```
m.get_boundary(default=None)
```

Returns the string value of the `boundary` parameter of `m`'s Content-Type header. When `m` has no Content-Type header, or the header has no `boundary` parameter, `get_boundary` returns `default`.

get_charsets

```
m.get_charsets(default=None)
```

Returns the list `L` of string values of parameter `charset` of `m`'s Content-Type headers. When `m` is multipart, `L` has one item per part, otherwise `L` has length 1. For parts that have no Content-Type, no `charset` parameter, or a main type different from `'text'`, the corresponding item in `L` is `default`.

get_filename

```
m.get_filename(default=None)
```

Returns the string value of the `filename` parameter of `m`'s Content-Disposition header. When `m` has no Content-Disposition, or the header has no `filename` parameter, `get_filename` returns `default`.

get_maintype

```
m.get_maintype(default=None)
```

Returns `m`'s main content type, a string `'maintype'` taken from header Content-Type converted to lowercase. When `m` has no header Content-Type, `get_maintype` returns `default`.

get_param

```
m.get_param(param, default=None, header='Content-Type')
```

Returns the string value of the parameter named *param* of *m*'s header named *header*. Returns the empty string for a parameter specified just by name. When *m* has no header *header*, or the header has no parameter named *param*, *get_param* returns *default*.

get_params

```
m.get_params(default=None, header='Content-Type')
```

Returns the parameters of *m*'s header named *header*, a list of pairs of strings giving each parameter's name and value. Uses the empty string as the value for parameters specified just by name. When *m* has no header *header*, *get_params* returns *default*.

get_payload

```
m.get_payload(i=None, decode=False)
```

Returns *m*'s payload. When *m.is_multipart()* is `False`, *i* must be `None`, and *m.get_payload()* returns *m*'s entire payload, a string or a `Message` instance. If *decode* is true, and the value of header Content-Transfer-Encoding is either 'quoted-printable' or 'base64', *m.get_payload* also decodes the payload. If *decode* is false, or header Content-Transfer-Encoding is missing or has other values, *m.get_payload* returns the payload unchanged.

When *m.is_multipart()* is `True`, *decode* must be `false`. When *i* is `None`, *m.get_payload()* returns *m*'s payload as a list. Otherwise, *m.get_payload()* returns the *i*th item of the payload, and raises `TypeError` if *i* is less than 0 or is too large.

get_subtype

```
m.get_subtype(default=None)
```

Returns *m*'s content subtype, a string '*subtype*' taken from header Content-Type converted to lowercase. When *m* has no header Content-Type, *get_subtype* returns *default*.

get_type

```
m.get_type(default=None)
```

Returns *m*'s content type, a string '*maintype/subtype*' taken from header Content-Type converted to

lowercase. When *m* has no header Content-Type, `get_type` returns *default*.

get_unixfrom

```
m.get_unixfrom( )
```

Returns the envelope header string for *m*, or `None` if the envelope header was never set.

is_multipart

```
m.is_multipart( )
```

Returns `True` when *m*'s payload is a list, otherwise `False`.

preamble

Attribute *m.preamble* can be `None` or a string that becomes part of the message's string form before the first boundary line. Only mail programs that don't support multipart messages display this text to the user, so you can use this attribute to alert the user that your message is multipart and that a different mail program is needed to view it. *preamble* is a normal attribute of *m*: your program can access it when you're examining an *m* that is fully built by whatever means, and your program can bind it when you're building or modifying *m* in your program.

set_boundary

```
m.set_boundary(boundary)
```

Sets the *boundary* parameter of *m*'s Content-Type header to *boundary*. When *m* has no Content-Type header, raises `HeaderParseError`.

set_payload

```
m.set_payload(payload)
```

Sets *m*'s payload to *payload*, which must be a string or list, as appropriate.

set_unixfrom

```
m.set_unixfrom(unixfrom)
```

Sets the envelope header string for *m*. *unixfrom* is the entire envelope header line, including the leading 'From ' but not including the trailing '\n'.

walk

```
m.walk( )
```

Returns an iterator on all parts and subparts of *m*, to walk the tree of parts depth-first.

21.2.3 The email.Generator Module

The `email.Generator` module supplies class `Generator`, which you can use to generate the textual form of a message *m*. *m.as_string* and `str(m)` may be sufficient, but class `Generator` gives you slightly more flexibility. You instantiate `Generator` with a mandatory argument and two optional ones.

Generator

```
class Generator(outfp,mangle_from_=False,maxheaderlen=78)
```

outfp is a file or file-like object supplying method `write`. When *mangle_from_* is true, *g* prepends a '>' to any line in a message's payload that starts with 'From ' This helps make the message's textual form more safely parseable. *g* wraps each header line at semicolons, into physical lines of no more than *maxheaderlen* characters, for readability. To use *g*, just call it:

```
g(m, unixfrom=False)
```

This emits *m* in text form to *outfp*, like `outfp.write(m.as_string(unixfrom))`.

21.2.4 Creating Messages

Package `email` supplies modules with names starting with 'MIME', each module supplying a subclass of `Message` named like the module. These classes make it easier to create `Message` instances of various MIME types. The MIME classes are as follows.

MIMEAudio

```
class MIMEAudio(_audiodata,_subtype=None,_encoder=None,**_params)
```

_audiodata is a byte string of audio data to pack in a message of MIME type 'audio/*_subtype*'. When *_subtype* is `None`, *_audiodata* must be parseable by standard Python module `sndhdr` to determine the

subtype; otherwise `MIMEAudio` raises a `TypeError`. When `_encoder` is `None`, `MIMEAudio` encodes data as Base 64, which is generally optimal. Otherwise, `_encoder` must be callable with one parameter `m`, the message being constructed; `_encoder` must then call `m.get_payload()` to get the payload, encode the payload, put the encoded form back by calling `m.set_payload`, and set `m['Content-Transfer-Encoding']` appropriately. `MIMEAudio` passes the `_params` dictionary of keyword argument names and values to `m.add_header` to construct `m`'s `Content-Type`.

MIMEBase

```
class MIMEBase(_maintype, _subtype, **_params)
```

The base class of all MIME classes; directly subclasses `Message`. Instantiating:

```
m = MIMEBase(main, sub, **parms)
```

is equivalent to the longer and less convenient idiom:

```
m = Message( )
m.add_header('Content-Type', '%s/%s'%(main, sub), **parms)
m.add_header('Mime-Version', '1.0')
```

MIMEImage

```
class MIMEAudio(_imagedata, _subtype=None, _encoder=None, **_params)
```

Like `MIMEAudio`, but with maintype `'image'` and using standard Python module `imghdr` to determine the subtype if needed.

MIMEMessage

```
class MIMEMessage(msg, _subtype='rfc822')
```

Packs `msg`, which must be an instance of `Message` (or a subclass), as the payload of a message of MIME type `'message/_subtype'`.

MIMEText

```
class MIMEText(_text, _subtype='plain', _charset='us-ascii', _encoder=None)
```

Packs text string `_text` as the payload of a message of MIME type `'text/_subtype'` with the given `charset`. When `_encoder` is `None`, `MIMEText` does not encode the text, which is generally optimal. Otherwise, `_encoder` must be callable with one parameter `m`, the message being constructed; `_encoder` must then call `m.get_payload()` to get the payload, encode the payload, put the encoded form back by calling `m.set_payload`, and set `m['Content-Transfer-Encoding']` appropriately.

21.2.5 The email.Encoders Module

The `email.Encoders` module supplies functions that take a message `m` as their only argument, encode `m`'s payload, and set `m`'s headers appropriately.

encode_base64

`encode_base64(m)`

Uses Base 64 encoding, optimal for arbitrary binary data.

encode_noop

`encode_noop(m)`

Does nothing to `m`'s payload and headers.

encode_quopri

`encode_quopri(m)`

Uses Quoted Printable encoding, optimal for textual data that is not fully ASCII.

encode_7or8bit

`encode_7or8bit(m)`

Does nothing to `m`'s payload, sets header Content-Transfer-Encoding to '8bit' if any byte of `m`'s payload has the high bit set, or otherwise to '7bit'.

21.2.6 The email.Utils Module

The `email.Utils` module supplies miscellaneous functions useful for email processing.

decode

`decode(s)`

Decodes string `s` as per the rules in RFC 2047 and returns the resulting Unicode string.

dump_address_pair

```
dump_address_pair(pair)
```

pair is a pair of strings (*name*, *email_address*). `dump_address_pair` returns a string *s* with the address to insert in header fields such as To and Cc. When *name* is false (e.g., ""), `dump_address_pair` returns *email_address*.

encode

```
encode(s, charset='iso-8859-1', encoding='q')
```

Encodes string *s* (which must use the given *charset*) as per the rules in RFC 2047. *encoding* must be 'q' to specify Quoted Printable, or 'b' to specify Base 64.

formatdate

```
formatdate(timeval=None, localtime=False)
```

timeval is a number of seconds since the epoch. When *timeval* is `None`, `formatdate` uses the current time. When *localtime* is true, `formatdate` uses the local timezone; otherwise it uses UTC. `formatdate` returns a string with the given time instant formatted in the way specified by RFC 2822.

getaddresses

```
getaddresses(L)
```

Parses each item of *L*, a list of address strings as used in header fields such as To and Cc, and returns a list of pairs of strings (*name*, *email_address*). When `getaddresses` cannot parse an item of *L* as an address, `getaddresses` uses `(None, None)` as the corresponding item in the list it returns.

mktime_tz

```
mktime_tz(t)
```

t is a tuple with 10 items, the first 9 in the same format used in module `time` covered in [Chapter 12](#), *t*[-1] is a time zone as an offset in seconds from UTC (with the opposite sign from `time.timezone`, as specified by RFC 2822). When *t*[-1] is `None`, `mktime_tz` uses the local time zone. `mktime_tz` returns a float with the number of seconds since the epoch, in UTC, corresponding to the time instant that *t* denotes.

parseaddr

`parseaddr(s)`

Parses string *s*, which contains an address as typically specified in header fields such as `To` and `Cc`, and returns a pair of strings (*name,email_address*). When `parseaddr` cannot parse *s* as an address, `parseaddr` returns `(None,None)`.

parsedate

`parsedate(s)`

Parses string *s* as per the rules in RFC 2822 and returns a tuple *t* with 9 items, as used in module `time` covered in [Chapter 12](#) (the items *t*[-3:] are not meaningful). `parsedate` also attempts to parse erroneous variations on RFC 2822 that widespread mailers use. When `parsedate` cannot parse *s*, `parsedate` returns `None`.

parsedate_tz

`parsedate_tz(s)`

Like `parsedate`, but returns a tuple *t* with 10 items, where *t*[-1] is *s*'s time zone as an offset in seconds from UTC (with the opposite sign from `time.timezone`, as specified by RFC 2822), like in the argument that `mktime_tz` accepts. Items *t*[-4:-1] are not meaningful. When *s* has no time zone, *t*[-1] is `None`.

quote

`quote(s)`

Returns a copy of string *s* where each double quote (") becomes \" and each existing backslash is repeated.

unquote

`unquote(s)`

Returns a copy of string *s* where leading and trailing double quote characters (") and angle brackets (<>) are removed if they surround the rest of *s*.

21.2.7 The Message Classes of the `rfc822` and `mimertools` Modules

The best way to handle email-like messages is with package `email`. However, other modules covered in [Chapter 18](#) and [Chapter 20](#) use instances of class `rfc822.Message` or its subclass `mimetypes.Message`. This section covers the subset of these classes' functionality that you need to make effective use of the modules covered in [Chapter 18](#) and [Chapter 20](#).

An instance `m` of class `Message` is a mapping, with the headers' names as keys and the corresponding header value strings as values. Keys and values are strings, and keys are case-insensitive. `m` supports all mapping methods except `clear`, `copy`, `popitem`, and `update`. `get` and `setdefault` default to "", instead of `None`. Instance `m` also supplies convenience methods (e.g., to combine getting a header's value and parsing it as a date or an address). I suggest you use for such purposes the functions of module `email.Utils`, covered earlier in this chapter, and use `m` just as a mapping.

When `m` is an instance of `mimetypes.Message`, `m` supplies additional methods.

getmaintype

```
m.getmaintype( )
```

Returns `m`'s main content type, taken from header Content-Type converted to lowercase. When `m` has no header Content-Type, `getmaintype` returns 'text'.

getparam

```
m.getparam(param)
```

Returns the string value of the parameter named `param` of `m`'s header Content-Type.

getsubtype

```
m.getsubtype( )
```

Returns `m`'s content subtype, taken from header Content-Type converted to lowercase. When `m` has no header Content-Type, `getsubtype` returns 'plain'.

gettype

```
m.gettype( )
```

Returns `m`'s content type, taken from header Content-Type converted to lowercase. When `m` has no header Content-Type, `gettype` returns 'text/plain'.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 22. Structured Text: HTML

Most documents on the Web use HTML, the HyperText Markup Language. Markup is the insertion of special tokens, known as *tags*, in a text document to give structure to the text. HTML is an application of the large, general standard known as SGML, the Standard General Markup Language. In practice, many of the Web's documents use HTML in sloppy or incorrect ways. Browsers have evolved many practical heuristics over the years to try and compensate for this, but even so, it still often happens that a browser displays an incorrect web page in some weird way.

Moreover, HTML was never suitable for much more than presenting documents on a screen. Complete and precise extraction of the information in the document, working backward from the document's presentation, is often unfeasible. To tighten things up again, HTML has evolved into a more rigorous standard called XHTML. XHTML is very similar to traditional HTML, but it is defined in terms of XML and more precisely than HTML. You can handle XHTML with the tools covered in [Chapter 23](#).

Despite the difficulties, it's often possible to extract at least some useful information from HTML documents. Python supplies the `sgmllib`, `htmllib`, and `HTMLParser` modules for the task of parsing HTML documents, whether this parsing is for the purpose of presenting the documents, or, more typically, as part of an attempt to extract information from them. Generating HTML and embedding Python in HTML are also frequent tasks. No standard Python library module supports HTML generation or embedding directly, but you can use normal Python string manipulation, and third-party modules can also help.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

22.1 The sgmlib Module

The name of the `sgmlib` module is misleading: `sgmlib` parses only a tiny subset of SGML, but it is still a good way to get information from HTML files. `sgmlib` supplies one class, `SGMLParser`, which you subclass to override and add methods. The most frequently used methods of an instance `s` of your subclass `X` of `SGMLParser` are as follows.

close

```
s.close( )
```

Tells the parser that there is no more input data. When `X` overrides `close`, `x.close` must call `SGMLParser.close` to ensure that buffered data get processed.

do_tag

```
s.do_tag(attributes)
```

`X` supplies a method with such a name for each `tag`, with no corresponding end tag, that `X` wants to process. `tag` must be in lowercase in the method name, but can be in any mix of cases in the parsed text. `SGMLParser`'s `handle_tag` method calls `do_tag` as appropriate. `attributes` is a list of pairs `(name,value)`, where `name` is each attribute's name, lowercased, and `value` is the value, processed to resolve entity references and character references and to remove surrounding quotes.

end_tag

```
s.end_tag( )
```

`X` supplies a method with such a name for each `tag` whose end tag `X` wants to process. `tag` must be in lowercase in the method name, but can be in any mix of cases in the parsed text. `X` must also supply a method named `start_tag`, otherwise `end_tag` is ignored. `SGMLParser`'s `handle_endtag` method calls `end_tag` as appropriate.

feed

```
s.feed(data)
```

Passes to the parser some of the text being parsed. The parser may process some prefix of the text, holding the rest in a buffer until the next call to `s.feed` or `s.close`.

handle_charref

```
s.handle_charref(ref)
```

Called to process a character reference '&#ref;'. `SGMLParser`'s implementation of `handle_charref` handles decimal numbers in `range(0,256)`, like:

```
def handle_charref(self, ref):
    try:
        c = chr(int(ref))
    except (TypeError, ValueError):
        self.unknown_charref(ref)
    else: self.handle_data(c)
```

Your subclass `X` may override `handle_charref` or `unknown_charref` in order to support other forms of character references '&#...;'.

handle_comment

```
s.handle_comment(comment)
```

Called to handle comments. `comment` is the string within '<!--...-->', without the delimiters. `SGMLParser`'s implementation of `handle_comment` does nothing.

handle_data

```
s.handle_data(data)
```

Called to process each arbitrary string `data`. Your subclass `X` normally overrides `handle_data`. `SGMLParser`'s implementation of `handle_data` does nothing.

handle_endtag

```
s.handle_endtag(tag,method)
```

Called to handle termination tags for which `X` supplies methods named `start_tag` and `end_tag`. `tag` is the tag string, lowercased. `method` is the bound method for `end_tag`. `SGMLParser`'s implementation of `handle_endtag` calls `method()`.

handle_entityref

```
s.handle_entityref(ref)
```

Called to process an entity reference '&ref;'. `SGMLParser`'s implementation of `handle_entityref` looks `ref` up in `s.entitydefs`, like:

```
def handle_entityref(self, ref):
    try: t = self.entitydefs[ref]
    except KeyError: self.unknown_entityref(ref)
    else: self.handle_data(t)
```

Your subclass `X` may override `handle_entityref` or `unknown_entityref` in order to support entity references '&...;' in different ways. `SGMLParser`'s attribute `entitydefs` includes keys 'amp', 'apos', 'gt', 'lt', and 'quot'.

handle_starttag

```
s.handle_starttag(tag, method, attributes)
```

Called to handle tags for which `X` supplies a method `start_tag` or `do_tag`. `tag` is the tag string, lowercased. `method` is the bound method for `start_tag` or `do_tag`. `attributes` is a list of pairs `(name,value)`, where `name` is each attribute's name, lowercased, and `value` is the value, processed to resolve entity references and character references and to remove surrounding quotes. When `X` supplies both `start_tag` and `do_tag` methods, `start_tag` has precedence and `do_tag` is ignored. `SGMLParser`'s implementation of `handle_starttag` calls `method(attributes)`.

report_unbalanced

```
s.report_unbalanced(tag)
```

Called when tags terminate without being open. `tag` is the tag string, lowercased. `SGMLParser`'s implementation of `report_unbalanced` does nothing.

start_tag

```
s.start_tag(attributes)
```

`X` supplies a method thus named for each `tag`, with an end tag, that `X` wants to process. `tag` must be in lowercase in the method name, but can be in any mix of cases in the parsed text. `SGMLParser`'s `handle_tag` method calls `start_tag` as appropriate. `attributes` is a list of pairs `(name,value)`, where `name` is each attribute's name, lowercased, and `value` is the value, processed to resolve entity references and character references and to remove surrounding quotes.

unknown_charref

```
s.unknown_charref(ref)
```

Called to process invalid or unrecognized character references. `SGMLParser`'s implementation of `unknown_charref` does nothing.

unknown_endtag

```
s.unknown_endtag(tag)
```

Called to process termination tags for which `X` supplies no specific method. `SGMLParser`'s implementation of `unknown_endtag` does nothing.

unknown_entityref

```
s.unknown_entityref(ref)
```

Called to process unknown entity references. `SGMLParser`'s implementation of `unknown_entityref` does nothing.

unknown_starttag

```
s.unknown_starttag(tag, attributes)
```

Called to process tags for which `X` supplies no specific method. `tag` is the tag string, lowercased. `attributes` is a list of pairs `(name,value)`, where `name` is each attribute's name, lowercased, and `value` is the value, processed to resolve entity references and character references and to remove surrounding quotes. `SGMLParser`'s implementation of `unknown_starttag` does nothing.

The following example uses `sgmlib` for a typical HTML-related task: fetching a page from the Web with `urllib`, parsing it, and outputting the hyperlinks. The example uses `urlparse` to check the page's links, and outputs only links whose URLs have an explicit scheme of `'http'`.

```
import sgmlib, urllib, urlparse

class LinksParser(sgmlib.SGMLParser):
    def __init__(self):
        sgmlib.SGMLParser.__init__(self)
        self.seen = {}
    def do_a(self, attributes):
        for name, value in attributes:
            if name == 'href' and value not in self.seen:
                self.seen[value] = True
```

```
pieces = urlparse.urlparse(value)
if pieces[0] != 'http': return
print urlparse.urlunparse(pieces)
return
```

```
p = LinksParser( )
f = urllib.urlopen('http://www.python.org/index.html')
BUFSIZE = 8192
while True:
    data = f.read(BUFSIZE)
    if not data: break
    p.feed(data)
p.close( )
```

Class `LinksParser` only needs to define method `do_a`. The superclass calls back to this method for all `<a>` tags, and the method loops on the attributes, looking for one named `'href'`, then works with the corresponding value (i.e., the relevant URL).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

22.2 The `html` Module

The `html` module supplies a class named `HTMLParser` that subclasses `SGMLParser` and defines `start_tag`, `do_tag`, and `end_tag` methods for tags defined in HTML 2.0. `HTMLParser` implements and overrides methods in terms of calls to methods of a formatter object, covered later in this chapter. You can subclass `HTMLParser` to add or override methods. In addition to the `start_tag`, `do_tag`, and `end_tag` methods, an instance `h` of `HTMLParser` supplies the following attributes and methods.

anchor_bgn

```
h.anchor_bgn(href, name, type)
```

Called for each `<a>` tag. `href`, `name`, and `type` are the string values of the tag's attributes with the same names. `HTMLParser`'s implementation of `anchor_bgn` maintains a list of outgoing hyperlinks (i.e., `href` arguments of method `s.anchor_bgn`) in an instance attribute named `s.anchorlist`.

anchor_end

```
h.anchor_end()
```

Called for each `` end tag. `HTMLParser`'s implementation of `anchor_end` emits to the formatter a footnote reference that is an index within `s.anchorlist`. In other words, by default, `HTMLParser` asks the formatter to format an `<a>/` tag pair as the text inside the tag, followed by a footnote reference number that points to the URL in the `<a>` tag. Of course, it's up to the formatter to deal with this formatting request.

anchorlist

The `h.anchorlist` attribute contains the list of outgoing hyperlink URLs built by `h.anchor_bgn`.

formatter

The `h.formatter` attribute is the formatter object `f` associated with `h`, which you pass as the only argument when you instantiate `HTMLParser(f)`.

handle_image

```
h.handle_image(source,alt,ismap='',align='',width='',height='')
```

Called for each `` tag. Each argument is the string value of the tag's attribute of the same name. `HTMLParser`'s implementation of `handle_image` calls `h.handle_data(alt)`.

nofill

```
h.nofill
```

The `h.nofill` attribute is false when the parser is collapsing whitespace, the normal case. It is true when the parser must preserve whitespace, typically within a `<pre>` tag.

save_bgn

```
h.save_bgn( )
```

Diverts data to an internal buffer instead of passing it to the formatter, until the next call to `h.save_end()`. `h` has only one buffer, so you cannot nest `save_bgn` calls.

save_end

```
h.save_end( )
```

Returns a string with all data in the internal buffer, and directs data back to the formatter from now on. If `save_bgn` state was not on, raises `TypeError`.

22.2.1 The formatter Module

The `formatter` module defines formatter and writer classes. You instantiate a formatter by passing to the class a writer instance, and then you pass the formatter instance to class `HTMLParser` of module `htmllib`. You can define your own formatters and writers by subclassing `formatter`'s classes and overriding methods appropriately, but I do not cover this advanced and rarely used possibility in this book. An application with special output requirements would typically define an appropriate writer, subclassing `AbstractWriter` and overriding all methods, and use class `AbstractFormatter` without needing to subclass it. Module `formatter` supplies the following classes.

AbstractFormatter

```
class AbstractFormatter(writer)
```

The standard formatter implementation, suitable for most tasks.

AbstractWriter

```
class AbstractWriter( )
```

A writer implementation that prints each of its method names when called, suitable for debugging purposes only.

DumbWriter

```
class DumbWriter(file=sys.stdout,maxcol=72)
```

A writer implementation that emits text to file object *file*, with word wrapping to ensure that no text line is longer than *maxcol* characters.

NullFormatter

```
class NullFormatter(writer=None)
```

A formatter implementation whose methods are do-nothing stubs. When *writer* is `None`, instantiates `NullWriter`. Suitable when you subclass `HTMLParser` to analyze an HTML document but don't want any output to happen.

NullWriter

```
class NullWriter( )
```

A writer implementation whose methods are do-nothing stubs.

22.2.2 The `htmlentitydefs` Module

The `htmlentitydefs` module supplies just one attribute, a dictionary named `entitydefs` that maps each entity defined in HTML 2.0 to the corresponding string in the ISO-8859-1 (also known as Latin-1) encoding. Module `htmllib` uses module `htmlentitydefs` internally.

22.2.3 Parsing HTML with `htmllib`

The following example uses `htmllib` to perform the same task as in the previous example for `sgmlib`, fetching a page from the Web with `urllib`, parsing it, and outputting the hyperlinks:

```
import htmllib, formatter, urllib, urlparse
```

```
p = htmllib.HTMLParser(formatter.NullFormatter( ))
f = urllib.urlopen('http://www.python.org/index.html')
BUFSIZE = 8192
while True:
    data = f.read(BUFSIZE)
    if not data: break
    p.feed(data)
p.close( )

seen = {}
for url in p.anchorlist:
    if url in seen: continue
    seen[url] = True
    pieces = urlparse.urlparse(url)
    if pieces[0] == 'http':
        print urlparse.urlunparse(pieces)
```

The example exploits the `anchorlist` attribute of class `htmllib.HTMLParser`, and therefore does not need to perform any subclassing. `htmllib.HTMLParser` builds the `anchorlist` attribute as it parses the HTML page, so the code need only loop on the list and work with the list's items, each a relevant URL.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

22.3 The HTMLParser Module

Module `HTMLParser` supplies one class, `HTMLParser`, that you subclass to override and add methods. `HTMLParser.HTMLParser` is similar to `sgmlib.SGMLParser`, but is simpler and able to parse XHTML as well. The main differences between `HTMLParser` and `SGMLParser` are the following:

- `HTMLParser` does not call back to methods named `do_tag`, `start_tag`, and `end_tag`. To process tags and end tags, your subclass `X` of `HTMLParser` must override methods `handle_starttag` and/or `handle_endtag` and check explicitly for the tags it wants to process.
- `HTMLParser` does not keep track of, nor check, tag nesting in any way.
- `HTMLParser` does nothing, by default, to resolve character and entity references. Your subclass `X` of `HTMLParser` must override methods `handle_charref` and/or `handle_entityref` if it needs to perform processing of such references.

The most frequently used methods of an instance `h` of a subclass `X` of `HTMLParser` are as follows.

close

```
h.close( )
```

Tells the parser that there is no more input data. When `X` overrides `close`, `h.close` must also call `HTMLParser.close` to ensure that buffered data gets processed.

feed

```
h.feed(data)
```

Passes to the parser a part of the text being parsed. The parser processes some prefix of the text and holds the rest in a buffer until the next call to `h.feed` or `h.close`.

handle_charref

```
h.handle_charref(ref)
```

Called to process a character reference `'&#ref;'`. `HTMLParser`'s implementation of `handle_charref` does nothing.

handle_comment

```
h.handle_comment(comment)
```

Called to handle comments. *comment* is the string within '`<!--...-->`', without the delimiters. `HTMLParser`'s implementation of `handle_comment` does nothing.

```
handle_data
```

```
h.handle_data(data)
```

Called to process each arbitrary string *data*. Your subclass *X* almost always overrides `handle_data`. `HTMLParser`'s implementation of `handle_data` does nothing.

```
handle_endtag
```

```
h.handle_endtag(tag)
```

Called to handle termination tags. *tag* is the tag string, lowercased. `HTMLParser`'s implementation of `handle_endtag` does nothing.

```
handle_entityref
```

```
h.handle_entityref(ref)
```

Called to process an entity reference '`&ref;`'. `HTMLParser`'s implementation of `handle_entityref` does nothing.

```
handle_starttag
```

```
h.handle_starttag(tag, attributes)
```

Called to handle tags. *tag* is the tag string, lowercased. *attributes* is a list of pairs (*name,value*), where *name* is each attribute's name, lowercased, and *value* is the value, processed to resolve entity references and character references and to remove surrounding quotes. `HTMLParser`'s implementation of `handle_starttag` does nothing.

The following example uses `HTMLParser` to perform the same task as our previous examples: fetching a page from the Web with `urllib`, parsing it, and outputting the hyperlinks.

```
import HTMLParser, urllib, urlparse

class LinksParser(HTMLParser.HTMLParser):
    def __init__(self):
```

```
HTMLParser.HTMLParser.__init___(self)
self.seen = {}
def handle_starttag(self, tag, attributes):
    if tag != 'a': return
    for name, value in attributes:
        if name == 'href' and value not in self.seen:
            self.seen[value] = True
            pieces = urlparse.urlparse(value)
            if pieces[0] != 'http': return
            print urlparse.urlunparse(pieces)
            return

p = LinksParser( )
f = urllib.urlopen('http://www.python.org/index.html')
BUFSIZE = 8192
while True:
    data = f.read(BUFSIZE)
    if not data: break
    p.feed(data)

p.close( )
```

This example is similar to the one for `sgmlib`. However, since the `HTMLParser.HTMLParser` superclass performs no per-tag dispatching to methods, class `LinksParser` needs to override method `handle_starttag` and check that the `tag` is indeed 'a'.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

22.4 Generating HTML

Python does not come with tools to generate HTML. If you want an advanced framework for structured HTML generation, I recommend Robin Friedrich's HTMLGen 2.2 (available at <http://starship.python.net/crew/friedrich/HTMLgen/html/main.html>), but I do not cover the package in this book. To generate XHTML, you can also use the approaches covered in [Section 23.4](#) in [Chapter 23](#).

22.4.1 Embedding

If your favorite approach is to embed Python code within HTML in the manner made popular by JSP, ASP, and PHP, one possibility is to use Python Server Pages (PSP) as supported by Webware, mentioned in [Chapter 20](#). Another package, focused more specifically on the embedding approach, is Spyce (available at <http://spyce.sf.net/>). For all but the simplest problems, development and maintenance are eased by separating logic and presentation issues through templating, covered in the next section. Both Webware and Spyce optionally support templating in lieu of embedding.

22.4.2 Templating

To generate HTML, the best approach is often templating. With templating, you start with a *template*, which is a text string (often read from a file, database, etc.) that is valid HTML, but includes markers, also known as placeholders, where dynamically generated text must be inserted. Your program generates the needed text and substitutes it into the template. In the simplest case, you can use markers of the form `'%(name)s'`. Bind the dynamically generated text as the value for key `'name'` in some dictionary `d`. The Python string formatting operator `%`, covered in [Chapter 9](#), now does all you need. If `t` is your template, `t%d` is a copy of the template with all values properly substituted.

22.4.3 The Cheetah Package

For advanced templating tasks, I recommend Cheetah (available at <http://www.cheetahtemplate.org>). Cheetah interoperates particularly well with Webware. When you have Webware installed, Cheetah's template objects are Webware servlets, so you can immediately deploy them under Webware. You can also use Cheetah in other contexts, and Spyce can also optionally use Cheetah for templating. Cheetah can process HTML templates for any purpose whatsoever. In fact, I recommend Cheetah to process templates for any kind of structured text, HTML or not.

22.4.3.1 The Cheetah templating language

In a Cheetah template, use `$name` or `${name}` to request the insertion of the value of a variable named `name`. `name` can contain dots to request lookups of object attributes or dictionary keys. For example, `$a.b.c` requests insertion of the value of attribute `c` of attribute `b` of the variable named `a`. When `b` is a dictionary, this translates to the Python expression `a.b['c']`. If an object encountered during `$` substitution is callable, Cheetah calls the object, without arguments, as a part of the lookup. This high degree of polymorphism makes authoring and maintaining Cheetah templates easier for non-developers, as it saves them the need to

learn and understand these distinctions.

A Cheetah template can contain *directives*, which are verbs starting with `#` that allow comments, file inclusion, flow control (conditionals, loops, exception handling), and more. Cheetah basically provides a rich templating language on top of Python. The most frequently used verbs in simple Cheetah templates are the following (mostly similar to Python, but with `$` in front of names, no trailing `:`, and no mandatory indents, but `#end` clauses instead):

`#break`, `#continue`, `#pass`

Like the Python statements with the same names

`#echo expression`

Computes a Python expression (with `$` in front of names) and outputs the result

`#for $ variable in $ container ... #end for`

Like the Python `for` statement

`#if ... #else if ... #else ... #end if`

Like the Python `if` statement

`#repeat $ times ... #end repeat`

Repeats some text `$times` times

`#set $ variable = expression`

Assigns a value to a variable (the variable is local to this template)

`#silent expression`

Computes a Python expression (with `$` in front of names) and hides the result

`#slurp`

Consumes the following newline (i.e., joins the following line onto this one)

`#while $ condition ... #end while`

Like the Python `while` statement

Note the differences between `#echo`, `#silent`, and `$` substitution. `#echo $a(2)` inserts in the template's output the result of calling function `a` with an argument of `2`. Without the `#echo`, `$a(2)` inserts the string form of `a` (calling `a()` without arguments, if `a` is callable) followed by the three characters `'(2)'`. `#silent $a(2)` calls `a` with an argument of `2` and inserts nothing in the template's output.

Cheetah has many other verbs. A Cheetah template object is a class instance and may use inheritance, override methods, and so on. However, for simple templates you will most often not need such powerful mechanisms.

22.4.3.2 The Template class

The `Cheetah.Template` module supplies one class.

Template

```
class Template(source=None,searchList=[],file=None)
```

Always call `Template` with named arguments (except, optionally, the first one); number and order of formal arguments may change in the future, but the names are guaranteed to stay. You must pass either `source` or `file`, but not both. `source` is a template string. `file` is a file-like object open for reading, or the path to a file to open for reading.

`searchList` is a sequence of objects to use as top-level sources for `$name` insertion. An instance `t` of class `Template` is implicitly appended at the end of `t`'s search list (e.g., `$a` in the template inserts the value of `t.a` if no other object in the search list has an attribute `a` or an item with a key of 'a'). `searchList` defaults to the empty list, so, by default, `t`'s template expansion uses only `t`'s attributes as variables for `$` substitution.

Class `Template` also allows other keyword arguments, but these are the most frequently used. The instance `t` supplies many methods, but normally you only call `str(t)`, which returns the string form of the expanded template.

22.4.3.3 A Cheetah example

The following example uses `Cheetah.Template` to output HTML with dynamic content:

```
import Cheetah.Template
import os, time, socket

tt = Cheetah.Template.Template('''
<html><head><title>Report by $USER</title></head><body>
<h1>Report on host data</h1>
<p>Report written at $asctime:<br/>
#for $hostline in $uname
    $hostline<br/>
#end for
</p></body></html>
''', searchList=[time, os.environ])

try: tt.uname = os.uname
except AttributeError:
    tt.uname = [socket.gethostname( )]

print tt
```

This example instantiates and binds to name `tt` a `Template` instance, whose `source` is an HTML document string with some Cheetah placeholders (`$USER`, `$asctime`, `$uname`) and a Cheetah `#for...#end for` directive. The placeholder `$hostline` is the loop variable in the `#for` statement, so therefore the template does not search the search-list objects for name 'hostline' when it expands. The example instantiates `tt` with a `searchList` argument, which sets module `time` and dictionary `os.environ` as part of the search. For names that cannot be found in objects on the search list, `tt`'s expansion looks in instance `tt` itself. Therefore, the example binds attribute `tt.uname`, either to function `os.uname` (which returns a tuple of host description data, but exists only on certain platforms), if available, or else to a list whose only item is the hostname returned by function `gethostname` of module `socket`.

The last statement of the example is `print tt`. The `print` statement transforms its arguments into strings, as if `str` were called on each argument. Therefore, `print tt` expands `tt`. Some of the placeholders' expansions use dictionary lookup (`$USER` looks up `os.environ['USER']`); some need a function call (`$asctime` calls `time.asctime()`); and some may behave in different ways (`$uname`, depending on what it finds as `tt.uname`, calls that attribute-if callable, as when it's `os.uname`-or just takes it as is, when it's already a list).

One important note applies to all templating tasks, not just to Cheetah. Templates are almost invariably not the right place for program logic to reside. Don't put more logic than strictly needed in your templates. Templating engines let you separate the task of computing results (best done in Python, outside of any template) from that of presenting the results as HTML or other kinds of structured text. Templates should deal just with presentation issues, and contain as little program logic as feasible.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 23. Structured Text: XML

XML, the eXtensible Markup Language, has taken the programming world by storm over the last few years. Like SGML, XML is a metalanguage, a language to describe markup languages. On top of the XML 1.0 specification, the XML community (in good part inside the World Wide Web Consortium, W3C) has standardized other technologies, such as various schema languages, Namespaces, XPath, XLink, XPointer, and XSLT.

Industry consortia in many fields have defined industry-specific markup languages on top of XML, to facilitate data exchange among applications in the various fields. Such industry standards let applications exchange data even if the applications are coded in different languages and deployed on different platforms by different firms. XML, related technologies, and XML-based markup languages are the basis of interapplication, cross-language, cross-platform data interchange in modern applications.

Python has excellent support for XML. The standard Python library supplies the `xml` package, which lets you use fundamental XML technology quite simply. The third-party package PyXML (available at <http://pyxml.sf.net>) extends the standard library's `xml` with validating parsers, richer DOM implementations, and advanced technologies such as XPath and XSLT. Downloading and installing PyXML upgrades Python's own `xml` packages, so it can be a good idea to do so even if you don't use PyXML-specific features.

On top of PyXML, you can choose to install yet another freely available third-party package, 4Suite (available at <http://4suite.org>). 4Suite provides yet more XML parsers for special niches, advanced technologies such as XLink and XPointer, and code supporting standards built on top of XML, such as the Resource Description Framework (RDF).

As an alternative to Python's built-in XML support, PyXML, and 4Suite, you can try ReportLab's new pyRXP, a fast validating XML parser based on Tobin's RXP. pyRXP is DOM-like in that it constructs an in-memory representation of the whole XML document you're parsing. However, pyRXP does not construct a DOM-compliant tree, but rather a lightweight tree of Python tuples to save memory and enhance speed. For more information on pyRXP, see <http://www.reportlab.com/xml/pyrxp.html>.

For coverage of all aspects of XML and of how you can process XML with Python, I recommend *Python & XML*, by Christopher Jones and Fred Drake (O'Reilly). In this chapter, I cover only the essentials of the standard library's `xml` package, taking some elementary knowledge of XML itself for granted.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

23.1 An Overview of XML Parsing

When your application must parse XML documents, your first, fundamental choice is what kind of parsing to use. You can use *event-driven* parsing, where the parser reads the document sequentially and calls back to your application each time it parses a significant aspect of the document (such as an element). Or you can use *object-based* parsing, where the parser reads the whole document and builds in-memory data structures, representing the document, that you can then navigate. SAX is the main, normal way to perform event-driven parsing, and DOM is the main, normal way to perform object-based parsing. In each case there are alternatives, such as direct use of expat for event-driven parsing and pyRXP for object-based parsing, but I do not cover these alternatives in this book. Another interesting possibility is offered by `pullDOM`, which is covered later in this chapter.

Event-driven parsing requires fewer resources, which makes it particularly suitable when you need to parse very large documents. However, event-driven parsing requires you to structure your application accordingly, performing your processing (and typically building auxiliary data structures) in your methods that are called by the parser. Object-based parsing gives you more flexibility about the ways in which you can structure your application. It may be more suitable when you need to perform very complicated processing, as long as you can afford the extra resources needed for object-based parsing (typically, this means that you are not dealing with very large documents). Object-based approaches also support programs that need to modify or create XML documents, as covered later in this chapter.

As a general guideline, when you are still undecided after studying the various trade-offs, I suggest you try event-driven parsing when you can see a reasonably direct way to perform your program's tasks through this approach. Event-driven parsing is more scalable; therefore, if your program can perform its task via event-driven parsing, it will be applicable to larger documents than it would be able to handle otherwise. If event-driven parsing is too confining, try `pullDOM` instead. I suggest you consider (non-`pull`) DOM only when you think DOM is the only way to perform your program's tasks without excessive contortions. In that case DOM may be best, as long as you can accept the resulting limitations, in terms of the maximum size of documents that your program is able to support and the costs in time and memory for processing.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

23.2 Parsing XML with SAX

In most cases, the best way to extract information from an XML document is to parse the document with a parser compliant with SAX, the Simple API for XML. SAX defines a standard API that can be implemented on top of many different underlying parsers. The SAX approach to parsing has similarities to the HTML parsers covered in [Chapter 22](#). As the parser encounters XML elements, text contents, and other significant events in the input stream, the parser calls back to methods of your classes. Such event-driven parsing, based on callbacks to your methods as relevant events occur, also has similarities to the event-driven approach that is almost universal in GUIs and in some networking frameworks. Event-driven approaches in various programming fields may not appear natural to beginners, but enable high performance and particularly high scalability, making them very suitable for high-workload cases.

To use SAX, you define a content handler class, subclassing a library class and overriding some methods. Then, you build a parser object *p*, install an instance of your class as *p*'s handler, and feed *p* the input stream to parse. *p* calls methods on your handler to reflect the document's structure and contents. Your handler's methods perform application-specific processing. The `xml.sax` package supplies a factory function to build *p*, as well as convenience functions for simpler operation in typical cases. `xml.sax` also supplies exception classes, used to diagnose invalid input and other errors.

Optionally, you can also register with parser *p* other kinds of handlers besides the content handler. You can supply a custom error handler to use an error diagnosis strategy different from normal exception raising, and try to diagnose several errors during a parse. You can supply a custom DTD handler to receive information about notation and unparsed entities from the XML document's Document Type Definition (DTD). You can supply a custom entity resolver to handle external entity references in advanced, customized ways. These additional possibilities are advanced and rarely used, so I do not cover them in this book.

23.2.1 The `xml.sax` Package

The `xml.sax` package supplies exception class `SAXException`, and subclasses of it to support fine-grained exception handling. `xml.sax` also supplies three functions.

make_parser

```
make_parser(parsers_list=[])
```

parsers_list is a list of strings, names of modules from which you would like to build your parser. `make_parser` tries each module in sequence until it finds one that defines a suitable function `create_parser`. After the modules in *parsers_list*, if any, `make_parser` continues by trying a list of default modules. `make_parser` terminates as soon as it can generate a parser *p*, and returns *p*.

parse

```
parse(file, handler, error_handler=None)
```

file is a filename or a file-like object open for reading, containing an XML document. *handler* is generally an instance of your own subclass of class `ContentHandler`, covered later in this chapter. *error_handler*, if given, is generally an instance of your own subclass of class `ErrorHandler`. You don't necessarily have to subclass `ContentHandler` and/or `ErrorHandler`: you just need to provide the same interfaces as the classes do. Subclassing is often a convenient means to this end.

Function `parse` is equivalent to the code:

```
p = make_parser( )
p.setContentHandler(handler)
if error_handler is not None:
    p.setErrorHandler(error_handler)
p.parse(file)
```

This idiom is quite frequent in SAX parsing, so having it in a single function is convenient. When *error_handler* is `None`, the parser diagnoses errors by propagating an exception that is an instance of some subclass of `SAXException`.

parseString

```
parseString(string, handler, error_handler=None)
```

Like `parse`, except that *string* is the XML document in string form.

`xml.sax` also supplies a class, which you subclass to define your content handler.

ContentHandler

```
class ContentHandler( )
```

An instance *h* of a subclass of `ContentHandler` may override several methods, of which the most frequently useful are the following:

```
h.characters( data)
```

Called when textual content *data* is parsed. The parser may split each range of text in the document into any number of separate callbacks to *h.characters*. Therefore, your implementation of method `characters` usually buffers *data*, generally by appending it to a list attribute. When your class knows from some other event that all relevant data has arrived, your class calls `''.join` on the list and processes the resulting string.

```
h.endDocument( )
```

Called once when the document finishes.

```
h.endElement( tag)
```

Called when the element named *tag* finishes.

```
h.endElementNS( name,qname )
```

Called when an element finishes and the parser is handling namespaces. *name* and *qname* are like for `startElementNS`, covered later in this chapter.

```
h.startDocument( )
```

Called once when the document begins.

```
h.startElement( tag,attrs )
```

Called when the element named *tag* begins. *attrs* is a mapping of attribute names to values, as covered in the next section.

```
h.startElementNS( name,qname,attrs )
```

Called when an element begins and the parser is handling namespaces. *name* is a pair *(uri,localname)*, where *uri* is the namespace's URI or `None`, and *localname* is the name of the tag. *qname* (which stands for qualified name) is either `None`, if the parser does not supply the namespace prefixes feature, or the string *prefix:name* used in the document's text for this tag. *attrs* is a mapping of attribute names to values, as covered in the next section.

23.2.1.1 Attributes

The last argument of methods `startElement` and `startElementNS` is an attributes object *attr*, a read-only mapping of attribute names to attribute values. For method `startElement`, names are identifier strings. For method `startElementNS`, names are pairs *(uri,localname)*, where *uri* is the namespace's URI or `None`, and *localname* is the name of the tag. The object *attr* also supports methods that let you work with the *qname* (qualified name) of each attribute.

getValueByQName

```
attr.getValueByQName( name )
```

Returns the attribute value for a qualified name *name*.

getNameByQName

```
attr.getNameByQName( name )
```

Returns the *(namespace, localname)* pair for a qualified name *name*.

getQNameByName

```
attr.getQNameByName( name )
```

Returns the qualified name for *name*, which is a *(namespace, localname)* pair.

getQNames

```
attr.getQNames( )
```

Returns the list of qualified names of all attributes.

For `startElement`, each `qname` is the same string as the corresponding name. For `startElementNS`, a `qname` is the corresponding local name for attributes not associated with a namespace (i.e., attributes whose `uri` is `None`); otherwise, the `qname` is the string `prefix:name` used in the document's text for this attribute.

The parser may reuse in later processing the `attr` object that it passes to methods `startElement` and `startElementNS`. If you need to keep a copy of the attributes of an element, call `attr.copy()` to get the copy.

23.2.1.2 Incremental parsing

All parsers support a method `parse`, which you call with the XML document as either a string or a file-like object open for reading. `parse` does not return until the end of the XML document. Most SAX parsers, though not all, also support incremental parsing, letting you feed the XML document to the parser a little at a time, as the document arrives from a network connection or other source. A parser `p` that is capable of incremental parsing supplies three more methods.

close

```
p.close( )
```

Call when the XML document is finished.

feed

```
p.feed(data)
```

Passes to the parser a part of the document. The parser processes some prefix of the text and holds the rest in a buffer until the next call to `p.feed` or `p.close`.

reset

```
p.reset( )
```

Call after an XML document is finished or abandoned, before you start feeding another XML document to the parser.

23.2.1.3 The `xml.sax.saxutils` module

The `saxutils` module of package `xml.sax` supplies two functions and a class that are quite handy to generate XML output based on an input XML document.

escape

```
escape(data, entities={})
```

Returns a copy of string `data` with characters `<`, `>`, and `&` changed into entity references `<`, `>`, and `&`. `entities` is a dictionary with strings as keys and values; each substring `s` of `data` that is a key in `entities` is changed in `escape`'s result string into string `entities[s]`. For example, to escape single and double quote characters, in addition to angle brackets and ampersands, you can call:

```
xml.sax.saxutils.escape(data, {'"': '&quot;', "'": '&apos;'})
```

quoteattr

```
escape(data, entities={})
```

Same as `escape`, but also quotes the result string to make it immediately usable as an attribute value, and escapes any quote characters that have to be escaped.

XMLGenerator

```
class XMLGenerator(out=sys.stdout, encoding='iso-8859-1')
```

Subclasses `xml.sax.ContentHandler` and implements all that is needed to reproduce the input XML document on the given file-like object `out` with the specified `encoding`. When you must generate an XML document that is a small modification of the input one, you can subclass `XMLGenerator`, overriding methods and delegating most of the work to `XMLGenerator`'s implementations of the methods. For example, if all you need to do is rename some tags according to a dictionary, `XMLGenerator` makes it quite simple, as shown in the following example:

```
import xml.sax, xml.sax.saxutils

def tagrenamer(infile, outfile, renaming_dict):
    base = xml.sax.saxutils.XMLGenerator

    class Renamer(base):
        def rename(self, name):
            return renaming_dict.get(name, name)
        def startElement(self, name, attrs):
            base.startElement(self, self.rename(name),
                              attrs)
        def endElement(self, name):
```



```

        base.endElement(self, self.rename(name))

xml.sax.parse(infile, Renamer(outfile))

```

23.2.2 Parsing XHTML with xml.sax

The following example uses `xml.sax` to perform a typical XHTML-related task, very similar to the tasks performed in the examples of [Chapter 22](#). The example fetches an XHTML page from the Web with `urllib`, parses it, and outputs all unique links from the page to other sites. The example uses `urlparse` to examine the links for the given site, and outputs only the links whose URLs have an explicit scheme of `'http'`:

```

import xml.sax, urllib, urlparse

class LinksHandler(xml.sax.ContentHandler):
    def startDocument(self):
        self.seen = {}
    def startElement(self, tag, attributes):
        if tag != 'a': return
        value = attributes.get('href')
        if value is not None and value not in self.seen:
            self.seen[value] = True
            pieces = urlparse.urlparse(value)
            if pieces[0] != 'http': return
            print urlparse.urlunparse(pieces)

p = xml.sax.make_parser( )
p.setContentHandler(LinksHandler( ))
f = urllib.urlopen('http://www.w3.org/MarkUp/')
BUFSIZE = 8192

while True:
    data = f.read(BUFSIZE)
    if not data: break
    p.feed(data)

p.close( )

```

This example is quite similar to the `HTMLParser` example in [Chapter 22](#). With the `xml.sax` module, the parser and the handler are separate objects (while in the examples of [Chapter 22](#) they coincided). Method names differ (`startElement` in this example versus `handle_starttag` in the `HTMLParser` example). The `attributes` argument is a mapping here, so its method `get` immediately gives us the attribute value we're interested in, while in the examples of [Chapter 22](#) it was a sequence of `(name,value)` pairs, so we had to loop on the sequence until we found the right name. Despite these differences in detail, the overall structure is very close, and typical of simple event-driven parsing tasks.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

23.3 Parsing XML with DOM

SAX parsing does not build any structure in memory to represent the XML document. This makes SAX fast and highly scalable, as your application builds exactly as little or as much in-memory structure as needed for its specific tasks. However, for particularly complicated processing tasks involving reasonably small XML documents, you may prefer to let the library build in-memory structures that represent the whole XML document, and then traverse those structures. The XML standards describe the DOM (Document Object Model) for XML. A DOM object represents an XML document as a tree whose root is the *document object*, while other nodes correspond to elements, text contents, element attributes, and so on.

The Python standard library supplies a minimal implementation of the XML DOM standard, `xml.dom.minidom.minidom` builds everything up in memory, with the typical pros and cons of the DOM approach to parsing. The Python standard library also supplies a different DOM-like approach in module `xml.dom.pulldom.pulldom` occupies an interesting middle ground between SAX and DOM, presenting the stream of parsing events as a Python iterator object so that you do not code callbacks, but rather loop over the events and examine each event to see if it's of interest. When you do find an event of interest to your application, you can ask `pulldom` to build the DOM subtree rooted in that event's node by calling method `expandNode`, and then work with that subtree as you would in `minidom`. Paul Prescod, `pulldom`'s author and XML and Python expert, describes the net result as "80% of the performance of SAX, 80% of the convenience of DOM." Other DOM parsers are part of the PyXML and 4Suite extension packages, mentioned at the start of this chapter.

23.3.1 The xml.dom Package

The `xml.dom` package supplies exception class `DOMException` and subclasses of it to support fine-grained exception handling. `xml.dom` also supplies a class `Node`, typically used as a base class for all nodes by DOM implementations. Class `Node` only supplies constant attributes giving the codes for node types, such as `ELEMENT_NODE` for elements, `ATTRIBUTE_NODE` for attributes, and so on. `xml.dom` also supplies constant module attributes with the URIs of important namespaces: `XML_NAMESPACE`, `XMLNS_NAMESPACE`, `XHTML_NAMESPACE`, and `EMPTY_NAMESPACE`.

23.3.2 The xml.dom.minidom Module

The `xml.dom.minidom` module supplies two functions.

parse

```
parse(file, parser=None)
```

file is a filename or a file-like object open for reading, containing an XML document. *parser*, if given, is an instance of a SAX parser class; otherwise, `parse` generates a default SAX parser by calling `xml.sax.make_parser()`. `parse` returns a `minidom` document object instance representing the given XML document.

parseString

```
parseString(string, parser=None)
```

Like `parse`, except that `string` is the XML document in string form.

`xml.dom.minidom` also supplies many classes as specified by the XML DOM standard. Almost all of these classes subclass `Node`. Class `Node` supplies the methods and attributes that all kinds of nodes have in common. A notable class of module `xml.dom.minidom` that is not a subclass of `Node` is `AttributeList`, identified in the DOM standard as `NamedNodeMap`, which is a mapping that collects the attributes of a node of class `Element`.

For methods and attributes related to changing and creating XML documents, see [Section 23.4](#) later in this chapter. Here, I present the classes, methods, and attributes that you use most often when traversing a DOM tree without changes, normally after the tree has been built by parsing an XML document. For concreteness and simplicity, I mention Python classes. However, the DOM specifications deal strictly with abstract interfaces, never with concrete classes. Your code must never deal with the class objects directly, only with instances of those classes. Do not type-test nodes (for example, don't use `isinstance` on them) and do not instantiate node classes directly (rather, use the factory methods covered later in [Section 23.4](#)). This is good Python practice in general, but it's particularly important here.

23.3.2.1 Node objects

Each node `n` in the DOM tree is an instance of some subclass of `Node`; therefore `n` supplies all attributes and methods that `Node` supplies, with appropriate overriding implementations if needed. The most frequently used methods and attributes are as follows.

attributes

The `n.attributes` attribute is either `None` or an `AttributeList` instance with all attributes of `n`.

childNodes

The `n.childNodes` attribute is a list of all nodes that are children of `n`, possibly an empty list.

firstChild

The `n.firstChild` attribute is `None` when `n.childNodes` is empty, otherwise like `n.childNodes[0]`.

hasChildNodes

```
n.hasChildNodes( )
```

Like `len(n.childNodes) != 0`, but possibly faster.

isSameNode

```
n.isSameNode(other)
```

True when *n* and *other* refer to the same DOM node, otherwise **False**. Do not use the normal Python idiom *n is other*: a Python DOM implementation is free to generate multiple **Node** instances that refer to the same DOM node. Therefore, to check the identity of DOM node references, always and exclusively use method `isSameNode`.

lastChild

The `n.lastChild` attribute is **None** when `n.childNodes` is empty, otherwise like `n.childNodes[-1]`.

localName

The `n.localName` attribute is the local part of *n*'s qualified name (relevant when namespaces are involved).

namespaceURI

The `n.namespaceURI` attribute is **None** when *n*'s qualified name has no namespace part, otherwise the namespace's URI.

nextSibling

The `n.nextSibling` attribute is **None** when *n* is the last child of *n*'s parent, otherwise the next child of *n*'s parent.

nodeName

The `n.nodeName` attribute is `n`'s name string. The string is a node-specific name when that makes sense for `n`'s node type (e.g., the tag name when `n` is an `Element`), otherwise a string starting with '#'.

nodeType

The `n.nodeType` attribute is `n`'s type code, an integer that is one of the constant attributes of class `Node`.

nodeValue

The `n.nodeValue` attribute is `None` when `n` has no value (e.g., when `n` is an `Element`), otherwise `n`'s value (e.g., the text content when `n` is an instance of class `Text`).

normalize

```
n.normalize( )
```

Normalizes the entire subtree rooted at `n`, merging adjacent `Text` nodes. Parsing may separate ranges of text in the XML document into arbitrary chunks; `normalize` ensures that text ranges remain separate only when there is markup between them.

ownerDocument

The `n.ownerDocument` attribute is the `Document` instance that contains `n`.

parentNode

The `n.parentNode` attribute is `n`'s parent node in the DOM tree, or `None` for attribute nodes and nodes not in the tree.

prefix

The `n.prefix` attribute is `None` when `n`'s qualified name has no namespace prefix, otherwise the namespace

prefix. Note that a name may have a namespace even if it has no namespace prefix.

previousSibling

The `n.previousSibling` attribute is `None` when `n` is the first child of `n`'s parent, otherwise the previous child of `n`'s parent.

23.3.2.2 Attr objects

The `Attr` class is a subclass of `Node` that represents an attribute of an `Element`. Besides attributes and methods of class `Node`, an instance `a` of `Attr` supplies the following attributes.

ownerElement

The `a.ownerElement` attribute is the `Element` instance of which `a` is an attribute.

specified

The `a.specified` attribute is true if `a` was explicitly specified in the document, false if obtained by default.

23.3.2.3 Document objects

The `Document` class is a subclass of `Node` whose instances are returned by the `parse` and `parseString` functions of module `xml.dom.minidom`. All nodes in the document refer to the same `Document` node as their `ownerDocument` attribute. To check this, you must use the `isSameNode` method, not Python identity checking (operator `is`). Besides the attributes and methods of class `Node`, `d` supplies the following attributes and methods.

doctype

The `d.doctype` attribute is the `DocumentType` instance corresponding to `d`'s DTD. This attribute comes directly from the `!DOCTYPE` declaration in `d`'s XML source.

documentElement

The `d.documentElement` attribute is the `Element` instance corresponding to `d`'s root element.

getElementById

`d.getElementById(elementId)`

Returns the `Element` instance within the document that has the given ID (what element attributes are IDs is specified by the DTD), or `None` if there is no such instance (or the underlying parser does not supply ID information).

getElementsByTagName

`d.getElementsByTagName(tagName)`

Returns the list of `Element` instances within the document whose tag equals string `tagName`, in the same order as in the parsed XML document. May be the empty list. When `name` is '*', returns the list of all `Element` instances within the document, with any tag.

getElementsByTagNameNS

`d.getElementsByTagNameNS(namespaceURI, localName)`

Returns the list of `Element` instances within the document with the given `namespaceURI` and `localName`, in the order found in the XML document. May be the empty list. A value of '*' for `namespaceURI`, `localName`, or both matches all values of the corresponding field.

23.3.2.4 Element objects

The `Element` class is a subclass of `Node` that represents tagged elements. Besides attributes and methods of `Node`, an instance `e` of `Element` supplies the following methods.

getAttribute

`e.getAttribute(name)`

Returns the value of `e`'s attribute with the given `name`. Returns the empty string "" if `e` has no attribute with the given `name`.

getAttributeNS

```
e.getAttributeNS(namespaceURI, localName)
```

Returns the value of *e*'s attribute with the given *namespaceURI* and *localName*.

getAttributeNode

```
e.getAttributeNode(name)
```

Returns the `Attr` instance that is *e*'s attribute with the given *name*, or `None` if no attribute with that name is among *e*'s attributes.

getAttributeNodeNS

```
e.getAttributeNodeNS(namespaceURI, localName)
```

Returns the `Attr` instance that is *e*'s attribute with the given *namespaceURI* and *localName*, or `None` if no such attribute is among *e*'s attributes.

getElementsByTagName

```
e.getElementsByTagName(tagName)
```

Returns the list of `Element` instances within the subtree rooted at *e* whose tag equals string *tagName*, in the same order as in the XML document. *e* is included in the list that `getElementsByTagName` returns if *e*'s tag equals *tagName*. `getElementsByTagName` may return the empty list when no node in the subtree rooted at *e* has a tag equal to *tagName*. When *tagName* is '*', `getElementsByTagName` returns the list of all `Element` instances within the subtree, with any tag, including *e*.

getElementsByTagNameNS

```
e.getElementsByTagNameNS(namespaceURI, localName)
```

Returns the list of `Element` instances within the subtree rooted at *e*, with the given *namespaceURI* and *localname*, in the same order as in the XML document. A value of '*' for *namespaceURI*, *localname*, or both matches all values of the corresponding field. The list may include *e* or may be empty, just as for method `getElementsByTagName`.

hasAttribute

```
e.hasAttribute(name)
```


True if and only if *e* has an attribute with the given *name*. If the underlying parser extracts the relevant information from the DTD, `hasAttribute` is also true for attributes of *e* that have a default value, even when they are not explicitly specified.

hasAttributeNS

```
e.hasAttributeNS(namespaceURI, localName)
```

True if and only if *e* has an attribute with the given *namespaceURI* and *localName*. Same as method `hasAttribute` regarding attributes with default values from the DTD.

23.3.3 Parsing XHTML with `xml.dom.minidom`

The following example uses `xml.dom.minidom` to perform the same task as in the previous example for `xml.sax`, fetching a page from the Web with `urllib`, parsing it, and outputting the hyperlinks:

```
import xml.dom.minidom, urllib, urlparse

f = urllib.urlopen('http://www.w3.org/MarkUp/')
doc = xml.dom.minidom.parse(f)
as = doc.getElementsByTagName('a')
seen = {}
for a in as:
    value = a.getAttribute('href')
    if value and value not in seen:
        seen[value] = True
        pieces = urlparse.urlparse(value)
        if pieces[0] == 'http' and pieces[1] != 'www.w3.org':
            print urlparse.urlunparse(pieces)
```

In this example, we get the list of all elements with tag 'a', and the relevant attribute, if any, for each of them. We then work in the usual way with the attribute's value.

23.3.4 The `xml.dom.pulldom` Module

The `xml.dom.pulldom` module supplies two functions.

parse

```
parse(file, parser=None)
```

file is a filename or a file-like object open for reading, containing an XML document. *parser*, if given, is an instance of a SAX parser class; otherwise `parse` generates a default SAX parser by calling `xml.sax.make_parser()`. `parse` returns a `pulldom` event stream instance representing the given XML document.

parseString

```
parseString(string, parser=None)
```

Like `parse`, except that *string* is the XML document in string form.

`xml.dom.pulldom` also supplies class `DOMEventStream`, an iterator whose items are pairs (*event*, *node*), where *event* is a string giving the event type, and *node* is an instance of an appropriate subclass of class `Node`. The possible values for *event* are constant uppercase strings that are also available as constant attributes of module `xml.dom.pulldom` with the same names: `CHARACTERS`, `COMMENT`, `END_DOCUMENT`, `END_ELEMENT`, `IGNORABLE_WHITESPACE`, `PROCESSING_INSTRUCTION`, `START_DOCUMENT`, and `START_ELEMENT`.

An instance *d* of class `DOMEventStream` supplies one other important method.

expandNode

```
d.expandNode(node)
```

node must be the latest instance of `Node` so far returned by iterating on *d*, i.e., the instance of `Node` returned by the latest call to `d.next()`. `expandNode` processes that part of the XML document stream that corresponds to the subtree rooted at *node*, ensuring that you can then access the subtree with the usual `minidom` approach. *d* iterates on itself for the purpose so that after calling `expandNode`, the next call to `next` continues right after the subtree thus expanded.

23.3.5 Parsing XHTML with `xml.dom.pulldom`

The following example uses `xml.dom.pulldom` to perform the same task as our previous examples, fetching a page from the Web with `urllib`, parsing it, and outputting the hyperlinks:

```
import xml.dom.pulldom, urllib, urlparse

f = urllib.urlopen('http://www.w3.org/MarkUp/')
doc = xml.dom.pulldom.parse(f)
seen = {}
for event, node in doc:
    if event=='START_ELEMENT' and node.nodeName=='a':
        doc.expandNode(node)
        value = node.getAttribute('href')
        if value and value not in seen:
            seen[value] = True
            pieces = urlparse.urlparse(value)
            if pieces[0] == 'http' and pieces[1]!='www.w3.org':
                print urlparse.urlunparse(pieces)
```

In this example, we select only elements with tag 'a'. For each of them we request full expansion, and then

proceed just like in the `minidom` example (i.e., we get the relevant attribute, if any, then work in the usual way with the attribute's value). The expansion is in fact not necessary in this specific case, since we do not need to work with the subtree rooted in each element with tag 'a', just with the attributes, and attributes can be accessed without calling `expandNode`. Therefore, this example works just as well if you change the call to `doc.expandNode` into a comment. However, I put the `expandNode` call in the example to show how this crucial method of `pullDOM` is normally used in context.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

23.4 Changing and Generating XML

Just like for HTML and other kinds of structured text, the simplest way to output an XML document is often to prepare and write it using Python's normal string and file operations, covered in [Chapter 9](#) and [Chapter 10](#). Templating, covered in [Chapter 22](#), is also often the best approach. Subclassing class `XMLGenerator`, covered earlier in this chapter, is a good way to generate an XML document that is like an input XML document, except for a few changes.

The `xml.dom.minidom` module offers yet another possibility, because its classes support methods to generate, insert, remove, and alter nodes in a DOM tree representing the document. You can create a DOM tree by parsing and then alter it, or you can create an empty DOM tree and populate it, and then output the resulting XML document with methods `toxml`, `toprettyxml`, or `writexml` of the `Document` instance. You can also output a subtree of the DOM tree by calling these methods on the `Node` that is the subtree's root.

23.4.1 Factory Methods of a Document Object

The `Document` class supplies factory methods to create new instances of subclasses of `Node`. The most frequently used factory methods of a `Document` instance `d` are as follows.

createComment

```
d.createComment(data)
```

Builds and returns an instance `c` of class `Comment` for a comment with text `data`.

createElement

```
d.createElement(tagname)
```

Builds and returns an instance `e` of class `Element` for an element with the given tag.

createTextNode

```
d.createTextNode(data)
```

Builds and returns an instance `t` of class `TextNode` for a text node with text `data`.

23.4.2 Mutating Methods of an Element Object

An instance *e* of class `Element` supplies the following methods to remove and add attributes.

removeAttribute

```
e.removeAttribute(name)
```

Removes *e*'s attribute with the given *name*.

setAttribute

```
e.setAttribute(name, value)
```

Changes *e*'s attribute with the given *name* to have the given *value*, or adds to *e* a new attribute with the given *name* and *value* if *e* had no attribute named *name*.

23.4.3 Mutating Methods of a Node Object

An instance *n* of class `Node` supplies the following methods to remove, add, and replace children.

appendChild

```
n.appendChild(child)
```

Makes *child* the last child of *n*, whatever *child*'s parent was (including *n* or `None`).

insertBefore

```
n.insertBefore(child, nextChild)
```

Makes *child* the child of *n* immediately before *nextChild*, whatever *child*'s parent was (including *n* or `None`). *nextChild* must be a child of *n*.

removeChild

```
n.removeChild(child)
```

Makes *child* parentless and returns *child*. *child* must be a child of *n*.

replaceChild

```
n.replaceChild(child, oldChild)
```

Makes *child* the child of *n* in *oldChild*'s place, whatever *child*'s parent was (including *n* or `None`). *oldChild* must be a child of *n*. Returns *oldChild*.

23.4.4 Output Methods of a Node Object

An instance *n* of class `Node` supplies the following methods to output the subtree rooted at *n*.

toprettyxml

```
n.toprettyxml(indent='\t', newl='\n')
```

Returns a string, plain or Unicode, with the XML source for the subtree rooted at *n*, using *indent* to indent nested tags and *newl* to end lines.

toxml

```
n.toxml()
```

Like *n.toprettyxml*('', ''), i.e., inserts no extraneous whitespace.

writexml

```
n.writexml(file)
```

Writes the XML source for the subtree rooted at *n* to file-like object *file*, open for writing. Note that *file.write* must accept Unicode strings (as covered in [Section 9.6.1](#)), unless all text in the XML source produced can be converted implicitly to plain strings using the current default encoding (normally 'ascii').

23.4.5 Changing and Outputting XHTML with `xml.dom.minidom`

The following example uses `xml.dom.minidom` to analyze an XHTML page and output it to standard output with each hyperlink's destination URL shown, in three sets of parentheses, just before the hyperlink:

```
import xml.dom.minidom, urllib, sys

f = urllib.urlopen('http://www.w3.org/MarkUp/')
doc = xml.dom.minidom.parse(f)
as = doc.getElementsByTagName('a')
for a in as:
    value = a.getAttribute('href')
```

```
    if value:
        newtext = doc.createTextNode(' ((%s))'%value)
        a.parentNode.insertBefore(newtext,a)

class UnicodeStdoutWriter:
    def write(self, data):
        sys.stdout.write(data.encode('utf-8'))

doc.writexml(UnicodeStdoutWriter( ))
```

This example wraps `sys.stdout` in a little `UnicodeStdoutWriter` class in order to encode Unicode output. Further, it uses encoding 'utf-8' because that is the encoding that the XML standard specifies as the default, and up to Python 2.2.2 we have no way of asking object `doc` to explicitly request a different encoding. In Python 2.3, method `writexml` accepts an optional keyword argument named `encoding` that lets us control the `encoding` attribute in the XML declaration.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Part V: Extending and Embedding

[Chapter 24](#)

[Chapter 25](#)

[Chapter 26](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 24. Extending and Embedding Classic Python

Classic Python runs on a portable C-coded virtual machine. Python's built-in objects, such as numbers, sequences, dictionaries, and files, are coded in C, as are several modules in Python's standard library. Modern platforms support dynamic-load libraries, with file extensions such as *.dll* on Windows and *.so* on Linux, and building Python produces such binary files. You can code your own extension modules for Python in C, using the Python C API covered in this chapter, to produce and deploy dynamic libraries that Python scripts and interactive sessions can later use with the `import` statement, covered in [Chapter 7](#).

Extending Python means building modules that Python code can `import` to access the features the modules supply. Embedding Python means executing Python code from your application. For such execution to be useful, Python code must in turn be able to access some of your application's functionality. In practice, therefore, embedding implies some extending, as well as a few embedding-specific operations.

Embedding and extending are covered extensively in Python's online documentation; you can find an in-depth tutorial at <http://www.python.org/doc/ext/ext.html> and a reference manual at <http://www.python.org/doc/api/api.html>. Many details are best studied in Python's extensively documented sources. Download Python's source distribution and study the sources of Python's core, C-coded extension modules and the example extensions supplied for study purposes.

This chapter covers the basics of extending and embedding Python with C. It also mentions, but does not cover, other possibilities for extending Python.

[\[Team LiB \]](#)

[Team LiB]

24.1 Extending Python with Python's C API

A Python extension module named `x` resides in a dynamic library with the same filename (`x.pyd` on Windows, `x.so` on most Unix-like platforms) in an appropriate directory (normally the *site-packages* subdirectory of the Python library directory). You generally build the `x` extension module from a C source file `x.c` with the overall structure:

```
#include <Python.h>

/* omitted: the body of the x module */

void
initx(void)
{
    /* omitted: the code that initializes the module named x */
}
```

When you have built and installed the extension module, a Python statement `import x` loads the dynamic library, then locates and calls the function named `init x`, which must do all that is needed to initialize the module object named `x`.

24.1.1 Building and Installing C-Coded Python Extensions

To build and install a C-coded Python extension module, it's simplest and most productive to use the distribution utilities, `distutils`, covered in Chapter 26. In the same directory as `x.c`, place a file named `setup.py` that contains at least the following statements:

```
from distutils.core import setup, Extension
setup(name='x', ext_modules=[ Extension('x',sources=['x.c']) ])
```

From a shell prompt in this directory, you can now run:

```
C:\> python setup.py install
```

to build the module and install it so that it becomes usable in your Python installation. The `distutils` perform all needed compilation and linking steps, with the right compiler and linker commands and flags, and copy the resulting dynamic library in an appropriate directory, dependent on your Python installation. Your Python code can then access the resulting module with the statement `import x`.

24.1.2 Overview of C-Coded Python Extension Modules

Your C function `init x` generally has the following overall structure:

```
void
initx(void)
{
    PyObject* thismod = Py_InitModule3("x", x_methods, "docstring for x");
    /* optional: calls to PyModule_AddObject(thismod, "somename", someobj)
```

```

        and other Python C API calls to finish preparing module object
        thismod and its types (if any) and other objects.
    */
}

```

More details are covered in Section 24.1.4 later in this chapter. *x_methods* is an array of `PyMethodDef` structs. Each `PyMethodDef` struct in the *x_methods* array describes a C function that your module *x* makes available to Python code that imports *x* . Each such C function has the following overall structure:

```

static PyObject*
func_with_named_arguments(PyObject* self, PyObject* args, PyObject* kwds)
{
    /* omitted: body of function, which accesses arguments via the Python C
       API function PyArg_ParseTupleAndKeywords, and returns a PyObject*
       result, NULL for errors */
}

```

or some simpler variant, such as:

```

static PyObject*
func_with_positional_args_only(PyObject* self, PyObject* args)
{
    /* omitted: body of function, which accesses arguments via the Python C
       API function PyArg_ParseTuple, and returns a PyObject* result,
       NULL for errors */
}

```

How C-coded functions access arguments passed by Python code is covered in Section 24.1.6 later in this chapter. How such functions build Python objects is covered in Section 24.1.7 , and how they raise or propagate exceptions back to the Python code that called them is covered in Section 24.1.8 . When your module defines new Python types (as well as or instead of Python-callable functions), your C code defines one or more instances of struct `PyTypeObject` . This subject is covered in Section 24.1.12 later in this chapter.

A simple example that makes use of all these concepts is shown in Section 24.1.11 later in this chapter. A toy-level "Hello World" example could be as simple as:

```

#include <Python.h>

static PyObject*
helloworld(PyObject* self)
{
    return Py_BuildValue("s", "Hello, C-coded Python extensions world!");
}

static char helloworld_docs[] =
    "helloworld( ): return a popular greeting phrase\n";

static PyMethodDef helloworld_funcs[] = {
    {"helloworld", (PyCFunction)helloworld, METH_NOARGS, helloworld_docs},
    {NULL}
};

void

```

```

inithelloworld(void)
{
    Py_InitModule3("helloworld", helloworld_funcs,
                  "Toy-level extension module");
}

```

Save this as *helloworld.c*, and build it through a *setup.py* script with `distutils`. After you have run *python setup.py install*, you can use the newly installed module, for example from a Python interactive session, such as:

```

>>> import helloworld
>>> print helloworld.helloworld( )
Hello, C-coded Python extensions world!
>>>

```

24.1.3 Return Values of Python's C API Functions

All functions in the Python C API return either an `int` or a `PyObject*`. Most functions returning `int` return `0` in case of success, and `-1` to indicate errors. Some functions return results that are true or false: those functions return `0` to indicate false and an integer not equal to `0` to indicate true, and never indicate errors. Functions returning `PyObject*` return `NULL` in case of errors. See "Exceptions" later in this chapter for more details on how C-coded functions handle and raise errors.

24.1.4 Module Initialization

Function `init x` must contain, at a minimum, a call to one of the module initialization functions supplied by the C API. You can always use the `Py_InitModule3` function.

Py_InitModule3

```
PyObject* Py_InitModule3(char* name, PyMethodDef* methods, char* doc)
```

name is the C string name of the module you are initializing (e.g., "name"). *methods* is an array of `PyMethodDef` structures, covered next in this chapter. *doc* is the C string that becomes the docstring of the module. `Py_InitModule3` returns a `PyObject*` that is a borrowed reference to the new module object, as covered in Section 24.1.5 later in this chapter. In practice, this means that you can ignore the return value if you need to perform no more initialization operations on this module. Otherwise, assign the return value to a C variable of type `PyObject*` and continue initialization.

`Py_InitModule3` initializes the module object to contain the functions described in table *methods*. Further initialization, if any, may add other module attributes, and is generally best performed with calls to the following convenience functions.

PyModule_AddIntConstant

```
int PyModule_AddIntConstant(PyObject* module, char* name, int value)
```

Adds to module *module* an attribute named *name* with integer value *value* .

PyModule_AddObject

```
int PyModule_AddObject(PyObject* module, char* name, PyObject* value)
```

Adds to module *module* an attribute named *name* with value *value* and steals a reference to value, as covered in Section 24.1.5 .

PyModule_AddStringConstant

```
int PyModule_AddStringConstant(PyObject* module, char* name, char* value)
```

Adds to module *module* an attribute named *name* with string value *value* .

Some module initialization operations may be conveniently performed by executing Python code with `PyRun_String` , covered later in Section 24.3.4 , with the module's dictionary as both the *globals* and *locals* argument. If you find yourself using `PyRun_String` extensively, rather than just as an occasional convenience, consider the possibility of splitting your extension module in two: a C-coded extension module offering raw, fast functionality, and a Python module wrapping the C-coded extension to provide further convenience and handy utilities.

When you do need to get a module's dictionary, use the `PyModule_GetDict` function.

PyModule_GetDict

```
PyObject* PyModule_GetDict(PyObject* module)
```

Returns a borrowed reference to the dictionary of module *module* . You should not use `PyModule_GetDict` for the specific tasks supported by the `PyModule_Add` functions covered earlier in this section; I suggest using `PyModule_GetDict` only for such purposes as supporting the use of `PyRun_String` .

If you need to access another module, you can import it by calling the `PyImport_Import` function.

PyImport_Import

```
PyObject* PyImport_Import(PyObject* name)
```

Imports the module named in Python string object *name* and returns a new reference to the module object, like Python's `__import__` (*name*) . `PyImport_Import` is the highest-level, simplest, and most often used way to import a module.

Beware, in particular, of using function `PyImport_ImportModule` , which may often look more convenient because it accepts a `char*` argument. `PyImport_ImportModule` operates on a lower level, bypassing any

import hooks that may be in force, so extensions that use it will be far harder to incorporate in packages such as those built by tools `py2exe` and `Installer`, covered in Chapter 26. Therefore, always do your importing by calling `PyImport_Import`, unless you have very specific needs and know exactly what you're doing.

To add functions to a module (or non-special methods to new types, as covered later in Section 24.1.12), you must describe the functions or methods in an array of `PyMethodDef` structures, and terminate the array with a *sentinel* (i.e., a structure whose fields are all 0 or `NULL`). `PyMethodDef` is defined as follows:

```
typedef struct {
    char* ml_name;           /* Python name of function or method */
    PyCFunction ml_meth;    /* pointer to C function impl */
    int ml_flags;          /* flag describing how to pass arguments */
    char* ml_doc;          /* docstring for the function or method */
} PyMethodDef
```

You must cast the second field to `(PyCFunction)` unless the C function's signature is exactly `PyObject* function(PyObject* self, PyObject* args)`, which is the `typedef` for `PyCFunction`. This signature is correct when `ml_flags` is `METH_O`, meaning a function that accepts a single argument, or `METH_VARARGS`, meaning a function that accepts positional arguments. For `METH_O`, `args` is the only argument. For `METH_VARARGS`, `args` is a tuple of all arguments, to be parsed with the C API function `PyArg_ParseTuple`. However, `ml_flags` can also be `METH_NOARGS`, meaning a function that accepts no arguments, or `METH_KEYWORDS`, meaning a function that accepts both positional and named arguments. For `METH_NOARGS`, the signature is `PyObject* function(PyObject* self)`, without arguments. For `METH_KEYWORDS`, the signature is:

```
PyObject* function(PyObject* self, PyObject* args, PyObject* kwds)
```

`args` is the tuple of positional arguments, and `kwds` the dictionary of named arguments. `args` and `kwds` are parsed together with the C API function `PyArg_ParseTupleAndKeywords`.

When a C-coded function implements a module's function, the `self` parameter of the C function is always `NULL` for any value of the `ml_flags` field. When a C-coded function implements a non-special method of an extension type, the `self` parameter points to the instance on which the method is being called.

24.1.5 Reference Counting

Python objects live on the heap, and C code sees them via `PyObject*`. Each `PyObject` counts how many references to itself are outstanding, and destroys itself when the number of references goes down to 0. To make this possible, your code must use Python-supplied macros: `Py_INCREF` to add a reference to a Python object, and `Py_DECREF` to abandon a reference to a Python object. The `Py_XINCREF` and `Py_XDECREF` macros are like `Py_INCREF` and `Py_DECREF`, but you may also use them innocuously on a null pointer. The test for a non-null pointer is implicitly performed inside the `Py_XINCREF` and `Py_XDECREF` macros, which saves you from needing to write out that test explicitly.

A `PyObject* p`, which your code receives by calling or being called by other functions, is known as a *new reference* if the code that supplies `p` has already called `Py_INCREF` on your behalf. Otherwise, it is called a *borrowed reference*. Your code is said to *own* new references it holds, but not borrowed ones. You can call `Py_INCREF` on a borrowed reference to make it into a reference that you own; you must do this if you need to use the reference across calls to code that might cause the count of the reference you borrowed to be decremented. You must always call `Py_DECREF` before abandoning or overwriting references that you own, but never on references you don't own. Therefore, understanding which interactions transfer reference ownership and which ones rely on reference borrowing is absolutely crucial. For most functions in the C API,

and for all functions that you write and Python calls, the following general rules apply:

1. `PyObject*` arguments are borrowed references
2. A `PyObject*` returned as the function's result transfers ownership

For each of the two rules, there are occasional exceptions. `PyList_SetItem` and `PyTuple_SetItem` steal a reference to the item they are setting (but not to the list or tuple object into which they're setting it). So do the faster versions of these two functions that exist as C preprocessor macros, `PyList_SET_ITEM` and `PyTuple_SET_ITEM`. So does `PyModule_AddObject`, covered earlier in this chapter. There are no other exceptions to the first rule. The rationale for these exceptions, which may help you remember them, is that the object you're setting is most often one you created for the purpose, so the reference-stealing semantics save you from having to call `Py_DECREF` immediately afterward.

The second rule has more exceptions than the first one: there are several cases in which the returned `PyObject*` is a borrowed reference rather than a new reference. The abstract functions, whose names begin with `PyObject_`, `PySequence_`, `PyMapping_`, and `PyNumber_`, return new references. This is because you can call them on objects of many types, and there might not be any other reference to the resulting object that they return (i.e., the returned object might be created on the fly). The concrete functions, whose names begin with `PyList_`, `PyTuple_`, `PyDict_`, and so on, return a borrowed reference when the semantics of the object they return ensure that there must be some other reference to the returned object somewhere.

In this chapter, I indicate all cases of exceptions to these rules (i.e., the return of borrowed references and the rare cases of reference stealing from arguments) regarding all functions that I cover. When I don't explicitly mention a function as being an exception, it means that the function follows the rules: its `PyObject*` arguments, if any, are borrowed references, and its `PyObject*` result, if any, is a new reference.

24.1.6 Accessing Arguments

A function that has `ml_flags` in its `PyMethodDef` set to `METH_NOARGS` is called from Python with no arguments. The corresponding C function has a signature with only one argument, `self`. When `ml_flags` is `METH_O`, Python code must call the function with one argument. The C function's second argument is a borrowed reference to the object that the Python caller passes as the argument's value.

When `ml_flags` is `METH_VARARGS`, Python code can call the function with any number of positional arguments, which are collected as a tuple. The C function's second argument is a borrowed reference to the tuple. Your C code can then call the `PyArg_ParseTuple` function.

PyArg_ParseTuple

```
int PyArg_ParseTuple(PyObject* tuple, char* format, ...)
```

Returns 0 for errors, a value not equal to 0 for success. `tuple` is the `PyObject*` that was the C function's second argument. `format` is a C string that describes mandatory and optional arguments. The following arguments of `PyArg_ParseTuple` are the addresses of the C variables in which to put the values extracted from the tuple. Any `PyObject*` variables among the C variables are borrowed references. Table 24-1 lists the commonly used code strings, of which zero or more are joined to form string `format`.

Table 24-1. Format codes for PyArg_ParseTuple

Code	C type	Meaning
<code>c</code>	<code>char</code>	A Python string of length 1 becomes a C <code>char</code>
<code>d</code>	<code>double</code>	A Python <code>float</code> becomes a C <code>double</code>
<code>D</code>	<code>Py_Complex</code>	A Python <code>complex</code> becomes a C <code>Py_Complex</code>
<code>f</code>	<code>float</code>	A Python <code>float</code> becomes a C <code>float</code>
<code>i</code>	<code>int</code>	A Python <code>int</code> becomes a C <code>int</code>
<code>l</code>	<code>long</code>	A Python <code>int</code> becomes a C <code>long</code>
<code>L</code>	<code>long long</code>	A Python <code>int</code> becomes a C <code>long long</code> (or <code>_int64</code> on Windows)
<code>O</code>	<code>PyObject*</code>	Gets non-NULL borrowed reference to a Python argument
<code>O!</code>	<code>type + PyObject*</code>	Like code <code>O</code> , plus type checking or <code>TypeError</code> (see below)
<code>O&</code>	<code>convert + void*</code>	Arbitrary conversion (see below)
<code>s</code>	<code>char*</code>	Python string without embedded nulls to C <code>char*</code>
<code>s#</code>	<code>char* + int</code>	Any Python string to C address and length
<code>t#</code>	<code>char* + int</code>	Read-only single-segment buffer to C address and length
<code>u</code>	<code>Py_UNICODE*</code>	Python Unicode without embedded nulls to C (UTF-16)
<code>u#</code>	<code>Py_UNICODE* + int</code>	Any Python Unicode C (UTF-16) address and length
<code>w#</code>	<code>char* + int</code>	Read-write single-segment buffer to C address and length
<code>z</code>	<code>char*</code>	Like code <code>s</code> , also accepts <code>None</code> (sets C's <code>char*</code> to <code>NULL</code>)
<code>z#</code>	<code>char* + int</code>	Like code <code>s#</code> , also accepts <code>None</code> (sets C's <code>char*</code> to <code>NULL</code>)
<code>(...)</code>	as per ...	A Python sequence is treated as one argument per item
<code> </code>		The following arguments are optional
<code>:</code>		Format finished, followed by function name for error messages
<code>;</code>		Format finished, followed by entire error message text

Code formats `d` to `L` accept numeric arguments from Python. Python coerces the corresponding values. For example, a code of `i` can correspond to a Python `float` -the fractional part gets truncated, as if built-in function `int` had been called. `Py_Complex` is a C struct with two fields named `real` and `imag` , both of type `double` .

`O` is the most general format code and accepts any argument, which you can later check and/or convert as needed. Variant `O!` corresponds to two arguments in the variable arguments: first the address of a Python type object, then the address of a `PyObject*` . `O!` checks that the corresponding value belongs to the given type (or any subtype of that type) before setting the `PyObject*` to point to the value. Variant `O&` also corresponds to two arguments in the variable arguments: first the address of a converter function you coded, then a `void*` (i.e., any address at all). The converter function must have signature `int convert(PyObject*, void*)` . Python calls your conversion function with the value passed from Python as the first argument and the `void*` from the variable arguments as the second argument. The conversion function must either return `0` and raise an exception (as covered in Section 24.1.8 later in this chapter) to indicate an error, or return `1` and store whatever is appropriate via the `void*` it gets.

Code format `s` accepts a string from Python and the address of a `char*` (i.e., a `char**`) among the variable arguments. It changes the `char*` to point at the string's buffer, which your C code must then treat as a read-only, null-terminated array of `char` s (i.e., a typical C string; however, your code must not modify it). The

Python string must contain no embedded null characters. `s#` is similar, but corresponds to two arguments among the variable arguments: first the address of a `char*`, then the address of an `int` to set to the string's length. The Python string can contain embedded nulls, and therefore so can the buffer to which the `char*` is set to point. `u` and `u#` are similar, but accept any Unicode string, and the C-side pointers must be `Py_UNICODE*` rather than `char*`. `Py_UNICODE` is a macro defined in `Python.h`, and corresponds to the type of a Python Unicode character in the implementation (this is often, but not always, the same as a `wchar_t` in C).

`t#` and `w#` are similar to `s#`, but the corresponding Python argument can be any object of a type that respects the buffer protocol, respectively read-only and read-write. Strings are a typical example of read-only buffers. `mmap` and `array` instances are typical examples of read-write buffers, and they are also acceptable where a read-only buffer is required (i.e., for a `t#`).

When one of the arguments is a Python sequence of known length, you can use format codes for each of its items, and corresponding C addresses among the variable arguments, by grouping the format codes in parentheses. For example, code `(ii)` corresponds to a Python sequence of two numbers, and, among the remaining arguments, corresponds to two addresses of `int`s.

The format string may include a vertical bar (`|`) to indicate that all following arguments are optional. You must initialize the C variables, whose addresses you pass among the variable arguments for later arguments, to suitable default values before you call `PyArg_ParseTuple`. `PyArg_ParseTuple` does not change the C variables corresponding to optional arguments that were not passed in a given call from Python to your C-coded function.

The format string may optionally end with `:name` to indicate that `name` must be used as the function name if any error messages are needed. Alternatively, the format string may end with `;text` to indicate that `text` must be used as the entire error message if `PyArg_ParseTuple` detects errors (this is rarely used).

A function that has `ml_flags` in its `PyMethodDef` set to `METH_KEYWORDS` accepts positional and keyword arguments. Python code calls the function with any number of positional arguments, which get collected as a tuple, and keyword arguments, which get collected as a dictionary. The C function's second argument is a borrowed reference to the tuple, and the third one is a borrowed reference to the dictionary. Your C code then calls the `PyArg_ParseTupleAndKeywords` function.

PyArg_ParseTupleAndKeywords

```
int PyArg_ParseTupleAndKeywords(PyObject* tuple, PyObject* dict,
char* format, char** kwlist, ...)
```

Returns `0` for errors, a value not equal to `0` for success. `tuple` is the `PyObject*` that was the C function's second argument. `dict` is the `PyObject*` that was the C function's third argument. `format` is like for `PyArg_ParseTuple`, except that it cannot include the `(...)` format code to parse nested sequences. `kwlist` is an array of `char*` terminated by a `NULL` sentinel, with the names of the parameters, one after the other. For example, the following C code:

```
static PyObject*
func_c(PyObject* self, PyObject* args, PyObject* kwds)
{
    static char* argnames[] = {"x", "y", "z", NULL};
    double x, y=0.0, z=0.0;
```

```

if(!PyArg_ParseTupleAndKeywords(
    args,kwds,"d|dd",argnames,&x,&y,&z))
    return NULL;
/* rest of function snipped */

```

is roughly equivalent to this Python code:

```

def func_py(x, y=0.0, z=0.0):
    x, y, z = map(float, (x,y,z))
    # rest of function snipped

```

24.1.7 Creating Python Values

C functions that communicate with Python must often build Python values, both to return as their `PyObject*` result and for other purposes, such as setting items and attributes. The simplest and handiest way to build a Python value is most often with the `Py_BuildValue` function.

Py_BuildValue

```
PyObject* Py_BuildValue(char* format,...)
```

format is a C string that describes the Python object to build. The following arguments of `Py_BuildValue` are C values from which the result is built. The `PyObject*` result is a new reference. Table 24-2 lists the commonly used code strings, of which zero or more are joined into string *format*. `Py_BuildValue` builds and returns a tuple if *format* contains two or more format codes, or if *format* begins with `(` and ends with `)`. Otherwise, the result is not a tuple. When you pass buffers, as for example in the case of format code `s#`, `Py_BuildValue` copies the data. You can therefore modify, abandon, or `free()` your original copy of the data after `Py_BuildValue` returns. `Py_BuildValue` always returns a new reference (except for format code `N`). Called with an empty *format*, `Py_BuildValue("")` returns a new reference to `None`.

Table 24-2. Format codes for `Py_BuildValue`

Code	C type	Meaning
c	char	A C <code>char</code> becomes a Python string of length 1
d	double	A C <code>double</code> becomes a Python <code>float</code>
D	Py_Complex	A C <code>Py_Complex</code> becomes a Python <code>complex</code>
i	int	A C <code>int</code> becomes a Python <code>int</code>
l	long	A C <code>long</code> becomes a Python <code>int</code>
N	PyObject*	Passes a Python object and steals a reference
O	PyObject*	Passes a Python object and <code>INCR</code> s it as per normal rules
O&	convert + void*	Arbitrary conversion (see below)
s	char*	C null-terminated <code>char*</code> to Python string, or <code>NULL</code> to <code>None</code>
s#	char* + int	C <code>char*</code> and length to Python string, or <code>NULL</code> to <code>None</code>
u	Py_UNICODE*	C wide (UCS-2) null-terminated string to Python Unicode, or <code>NULL</code> to <code>None</code>
u#	Py_UNICODE* + int	C wide (UCS-2) string and length to Python Unicode, or <code>NULL</code> to <code>None</code>
(...)	as per ...	Build Python tuple from C values
[...]	as per ...	Build Python list from C values
{...}	as per ...	Build Python dictionary from C values, alternating keys and values (must be an even number of C values)

Code `O&` corresponds to two arguments among the variable arguments: first the address of a converter function you code, then a `void*` (i.e., any address at all). The converter function must have signature `PyObject* convert (void*)`. Python calls the conversion function with the `void*` from the variable arguments as the only argument. The conversion function must either return `NULL` and raise an exception (as covered in Section 24.1.8 later in this chapter) to indicate an error, or return a new reference `PyObject*` built from the data in the `void*`.

Code `{...}` builds dictionaries from an even number of C values, alternately keys and values. For example, `Py_BuildValue("{issi}", 23, "zig", "zag", 42)` returns a dictionary like Python's `{23: 'zig', 'zag': 42}`.

Note the important difference between codes `N` and `O`. `N` steals a reference from the `PyObject*` corresponding value among the variable arguments, so it's convenient when you're building an object including a reference you own that you would otherwise have to `Py_DECREF`. `O` does no reference stealing, so it's appropriate when you're building an object including a reference you don't own, or a reference you must also keep elsewhere.

24.1.8 Exceptions

To propagate exceptions raised from other functions you call, return `NULL` as the `PyObject*` result from your C function. To raise your own exceptions, set the current-exception indicator and return `NULL`. Python's built-in exception classes (covered in Chapter 6) are globally available, with names starting with `PyExc_`, such as `PyExc_AttributeError`, `PyExc_KeyError`, and so on. Your extension module can also supply and use its own exception classes. The most commonly used C API functions related to raising exceptions are the following.

PyErr_Format

```
PyObject* PyErr_Format(PyObject* type, char* format, ...)
```

Raises an exception of class *type* , a built-in such as `PyExc_IndexError` , or an exception class created with `PyErr_NewException` . Builds the associated value from format string *format* , which has syntax similar to `printf` 's, and the following C values indicated as variable arguments above. Returns `NULL` , so your code can just call:

```
return PyErr_Format(PyExc_KeyError,
    "Unknown key name (%s)", thekeystring);
```

PyErr_NewException

```
PyObject* PyErr_NewException(char* name, PyObject* base, PyObject* dict)
```

Subclasses exception class *base* , with extra class attributes and methods from dictionary *dict* (normally `NULL` , meaning no extra class attributes or methods), creating a new exception class named *name* (string *name* must be of the form "*modulename* .*classname* ") and returning a new reference to the new class object. When *base* is `NULL` , uses `PyExc_Exception` as the base class. You normally call this function during initialization of a module object *module* . For example:

```
PyModule_AddObject(module, "error",
    PyErr_NewException("mymod.error", NULL, NULL));
```

PyErr_NoMemory

```
PyObject* PyErr_NoMemory( )
```

Raises an out-of-memory error and returns `NULL` , so your code can just call:

```
return PyErr_NoMemory( );
```

PyErr_SetObject

```
void PyErr_SetObject(PyObject* type, PyObject* value)
```

Raises an exception of class *type* , a built-in such as `PyExc_KeyError` , or an exception class created with `PyErr_NewException` , with *value* as the associated value (a borrowed reference). `PyErr_SetObject` is a `void` function (i.e., returns no value).

PyErr_SetFromErrno

```
PyObject* PyErr_SetFromErrno(PyObject* type)
```

Raises an exception of class *type* , a built-in such as `PyExc_OSError` , or an exception class created with `PyErr_NewException` . Takes all details from global variable `errno` , which C library functions and system

calls set for many error cases, and the standard C library function `strerror`. Returns `NULL`, so your code can just call:

```
return PyErr_SetFromErrno(PyExc_IOError);
```

PyErr_SetFromErrnoWithFilename

```
PyObject* PyErr_SetFromErrnoWithFilename(PyObject* type, char* filename)
```

Like `PyErr_SetFromErrno`, but also provides string `filename` as part of the exception's value. When `filename` is `NULL`, works like `PyErr_SetFromErrno`.

Your C code may want to deal with an exception and continue, as a `try/except` statement would let you do in Python code. The most commonly used C API functions related to catching exceptions are the following.

PyErr_Clear

```
void PyErr_Clear( )
```

Clears the error indicator. Innocuous if no error is pending.

PyErr_ExceptionMatches

```
int PyErr_ExceptionMatches(PyObject* type)
```

Call only when an error is pending, or the whole program might crash. Returns a value not equal to `0` when the pending exception is an instance of the given `type` or any subclass of `type`, or `0` when the pending exception is not such an instance.

PyErr_Occurred

```
PyObject* PyErr_Occurred( )
```

Returns `NULL` if no error is pending, otherwise a borrowed reference to the type of the pending exception. (Don't use the returned value; call `PyErr_ExceptionMatches` instead, in order to catch exceptions of subclasses as well, as is normal and expected.)

PyErr_Print

```
void PyErr_Print( )
```

Call only when an error is pending, or the whole program might crash. Outputs a standard traceback to `sys.stderr`, then clears the error indicator.

If you need to process errors in highly sophisticated ways, study other error-related functions of the C API, such as `PyErr_Fetch`, `PyErr_Normalize`, `PyErr_GivenExceptionMatches`, and `PyErr_Restore`. However, I do not cover such advanced and rarely needed possibilities in this book.

24.1.9 Abstract Layer Functions

The code for a C extension typically needs to use some Python functionality. For example, your code may need to examine or set attributes and items of Python objects, call Python-coded and built-in functions and methods, and so on. In most cases, the best approach is for your code to call functions from the abstract layer of Python's C API. These are functions that you can call on any Python object (functions whose names start with `PyObject_`), or any object within a wide category, such as mappings, numbers, or sequences (with names respectively starting with `PyMapping_`, `PyNumber_`, and `PySequence_`).

Some of the functions callable on objects within these categories duplicate functionality that is also available from `PyObject_` functions; in these cases, you should use the `PyObject_` function instead. I don't cover such redundant functions in this book.

Functions in the abstract layer raise Python exceptions if you call them on objects to which they are not applicable. All of these functions accept borrowed references for `PyObject*` arguments, and return a new reference (`NULL` for an exception) if they return a `PyObject*` result.

The most frequently used abstract layer functions are the following.

PyCallable_Check

```
int PyCallable_Check(PyObject* x)
```

True if `x` is callable, like Python's `callable(x)`.

PyEval_CallObject

```
PyObject* PyEval_CallObject(PyObject* x, PyObject* args)
```

Calls callable Python object `x` with the positional arguments held in tuple `args`. Returns the call's result, like Python's `return x(*args)`.

PyEval_CallObjectWithKeywords

```
PyObject* PyEval_CallObjectWithKeywords(PyObject* x, PyObject* args, PyObject* kwds)
```

Calls callable Python object `x` with the positional arguments held in tuple `args` and the named arguments held in dictionary `kwds`. Returns the call's result, like Python's `return x(*args, **kwds)`.

PyIter_Check

```
int PyIter_Check(PyObject* x)
```

True if *x* supports the iterator protocol (i.e., if *x* is an iterator).

PyIter_Next

```
PyObject* PyIter_Next(PyObject* x)
```

Returns the next item from iterator *x* . Returns `NULL` without raising any exception if *x* 's iteration is finished (i.e., when Python's *x* .next() raises `StopIteration`).

PyNumber_Check

```
int PyNumber_Check(PyObject* x)
```

True if *x* supports the number protocol (i.e., if *x* is a number).

PyObject_CallFunction

```
PyObject* PyObject_CallFunction(PyObject* x, char* format, ...)
```

Calls the callable Python object *x* with positional arguments described by format string *format* , using the same format codes as `Py_BuildValue` , covered earlier. When *format* is `NULL` , calls *x* with no arguments. Returns the call's result.

PyObject_CallMethod

```
PyObject* PyObject_CallMethod(PyObject* x, char* method, char* format, ...)
```

Calls the method named *method* of Python object *x* with positional arguments described by format string *format* , using the same format codes as `Py_BuildValue` . When *format* is `NULL` , calls the method with no arguments. Returns the call's result.

PyObject_Cmp

```
int PyObject_Cmp(PyObject* x1, PyObject* x2, int* result)
```

Compares objects *x1* and *x2* and places the result (-1 , 0 , or 1) in **result* , like Python's `result = cmp(x1 ,x2)` .

PyObject_DelAttrString

```
int PyObject_DelAttrString(PyObject* x, char* name)
```

Deletes *x* 's attribute named *name* , like Python's `del x .name` .

PyObject_DelItem

```
int PyObject_DelItem(PyObject* x, PyObject* key)
```

Deletes *x* 's item with key (or index) *key* , like Python's `del x [key]` .

PyObject_DelItemString

```
int PyObject_DelItemString(PyObject* x, char* key)
```

Deletes *x* 's item with key *key* , like Python's `del x [key]` .

PyObject_GetAttrString

```
PyObject* PyObject_GetAttrString(PyObject* x, char* name)
```

Returns *x* 's attribute named *name* , like Python's `x .name` .

PyObject_GetItem

```
PyObject* PyObject_GetItem(PyObject* x, PyObject* key)
```

Returns *x* 's item with key (or index) *key* , like Python's `x [key]` .

PyObject_GetItemString

```
int PyObject_GetItemString(PyObject* x, char* key)
```

Returns *x* 's item with key *key* , like Python's `x [key]` .

PyObject_GetIter


```
PyObject* PyObject_GetIter(PyObject* x)
```

Returns an iterator on `x` , like Python's `iter(x)` .

PyObject_HasAttrString

```
int PyObject_HasAttrString(PyObject* x, char* name)
```

True if `x` has an attribute named `name` , like Python's `hasattr(x, name)` .

PyObject_IsTrue

```
int PyObject_IsTrue(PyObject* x)
```

True if `x` is true for Python, like Python's `bool(x)` .

PyObject_Length

```
int PyObject_Length(PyObject* x)
```

Returns `x` 's length, like Python's `len(x)` .

PyObject_Repr

```
PyObject* PyObject_Repr(PyObject* x)
```

Returns `x` 's detailed string representation, like Python's `repr(x)` .

PyObject_RichCompare

```
PyObject* PyObject_RichCompare(PyObject* x, PyObject* y, int op)
```

Performs the comparison indicated by `op` between `x` and `y` , and returns the result as a Python object. `op` can be `Py_EQ` , `Py_NE` , `Py_LT` , `Py_LE` , `Py_GT` , or `Py_GE` , corresponding to Python comparisons `x == y` , `x != y` , `x < y` , `x <= y` , `x > y` , or `x >= y` , respectively.

PyObject_RichCompareBool

```
int PyObject_RichCompareBool(PyObject* x,PyObject* y,int op)
```

Like `PyObject_RichCompare` , but returns 0 for false, 1 for true.

PyObject_SetAttrString

```
int PyObject_SetAttrString(PyObject* x,char* name,PyObject* v)
```

Sets `x` 's attribute named `name` to `v` , like Python's `x.name = v` .

PyObject_SetItem

```
int PyObject_SetItem(PyObject* x,PyObject* k,PyObject *v)
```

Sets `x` 's item with key (or index) `key` to `v` , like Python's `x[key]=v` .

PyObject_SetItemString

```
int PyObject_SetItemString(PyObject* x,char* key,PyObject *v)
```

Sets `x` 's item with key `key` to `v` , like Python's `x[key]=v` .

PyObject_Str

```
PyObject* PyObject_Str(PyObject* x)
```

Returns `x` 's readable string form, like Python's `str(x)` .

PyObject_Type

```
PyObject* PyObject_Type(PyObject* x)
```

Returns `x` 's type object, like Python's `type(x)` .

PyObject_Unicode

```
PyObject* PyObject_Unicode(PyObject* x)
```

Returns `x` 's Unicode string form, like Python's `unicode(x)` .

PySequence_Contains

```
int PySequence_Contains(PyObject* x,PyObject* v)
```

True if `v` is an item in `x` , like Python's `v in x` .

PySequence_DelSlice

```
int PySequence_DelSlice(PyObject* x,int start,int stop)
```

Delete `x` 's slice from `start` to `stop` , like Python's `del x [start :stop]` .

PySequence_Fast

```
PyObject* PySequence_Fast(PyObject* x)
```

Returns a new reference to a tuple with the same items as `x` , unless `x` is a list, in which case returns a new reference to `x` . When you need to get many items of an arbitrary sequence `x` , it's fastest to call `t = PySequence_Fast(x)` once, then call `PySequence_Fast_GET_ITEM(t ,i)` as many times as needed, and finally call `Py_DECREF(t)` .

PySequence_Fast_GET_ITEM

```
PyObject* PySequence_Fast_GET_ITEM(PyObject* x,int i)
```

Returns the `i` item of `x` , where `x` must be the result of `PySequence_Fast` , `x !=NULL` , and `0<=i<PySequence_Fast_GET_SIZE(t)` . Violating these conditions can cause program crashes: this approach is optimized for speed, not for safety.

PySequence_Fast_GET_SIZE

```
int PySequence_Fast_GET_SIZE(PyObject* x)
```

Returns the length of `x` . `x` must be the result of `PySequence_Fast` , `x !=NULL` .

PySequence_GetSlice

```
PyObject* PySequence_GetSlice(PyObject* x,int start,int stop)
```

Returns *x* 's slice from *start* to *stop* , like Python's *x* [*start* :*stop*] .

PySequence_List

```
PyObject* PySequence_List(PyObject* x)
```

Returns a new list object with the same items as *x* , like Python's *list(x)* .

PySequence_SetSlice

```
int PySequence_SetSlice(PyObject* x,int start,int stop,PyObject* v)
```

Sets *x* 's slice from *start* to *stop* to *v* , like Python's *x* [*start* :*stop*]=*v* . Just as in the equivalent Python statement, *v* must be a sequence of the same type as *x* .

PySequence_Tuple

```
PyObject* PySequence_Tuple(PyObject* x)
```

Returns a new reference to a tuple with the same items as *x* , like Python's *tuple(x)* .

The functions whose names start with *PyNumber_* allow you to perform numeric operations. Unary *PyNumber* functions, which take one argument *PyObject* x* and return a *PyObject** , are listed in Table 24-3 with their Python equivalents.

Table 24-3. Unary *PyNumber* functions

Function	Python equivalent
<i>PyNumber_Absolute</i>	<i>abs(x)</i>
<i>PyNumber_Float</i>	<i>float(x)</i>
<i>PyNumber_Int</i>	<i>int(x)</i>
<i>PyNumber_Invert</i>	<i>~x</i>
<i>PyNumber_Long</i>	<i>long(x)</i>
<i>PyNumber_Negative</i>	<i>-x</i>
<i>PyNumber_Positive</i>	<i>+x</i>

Binary *PyNumber* functions, which take two *PyObject** arguments *x* and *y* and return a *PyObject** , are similarly listed in Table 24-4 .

Table 24-4. Binary PyNumber functions

Function	Python equivalent
<code>PyNumber_Add</code>	<code>x + y</code>
<code>PyNumber_And</code>	<code>x & y</code>
<code>PyNumber_Divide</code>	<code>x / y</code>
<code>PyNumber_Divmod</code>	<code>divmod(x, y)</code>
<code>PyNumber_FloorDivide</code>	<code>x // y</code>
<code>PyNumber_Lshift</code>	<code>x << y</code>
<code>PyNumber_Multiply</code>	<code>x * y</code>
<code>PyNumber_Or</code>	<code>x y</code>
<code>PyNumber_Remainder</code>	<code>x % y</code>
<code>PyNumber_Rshift</code>	<code>x >> y</code>
<code>PyNumber_Subtract</code>	<code>x - y</code>
<code>PyNumber_TrueDivide</code>	<code>x / y</code> (non-truncating)
<code>PyNumber_Xor</code>	<code>x ^ y</code>

All the binary `PyNumber` functions have in-place equivalents whose names start with `PyNumber_InPlace`, such as `PyNumber_InPlaceAdd` and so on. The in-place versions try to modify the first argument in-place, if possible, and in any case return a new reference to the result, be it the first argument (modified) or a new object. Python's built-in numbers are immutable; therefore, when the first argument is a number of a built-in type, the in-place versions work just the same as the ordinary versions. Function `PyNumber_Divmod` returns a tuple with two items (the quotient and the remainder) and has no in-place equivalent.

There is one ternary `PyNumber` function, `PyNumber_Power`.

PyNumber_Power

```
PyObject* PyNumber_Power(PyObject* x, PyObject* y, PyObject* z)
```

When `z` is `Py_None`, returns `x` raised to the `y` power, like Python's `x ** y` or equivalently `pow(x, y)`. Otherwise, returns `x ** y % z`, like Python's `pow(x, y, z)`. The in-place version is named `PyNumber_InPlacePower`.

24.1.10 Concrete Layer Functions

Each specific type of Python built-in object supplies concrete functions to operate on instances of that type, with names starting with `Py type _` (e.g., `PyInt_` for functions related to Python `int`s). Most such functions duplicate the functionality of abstract-layer functions or auxiliary functions covered earlier in this chapter, such as `Py_BuildValue`, which can generate objects of many types. In this section, I cover some frequently used functions from the concrete layer that provide unique functionality or substantial convenience or speed. For most types, you can check if an object belongs to the type by calling `Py type _Check`, which also accepts instances of subtypes, or `Py type _CheckExact`, which accepts only instances of `type`, not of subtypes. Signatures are as for functions `PyIter_Check`, covered earlier in this chapter.

PyDict_GetItem

```
PyObject* PyDict_GetItem(PyObject* x,PyObject* key)
```

Returns a borrowed reference to the item with key *key* of dictionary *x* .

PyDict_GetItemString

```
int PyDict_GetItemString(PyObject* x,char* key)
```

Returns a borrowed reference to the item with key *key* of dictionary *x* .

PyDict_Next

```
int PyDict_Next(PyObject* x,int* pos,PyObject** k,PyObject** v)
```

Iterates over items in dictionary *x* . You must initialize ** pos* to 0 at the start of the iteration: *PyDict_Next* uses and updates ** pos* to keep track of its place. For each successful iteration step, returns 1 ; when there are no more items, returns 0 . Updates ** k* and ** v* to point to the next key and value respectively (borrowed references) at each step that returns 1 . You can pass either *k* or *v* as `NULL` if you are not interested in the key or value. During an iteration, you must not change in any way the set of *x* 's keys, but you can change *x* 's values as long as the set of keys remains identical.

PyDict_Merge

```
int PyDict_Merge(PyObject* x,PyObject* y,int override)
```

Updates dictionary *x* by merging the items of dictionary *y* into *x* . *override* determines what happens when a key *k* is present in both *x* and *y* : if *override* is 0 , then *x* [*k*] remains the same; otherwise *x* [*k*] is replaced by the value *y* [*k*] .

PyDict_MergeFromSeq2

```
int PyDict_MergeFromSeq2(PyObject* x,PyObject* y,int override)
```

Like *PyDict_Merge* , except that *y* is not a dictionary but a sequence of sequences, where each subsequence has length 2 and is used as a (*key* ,*value*) pair.

PyFloat_AS_DOUBLE

```
double PyFloat_AS_DOUBLE(PyObject* x)
```

Returns the C `double` value of Python `float x` , very fast, without error checking.

PyList_New

```
PyObject* PyList_New(int length)
```

Returns a new, uninitialized list of the given `length` . You must then initialize the list, typically by calling `PyList_SET_ITEM length` times.

PyList_GET_ITEM

```
PyObject* PyList_GET_ITEM(PyObject* x,int pos)
```

Returns the `pos` item of list `x` , without error checking.

PyList_SET_ITEM

```
int PyList_SET_ITEM(PyObject* x,int pos,PyObject* v)
```

Sets the `pos` item of list `x` to `v` , without error checking. Steals a reference to `v` . Use only immediately after creating a new list `x` with `PyList_New` .

PyString_AS_STRING

```
char* PyString_AS_STRING(PyObject* x)
```

Returns a pointer to the internal buffer of string `x` , very fast, without error checking. You must not modify the buffer in any way, unless you just allocated it by calling `PyString_FromStringAndSize(NULL ,size)` .

PyString_AsStringAndSize

```
int PyString_AsStringAndSize(PyObject* x,char** buffer,int* length)
```

Puts a pointer to the internal buffer of string `x` in `*buffer` , and `x` 's length in `*length` . You must not modify the buffer in any way, unless you just allocated it by calling `PyString_FromStringAndSize(NULL ,size)` .

PyString_FromFormat

```
PyObject* PyString_FromFormat(char* format,...)
```

Returns a Python string built from format string *format* , which has syntax similar to `printf` 's, and the following C values indicated as variable arguments above.

PyString_FromStringAndSize

```
PyObject* PyString_FromFormat(char* data,int size)
```

Returns a Python string of length *size* , copying *size* bytes from *data* . When *data* is `NULL` , the Python string is uninitialized, and you must initialize it. You can get the pointer to the string's internal buffer by calling `PyString_AS_STRING` .

PyTuple_New

```
PyObject* PyTuple_New(int length)
```

Returns a new, uninitialized tuple of the given *length* . You must then initialize the tuple, typically by calling `PyTuple_SET_ITEM` *length* times.

PyTuple_GET_ITEM

```
PyObject* PyTuple_GET_ITEM(PyObject* x,int pos)
```

Returns the *pos* item of tuple *x* , without error checking.

PyTuple_SET_ITEM

```
int PyTuple_SET_ITEM(PyObject* x,int pos,PyObject* v)
```

Sets the *pos* item of tuple *x* to *v* , without error checking. Steals a reference to *v* . Use only immediately after creating a new tuple *x* with `PyTuple_New` .

24.1.11 A Simple Extension Example

Example 24-1 exposes the functionality of Python C API functions `PyDict_Merge` and `PyDict_MergeFromSeq2` for Python use. The `update` method of dictionaries works like `PyDict_Merge` with `override =1` , but Example 24-1 is more general.

Example 24-1. A simple Python extension module merge.c

```
#include <Python.h>

static PyObject*
merge(PyObject* self, PyObject* args, PyObject* kwds)
{
    static char* argnames[] = {"x","y","override",NULL};
    PyObject *x, *y;
    int override = 0;
    if(!PyArg_ParseTupleAndKeywords(args, kwds, "O!O|i", argnames,
        &PyDict_Type, &x, &y, &override))
        return NULL;
    if(-1 == PyDict_Merge(x, y, override)) {
        if(!PyErr_ExceptionMatches(PyExc_TypeError)):
            return NULL;
        PyErr_Clear( );
        if(-1 == PyDict_MergeFromSeq2(x, y, override))
            return NULL;
    }
    return Py_BuildValue("");
}

static char merge_docs[] = "\
merge(x,y,override=False): merge into dict x the items of dict y (or the pairs\n\
that are the items of y, if y is a sequence), with optional override.\n\
Alters dict x directly, returns None.\n\
";

static PyObject*
mergenew(PyObject* self, PyObject* args, PyObject* kwds)
{
    static char* argnames[] = {"x","y","override",NULL};
    PyObject *x, *y, *result;
    int override = 0;
    if(!PyArg_ParseTupleAndKeywords(args, kwds, "O!O|i", argnames,
        &PyDict_Type, &x, &y, &override))
        return NULL;
    result = PyObject_CallMethod(x, "copy", "");
    if(!result)
        return NULL;
    if(-1 == PyDict_Merge(result, y, override)) {
        if(!PyErr_ExceptionMatches(PyExc_TypeError)):
            return NULL;
        PyErr_Clear( );
        if(-1 == PyDict_MergeFromSeq2(result, y, override))
            return NULL;
    }
    return result;
}
```

```

static char merge_docs[] = "\
mergenew(x,y,override=False): merge into dict x the items of dict y (or\n\
    the pairs that are the items of y, if y is a sequence), with optional\n\
    override. Does NOT alter x, but rather returns the modified copy as\n\
    the function's result.\n\
";

static PyMethodDef funcs[] = {
    {"merge", (PyCFunction)merge, METH_KEYWORDS, merge_docs},
    {"mergenew", (PyCFunction)mergenew, METH_KEYWORDS, mergenew_docs},
    {NULL}
};

void
initmerge(void)
{
    Py_InitModule3("merge", funcs, "Example extension module");
}

```

This example declares as `static` every function and global variable in the C source file, except `initmerge`, which must be visible from the outside to let Python call it. Since the functions and variables are exposed to Python via the `PyMethodDef` structures, Python does not need to see their names directly. Therefore, declaring them `static` is best: this ensures that names don't accidentally end up in the whole program's global namespace, as might otherwise happen on some platforms, possibly causing conflicts and errors.

The format string `"O!O|i "` passed to `PyArg_ParseTupleAndKeywords` indicates that function `merge` accepts three arguments from Python: an object with a type constraint, a generic object, and an optional integer. At the same time, the format string indicates that the variable part of `PyArg_ParseTupleAndKeywords`'s arguments must contain four addresses: in order, the address of a Python type object, then two addresses of `PyObject*` variables, and finally the address of an `int` variable. The `int` variable must have been previously initialized to its intended default value, since the corresponding Python argument is optional.

And indeed, after the `argnames` argument, the code passes `&PyDict_Type` (i.e., the address of the dictionary type object). Then it passes the addresses of the two `PyObject*` variables. Finally, it passes the address of variable `override`, an `int` that was previously initialized to `0`, since the default, when the `override` argument isn't explicitly passed from Python, should be no overriding. If the return value of `PyArg_ParseTupleAndKeywords` is `0`, the code immediately returns `NULL` to propagate the exception; this automatically diagnoses most cases where Python code passes wrong arguments to our new function `merge`.

When the arguments appear to be okay, it tries `PyDict_Merge`, which succeeds if `y` is a dictionary. When `PyDict_Merge` raises a `TypeError`, indicating that `y` is not a dictionary, the code clears the error and tries again, this time with `PyDict_MergeFromSeq2`, which succeeds when `y` is a sequence of pairs. If that also fails, it returns `NULL` to propagate the exception. Otherwise, it returns `None` in the simplest way (i.e., with `return Py_BuildValue(" ")`) to indicate success.

Function `mergenew` basically duplicates `merge`'s functionality; however, `mergenew` does not alter its arguments, but rather builds and returns a new dictionary as the function's result. The C API function `PyObject_CallMethod` lets `mergenew` call the `copy` method of its first Python-passed argument, a dictionary object, and obtain a new dictionary object that it then alters (with exactly the same logic as function `merge`). It then returns the altered dictionary as the function result (thus, no need to call `Py_BuildValue` in this case).

The code of Example 24-1 must reside in a source file named *merge.c*. In the same directory, create the following script named *setup.py*:

```
from distutils.core import setup, Extension
setup(name='merge', ext_modules=[ Extension('merge',sources=['merge.c']) ])
```

Now, run *python setup.py install* at a shell prompt in this directory. This command builds the dynamically loaded library for the *merge* extension module, and copies it to the appropriate directory, depending on your Python installation. Now your Python code can use the module. For example:

```
import merge
x = {'a':1,'b':2 }
merge.merge(x,['b',3],['c',4])
print x # prints: {'a':1, 'b':2, 'c':4 }
print merge.mergenew(x,{'a':5,'d':6},override=1)
# prints: {'a':5, 'b':2, 'c':4, 'd':6 }
print x # prints: {'a':1, 'b':2, 'c':4 }
```

This example shows the difference between *merge* (which alters its first argument) and *mergenew* (which returns a new object and does not alter its argument). It also shows that the second argument can be either a dictionary or a sequence of two-item subsequences. Further, it demonstrates default operation (where keys that are already in the first argument are left alone) as well as the *override* option (where keys coming from the second argument take precedence, as in Python dictionaries' *update* method).

24.1.12 Defining New Types

In your extension modules, you often want to define new types and make them available to Python. A type's definition is held in a large struct named *PyTypeObject*. Most of the fields of *PyTypeObject* are pointers to functions. Some fields point to other structs, which in turn are blocks of pointers to functions. *PyTypeObject* also includes a few fields giving the type's name, size, and behavior details (option flags). You can leave almost all fields of *PyTypeObject* set to *NULL* if you do not supply the related functionality. You can point some fields to functions in the Python C API in order to supply certain aspects of fundamental object functionality in standard ways.

The best way to implement a type is to copy from the Python sources the file *Modules/xxsubtype.c*, which Python supplies exactly for such didactical purposes, and edit it. It's a complete module with two types, subclassing from *list* and *dict* respectively. Another example in the Python sources, *Objects/xxobject.c*, is not a complete module, and the type in this file is minimal and old-fashioned, not using modern recommended approaches. See <http://www.python.org/dev/doc/devel/api/type-structs.html> for detailed documentation on *PyTypeObject* and other related structs. File *Include/object.h* in the Python sources contains the declarations of these types, as well as several important comments that you would do well to study.

24.1.12.1 Per-instance data

To represent each instance of your type, declare a C struct that starts, right after the opening brace, with macro *PyObject_HEAD*. The macro expands into the data fields that your struct must begin with in order to be a Python object. Those fields include the reference count and a pointer to the instance's type. Any pointer to your structure can be correctly cast to a *PyObject**.

The *PyTypeObject* struct that defines your type's characteristics and behavior must contain the size of your per-instance struct, as well as pointers to the C functions you write to operate on your structure. Therefore,

you normally place the `PyObject` toward the end of your code, after the per-instance struct and all the functions that operate on instances of the per-instance struct. Each `x` that points to a structure starting with `PyObject_HEAD`, and in particular each `PyObject* x`, has a field `x->ob_type` that is the address of the `PyObject` structure that is `x`'s Python type object.

24.1.12.2 The PyObject definition

Given a per-instance struct such as:

```
typedef struct {
    PyObject_HEAD
    /* other data needed by instances of this type, omitted */
} mytype;
```

the corresponding `PyObject` struct almost invariably begins in a way similar to:

```
static PyObject t_mytype = {
/* tp_head */          PyObject_HEAD_INIT(NULL)    /* use NULL, for MSVC++ */
/* tp_internal */      0,                          /* must be 0 */
/* tp_name /           "mymodule.mytype",          /* type name with module */
/* tp_basicsize */     sizeof(mytype),
/* tp_itemsize */      0,                          /* 0 except variable-size type */
/* tp_dealloc */       (destructor)mytype_dealloc,
/* tp_print */         0,                          /* usually 0, use str instead */
/* tp_getattr */       0,                          /* usually 0 (see getattro) */
/* tp_setattr */       0,                          /* usually 0 (see setattro) */
/* tp_compare*/        0,                          /* see also richcompare */
/* tp_repr */          (reprfunc)mytype_str,        /* like Python's __repr__ */
    /* rest of struct omitted */
}
```

For portability to Microsoft Visual C++, the `PyObject_HEAD_INIT` macro at the start of the `PyObject` must have an argument of `NULL`. During module initialization, you must call `PyObject_Ready(&t_mytype)`, which, among other tasks, inserts in `t_mytype` the address of its type (the type of a type is also known as a metatype), normally `&PyObject_Type`. Another slot in `PyObject` that points to another type object is `tp_base`, later in the structure. In the structure definition itself, you must have a `tp_base` of `NULL`, again for compatibility with Microsoft Visual C++. However, before you invoke `PyObject_Ready(&t_mytype)`, you can optionally set `t_mytype.tp_base` to the address of another type object. When you do so, your type inherits from the other type, just like a class coded in Python 2.2 can optionally inherit from a built-in type. For a Python type coded in C, inheriting means that for most fields in the `PyObject`, if you set the field to `NULL`, `PyObject_Ready` copies the corresponding field from the base type. A type must specifically assert in its field `tp_flags` that it is usable as a base type, otherwise no other type can inherit from it.

The `tp_itemsize` field is of interest only for types that, like tuples, have instances of different sizes, and can determine instance size once and forever at creation time. Most types just set `tp_itemsize` to 0. Fields such as `tp_getattr` and `tp_setattr` are generally set to `NULL` because they exist only for backward compatibility: modern types use fields `tp_getattro` and `tp_setattro` instead. Field `tp_repr` is typical of most of the following fields, which are omitted here: the field holds the address of a function, which corresponds directly to a Python special method (here, `__repr__`). You can set the field to `NULL`, indicating that your type does not supply the special method, or else set the field to point to a function with the needed functionality. If you set the field to `NULL`, but also point to a base type from the `tp_base` slot, you inherit the special method, if any, from your base type. You often need to cast your functions to the specific `typedef` type that a field needs (here, type `reprfunc` for field `tp_repr`) because the `typedef` has

a first argument `PyObject* self` , while your functions, being specific to your type, normally use more specific pointers. For example:

```
static PyObject* mytype_str(mytype* self) { ... /* rest omitted */
```

Alternatively, you can declare `mytype_str` with a `PyObject* self` , then use a cast `(mytype*)self` in the function's body. Either alternative is acceptable, but it's more common to locate the casts in the `PyTypeObject` declaration.

24.1.12.3 Instance initialization and finalization

The task of finalizing your instances is split among two functions. The `tp_dealloc` slot must never be `NULL` , except for immortal types (i.e., types whose instances are never deallocated). Python calls `x->ob_type->tp_dealloc(x)` on each instance `x` whose reference count decreases to `0` , and the function thus called must release any resource held by object `x` , including `x` 's memory. When an instance of `mytype` holds no other resources that must be released (in particular, no owned references to other Python objects that you would have to `DECREF`), `mytype` 's destructor can be extremely simple:

```
static void mytype_dealloc(PyObject *x)
{
    x->ob_type->tp_free((PyObject*)x);
}
```

The function in the `tp_free` slot has the specific task of freeing `x` 's memory. In Python 2.2, the function has signature `void name (PyObject*)` . In Python 2.3, the signature has changed to `void name (void*)` . One way to ensure your sources compile under both versions of Python is to put in slot `tp_free` the C API function `_PyObject_Del` , which has the right signature in each version.

The task of initializing your instances is split among three functions. To allocate memory for new instances of your type, put in slot `tp_alloc` the C API function `PyType_GenericAlloc` , which does absolutely minimal initialization, clearing the newly allocated memory bytes to `0` except for the type pointer and reference count. Similarly, you can often set field `tp_new` to the C API function `PyType_GenericNew` . In this case, you can perform all per-instance initialization in the function you put in slot `tp_init` , which has the signature:

```
int init_name(PyObject *self, PyObject *args, PyObject *kwargs)
```

The positional and named arguments to the function in slot `tp_init` are those passed when calling the type to create the new instance, just like, in Python, the positional and named arguments to `__init__` are those passed when calling the class object. Again like for types (classes) defined in Python, the general rule is to do as little initialization as possible in `tp_new` and as much as possible in `tp_init` . Using `PyType_GenericNew` for `tp_new` accomplishes this. However, you can choose to define your own `tp_new` for special types, such as ones that have immutable instances, where initialization must happen earlier. The signature is:

```
PyObject* new_name(PyObject *subtype, PyObject *args, PyObject *kwargs)
```

The function in `tp_new` must return the newly created instance, normally an instance of `subtype` (which may be a type that inherits from yours). The function in `tp_init` , on the other hand, must return `0` for success, or `-1` to indicate an exception.

If your type is subclassable, it's important that any instance invariants be established before the function in `tp_new` returns. For example, if it must be guaranteed that a certain field of the instance is never `NULL` , that field must be set to a non-`NULL` value by the function in `tp_new` . Subtypes of your type might fail to call your

`tp_init` function; therefore such indispensable initializations should be in `tp_new` for subclassable types.

24.1.12.4 Attribute access

Access to attributes of your instances, including methods (as covered in Chapter 5) is mediated by the functions you put in slots `tp_getattro` and `tp_setattro` of your `PyTypeObject` struct. Normally, you put there the standard C API functions `PyObject_GenericGetAttr` and `PyObject_GenericSetAttr`, which implement standard semantics. Specifically, these API functions access your type's methods via the slot `tp_methods`, pointing to a sentinel-terminated array of `PyMethodDef` structs, and your instances' members via the slot `tp_members`, a similar sentinel-terminated array of `PyMemberDef` structs:

```
typedef struct {
    char* name;           /* Python-visible name of the member */
    int type;            /* code defining the data-type of the member */
    int offset;          /* offset of the member in the per-instance struct */
    int flags;           /* READONLY for a read-only member */
    char* doc;           /* docstring for the member */
} PyMemberDef
```

As an exception to the general rule that including *Python.h* gets you all the declarations you need, you have to include *structmember.h* explicitly in order to have your C source see the declaration of `PyMemberDef`.

`type` is generally `T_OBJECT` for members that are `PyObject*`, but many other type codes are defined in *Include/structmember.h* for members that your instances hold as C-native data (e.g., `T_DOUBLE` for `double` or `T_STRING` for `char*`). For example, if your per-instance struct is something like:

```
typedef struct {
    PyObject_HEAD
    double datum;
    char* name;
} mytype;
```

to expose to Python per-instance attributes `datum` (read/write) and `name` (read-only), you can define the following array and point your `PyTypeObject`'s `tp_members` to it:

```
static PyMemberDef[] mytype_members = {
    {"datum", T_DOUBLE, offsetof(mytype, datum), 0, "The current datum"},
    {"name", T_STRING, offsetof(mytype, name), READONLY,
     "Name of the datum"},
    {NULL}
};
```

Using `PyObject_GenericGetAttr` and `PyObject_GenericSetAttr` for `tp_getattro` and `tp_setattro` also provides further possibilities, which I will not cover in detail in this book. Field `tp_getset` points to a sentinel-terminated array of `PyGetSetDef` structs, the equivalent of having `property` instances in a Python-coded class. If your `PyTypeObject`'s field `tp_dictoffset` is not equal to 0, the field's value must be the offset, within the per-instance struct, of a `PyObject*` that points to a Python dictionary. In this case, the generic attribute access API functions use that dictionary to allow Python code to set arbitrary attributes on your type's instances, just like for instances of Python-coded classes.

Another dictionary is per-type, not per-instance: the `PyObject*` for the per-type dictionary is slot `tp_dict` of your `PyTypeObject` struct. You can set slot `tp_dict` to `NULL`, and then `PyType_Ready` initializes the

dictionary appropriately. Alternatively, you can set `tp_dict` to a dictionary of type attributes, and then `PyType_Ready` adds other entries to that same dictionary, in addition to the type attributes you set. It's generally easier to start with `tp_dict` set to `NULL`, call `PyType_Ready` to create and initialize the per-type dictionary, and then, if need be, add any further entries to the dictionary.

Field `tp_flags` is a `long` whose bits determine your type struct's exact layout, mostly for backward compatibility. Normally, set this field to `Py_TPFLAGS_DEFAULT` to indicate that you are defining a normal, modern type. You should set `tp_flags` to `Py_TPFLAGS_DEFAULT | Py_TPFLAGS_HAVE_GC` if your type supports cyclic garbage collection. Your type should support cyclic garbage collection if instances of the type contain `PyObject*` fields that might point to arbitrary objects and form part of a reference loop. However, to support cyclic garbage collection, it's not enough to add `Py_TPFLAGS_HAVE_GC` to field `tp_flags`; you also have to supply appropriate functions, indicated by slots `tp_traverse` and `tp_clear`, and register and unregister your instances appropriately with the cyclic garbage collector. Supporting cyclic garbage collection is an advanced subject, and I do not cover it further in this book. Similarly, I do not cover the advanced subject of supporting weak references.

Field `tp_doc`, a `char*`, is a null-terminated character string that is your type's docstring. Other fields point to structs (whose fields point to functions); you can set each such field to `NULL` to indicate that you support none of the functions of that kind. The fields pointing to such blocks of functions are `tp_as_number`, for special methods typically supplied by numbers; `tp_as_sequence`, for special methods typically supplied by sequences; `tp_as_mapping`, for special methods typically supplied by mappings; and `tp_as_buffer`, for the special methods of the buffer protocol.

For example, objects that are not sequences can still support one or a few of the methods listed in the block to which `tp_as_sequence` points, and in that case the `PyTypeObject` must have a non-`NULL` field `tp_as_sequence`, even if the block of function pointers it points to is in turn mostly full of `NULL`s. For example, dictionaries supply a `__contains__` special method so that you can check if `x in d` when `d` is a dictionary. At the C code level, the method is a function pointed to by field `sq_contains`, which is part of the `PySequenceMethods` struct to which field `tp_as_sequence` points. Therefore, the `PyTypeObject` struct for the `dict` type, named `PyDict_Type`, has a non-`NULL` value for `tp_as_sequence`, even though a dictionary supplies no other field in `PySequenceMethods` except `sq_contains`, and therefore all other fields in `*(PyDict_Type.tp_as_sequence)` are `NULL`.

24.1.12.5 Type definition example

Example 24-2 is a complete Python extension module that defines the very simple type `intpair`, each instance of which holds two integers named `first` and `second`.

Example 24-2. Defining a new `intpair` type

```
#include "Python.h"
#include "structmember.h"

/* per-instance data structure */
typedef struct {
    PyObject_HEAD
    int first, second;
} intpair;

static int
intpair_init(PyObject *self, PyObject *args, PyObject *kwds)
{
```

```

static char* nams[] = {"first", "second", NULL};
int first, second;
if(!PyArg_ParseTupleAndKeywords(args, kwds, "ii", nams, &first, &second))
    return -1;
((intpair*)self)->first = first;
((intpair*)self)->second = second;
return 0;
}

static void
intpair_dealloc(PyObject *self)
{
    self->ob_type->tp_free(self);
}

static PyObject*
intpair_str(PyObject* self)
{
    return PyString_FromFormat("intpair(%d,%d)",
        ((intpair*)self)->first, ((intpair*)self)->second);
}

static PyMemberDef intpair_members[] = {
    {"first", T_INT, offsetof(intpair, first), 0, "first item" },
    {"second", T_INT, offsetof(intpair, second), 0, "second item" },
    {NULL}
};

static PyTypeObject t_intpair = {
    PyObject_HEAD_INIT(0) /* tp_head */
    0, /* tp_internal */
    "intpair.intpair", /* tp_name */
    sizeof(intpair), /* tp_basicsize */
    0, /* tp_itemsize */
    intpair_dealloc, /* tp_dealloc */
    0, /* tp_print */
    0, /* tp_getattr */
    0, /* tp_setattr */
    0, /* tp_compare */
    intpair_str, /* tp_repr */
    0, /* tp_as_number */
    0, /* tp_as_sequence */
    0, /* tp_as_mapping */
    0, /* tp_hash */
    0, /* tp_call */
    0, /* tp_str */
    PyObject_GenericGetAttr, /* tp_getattro */
    PyObject_GenericSetAttr, /* tp_setattro */
    0, /* tp_as_buffer */
    Py_TPFLAGS_DEFAULT,
    "two ints (first,second)",
    0, /* tp_traverse */
};

```



```

    0, /* tp_clear */
    0, /* tp_richcompare */
    0, /* tp_weaklistoffset */
    0, /* tp_iter */
    0, /* tp_iternext */
    0, /* tp_methods */
    intpair_members, /* tp_members */
    0, /* tp_getset */
    0, /* tp_base */
    0, /* tp_dict */
    0, /* tp_descr_get */
    0, /* tp_descr_set */
    0, /* tp_dictoffset */
    intpair_init, /* tp_init */
    PyType_GenericAlloc, /* tp_alloc */
    PyType_GenericNew, /* tp_new */
    _PyObject_Del, /* tp_free */
};

void
initintpair(void)
{
    static PyMethodDef no_methods[] = { {NULL} };
    PyObject* this_module = Py_InitModule("intpair", no_methods);
    PyType_Ready(&t_intpair);
    PyObject_SetAttrString(this_module, "intpair", (PyObject*)&t_intpair);
}

```

The `intpair` type defined in Example 24-2 gives just about no substantial benefits when compared to an equivalent definition in Python, such as:

```

class intpair(object):
    __slots__ = 'first', 'second'
    def __init__(self, first, second):
        self.first = first
        self.second = second
    def __repr__(self):
        return 'intpair(%s,%s)' % (self.first, self.second)

```

The C-coded version does ensure the two attributes are integers, truncating float or complex number arguments as needed. For example:

```

import intpair
x=intpair.intpair(1.2,3.4)          # x is: intpair(1,3)

```

Each instance of the C-coded version of `intpair` occupies somewhat less memory than an instance of the Python version in the above example. However, the purpose of Example 24-2 is purely didactic: to present a C-coded Python extension that defines a new type.

[Team LiB]

[\[Team LiB \]](#)

24.2 Extending Python Without Python's C API

You can code Python extensions in other classic compiled languages besides C. For Fortran, the choice is between Paul Dubois's Pyfort (available at <http://pyfortran.sf.net>) and Pearu Peterson's F2PY (available at <http://cens.ioc.ee/projects/f2py2e/>). Both packages support and require the `Numeric` package covered in [Chapter 15](#), since numeric processing is Fortran's typical application area.

For C++, the choice is between Gordon McMillan's simple, lightweight SCXX (available at <http://www.mcmillan-inc.com/scxx.html>), which uses no templates and is thus suitable for older C++ compilers, Paul Dubois's CXX (available at <http://cxx.sf.net>), and David Abrahams's Boost Python Library (available at <http://www.boost.org/libs/python/doc>). Boost is a package of C++ libraries of uniformly high quality for compilers that support templates well, and includes the Boost Python component. Paul Dubois, CXX's author, recommends considering Boost. You may also choose to use Python's C API from your C++ code, using C++ in this respect as if it was C, and foregoing the extra convenience that C++ affords. However, if you're already using C++ rather than C anyway, then using SCXX, CXX, or Boost can substantially improve your programming productivity when compared to using Python's C API.

If your Python extension is basically a wrapper over an existing C or C++ library (as many are), consider SWIG, the Simplified Wrapper and Interface Generator (available at <http://www.swig.org>). SWIG generates the C source code for your extension based on the library's header files, generally with some help in terms of further annotations in an interface description file.

Greg Ewing is developing a language, Pyrex, specifically for coding Python extensions. Pyrex (found at <http://www.cosc.canterbury.ac.nz/~greg/python/Pyrex/>) is an interesting mix of Python and C concepts, and is already quite usable despite being a new development.

The `weave` package (available at http://www.scipy.org/site_content/weave), lets you run inline C/C++ code within Python. The `blitz` function, in particular, generates and runs C++ code from expressions using the `Numeric` package, and thus requires `Numeric`.

If your application runs only on Windows, the most practical way to extend and embed Python is generally through COM. In particular, COM is by far the best way to use Visual Basic modules (packaged as ActiveX classes) from Python. COM is also the best way to make Python-coded functionality (packaged as COM servers) available to Visual Basic programs. The standard Python distribution for Windows does not directly support COM: you also need to download and install the platform-specific `win32all` extension package (available at <http://starship.python.net/crew/mhammond/>). I do not cover Windows-specific functionality, including COM, any further in this book. For excellent coverage of platform-specific Python use on Windows, I recommend *Python Programming on Win32*, by Mark Hammond and Andy Robinson (O'Reilly).

[\[Team LiB \]](#)

[\[Team LiB \]](#)

24.3 Embedding Python

If you have an application already written in C or C++ (or any other classic compiled language), you may want to embed Python as your application's scripting language. To embed Python in languages other than C, the other language must be able to call C functions. In the following, I cover only the C view of things, since other languages vary widely regarding what you have to do in order to call C functions from them.

24.3.1 Installing Resident Extension Modules

In order for Python scripts to communicate with your application, your application must supply extension modules with Python-accessible functions and classes that expose your application's functionality. If these modules are linked with your application rather than residing in dynamic libraries that Python can load when necessary, register your modules with Python as additional built-in modules by calling the `PyImport_AppendInittab` C API function.

PyImport_AppendInittab

```
int PyImport_AppendInittab(char* name, void (*initfunc)(void))
```

`name` is the module name, which Python scripts use in `import` statements to access the module. `initfunc` is the module initialization function, taking no argument and returning no result, as covered earlier in this chapter (i.e., `initfunc` is the module's function that would be named `initname` for a normal extension module residing in a dynamic library). `PyImport_AppendInittab` must be called before calling `Py_Initialize`.

24.3.2 Setting Arguments

You may want to set the program name and arguments, which Python scripts can access as `sys.argv`, by calling either or both of the following C API functions.

Py_SetProgramName

```
void Py_SetProgramName(char* name)
```

Sets the program name, which Python scripts can access as `sys.argv[0]`. Must be called before calling `Py_Initialize`.

PySys_SetArgv

```
void PySys_SetArgv(int argc, char** argv)
```

Sets the program arguments, which Python scripts can access as `sys.argv[1:]`. Must be called after calling `Py_Initialize`.

24.3.3 Python Initialization and Finalization

After installing extra built-in modules and optionally setting the program name, your application initializes Python. At the end, when Python is no longer needed, your application finalizes Python. The relevant functions in the C API are as follows.

Py_Finalize

```
void Py_Finalize(void)
```

Frees all memory and other resources that Python is able to free. You should not make other Python C API calls after calling this function.

Py_Initialize

```
void Py_Initialize(void)
```

Initializes the Python environment. Make no other Python C API call before this one, except `PyImport_AppendInittab` and `Py_SetProgramName`, as covered earlier in this chapter.

24.3.4 Running Python Code

Your application can run Python source code from a character string or from a file. To run or compile Python source code, choose the mode of execution as one of the following three constants defined in *Python.h*.

`Py_eval_input`

The code is an expression to evaluate (like passing 'eval' to Python built-in function `compile`)

`Py_file_input`

The code is a block of one or more statements to execute (like 'exec' for `compile`-just like in that case, a trailing '\n' must close compound statements)

`Py_single_input`

The code is a single statement for interactive execution (like 'single' for `compile`-implicitly outputs the results of expression statements)

Running Python source code directly is similar to passing a source code string to Python statement `exec` or built-in function `eval`, or a source code file to built-in function `execfile`. Two general functions you can use

for this task are the following.

PyRun_File

```
PyObject* PyRun_File(FILE* fp, char* filename, int start,
PyObject* globals, PyObject* locals)
```

fp is a file of source code open for reading. *filename* is the name of the file, to use in error messages. *start* is one of the constants that define execution mode. *globals* and *locals* are dictionaries (may be the same dictionary twice) to use as global and local namespace for the execution. Returns the result of the expression when *start* is `Py_eval_input`, a new reference to `Py_None` otherwise, or `NULL` to indicate that an exception has been raised (often, but not always, due to a syntax error).

PyRun_String

```
PyObject* PyRun_String(char* astring, int start,
PyObject* globals, PyObject* locals)
```

Like `PyRun_File`, but the source code is in null-terminated string *astring*.

Dictionaries *locals* and *globals* are often new, empty dictionaries (most conveniently built by `Py_BuildValue("{ }")`) or the dictionary of a module. `PyImport_Import` is a convenient way to obtain an existing module object; `PyModule_GetDict` obtains a module's dictionary. Sometimes you want to create a new module object on the fly and populate it with `PyRun_` calls. To create a new, empty module, you can use the `PyModule_New` C API function.

PyModule_New

```
PyObject* PyModule_New(char* name)
```

Returns a new, empty module object for a module named *name*. Before the new object is usable, you must add to the object a string attribute named `__file__`. For example:

```
PyObject* newmod = PyModule_New("mymodule");
PyModule_AddStringConstant(newmod, "__file__",
"<synthetic>");
```

After this code is run, module object *newmod* is ready; you can obtain the module's dictionary with `PyModule_GetDict(newmod)` and pass it directly to such functions as `PyRun_String` as the *globals* and possibly also the *locals* argument.

To run Python code repeatedly, and to discern the diagnosis of syntax errors from that of runtime exceptions raised by the code when it runs, you can compile the Python source to a code object, then keep the code object and run it repeatedly. This is just as true when using the C API as when dynamically executing from Python, as covered in [Chapter 13](#). Two C API functions you can use for this task are the following.

Py_CompileString

```
PyObject* Py_CompileString(char* code, char* filename, int start)
```

code is a null-terminated string of source code. *filename* is the name of the file, to use in error messages. *start* is one of the constants that define execution mode. Returns the Python code object containing the bytecode, or `NULL` for syntax errors.

PyEval_EvalCode

```
PyObject* PyEval_EvalCode(PyObject* co, PyObject* globals,  
PyObject* locals)
```

co is a Python code object, as returned by `Py_CompileString`, for example. *globals* and *locals* are dictionaries (may be the same dictionary twice) to use as global and local namespace for the execution. Returns the result of the expression when *co* was compiled with `Py_eval_input`, a new reference to `Py_None` otherwise, or `NULL` to indicate the execution has raised an exception.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 25. Extending and Embedding Jython

Jython implements Python on a Java Virtual Machine (JVM). Jython's built-in objects, such as numbers, sequences, dictionaries, and files, are coded in Java. To extend Classic Python with C, you code C modules using the Python C API (as covered in [Chapter 24](#)). To extend Jython with Java, you do not have to code Java modules in special ways: every Java package on the Java `CLASSPATH` (or on Jython's `sys.path`) is automatically available to your Jython scripts and Jython interactive sessions for use with the `import` statement covered in [Chapter 7](#). This applies to Java's standard libraries, third-party Java libraries you have installed, and Java classes you have coded yourself. You can also extend Java with C using the Java Native Interface (JNI), and such extensions will also be available to Jython code, just as if they had been coded in pure Java rather than in JNI-compliant C.

For details on advanced issues related to interoperation between Java and Jython, I recommend *Jython Essentials*, by Samuele Pedroni and Noel Rappin (O'Reilly). In this chapter, I offer a brief overview of the simplest interoperation scenarios, which suffices for a large number of practical needs. Importing, using, extending, and implementing Java classes and interfaces in Jython just works in most practical cases of interest. In some cases, however, you need to be aware of issues related to accessibility, type conversions, and overloading, as covered in this chapter. Embedding the Jython interpreter in Java-coded applications is similar to embedding the Python interpreter in C-coded applications (as covered in [Chapter 24](#)), but the Jython task is easier. Jython offers yet another possibility for interoperation with Java, using the *jythonc* compiler to turn your Python sources into classic, static JVM bytecode *.class* and *.jar* files. You can then use these bytecode files in Java applications and frameworks, exactly as if their source code had been in Java rather than in Python.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

25.1 Importing Java Packages in Jython

Unlike Java, Jython does not implicitly and automatically import `java.lang`. Your Jython code can explicitly `import java.lang`, or even just `import java`, and then use classes such as `java.lang.System` and `java.lang.String` as if they were Python classes. Specifically, your Jython code can use imported Java classes as if they were Python classes with a `__slots__` class attribute (i.e., you cannot create arbitrary new instance attributes). You can subclass a Java class with your own Python class, and instances of your class let you create new attributes just by binding them, as usual.

You may choose to import a top-level Java package (such as `java`) rather than specific subpackages (such as `java.lang`). Your Python code acquires the ability to access all subpackages when you import the top-level package. For example, after `import java`, your code can use classes `java.lang.String`, `java.util.Vector`, and so on.

The Jython runtime wraps every Java class you import in a transparent proxy, which manages communication between Python and Java code behind the scenes. This gives an extra reason to avoid the dubious idiom `from somewhere import *`, in addition to the reasons mentioned in [Chapter 7](#). When you perform such a bulk import, the Jython runtime must build proxy wrappers for all the Java classes in package `somewhere`, spending substantial amounts of memory and time wrapping classes your code will probably not use. Avoid `from ... import *` except for occasional convenience in interactive exploratory sessions, and stick with the `import` statement. Alternatively, it's okay to use specific, explicit `from` statements for classes you know your Python code wants to use (e.g., `from java.lang import System`).

25.1.1 The Jython Registry

Jython relies on a *registry* of Java properties as a cross-platform equivalent of the kind of settings that would normally use the Windows registry, or environment variables on Unix-like systems. Jython's registry file is a standard Java properties file named `registry`, located in a directory known as the Jython root directory. The Jython root directory is normally the directory where `jython.jar` is located, but you can override this by setting Java properties `python.home` or `install.root`. For special needs, you may tweak the Jython registry settings via an auxiliary Java properties file named `.jython` in your home directory, and/or via command-line options to the `jython` interpreter command. The registry option `python.path` is equivalent to classic Python's `PYTHONPATH` environment variable. This is the option you may most often be interested in, as it can help you install extra Python packages outside of the Jython installation directories (e.g., sharing Python packages installed for CPython use).

25.1.2 Accessibility

Normally, your Jython code can access only `public` features (methods, fields, inner classes) of Java classes. You may choose to make `private` and `protected` features available by setting an option in the Jython registry before you run Jython:

```
python.security.respectJavaAccessibility=false
```

Such bending of normal Java rules should never be necessary for normal operation. However, the ability to access private and protected features may be useful to Jython scripts meant to thoroughly test a Java

package, which is why Jython gives you this option.

25.1.3 Type Conversions

The Jython runtime converts data between Python and Java transparently. However, when a Java method expects a `boolean` argument, you have to pass an `int` or an instance of `java.lang.Boolean` in order to call that method from Python. In Python, any object can be taken as true or false, but Jython does not perform the conversion to `boolean` implicitly on method calls, to avoid confusion and the risk of errors.

25.1.3.1 Calling overloaded Java methods

A Java class can supply *overloaded* methods (i.e., several methods with the same name, distinguished by the number and types of their arguments). Jython resolves calls to overloaded methods at runtime, based on the number and types of arguments that Python code is passing in each given call. If Jython's automatic overload resolution is not giving the results you expect, you can help it along by explicitly passing instances of Java's `java.lang` wrapper classes, such as `java.lang.Integer` where the Java method expects an `int` argument, `java.lang.Float` where the Java method expects a `float` argument, and so on. For example, if a Java class `C` supplies a method named `M` in two overloaded versions, `M(long x)` and `M(int x)`, consider the following Python code:

```
import C, java.lang

c = C( )
c.M(23)                # calls M(long)
c.M(java.lang.Integer(23)) # calls M(int)
```

`c.M(23)` calls the `long` overloaded method, due to the rules of Jython overload resolution.

`c.M(java.lang.Integer(23))`, however, explicitly calls the `int` overloaded method.

25.1.3.2 The `jarray` module

When you pass Python sequences to Java methods that expect array arguments, Jython performs automatic conversion, copying each item of the Python sequence into an element of the Java array. When you call a Java method that accepts and modifies an array argument, the Python sequence that you pass cannot reflect any changes the Java method performs on its array argument. To let you effectively call methods that change their array arguments, Jython offers module `jarray`, which supplies two factory functions that let you build Java arrays directly.

array

```
array(seq, typecode)
```

`seq` is any Python sequence. `typecode` is either a Java class or a single character (specifying a primitive Java type according to [Table 25-1](#)). `array` creates a Java array `a` with the same length as `seq` and elements of the class or type given by `typecode`. `array` initializes `a`'s elements from `seq`'s corresponding items.

Table 25-1. Typecodes for the jarray module

Typecode	Java type
'b'	byte
'c'	char
'd'	double
'f'	float
'h'	short
'i'	int
'l'	long
'z'	boolean

zeros

zeros(*length*, *typecode*)

Creates a Java array *z* with length *length* and elements of the class or type given by *typecode*, which has the same meaning as in function *array*. *zeros* initializes each element of *z* to 0, null, or false, as appropriate for the type or class. Of course, when you access such elements from Jython code, you see them as the equivalent Python 0 values (or None as the Jython equivalent of Java null), but when Java code accesses the elements, it sees them with the appropriate Java types and values.

You can use instances created by functions *array* and *zeros* as Python sequences of fixed length. When you pass such an instance to a Java method that accepts an array argument and modifies the argument, the changes are visible in the instance, so your Python code can effectively call such methods.

25.1.3.3 The java.util collection classes

Jython performs no automatic conversion either way between Python containers and the collection classes of package *java.util*, such as *java.util.Vector*, *java.util.Dictionary*, and so on. However, Jython adds to the wrappers it builds for the Java collection classes a minimal amount of support to let you treat instances of collection classes as Python sequences, iterables, or mappings, as appropriate.

25.1.4 Subclassing a Java Class

A Python class may inherit from a Java class (equivalent to Java construct *extends*) and/or from Java interfaces (equivalent to Java construct *implements*), as well as from other Python classes. A Jython class cannot inherit, directly or indirectly, from more than one Java class. There is no limit on inheriting from interfaces. Your Jython code can access *protected* methods of the Java superclass, but not *protected* fields. You can override non-*final* superclass methods. In particular, you should always override the methods of interfaces you inherit from. If a method is overloaded in the superclass, your overriding method must support all of the signatures of the overloads. To accomplish this, you can define your method to accept a variable number of arguments (by having its last formal argument use special form **args*) and check at runtime as needed for the number and types of arguments you receive on each call.

25.1.5 JavaBeans

Jython offers special support for the typical JavaBeans idiom of naming accessor methods *getSomething*, *isSomething*, *setSomething*. When such methods exist in a Java class, Python code can access and set a property named *something* on instances of that Java class, using the Python syntax of attribute access and binding. The Jython runtime transparently translates such accesses into calls to appropriate accessor methods.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

25.2 Embedding Jython in Java

Your Java-coded application can embed the Jython interpreter in order to use Jython for scripting. *jython.jar* must be in your Java `CLASSPATH`. Your Java code must import `org.python.core.*` and `org.python.util.*` in order to access Jython's classes. To initialize Jython's state and instantiate an interpreter, use the Java statements:

```
PySystemState.initialize( );
PythonInterpreter interp = new PythonInterpreter( );
```

Jython also supplies several advanced overloads of this method and constructor in order to let you determine in detail how `PySystemState` is set up, and to control the system state and global scope for each interpreter instance. However, in typical, simple cases, the previous Java code is all your application needs.

25.2.1 The PythonInterpreter Class

Once you have an instance *interp* of class `PythonInterpreter`, you can call method *interp.eval* to have the interpreter evaluate a Python expression held in a Java string. You can also call any of several overloads of *interp.exec* and *interp.execfile* to have the interpreter execute Python statements held in a Java string, a precompiled Jython code object, a file, or a Java `InputStream`.

The Python code you execute can `import` your Java classes in order to access your application's functionality. Your Java code can set attributes in the interpreter namespace by calling overloads of *interp.set*, and get attributes from the interpreter namespace by calling overloads of *interp.get*. The methods' overloads give you a choice. You can work with native Java data and let Jython perform type conversions, or you can work directly with `PyObject`, the base class of all Python objects, covered later in this chapter. The most frequently used methods and overloads of a `PythonInterpreter` instance *interp* are the following.

eval

```
PyObject interp.eval(String s)
```

Evaluates, in *interp*'s namespace, the Python expression held in Java string *s*, and returns the `PyObject` that is the expression's result.

exec

```
void interp.exec(String s)
void interp.exec(PyObject code)
```

Executes, in *interp*'s namespace, the Python statements held in Java string *s* or in compiled `PyObject code` (produced by function `__builtin__.compile` of package `org.python.core`, covered later in this

chapter).

execfile

```
void interp.execfile(String name)
void interp.execfile(java.io.InputStream s)
void interp.execfile(java.io.InputStream s,String name)
```

Executes, in *interp*'s namespace, the Python statements read from the stream *s* or from the file named *name*. When you pass both *s* and *name*, *execfile* reads the statements from *s*, and uses *name* as the filename in error messages.

get

```
PyObject interp.get(String name)
Object interp.get(String name,Class javaclass)
```

Fetches the value of the attribute named *name* from *interp*'s namespace. The overload with two arguments also converts the value to the specified *javaclass*, throwing a Java `PyException` exception that wraps a Python `TypeError` if the conversion is unfeasible. Either overload raises a `NullPointerException` if *name* is unbound. Typical use of the two-argument form might be a Java statement such as:

```
String s = (String)interp.get("attname", String.class);
```

set

```
void interp.set(String name,PyObject value)
void interp.set(String name,Object value)
```

Binds the attribute named *name* in *interp*'s namespace to *value*. The second overload also converts the value to a `PyObject`.

The `org.python.core` package supplies a class `__builtin__` whose static methods let your Java code access the functionality of Python built-in functions. The `compile` method, in particular, is quite similar to Python built-in function `compile`, covered in [Chapter 8](#) and [Chapter 13](#). Your Java code can call `compile` with three `String` arguments (a string of source code, a filename to use in error messages, and a *kind* that is normally "exec"), and `compile` returns a `PyObject` instance *p* that is a precompiled Python bytecode object. You can repeatedly call `interp.exec(p)` to execute the Python statements in *p* without the overhead of compiling the Python source for each execution. The advantages are the same as covered in [Chapter 13](#).

25.2.2 The PyObject Class

Seen from Java, all Jython objects are instances of classes that extend `PyObject`. Class `PyObject` supplies methods named like Python objects' special methods, such as `__len__`, `__str__`, and so on. Concrete subclasses of `PyObject` override some special methods to supply meaningful implementations. For example,

`__len__` makes sense for Python sequences and mappings, but not for numbers; `__add__` makes sense for numbers and sequences, but not for mappings. When your Java code calls a special method on a `PyObject` instance that does not in fact supply the method, the call raises a Java `PyException` exception wrapping a Python `AttributeError`.

`PyObject` methods that set, get, and delete attributes exist in two overloads, as the attribute name can be a `PyString` or a Java `String`. `PyObject` methods that set, get, and delete items exist in three overloads, as the key or index can be a `PyObject`, a Java `String`, or an `int`. The Java `String` instances that you use as attribute names or item keys must be Java interned strings (i.e., either string literals or the result of calling `s.intern()` on any Java `String` instance `s`). In addition to the usual Python special methods `__getattr__` and `__getitem__`, class `PyObject` also provides similar methods `__findattr__` and `__finditem__`, the difference being that, when the attribute or item is not found, the `__find` methods return a Java `null`, while the `__get` methods raise exceptions.

Every `PyObject` instance `p` has a method `__tojava__` that takes a single argument, a Java `Class c`, and returns an `Object` that is the value of `p` converted to `c` (or raises an exception if the conversion is unfeasible). Typical use might be a Java statement such as:

```
String s = (String)mypyobj.__tojava__(String.class);
```

Method `__call__` of `PyObject` has several convenience overloads, but the semantics of all the overloads come down to `__call__`'s fundamental form:

```
PyObject p.__call__(PyObject args[], String keywords[]);
```

When array `keywords` has length `L`, array `args` must have length `N` greater than or equal to `L`, and the last `L` items of `args` are taken as named actual arguments, the names being the corresponding items in `keywords`. When `args` has length `N` greater than `L`, `args`'s first `N-L` items are taken as positional actual arguments. The equivalent Python code is therefore similar to:

```
def docall(p, args, keywords):
    assert len(args) >= len(keywords)
    deltalen = len(args) - len(keywords)
    return p(*args[:deltalen], ** dict(zip(keywords, args[deltalen:])))
```

Jython supplies concrete subclasses of `PyObject` that represent all built-in Python types. You can sometimes usefully instantiate a concrete subclass in order to create a `PyObject` for further use. For example, class `PyList` extends `PyObject`, implements a Python list, and has constructors that take an array or a `java.util.Vector` of `PyObject` instances, as well as an empty constructor that builds the empty list `[]`.

25.2.3 The Py Class

The `Py` class supplies several utility class attributes and static methods. `Py.None` is Python's `None`. Method `Py.java2py` takes a single Java `Object` argument and returns the corresponding `PyObject`. Methods `Py.py2type`, for all values of `type` that name a Java primitive type (`boolean`, `byte`, `long`, `short`, etc.), take a single `PyObject` argument and return the corresponding value of the given primitive Java type.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

25.3 Compiling Python into Java

Jython comes with the *jythonc* compiler. You can feed *jythonc* your *.py* source files, and *jythonc* compiles them into normal JVM bytecode and packages them into *.class* and *.jar* files. Since *jythonc* generates static, classic bytecode, it cannot quite cope with the whole range of dynamic possibilities that Python allows. For example, *jythonc* cannot successfully compile Python classes that determine their base classes dynamically at runtime, as the normal Python interpreters allow. However, except for such extreme examples of dynamically changeable class structures, *jythonc* does support compilation of essentially the whole Python language into Java bytecode.

25.3.1 The *jythonc* command

jythonc resides in the *Tools/jythonc* directory of your Jython installation. You invoke it from a shell (console) command line with the syntax:

```
jythonc options modules
```

options are zero or more option flags starting with *--*. *modules* are zero or more names of Python source files to compile, either as Python-style names of modules residing on Python's `sys.path`, or as relative or absolute paths to Python source files. Include the *.py* extension in each path to a source file, but not in a module name.

More often than not, you will specify the *jythonc* option *--jar jarfile*, to build a *.jar* file of compiled bytecode rather than separate *.class* files. Most other options deal with what to put in the *.jar* file. You can choose to make the file self-sufficient (for browsers and other Java runtime environments that do not support using multiple *.jar* files) at the expense of making the file larger. Option *--all* ensures all Jython core classes are copied into the *.jar* file, while *--core* tries to be more conservative, copying as few core classes as feasible. Option *--addpackages packages* lets you list (in *packages*, a comma-separated list) those external Java packages whose classes are copied into the *.jar* file if any of the Python classes *jythonc* is compiling depends on them. An important alternative to *--jar* is *--bean jarfile*, which also includes a bean manifest in the *.jar* file as needed for Python-coded JavaBeans components.

Another useful *jythonc* option is *--package package*, which instructs Jython to place all the new Java classes it's creating in the given *package* (and any subpackages of *package* needed to reflect the Python-side package structure).

25.3.2 Adding Java-Visible Methods

The Java classes that *jythonc* creates normally extend existing classes from Java libraries and/or implement existing interfaces. Other Java-coded applications and frameworks instantiate the *jythonc*-created classes via constructor overloads, which have the same signatures as the constructors of their Java superclasses. The Python-side `__init__` executes after the superclass is initialized, and with the same arguments (therefore, don't `__init__` a Java superclass in the `__init__` of a Python class meant to be compiled by *jythonc*). Afterward, Java code can access the functionality of instances of Python-coded classes by calling instance methods defined in known interfaces or superclasses and overridden by Python code.

Python code can never supply Java-visible `static` methods or attributes, only instance methods. By default, each Python class supplies only the instance methods it inherits from the Java class it extends or the Java interfaces it implements. However, Python code can also supply other Java-visible instance methods via the `@sig` directive.

To expose a method of your Python class to Java when *jythonc* compiles the class, code the method's docstring as `@sig` followed by a Java method signature. For example:

```
class APythonClass:
    def __init__(self, greeting="Hello, %s!"):
        "@sig public APythonClass(String greeting)"
        self.greeting = greeting
    def hello(self, name):
        "@sig public String hello(String name)"
        return self.greeting % name
```

To expose a constructor, use the `@sig` signature for the class, as shown in the previous example. All names of classes in `@sig` signatures must be fully qualified, except for names coming from `java.lang` and names supplied by the Python-coded module being compiled. When a Python method with a `@sig` has optional arguments, *jythonc* generates Java-visible overloads of the method with each legal signature, and deals with supplying the default argument values where needed. An `__init__` constructor with a `@sig`, for a Python class that extends a Java class, initializes the superclass using the superclass's empty constructor.

Since a Python class cannot expose data attributes directly to Java, you may need to code accessors with the usual JavaBeans convention and expose them via the `@sig` mechanism. For example, instances of `APythonClass` in the above example do not allow Java code to directly access or change the `greeting` attribute. When such functionality is needed, you can supply it in a subclass as follows:

```
class APythonBean(APythonClass):
    def getGreeting(self):
        "@sig public String getGreeting( )"
        return self.greeting
    def setGreeting(self, greeting):
        "@sig public void setGreeting(String greeting)"
        self.greeting = greeting
```

25.3.3 Python Applets and Servlets

Two typical examples of using Jython within existing Java frameworks are applets and servlets. Applets are typical examples of *jythonc* use (with specific caveats), while servlets are specifically supported by a Jython-supplied utility.

25.3.3.1 Python applets

A Jython applet class must import `java.applet.Applet` and extend it, typically overriding method `paint` and others. You compile the applet into a *.jar* file by calling *jythonc* with options `--jar somejar.jar` and either `--core` or `--all`. Normally, Jython is installed in a modern Java 2 environment, which is okay for most uses. It is fine for applets, as long as the applets run only in browsers that support Java 2, typically with a Sun-supplied browser plug-in. However, if you need to support browsers that are limited to Java 1.1, you must ensure that the JDK you use is Release 1.1, and that you compile your applet with Jython under a JDK 1.1 environment. It's possible to share a single Jython installation between different JDKs, such as 1.1

and 1.4. However, I suggest you perform separate installations of Jython, one under each JDK you need to support, in separate directories, in order to minimize the risk of confusion and accidents.

25.3.3.2 Python servlets

You can use *jythonc* to build and deploy servlets. However, Jython also supports an alternative that lets you deploy Python-coded servlets as source *.py* files. Use the servlet class `org.python.util.PyServlet`, supplied with Jython, and a servlet mapping of all **.py* URLs to `PyServlet`. Each servlet *.py* file must reside in the *web-app* top-level directory, and must expose an object callable without arguments (normally a class) with the same name as the file. `PyServlet` uses that callable as a factory for instances of the servlet, and calls methods on the instance according to the Java Servlet API. Your servlet instance, in turn, accesses Servlet API objects such as the *request* and *response* objects, passed as method arguments, and those objects' attributes and methods such as `response.getOutputStream` and `request.getSession`. `PyServlet` provides an excellent, fast-turnaround way to experiment with servlets and rapidly deploy them.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Chapter 26. Distributing Extensions and Programs

Python's `distutils` allow you to package Python programs and extensions in several ways, and to install programs and extensions to work with your Python installation. As I mentioned in [Chapter 24](#), the `distutils` also afford the most effective way to build C-coded extensions you write yourself, even when you are not interested in distributing such extensions. This chapter covers the `distutils`, as well as third-party tools that complement the `distutils` and let you package Python programs for distribution as standalone applications, installable on machines with specific hardware and operating systems without a separate installation of Python.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

26.1 Python's distutils

The `distutils` are a rich and flexible set of tools to package Python programs and extensions for distribution to third parties. I cover typical, simple use of the `distutils` for the most common packaging needs. For in-depth, highly detailed discussion of `distutils`, I recommend two manuals that are part of Python's online documentation: *Distributing Python Modules* (available at <http://www.python.org/doc/current/dist/>), and *Installing Python Modules* (available at <http://www.python.org/doc/current/inst/>), both by Greg Ward, the principal author of the `distutils`.

26.1.1 The Distribution and Its Root

A *distribution* is the set of files to package into a single file for distribution purposes. A distribution may include zero, one, or more Python packages and other Python modules (as covered in [Chapter 7](#)), as well as, optionally, Python scripts, C-coded (and other) extensions, supporting data files, and auxiliary files containing metadata about the distribution itself. A distribution is said to be *pure* if all code it includes is Python, and *non-pure* if it also includes non-Python code (most often, C-coded extensions).

You should normally place all the files of a distribution in a directory, known as the *distribution root directory*, and in subdirectories of the distribution root. Mostly, you can arrange the subtree of files and directories rooted at the distribution root to suit your own organizational needs. However, remember from [Chapter 7](#) that a Python package must reside in its own directory, and a package's directory must contain a file named `__init__.py` (or subdirectories with `__init__.py` files, for subpackages) as well as other modules belonging to that package.

26.1.2 The setup.py Script

The distribution root directory must contain a Python script that by convention is named `setup.py`. The `setup.py` script can, in theory, contain arbitrary Python code. However, in practice, `setup.py` always boils down to some variation of:

```
from distutils.core import setup, Extension

setup( many keyword arguments go here )
```

All the action is in the parameters you supply in the call to `setup`. You should not import `Extension` if your `setup.py` deals with a pure distribution. `Extension` is needed only for non-pure distributions, and you should import it only when you need it. It is fine to have a few statements before the call to `setup`, in order to arrange `setup`'s arguments in clearer and more readable ways than could be managed by having everything inline as part of the `setup` call.

The `distutils.core.setup` function accepts only keyword arguments, and there are a large number of such arguments that you could potentially supply. A few deal with the internal operations of the `distutils` themselves, and you never supply such arguments unless you are extending or debugging the `distutils`, an advanced subject that I do not cover in this book. Other keyword arguments to `setup` fall into two groups: metadata about the distribution, and information about what files are in the distribution.

26.1.3 Metadata About the Distribution

You should provide metadata about the distribution by supplying some of the following keyword arguments when you call the `distutils.core.setup` function. The value you associate with each argument name you supply is a string that is intended mostly to be human-readable; therefore, any specifications about the string's format are just advisory. The explanations and recommendations about the metadata fields in the following are also non-normative, and correspond only to common, not universal, conventions. Whenever the following explanations refer to "this distribution," it can be taken to refer to the material included in the distribution, rather than to the packaging of the distribution.

`author`

The name(s) of the author(s) of material included in the distribution. You should always provide this information, as the authors deserve credit for their work.

`author_email`

Email address(es) of the author(s) named in argument `author`. You should provide this information only if the author is willing to receive email about this work.

`contact`

The name of the principal contact person or mailing list for this distribution. You should provide this information if there is somebody who should be contacted in preference to people named in arguments `author` and `maintainer`.

`contact_email`

Email address of the contact named in argument `contact`. You should provide this information if and only if you supply the `contact` argument.

`description`

A concise description of this distribution, preferably fitting within one line of 80 characters or less. You should always provide this information.

`fullname`

The full name of this distribution. You should provide this information if the name supplied as argument `name` is in abbreviated or incomplete form (e.g., an acronym).

`keywords`

A list of keywords that would likely be searched for by somebody looking for the functionality provided by this distribution. You should provide this information if it might be useful to index this distribution in some kind of search engine.

`license`

The licensing terms of this distribution, in a concise form that may refer for details to a file in the distribution or to a URL. You should always provide this information.

`maintainer`

The name(s) of the current maintainer(s) of this distribution. You should normally provide this information if the maintainer is different from the author.

`maintainer_email`

Email address(es) of the maintainer(s) named in argument `maintainer`. You should provide this information only if you supply the `maintainer` argument and if the maintainer is willing to receive

email about this work.

`name`

The name of this distribution as a valid Python identifier (this often requires abbreviations, e.g., by an acronym). You should always provide this information.

`platforms`

A list of platforms on which this distribution is known to work. You should provide this information if you have reasons to believe this distribution may not work everywhere. This information should be reasonably concise, so this field may refer for details to a file in the distribution or to a URL.

`url`

A URL at which more information can be found about this distribution. You should always provide this information if any such URL exists.

`version`

The version of this distribution and/or its contents, normally structured as *major.minor* or even more finely. You should always provide this information.

26.1.4 Distribution Contents

A distribution can contain a mix of Python source files, C-coded extensions, and other files. `setup` accepts optional keyword arguments detailing files to put in the distribution. Whenever you specify file paths, the paths must be relative to the distribution root directory and use `/` as the path separator. `distutils` adapts location and separator appropriately when it installs the distribution. Note, however, that the keyword arguments `packages` and `py_modules` do not list file paths, but rather Python packages and modules respectively. Therefore, in the values of these keyword arguments, use no path separators or file extensions. When you list subpackage names in argument `packages`, use Python syntax (e.g., *top_package.sub_package*).

26.1.4.1 Python source files

By default, `setup` looks for Python modules (which you list in the value of the keyword argument `py_modules`) in the distribution root directory, and for Python packages (which you list in the value of the keyword argument `packages`) as sub-directories of the distribution root directory. You may specify keyword argument `package_dir` to change these defaults. However, things are simpler when you locate files according to `setup`'s defaults, so I do not cover `package_dir` further in this book.

The `setup` keyword arguments you will most frequently use to detail what Python source files to put in the distribution are the following.

packages

```
packages=[ list of package name strings ]
```

For each package name string *p* in the list, `setup` expects to find a subdirectory *p* in the distribution root directory, and includes in the distribution the file *p*/`__init__.py`, which must be present, as well as any other file *p*/`*.py` (i.e., all the modules of package *p*). `setup` does not search for subpackages of *p*: you must

explicitly list all subpackages, as well as top-level packages, in the value of keyword argument `packages`.

py_modules

```
py_modules=[ list of module name strings ]
```

For each module name string `m` in the list, `setup` expects to find a file `m.py` in the distribution root directory, and includes `m.py` in the distribution.

scripts

```
scripts=[ list of script file path strings ]
```

Scripts are Python source files meant to be run as main programs (generally from the command line). The value of the `scripts` keyword lists the path strings of these files, complete with `.py` extension, relative to the distribution root directory.

Each script file should have as its first line a shebang line, that is, a line starting with `#!` and containing the substring `python`. When `distutils` install the scripts included in the distribution, `distutils` adjust each script's first line to point to the Python interpreter. This is quite useful on many platforms, since the shebang line is used by the platform's shells or by other programs that may run your scripts, such as web servers.

26.1.4.2 Other files

To put data files of any kind in the distribution, supply the following keyword argument.

data_files

```
data_files=[ list of pairs (target_directory,[list of files]) ]
```

The value of keyword argument `data_files` is a list of pairs. Each pair's first item is a string and names a *target directory* (i.e., a directory where `distutils` places data files when installing the distribution); the second item is the list of file path strings for files to put in the target directory. At installation time, `distutils` places each target directory as a subdirectory of Python's `sys.prefix` for a pure distribution, or of Python's `sys.exec_prefix` for a non-pure distribution. `distutils` places the given files directly in the respective target directory, never in subdirectories of the target. For example, given the following `data_files` usage:

```
data_files = [ ('miscdata', ['conf/config.txt',
                             'misc/sample.txt']) ]
```

`distutils` includes in the distribution the file `config.txt` from sub-directory `conf` of the distribution root, and the file `sample.txt` from subdirectory `misc` of the distribution root. At installation time, `distutils` creates a subdirectory named `miscdata` in Python's `sys.prefix` directory (or in the `sys.exec_prefix` directory, if the distribution is non-pure), and copies the two files into `miscdata/config.txt` and `miscdata/sample.txt`.

26.1.4.3 C-coded extensions

To put C-coded extensions in the distribution, supply the following keyword argument.

ext_modules

```
ext_modules=[ list of instances of class Extension ]
```

All the details about each extension are supplied as arguments when instantiating the `distutils.core.Extension` class.

`Extension`'s constructor accepts two mandatory arguments and many optional keyword arguments, as follows.

Extension

```
class Extension(name, sources, **kws)
```

name is the module name string for the C-coded extension. *name* may include dots to indicate that the extension module resides within a package. *sources* is the list of source files that the `distutils` must compile and link in order to build the extension. Each item of *sources* is a string giving a source file's path relative to the distribution root directory, complete with file extension `.c`. *kws* lets you pass other, optional arguments to `Extension`, as covered later in this section.

The `Extension` class also supports other file extensions besides `.c`, indicating other languages you may use to code Python extensions. On platforms having a C++ compiler, file extension `.cpp` indicates C++ source files. Other file extensions that may be supported, depending on the platform and on add-ons to the `distutils` that are still in experimental stages at the time of this writing, include `.f` for Fortran, `.i` for SWIG, and `.pyx` for Pyrex files. See [Chapter 24](#) for information about using different languages to extend Python.

In some cases, your extension needs no further information besides mandatory arguments *name* and *sources*. The `distutils` implicitly perform all that is necessary to make the Python headers directory and the Python library available for your extension's compilation and linking, and also provide whatever compiler or linker flags or options are needed to build extensions on a given platform.

When it takes additional information to compile and link your extension correctly, you can supply such information via the keyword arguments of class `Extension`. Such arguments may potentially interfere with the cross-platform portability of your distribution. In particular, whenever you specify file or directory paths as the values of such arguments, the paths should be relative to the distribution root directory—using absolute paths seriously impairs your distribution's cross-platform portability.

Portability is not a problem when you just use the `distutils` as a handy way to build your extension, as suggested in [Chapter 24](#). However, when you plan to distribute your extensions to other platforms, you should examine whether you really need to provide build information via keyword arguments to `Extension`. It is sometimes possible to bypass such needs by careful coding at the C level, and the already mentioned *Distributing Python Modules* manual provides important examples.

The keyword arguments that you may pass when calling `Extension` are the following:

```
define_macros = [ ( macro_name,macro_value) ... ]
```

Each of the items `macro_name` and `macro_value`, in the pairs listed as the value of `define_macros`, is a string, respectively the name and value for a C preprocessor macro definition, equivalent in effect to the C preprocessor directive:

```
#define macro_name macro_value
```

`macro_value` can also be `None`, to get the same effect as the C preprocessor directive:

```
#define macro_name
extra_compile_args = [ list of compile_arg strings ]
```

Each of the strings `compile_arg` listed as the value of `extra_compile_args` is placed among the command-line arguments for each invocation of the C compiler.

```
extra_link_args = [ list of link_arg strings ]
```

Each of the strings `link_arg` listed as the value of `extra_link_args` is placed among the command-line arguments for the invocation of the linker.

```
extra_objects = [ list of object_name strings ]
```

Each of the strings `object_name` listed as the value of `extra_objects` names an object file to add to the invocation of the linker. Do not specify the file extension as part of the object name:

`distutils` adds the platform-appropriate file extension (such as `.o` on Unix-like platforms and `.obj` on Windows) to help you keep cross-platform portability.

```
include_dirs = [ list of directory_path strings ]
```

Each of the strings `directory_path` listed as the value of `include_dirs` identifies a directory to supply to the compiler as one where header files are found.

```
libraries = [ list of library_name strings ]
```

Each of the strings `library_name` listed as the value of `libraries` names a library to add to the invocation of the linker. Do not specify the file extension or any prefix as part of the library name:

`distutils`, in cooperation with the linker, adds the platform-appropriate file extension and prefix (such as `.a` (and a prefix `lib`) on Unix-like platforms, and `.lib` on Windows) to help you keep cross-platform portability.

```
library_dirs = [ list of directory_path strings ]
```

Each of the strings `directory_path` listed as the value of `library_dirs` identifies a directory to supply to the linker as one where library files are found.

```
runtime_library_dirs = [ list of directory_path strings ]
```

Each of the strings `directory_path` listed as the value of `runtime_library_dirs` identifies a directory where dynamically loaded libraries are found at runtime.

```
undef_macros = [ list of macro_name strings ]
```

Each of the strings `macro_name` listed as the value of `undef_macros` is the name for a C preprocessor macro definition, equivalent in effect to the C preprocessor directive:

```
#undef macro_name
```

26.1.5 The setup.cfg File

The `distutils` let the user who is installing your distribution specify many options at installation time. Most often the user will simply enter the following command at a command line:

```
C:\> python setup.py install
```

but the already mentioned manual *Installing Python Modules* explains many alternatives in detail. If you wish to provide suggested values for some installation options, you can put a `setup.cfg` file in your distribution root directory. `setup.cfg` can also provide appropriate defaults for options you can supply to build-time commands. For copious details on the format and contents of file `setup.cfg`, see the already mentioned manual *Distributing Python Modules*.

26.1.6 The MANIFEST.in and MANIFEST Files

When you run:

```
python setup.py sdist
```

to produce a packaged-up source distribution (typically a `.zip` file on Windows, or a `.tgz` file, also known as a tarball, on Unix), the `distutils` by default insert the following in the distribution:

- All Python and C source files, as well as data files, explicitly mentioned or directly implied by your `setup.py` file's options, as covered earlier in this chapter
- Test files, located at `test/test*.py` under the distribution root directory
- Files `README.txt` (if any), `setup.cfg` (if any), and `setup.py`

You can add yet more files in the source distribution `.zip` file or tarball by placing in the distribution root directory a *manifest template* file named `MANIFEST.in`, whose lines are rules, applied sequentially, about files to add (`include`) or subtract (`prune`) from the overall list of files to place in the distribution. The `sdist` command of the `distutils` also produces an exact list of the files placed in the source distribution as a text file named `MANIFEST` in the distribution root directory.

26.1.7 Creating Prebuilt Distributions with distutils

The packaged source distributions you create with `python setup.py sdist` are the most widely useful files you can produce with `distutils`. However, you can make life even easier for users with specific platforms by also creating prebuilt forms of your distribution with the command `python setup.py bdist`.

For a pure distribution, supplying prebuilt forms is merely a matter of convenience for the users. You can create prebuilt pure distributions for any platform, including ones different from those on which you work, as long as you have available on your path the needed commands (such as `zip`, `gzip`, `bzip2`, and `tar`). Such commands are freely available on the Net for all sorts of platforms, so you can easily stock up on them in order to provide maximum convenience to users who want to install your distribution.

For a non-pure distribution, making prebuilt forms available may be more than just an issue of convenience. A non-pure distribution, by definition, includes code that is not pure Python, generally C code. Unless you supply a prebuilt form, users need to have the appropriate C compiler installed in order to build and install your distribution. This is not a terrible problem on platforms where the appropriate C compiler is the free and

ubiquitous *gcc*. However, on other platforms, the C compiler needed for normal building of Python extensions is commercial and costly. For example, on Windows, the normal C compiler used by Python and its C-coded extensions is Microsoft Visual C++ (Release 6, at the time of this writing). It is possible to substitute other compilers, including free ones such as the *mingw32* and *cygwin* versions of *gcc*, and Borland C++ 5.5, whose command-line version you can download from the Net at no cost. However, the process of using such alternative compilers, as documented in the Python online manuals, is rather complex and intricate, particularly for end users who may not be experienced programmers.

Therefore, if you want your non-pure distribution to be widely adopted on such platforms as Windows, it's highly advisable to make your distribution also available in prebuilt form. However, unless you have developed or purchased advanced cross-compilation environments, building a non-pure distribution and packaging it up in prebuilt form is only feasible on the target platform. You also need to have the necessary C compiler installed. When those conditions are satisfied, however, the `distutils` make the procedure quite simple. In particular, the command:

```
python setup.py bdist_wininst
```

creates an *.exe* file that is a Windows installer for your distribution. If your distribution is non-pure, the prebuilt distribution is dependent on the specific Python version. The `distutils` reflect this fact in the name of the *.exe* installer they create for you. Say, for example, that your distribution's `name` metadata is `mydist`, your distribution's `version` metadata is `0.1`, and the Python version you use is `2.2`. In this case, the `distutils` build a Windows installer named *mydist-0.1.win32-py2.2.exe*.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

26.2 The py2exe Tool

The `distutils` help you package up your Python extensions and applications. However, an end user can install the resulting packaged form only after installing Python. This is particularly a problem on Windows, where end users want to run a single installer to get an application working on their machine. Installing Python first and then running your application's installer may prove too much of a hassle for such end users.

Thomas Heller has developed a simple solution, a `distutils` add-on named `py2exe`, freely available for download from <http://starship.python.net/crew/theller/py2exe/>. This URL also contains detailed documentation of `py2exe`, and I recommend that you study that documentation if you intend to use `py2exe` in advanced ways. However, the simplest kinds of use, which I cover in the rest of this section, cover most practical needs.

After downloading and installing `py2exe` (on a Windows machine where Microsoft Visual C++ 6 is also installed), you just need to add the line:

```
import py2exe
```

at the start of your otherwise normal `distutils` script `setup.py`. Now, in addition to other `distutils` commands, you have one more option. Running:

```
python setup.py py2exe
```

builds and collects in a subdirectory of your distribution root directory an `.exe` file and one or more `.dll` files. If your distribution's `name` metadata is, for example, `myapp`, then the directory into which the `.exe` and `.dll` files are collected is named `dist\myapp\`. Any files specified by option `data_files` in your `setup.py` script are placed in subdirectories of `dist\myapp\`. The `.exe` file corresponds to your application's first or single entry in the `scripts` keyword argument value, and also contains the bytecode-compiled form of all Python modules and packages that your `setup.py` specifies or implies. Among the `.dll` files is, at minimum, the Python dynamic load library, for example `python22.dll` if you use Python 2.2, plus any other `.pyd` or `.dll` files that your application needs, excluding `.dll` files that `py2exe` knows are system files (i.e., guaranteed to be available on any Windows installation).

`py2exe` provides no direct means to collect the contents of the `dist\myapp\` directory for easy distribution and installation. You have several options, ranging from a `.zip` file (which may be given an `.exe` extension and made self-extracting, in ways that vary depending on the `.zip` file handling tools you choose), all the way to a professional Windows installer construction system, such as those sold by companies such as Wise and InstallShield. One option that is particularly worth considering is Inno Setup, a free, professional-quality installer construction system (see <http://www.jrsoftware.org/isinfo.php>). Since the files to be packaged up for end user installation are an `.exe` file, one or more `.dll` files, and perhaps some data files in subdirectories, the issue becomes totally independent from Python. You may package up and redistribute such files just as if they had originally been built from sources written in any other programming language.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

26.3 The Installer Tool

Gordon McMillan has developed a richer and more general solution to the same problem that `py2exe` solves—preparing compact ways to package up Python applications for installation on end user machines that may not have Python installed. The `Installer` tool, freely downloadable from <http://www.mcmillan-inc.com/installer>, is more general than `py2exe`, which supports only Windows platforms. `Installer` natively supports Linux as well as Windows. Also, `Installer`'s portable, cross-platform architecture may allow you to extend it to support other Unix-like platforms with a reasonable amount of effort.

`Installer` does not rely on `distutils`. To use `Installer`, you must learn its own specification files' syntax and semantics. `Installer` can do much more than `py2exe`, so it's not surprising that there is more for you to learn before making full use of it. However, I recommend studying and trying out `Installer` if you have the specific need of building standalone Python applications for Linux or other Unix-like architectures, or if you have tried `py2exe` and found it did not quite meet your needs.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

Colophon

Our look is the result of reader comments, our own experimentation, and feedback from distribution channels. Distinctive covers complement our distinctive approach to technical topics, breathing personality and life into potentially dry subjects.

The animal on the cover of *Python in a Nutshell* is an African rock python, one of approximately 18 species of python. Pythons are nonvenomous constrictor snakes that live in tropical regions of Africa, Asia, Australia, and some Pacific Islands. Pythons live mainly on the ground, but they are also excellent swimmers and climbers. Both male and female pythons retain vestiges of their ancestral hind legs. The male python uses these vestiges, or spurs, when courting a female.

The python kills its prey by suffocation. While the snake's sharp teeth grip and hold the prey in place, the python's long body coils around its victim's chest, constricting tighter each time it breathes out. They feed primarily on mammals and birds. Python attacks on humans are extremely rare.

Emily Quill was the production editor and copyeditor for *Python in a Nutshell*. Linley Dolby and Tatiana Apandi Diaz provided quality control. Philip Dangler, Judy Hoer, and Genevieve d'Entremont provided production assistance. Nancy Crumpton wrote the index.

Emma Colby designed the cover of this book, based on a series design by Edie Freedman. The cover image is a 19th-century engraving from the Dover Pictorial Archive. Emma Colby produced the cover layout with QuarkXPress 4.1 using Adobe's ITC Garamond font.

Bret Kerr designed the interior layout, based on a series design by David Futato. This book was converted by Mike Sierra to FrameMaker 5.5.6 with a format conversion tool created by Erik Ray, Jason McIntosh, Neil Walls, and Mike Sierra that uses Perl and XML technologies. The text font is Linotype Birka; the heading font is Adobe Myriad Condensed; and the code font is LucasFont's TheSans Mono Condensed. The illustrations that appear in the book were produced by Robert Romano and Jessamyn Read using Macromedia FreeHand 9 and Adobe Photoshop 6. This colophon was written by Nicole Arigo.

The online edition of this book was created by the Safari production group (John Chodacki, Becki Maisch, and Madeleine Newell) using a set of Frame-to-XML conversion and cleanup tools written and maintained by Erik Ray, Benn Salter, John Chodacki, and Jeff Liggett.

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

! (exclamation point)

[comparisons](#)

[pdb command](#)

[struct format strings](#)

" (double quote), [string literals](#)

(pound sign)

[comments](#)

[regular expressions](#)

[string formatting](#)

\$ (dollar sign)

[MULTILINE attribute](#)

[regular expressions](#)

% (percent sign)

[HTML templates](#)

[remainder](#)

[string formatting](#)

& (ampersand), [bitwise AND](#)

> (greater than sign)

>> (double greater than)

[right shift](#)

[comparisons](#)

[struct format strings](#)

< (less than sign)

<< (double less than)

[left shift](#)

[comparisons](#)

[struct format strings](#)

<> (angle brackets)

[event names](#)

[HTML comments](#)

' (single quote)

[string literals](#)

() (parentheses)

[class statements](#)

[def statement](#)

[function calls](#)

[line continuation](#)

[plain assignment statements](#)

[regular expressions](#)

[string formatting](#)

[tuple creation](#)

* (asterisk)

** (double asterisk)

[raising to a power](#)

[from statement](#)

[multiplication](#)

[regular expressions](#)

[sequence repetition](#)

[string formatting](#)

*? (asterisk-question mark), [regular expressions](#)

- + (plus sign)
 - [addition](#)
 - [DateTime instances](#)
 - [DateTimeDelta instances](#)
 - [regular expressions](#)
 - [sequence concatenation](#)
 - [string formatting](#)
 - [unary plus](#)
- +? (plus sign-question mark), [regular expressions](#)
- , (comma)
 - [dictionaries](#)
 - [functions](#)
 - [lists](#)
 - [plain assignment statements](#)
 - [tuples](#)
- (hyphen)
 - [regular expressions](#)
 - [string formatting](#)
 - [subtraction](#)
 - [unary minus](#)
- Onew switch
- . (period)
 - [attributes](#)
 - [attribute reference](#)
 - [instance objects](#)
 - [current directory designation](#)
 - [DOTALL attribute](#)
 - [regular expressions](#)
 - [string formatting](#)
- / (forward slash)
 - [// \(double forward slash\)](#)
 - [truncating division](#)
 - [directory paths 2nd](#)
 - [Unix/Windows](#)
 - [division operator](#)
 - [determining behavior of](#)
- : (colon)
 - [compound statements](#)
 - [dictionaries](#)
 - [Unix directory paths](#)
- ; (semicolon)
 - [statement separators](#)
 - [Windows directory paths](#)
- = (equal sign)
 - [comparisons](#)
 - [struct format strings](#)
- ? (question mark), [regular expressions](#)
- @ (at sign), [struct format strings](#)
- [] (square brackets)
 - [indexing](#)
 - [item indexes](#)
 - [line continuation](#)
 - [list creation](#)
 - [lists](#)
 - [plain assignment statements](#)

[python command-line syntax](#)
[regular expressions 2nd](#)
[slicing](#)
\
(backslash)
\
n (newline)
[string literals](#)
[directory paths](#)
[Windows](#)
[line continuation](#)
[regular expressions](#)
[string literals](#)
^ (caret)
[bitwise XOR](#)
[MULTILINE attribute](#)
[regular expressions 2nd](#)
_ (underscore)
[class-private variables](#)
[gettext module](#)
[identifiers 2nd](#)
[interactive sessions](#)
[module-private variables](#)
[special methods](#)
` (backtick), [string conversion](#)
{ } (curly braces)
[dictionaries](#)
[dictionary creation](#)
[line continuation](#)
[python command-line syntax](#)
| (vertical bar)
[bitwise OR](#)
[regular expressions 2nd](#)
~ (tilde), [bitwise NOT](#)
[4Suite](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[abs function \(built-in\)](#)

[abs method \(operator module\)](#)

[__abs__ special method](#)

[absdate attribute \(DateTime class\)](#)

[absdays attribute \(DateTime class\)](#)

[abspath function \(os.path module\)](#)

[abstime attribute \(DateTime class\)](#)

[AbstractFormatter class \(formatter module\)](#)

[AbstractWriter class \(formatter module\)](#)

[absvalues method](#)

[DateTime class](#)

[DateTimeDelta class](#)

[accept method \(socket object\)](#)

[Access database](#)

[access function \(os module\)](#)

[accumulate attribute \(ufunc object\)](#)

[acos function](#)

[cmath module](#)

[math module](#)

[acosh function](#)

[cmath module](#)

[math module](#)

[acquire method](#)

[Condition class](#)

[lock object](#)

[Semaphore object](#)

[Active Server Pages \(ASP\)](#)

[ActivePython](#)

[ActiveScripting extension](#)

[ActiveState](#)

[Python Cookbook](#)

[Python IDEs offered by](#)

[actual method \(Font object\)](#)

[add method](#)

[Menu object](#)

[operator module](#)

[Stats object](#)

[__add__ special method 2nd](#)

[add_cascade method \(Menu object\)](#)

[add_checkbutton method \(Menu object\)](#)

[add_command method \(Menu object\)](#)

[add_data method \(Request object\)](#)

[add_header method](#)

[Message object](#)

[Request object](#)

[add_password method \(HTTPPasswordMgrWithDefaultRealm object\)](#)

[add_payload method \(Message object\)](#)

[add_radiobutton method \(Menu object\)](#)

[add_separator method \(Menu object\)](#)

[addstr method \(Window object\)](#)

[after method \(Widget object\)](#)
[after_cancel method \(Widget object\)](#)
[after_idle method \(Widget object\)](#)
[alias command \(pdb module\)](#)
[allclose function \(Numeric module\)](#)
[Alternative Readline for Windows](#)
[Amiga, installing Python](#)
[ampersand \(&\), bitwise AND](#)
[anchor_bgn method \(HTMLParser object\)](#)
[anchor_end method \(HTMLParser object\)](#)
[anchorlist attribute \(HTMLParser object\)](#)
[__and__ special method](#)
[and_ method \(operator module\)](#)
angle brackets (<>)
 [event names](#)
 [HTML comments](#)
[anydbm module](#)
[anygui toolkit](#)
Apache servers
 [FastCGI for](#)
 [installing Python CGI scripts](#)
 [PyApache/mod_python for](#)
 [Webware/mod_webkit for](#)
[append method \(list object\)](#)
[appendChild method \(Node object\)](#)
[Apple Macintosh](#) [See Macintosh]
[applets, Jython 2nd](#)
[apply function \(built-in\)](#)
[April attribute \(mx.DateTime module\)](#)
[arange function \(Numeric module\)](#)
[Archaeopterix, Python IDE offered by](#)
[archive files, packages distributed as](#)
[argmax function \(Numeric module\)](#)
[argmin function \(Numeric module\)](#)
[args attribute \(exception object\)](#)
[args command \(pdb module\)](#)
[argsort function \(Numeric module\)](#)
[arguments](#)
 [calling functions](#)
[argv attribute \(sys module\)](#)
arithmetic progression
 [retrieving list of integers in](#)
 [returning sequence with items in](#)
[ArithmeticError exception](#)
[ARPA module](#)
array function
 [array module](#)
 [jarray module](#)
 [Numeric module](#)
[array module](#)
 [array function](#)
 [Numeric module and](#)
 [type codes for](#)
[array object \(Numeric module\)](#)
 [astype method](#)

- [broadcasting](#)
- [byteswap method](#)
- [byteswapped method](#)
- [comparing](#)
- [copy method](#)
- [flat method](#)
- [fromfile method](#)
- [fromlist method](#)
- [fromstring method](#)
- [imag method](#)
- [imaginary method](#)
- [indexing](#)
- [iscontiguous method](#)
- [itemsize method](#)
- [masked](#)
- [operations on](#)
- [real method](#)
- [savespace method](#)
- [shape attribute](#)
- [shape method](#)
- [slicing](#)
- [spacesaver method](#)
- [storing](#)
- [tofile method](#)
- [tolist method 2nd](#)
- [tostring method 2nd](#)
- [type codes](#)
- [typecode method](#)
- [array type \(array module\)](#)
- [array2string function \(Numeric module\)](#)
- [arrayrange function \(Numeric module\)](#)
- [arrays](#)
- [article method \(NNTP object\)](#)
- [as_string method \(Message object\)](#)
- [ASCII/ISO integer code](#)
- [ascii_letters attribute \(string module\)](#)
- [ascii_lowercase attribute \(string module\)](#)
- [ascii_uppercase attribute \(string module\)](#)
- [asctime function \(time module\)](#)
- [asin function](#)
 - [cmath module](#)
 - [math module](#)
- [asinh function](#)
 - [cmath module](#)
 - [math module](#)
- [ASP \(Active Server Pages\)](#)
- [assert statement](#)
- [assert_ method \(TestCase object\)](#)
- [assertEqual method \(TestCase object\)](#)
- [AssertionError class \(built-in\)](#)
 - [assert statement](#)
- [AssertionError exception](#)
- [assertNotEqual method \(TestCase object\)](#)
- [assertRaises method \(TestCase object\)](#)
- [assignment statements 2nd 3rd](#)

- [to array slices](#)
- [augmented](#)
- [plain](#)
- [asterisk \(*\)](#)
 - [double asterisk \(**\)](#)
 - [raising to a power](#)
 - [from statement](#)
 - [multiplication](#)
 - [regular expressions](#)
 - [string formatting](#)
- [asterisk-question mark \(*?\), regular expressions](#)
- [astype method \(array object\)](#)
- [async_chat class \(asynchat module\)](#)
 - [collect_incoming_data method](#)
 - [found_terminator method](#)
 - [push method](#)
 - [set_terminator method](#)
- [asynchat module](#)
 - [performance characteristics](#)
- [asynchronous programming](#) [See sockets, event-driven programs]
- [asyncore module](#)
 - [dispatcher class](#)
 - [loop function](#)
 - [performance characteristics](#)
- [at sign \(@\), struct format strings](#)
- [atan/atan2 functions](#)
 - [cmath module](#)
 - [math module](#)
- [atanh function](#)
 - [cmath module](#)
 - [math module](#)
- [atexit module](#)
 - [register function](#)
- [atof function \(locale module\)](#)
- [atoi function \(locale module\)](#)
- [Attr class \(minidom module\)](#)
 - [ownerElement attribute](#)
 - [specified attribute](#)
- [AttributeError exception](#) [2nd](#)
 - [array object](#)
- [AttributeList class \(minidom module\)](#)
- [attributes](#) [2nd](#)
 - [binding](#)
 - [class attributes](#)
 - [instance attributes](#)
 - [of class objects](#)
 - [DBAPI-compliant modules](#)
 - [deleting](#)
 - [ÒdeletingÓ class attributes](#)
 - [documentation strings](#)
 - [of file object](#)
 - [of module object](#)
 - [overriding](#)
 - [path-string \(os module\)](#)
 - [references](#) [2nd](#)

- [Tkinter module](#)
- [ufunc object](#)
- unbinding
 - [class attributes](#)
 - [instance attributes](#)
- [attributes attribute \(Node object\)](#)
- Attributes object (xml.sax package)
 - [getNameByQName method](#)
 - [getQNameByName method](#)
 - [getQNames method](#)
 - [getValueByQName method](#)
- [augmented assignment statements](#)
- [August attribute \(mx.DateTime module\)](#)
- authentication
 - [SMTP servers](#)
 - [URL access to network protocols](#)
- [author argument \(distutils setup function\)](#)
- [author_email argument \(distutils setup function\)](#)
- [average function \(Numeric module\)](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[backslash \(\\)](#)

[directory paths](#)

[Windows](#)

[line continuation](#)

[regular expressions](#)

[string literals](#)

[backtick \(`\), string conversion](#)

[backward compatibility](#)

[exception objects, strings as](#)

[base64 module](#)

[decode function](#)

[decodestring function](#)

[encode function](#)

[encodestring function](#)

[BaseHandler class](#)

[BaseHTTPRequestHandler class](#)

[BaseHTTPServer module 2nd](#)

[web server implementation](#)

[basename function \(os.path module\)](#)

[BaseRequestHandler class \(SocketServer module\)](#)

[client_address method](#)

[handle method](#)

[request method](#)

[server method](#)

[Bastion class \(Bastion module\)](#)

[Bastion module](#)

[Bastion class](#)

[bbox method \(Canvas object\)](#)

[benchmarking 2nd](#)

[Berkeley Database library](#) [\[See BSD DB\]](#)

[binaries](#)

[downloading](#)

[installing from](#)

[third-party installers for various platforms](#)

[Binary class \(xmlrpclib module\)](#)

[binary data, encoding as text](#)

[base64 module](#)

[quopri module](#)

[uu module](#)

[binary file mode](#)

[binary function \(xmlrpclib module\)](#)

[bind method](#)

[socket object](#)

[Widget object](#)

[bind_all method \(Widget object\)](#)

[binding, references](#)

[bisect function \(bisect module\)](#)

[bisect module](#)

[bisect function](#)

[insort function](#)

[BitmapImage class](#)
[BlackAdder IDE](#)
[blank lines](#)
[blitz function \(Numeric module\)](#)
[Boa Constructor IDE](#)
[body method \(NNTP object\)](#)
[bool function \(built-in\) 2nd](#)
[Boolean class \(xmlrpclib module\)](#)
[Boolean context](#)
[boolean function \(xmlrpclib module\)](#)
[Boolean values](#)
[Boost Python Library](#)
[bound methods 2nd](#) [See also methods][See also methods]
[braces](#) [See curly braces]
[brackets](#) [See square brackets]
[break command \(pdb module\)](#)
[break statement](#)
[browsers](#)
[BSD DB \(Berkeley Database library\) 2nd](#)
[bsddb module](#)
 [bopen function](#)
 [close method](#)
 [first function](#)
 [has_key function](#)
 [hasopen function](#)
 [keys function](#)
 [last method](#)
 [next method](#)
 [previous function](#)
 [ropen function](#)
 [set_location function](#)
[bopen function \(bsddb module\)](#)
[buffer function \(built-in\)](#)
buffering
 [cmd.py and](#)
 [writing buffer out to OS](#)
[build_opener function \(urllib2 module\)](#)
built-in exception classes
 [ArithmeticError](#)
 [AssertionError](#)
 [AttributeError](#)
 [EnvironmentError](#)
 [Exception](#)
 [FloatingPointError](#)
 [ImportError](#)
 [IndentationError](#)
 [IndexError](#)
 [IOError](#)
 [KeyboardInterrupt](#)
 [KeyError](#)
 [LookupError](#)
 [MemoryError](#)
 [NameError](#)
 [NotImplementedError](#)
 [OSError](#)

[OverflowError](#)
[StandardError](#)
[SyntaxError](#)
[SystemError](#)
[TypeError](#)
[UnboundLocalError](#)
[UnicodeError](#)
[ValueError](#)
[WindowsError](#)
[ZeroDivisionError](#)

[built-in functions](#)

[abs](#)
[apply](#)
[bool](#) [2nd](#)
[buffer](#)
[callable](#)
[chr](#)
[cmp](#) [2nd](#)
[coerce](#)
[compile](#)
 [exec statement and](#)
[delattr](#)
[dir](#)
[divmod](#) [2nd](#)
[encode](#)
[eval](#) [2nd](#)
[execfile](#)
[filter](#)
[getattr](#)
[globals](#)
[hasattr](#)
[hash](#) [2nd](#)
[hex](#)
[id](#)
[__import__](#) [2nd](#)
[input](#) [2nd](#)
 [safer variant of](#)
[isinstance](#) [2nd](#) [3rd](#)
[issubclass](#) [2nd](#)
[iter](#) [2nd](#)
[len](#) [2nd](#) [3rd](#)
[locals](#)
[map](#)
[max](#) [2nd](#)
[min](#) [2nd](#)
[oct](#)
[open](#)
 [creating file object](#)
 [restricted execution](#)
[ord](#)
[pow](#) [2nd](#)
[range](#) [2nd](#)
[raw_input](#) [2nd](#)
[reduce](#)
[reload](#) [2nd](#)

[repr](#)
[round](#)
[setattr](#)
[slice](#)
[unichr](#)
[vars](#)
[xrange](#) [2nd](#)
[zip](#)
[built-in modules](#)
 [__import__](#) [function](#)
 [loading](#)
[built-in types](#)
 [classmethod](#) [2nd](#)
 [complex](#) [2nd](#)
 [dict](#) [2nd](#)
 [file \(open\)](#) [2nd](#)
 [float](#) [2nd](#)
 [int](#) [2nd](#)
 [list](#) [2nd](#)
 [long](#) [2nd](#)
 [object](#) [2nd](#)
 [property](#) [2nd](#)
 [staticmethod](#) [2nd](#) [3rd](#)
 [str](#) [2nd](#) [3rd](#)
 [date/time string conversions](#)
 [super](#) [2nd](#)
 [tuple](#) [2nd](#)
 [type](#) [2nd](#) [3rd](#)
 [unicode](#) [2nd](#) [3rd](#) [4th](#)
[built-in variables](#)
 [__debug__](#)
 [__builtin__](#) [class](#)
 [__builtin__](#) [module](#) [2nd](#) [See also built-in functions][See also built-in functions]
 [__builtins__](#) [attribute](#)
 [__builtins__](#) [attribute \(built-in module\)](#)
[Button class \(Tkinter module\)](#)
 [flash](#) [method](#)
 [invoke](#) [method](#)
[byteswap](#) [method \(array object\)](#)
[byteswapped](#) [method \(array object\)](#)

[[Team LiB](#)]

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[C compiler, ISO-compliant, installing Python and C library](#)

[time module and](#)

[C programming language, CPython and](#)

[C++ programming language, extending Python with calsize function \(struct module\)](#)

[calculator](#)

[calendar function \(calendar module\)](#)

[calendar module](#)

[calendar function](#)

[firstweekday function](#)

[isleap function](#)

[leapdays function](#)

[month function](#)

[monthcalendar function](#)

[monthrange function](#)

[prcal function](#)

[prmonth function](#)

[setfirstweekday function](#)

[timegm function](#)

[weekday function](#)

[calibrate method \(Profile object\)](#)

[__call__ method](#)

[PyObject object](#)

[special method](#)

[call stack](#)

[_getframe function](#)

[retrieving limit on depth of](#)

[setting limit on depth of](#)

[unwinding on exceptions](#)

[callable function \(built-in\)](#)

[callable types](#)

[callLater method \(reactor object\)](#)

[cancel method \(scheduler object\)](#)

[cancelCallLater method \(reactor object\)](#)

[Canvas class \(Tkinter module\)](#)

[bbox method](#)

[coords method](#)

[create_line method](#)

[create_polygon method](#)

[create_rectangle method](#)

[create_text method](#)

[delete method](#)

[gettags method](#)

[itemcget method](#)

[itemconfig method](#)

[tag_bind method](#)

[tag_unbind method](#)

[canvas widget](#)

[lines](#)

- [polygons](#)
- [rectangles](#)
- [text](#)
- [capitalize method \(string object\)](#)
- [caret \(^\)](#)
 - [bitwise XOR](#)
 - [MULTILINE attribute](#)
 - [regular expressions 2nd](#)
- [case sensitivity](#)
 - [filesystems](#)
 - [regular expressions](#)
 - [strings 2nd](#)
 - [Windows os.environ keys](#)
- [ceil function](#)
 - [cmath module](#)
 - [math module](#)
- [center method \(string object\)](#)
- [.cfg extension, customizing package installation](#)
- [cget method](#)
 - [Font object](#)
 - [Widget object](#)
- [CGI \(Common Gateway Interface\)](#)
 - [xxx \[See also CGI scripting\]\[See also CGI scripting\]](#)
- [cgi module](#)
 - [escape function](#)
 - [FieldStorage class](#)
- [CGI scripting 2nd](#)
 - [Content-Type header](#)
 - [cookies](#)
 - [error messages](#)
 - [cgitb module](#)
 - [HTML forms submission](#)
 - [output](#)
 - [scripts](#)
 - [performance characteristics](#)
 - [Python, installing](#)
- [CGIHTTPServer module 2nd](#)
- [cgitb module](#)
 - [enable function](#)
 - [handle function](#)
- [char attribute \(Event object\)](#)
- [characters method \(ContentHandler object\)](#)
- [chdir function \(os module\)](#)
- [checkbox widgets](#)
- [Checkbutton class \(Tkinter module\)](#)
 - [deselect method](#)
 - [flash method](#)
 - [invoke method](#)
 - [select method](#)
 - [toggle method](#)
- [checkcache function \(linecache module\)](#)
- [Cheetah package](#)
 - [templating language](#)
- [Cheetah.Template module](#)
 - [Template class](#)

- [child widgets](#)
- [childNodes attribute \(Node object\)](#)
- [chmod function \(os module\)](#)
- [choice method \(Random object\)](#)
- [choose function \(Numeric module\)](#)
- [chr function \(built-in\)](#)
- [circular imports](#)
- [class body](#)
 - [attributes](#)
 - [class-private variables](#)
 - [docstrings](#)
 - [function definitions in](#)
- [class methods](#)
- [class object](#)
 - [__bases__ attribute](#)
 - [__dict__ attribute](#)
 - [__doc__ attribute](#)
 - [__name__ attribute](#)
- [class statement](#)
- [class-level methods](#)
 - [class](#)
 - [static](#)
- [class-private variables](#)
- [classes](#)
 - [how metaclasses create](#)
 - [metaclasses of, how Python determines](#)
- [classes, classic](#)
 - [attribute references](#)
 - [bound methods](#)
 - [class body](#)
 - [class statement](#)
 - [inheritance](#)
 - [instances of](#)
 - [unbound methods](#)
- [classes, new-style](#)
 - [built-in object type](#)
 - [class-level methods](#)
 - [inheritance](#)
 - [cooperative superclass method calling](#)
 - [method resolution order](#)
 - [instances of](#)
 - [per-instance methods](#)
- [classic classes](#) [See [classes, classic](#)]
- [Classic Python](#) [See [CPython](#)]
- [classmethod type \(built-in\)](#) [2nd](#)
- [clauses](#) [2nd](#)
- [clear command \(pdb module\)](#)
- [clear method](#)
 - [dictionary object](#)
 - [Event object](#)
- [clearcache function \(linecache module\)](#)
- [client_address method \(BaseRequestHandler object\)](#)
- [clients](#)
- [clip function \(Numeric module\)](#)
- [clock function \(time module\)](#)

[close function \(os module\)](#)

[close method](#)

[bsddb module](#)

[Connection object](#)

[Cursor object](#)

[file object](#)

[fileinput module](#)

[HTMLParser object](#)

[HTTPConnection object](#)

[mmap object](#)

[sgmlib module](#)

[socket object](#)

[Telnet object](#)

[URL file-like object](#)

[XMLReader object](#)

[zipfile module](#)

[closed attribute \(file object\)](#)

[clrtobot method \(Window object\)](#)

[clrtoeot method \(Window object\)](#)

[cmath module](#)

[acos function](#)

[acosh function](#)

[asin function](#)

[asinh function](#)

[atan/atan2 functions](#)

[atanh function](#)

[ceil function](#)

[cos function](#)

[cosh function](#)

[exp function](#)

[fabs function](#)

[floor function](#)

[fmod function](#)

[frexp function](#)

[hypot function](#)

[ldexp function](#)

[log function](#)

[log10 function](#)

[modf function](#)

[pow function](#)

[sin function](#)

[sinh function](#)

[sqrt function](#)

[tan function](#)

[Cmd class \(cmd module\)](#)

[cmd module](#)

[attributes](#)

[Cmd class](#)

[cmdloop function](#)

[default function](#)

[do_help function](#)

[emptyline function](#)

[indentchars attribute](#)

[intro attribute](#)

[lastcmd attribute](#)

- [methods](#)
- [onecmd function](#)
- [postcmd function](#)
- [postloop function](#)
- [precmd function](#)
- [preloop function](#)
- [prompt attribute](#)
- [use_rawinput attribute](#)
- [cmdloop function \(cmd module\)](#)
- cmp function
 - [built-in 2nd](#)
 - [filecmp module](#)
 - [mx.DateTime module](#)
- [__cmp__ special method](#)
- [cmpfiles function \(filecmp module\)](#)
- [co_argcount attribute \(code object\)](#)
- [co_varnames attribute \(code object\)](#)
- code object
 - [co_argcount attribute](#)
 - [co_varnames attribute](#)
 - [exec statement and](#)
- codecs
 - [codecs module](#)
 - [EncodedFile function](#)
 - [open function](#)
- [coded_value attribute \(Morsel object\)](#)
- [coders-decoders \(codecs\)](#)
- [CodeWarrior Pro 7 C compiler](#)
- [coerce function \(built-in\)](#)
- [__coerce__ special method](#)
- [collect function \(gc module\)](#)
- [collect_incoming_data method \(async_chat object\)](#)
- colon (:)
 - [compound statements](#)
 - [dictionaries](#)
 - [Unix directory paths](#)
- COM
 - [date epoch](#)
 - [extending Python with](#)
- [COMDate method \(DateTime class\)](#)
- comma (,)
 - [dictionaries](#)
 - [functions](#)
 - [lists](#)
 - [plain assignment statements](#)
 - [tuples](#)
- [command attribute \(HTTPServer object\)](#)
- [command-line options, parsing](#)
- [comment attribute \(zipfile module\)](#)
- [comments 2nd](#)
- [commit method \(Connection object\)](#)
- [Common Gateway Interface \(CGI\)](#)
- [commonprefix function \(os.path module\)](#)
- [compare method \(Text object\)](#)
- comparing

- [arrays of numbers](#)
- [directory paths](#)
- [files](#)
- [numbers](#) [2nd](#)
- compile function
 - [built-in](#)
 - [exec statement and](#)
 - [re module](#) [2nd](#)
 - [flags argument](#)
- [__complex__ special method](#)
- [complex type \(built-in\)](#) [2nd](#)
- [compound statements](#)
- compress function
 - [Numeric module](#)
 - [zlib module](#)
- [compress_size attribute \(zipfile module\)](#)
- [compress_type attribute \(zipfile module\)](#)
- [compression](#)
 - [gzip module](#)
 - [zipfile module](#)
 - [zlib module](#)
- [concat method \(operator module\)](#)
- [concatenate function \(Numeric module\)](#)
- concatenating
 - [sequences](#)
 - [strings](#)
- [Condition class \(threading module\)](#) [2nd](#) [3rd](#)
 - [acquire method](#)
 - [notify method](#)
 - [notifyAll method](#)
 - [release method](#)
 - [wait method](#)
- [condition command \(pdb module\)](#)
- config method
 - [Font object](#)
 - [Widget object](#)
- [connect function \(DBAPI-compliant modules\)](#)
- connect method
 - [FTP object](#)
 - [SMTP object](#)
 - [socket object](#) [2nd](#)
- Connection object (DBAPI-compliant modules)
 - [close method](#)
 - [commit method](#)
 - [cursor method](#)
 - [rollback method](#)
- [connectionLost method \(Protocol object\)](#)
- [connectionMade method \(Protocol object\)](#)
- [console I/O](#)
 - [Console module](#)
 - [curses package](#)
 - [msvcrt module](#)
 - [WConio module](#)
- [Console module](#)
- [constructor](#) [See [__init__](#) special method]

[constructor function \(copy_reg module\)](#)
[contact argument \(distutils setup function\)](#)
[contact_email argument \(distutils setup function\)](#)

container methods

[__contains__](#)
[__delitem__](#)
[__getitem__](#)
[__iter__](#)
[__len__](#)
[__setitem__](#)

container widgets

[frames](#)
[top-level windows](#)

containers

[returning number of items in slicing](#)
[special methods for](#)

[contains method \(operator module\)](#)

[__contains__ special method](#)

[ContentHandler class \(xml.sax package\)](#)

[characters method](#)
[endDocument method](#)
[endElement method](#)
[endElementNS method](#)
[startDocument method](#)
[startElement method](#)
[startElementNS method](#)

[continuation lines](#)

[continue command \(pdb module\)](#)

[continue statement](#)

[control flow statements](#)

[break statement](#)
[continue statement](#)
[for statement](#)
[iterators](#)
[list comprehensions](#)
[range/xrange functions](#)

[if statements](#)

[pass statement](#)

[try statement](#)

[while statements](#)

converting

[integers to hexadecimal strings](#)

[numbers](#)

[to floating-point](#)

[to integers](#)

[numeric operators](#)

[strings 2nd](#)

[date/time types](#)

[to floating-point](#)

[to Unicode](#)

[time values](#)

[convolve function \(Numeric module\)](#)

[Cookie module](#)

[Morsel class](#)

- [SimpleCookie class](#)
- [SmartCookie class](#)
- [cookies](#)
- [Cooledit program](#)
- [Coordinated Universal Time \(UTC\)](#)
- [coords method \(Canvas object\)](#)
- copy function
 - [copy module](#)
 - [shutil module](#)
- copy method
 - [array object](#)
 - [dictionary object](#)
 - [Font object](#)
- copy module
 - [copy function](#)
 - [deepcopy function](#)
- copy_reg module
 - [constructor function](#)
 - [pickle function](#)
 - [pickling customization with](#)
- [copy2 function \(shutil module\)](#)
- [copyfile function \(shutil module\)](#)
- [copyfileobj function \(shutil module\)](#)
- copying
 - [deep copying](#)
 - [file permission bits](#)
 - [files](#)
 - [types](#)
- [copymode function \(shutil module\)](#)
- [copystat function \(shutil module\)](#)
- [copytree function \(shutil module\)](#)
- cos function
 - [cmath module](#)
 - [math module](#)
- cosh function
 - [cmath module](#)
 - [math module](#)
- count method
 - [list object](#)
 - [string object](#)
- [countOf method \(operator module\)](#)
- [cPickle module](#)
 - [dump/dumps functions](#)
 - [load/loads functions](#)
 - [Pickler function](#)
 - [pickling customization with copy_reg module](#)
 - [Unpickler function](#)
- [.cpp files](#)
- [CPython \(Classic Python\) 2nd](#)
 - C-coded Python extensions
 - [abstract layer functions](#)
 - [arguments](#)
 - [building/installing](#)
 - [concrete layer functions](#)
 - [creating Python values](#)

- [defining types](#)
- [exceptions](#)
- [functions](#)
- [module initialization](#)
- [overview](#)
- [reference counting](#)
- [CNRI Open Source GPL-Compatible License](#)
- [embedding](#)
 - [installing extension modules](#)
 - [Python initialization/finalization](#)
 - [running Python code](#)
 - [setting arguments](#)
- [extending](#)
 - [in other languages](#)
 - [with Python C API](#)
- [installing](#)
- [reference counts](#)
- [CRC checksums \(cyclic-redundancy check checksums\)](#)
- [create_line method \(Canvas object\)](#)
- [create_polygon method \(Canvas object\)](#)
- [create_rectangle method \(Canvas object\)](#)
- [create_socket method \(dispatcher object\)](#)
- [create_text method \(Canvas object\)](#)
- [createComment method \(Document object\)](#)
- [createElement method \(Document object\)](#)
- [createTextNode method \(Document object\)](#)
- [creating](#)
 - [dictionaries](#)
 - [directory paths](#)
 - [file object](#)
 - [designating buffering](#)
 - [sequential/nonsequential access](#)
 - [specifying file mode](#)
 - [iterators](#)
 - [lists](#)
 - [pipes](#)
 - [prebuilt distributions with distutils](#)
 - [tuples](#)
- [cross-platform portability \[See portability\]](#)
- [cross-platform programs, rich-text I/O functionality](#)
- [cross_correlate function \(Numeric module\)](#)
- [cStringIO function \(cStringIO module\)](#)
- [cStringIO module 2nd](#)
- [ctime function \(time module\)](#)
- [curdir attribute \(os module\)](#)
- [curly braces \({} \)](#)
 - [dictionaries](#)
 - [dictionary creation](#)
 - [line continuation](#)
 - [python command-line syntax](#)
- [currentframe function \(inspect module\)](#)
- [currentThread function \(threading module\)](#)
- [curselection method \(Listbox object\)](#)
- [curses package](#)
- [curses programming](#)

[cursor method \(Connection object\)](#)

Cursor object

[close method](#)

[DBAPI](#)

[description attribute](#)

[execute method](#)

[executemany method](#)

[fetchall method](#)

[fetchmany method](#)

[fetchone method](#)

[rowcount attribute](#)

[customization](#)

[cwd method \(FTP object\)](#)

[CXX library](#)

[cyclic garbage loops](#)

[cyclic-redundancy check checksums \(CRC checksums\)](#)

[Cygwin, building Python for](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

data attribute

[UserDict module](#)

[UserList module](#)

[UserString module](#)

data types

[Boolean values](#)

[C-coded](#)

[callable](#)

[dictionaries](#)

[None](#)

[numbers](#)

[Python versions](#)

[sequences](#)

[lists](#)

[strings](#)

[tuples](#)

[user-definable](#)

[data_files argument \(distutils setup function\)](#)

[Database API](#) [See DBAPI 2.0]

[dataReceived method \(Protocol object\)](#)

[date attribute \(DateTime class\)](#)

Date function

[DBAPI-compliant modules](#)

[mx.DateTime module](#)

[date/time values](#) [See also calendar module; time operations]

[compressed files](#)

[computing moveable feast days](#)

[converting](#)

[current CPU time, retrieving](#)

[directory paths](#)

[internationalization and](#)

[in ISO 8601 formats](#)

[time-tuple](#)

[date_time attribute \(zipfile module\)](#)

DateFromTicks function

[DBAPI-compliant modules](#)

[mx.DateTime module](#)

[DateTime class \(mx.DateTime module\)](#)

[absdate attribute](#)

[absdays attribute](#)

[abstime attribute](#)

[absvalues method](#)

[COMDate method](#)

[date attribute](#)

[day attribute](#)

[day_of_week attribute](#)

[day_of_year attribute](#)

[dst attribute](#)

[gmticks method](#)

[gmtime method](#)

[gmtoffset method](#)
[hour attribute](#)
[iso_week attribute](#)
[localtime method](#)
[minute attribute](#)
[month attribute](#)
[second attribute](#)
[strftime method](#)
[ticks method](#)
[tuple method](#)
[year attribute](#)
[DateTime class \(xmlrpc.lib module\)](#)
[DateTime function \(mx.DateTime module\)](#)
[DateTimeDelta class \(mx.DateTime module\)](#)
[absvalues method](#)
[attributes](#)
[DateTimeDelta function](#)
[DateTimeDeltaFrom function](#)
[DateTimeDeltaFromSeconds function](#)
[day attribute](#)
[days attribute](#)
[hour attribute](#)
[hours attribute](#)
[methods](#)
[minute attributes](#)
[minutes attribute](#)
[second attribute](#)
[seconds attribute](#)
[strftime method](#)
[TimeDelta function](#)
[TimeDeltaFrom function](#)
[TimeFromTicks function](#)
[tuple method](#)
[DateTimeDelta function \(DateTimeDelta class\)](#)
[DateTimeDeltaFrom function \(DateTimeDelta class\)](#)
[DateTimeDeltaFromSeconds function \(DateTimeDelta class\)](#)
[DateTimeFrom function \(mx.DateTime module\)](#)
[DateTimeFromAbsDays function \(mx.DateTime module\)](#)
[DateTimeFromCOMDays function \(mx.DateTime module\)](#)
[day attribute](#)
[DateTime class](#)
[DateTimeDelta class](#)
[day_of_week attribute \(DateTime class\)](#)
[day_of_year attribute \(DateTime class\)](#)
[Daylight Saving Time \(DST\)](#)
[days attribute \(DateTimeDelta class\)](#)
[DB2 module](#)
[DBAPI 2.0 \(Database API 2.0\) 2nd \[See also bsddb module\]\[See also bsddb module\]3rd](#)
[-compliant modules 2nd](#)
[connect function](#)
[connection object](#)
[Cursor object](#)
[Gadfly](#)
[type-description attributes](#)
[DBAPI 3.0](#)

- [dbhash module](#)
 - [open function](#)
- [dbm library](#)
- [dbm module 2nd](#)
- [DBM modules](#)
 - [anydbm module](#)
 - [bsddb module](#)
 - [dbm/gdbm/dbhash modules](#)
 - [dumbdbm module](#)
 - [whichdb module](#)
- [DCOracle2 module](#)
- [Debian GNU/Linux, installing Python](#)
- [__debug__ variable \(built-in\)](#)
- [debugging 2nd 3rd](#)
 - [CGI scripts 2nd](#)
 - [HTML](#)
 - [in IDLE](#)
 - [inspect module](#)
 - [pdb module](#)
 - [print statement and](#)
 - [race conditions](#)
 - [traceback module](#)
 - [warnings module](#)
- [December attribute \(mx.DateTime module\)](#)
- [decimal literals 2nd](#)
- [decode function](#)
 - [base64 module](#)
 - [quopri module](#)
 - [Utils module](#)
 - [uu module](#)
- [decodestring function](#)
 - [base64 module](#)
 - [quopri module](#)
- [decompress function \(zlib module\)](#)
- [deepcopy function \(copy module\)](#)
- [def statement 2nd 3rd](#)
- [default function \(cmd module\)](#)
- [default search path, designating](#)
- [define_macros argument \(distutils Extension class\)](#)
- [defining](#)
 - [functions in class body](#)
 - [metaclasses](#)
- [defpath attribute \(os module\)](#)
- [deiconify method \(Toplevel object\)](#)
- [__del__ special method](#)
- [del statements 2nd](#)
 - [dictionaries](#)
- [delattr function \(built-in\)](#)
- [__delattr__ special method 2nd](#)
- [delch method \(Window object\)](#)
- [dele method \(POP3 object\)](#)
- [delete method](#)
 - [Canvas object](#)
 - [Entry object](#)
 - [FTP object](#)

- [Listbox object](#)
- [Menu object](#)
- [Text object](#)
- [deleteIn method \(Window object\)](#)
- [deleting attributes](#)
- [delimiters, list of](#)
- [delitem method \(operator module\)](#)
- [__delitem__ special method](#)
- [delslice method \(operator module\)](#)
- [denial-of-service attacks](#) [See security, denial-of-service attacks]
- [DeprecationWarning class](#)
- [descendants](#)
- [description argument \(distutils setup function\)](#)
- [description attribute \(Cursor object\)](#)
- [deselect method](#)
 - [Checkbutton object](#)
 - [Radiobutton object](#)
- [destructor](#) [See [__del__](#) special method]
- [development environments](#)
 - [text editors with Python support](#)
- [diagonal function \(Numeric module\)](#)
- [__dict__ attribute](#)
 - [module object](#)
 - [class object](#)
- [dict type \(built-in\)](#) [2nd](#)
- [dictionaries](#)
 - [dictionary items](#)
 - [dictionary keys](#)
 - [exec statement and](#)
 - [indexing](#)
 - [listing loaded module names](#)
 - [methods](#)
 - [operations on](#)
 - [optimizing operations on](#)
 - [representing current local namespace](#)
- [dictionary object \(dict type\)](#)
 - [clear method](#)
 - [copy method](#)
 - [get method](#)
 - [has_key method](#)
 - [items method](#)
 - [iteritems method](#)
 - [iterkeys method](#)
 - [itervalues method](#)
 - [keys method](#)
 - [popitem method](#)
 - [setdefault method](#)
 - [update method](#)
 - [values method](#)
- [DictionaryType attribute \(types module\)](#)
- [DictType attribute \(types module\)](#)
- [digits attribute \(string module\)](#)
- [dir function \(built-in\)](#)
- [dircmp function \(filecmp module\)](#)
- [directory paths](#)

- [absolute, retrieving name of](#)
- [base name of, retrieving](#)
- [comparing](#)
- [creating](#)
- [current working directory
 - \[returning path of\]\(#\)
 - \[setting\]\(#\)](#)
- [distribution utilities](#)
- [information about, retrieving](#)
- [mount points](#)
- [normalized names, retrieving](#)
- [parent directory](#)
- [removing 2nd](#)
- [renaming](#)
- [separator between lists of](#)
- [setting time on](#)
- [specifying when module loading](#)
- [symbolic links to](#)
- [dirname function \(os.path module\)](#)
- [disable command \(pdb module\)](#)
- [disable function \(gc module\) 2nd](#)
- [dispatcher class \(asyncore module\)
 - \[create_socket method\]\(#\)
 - \[handle_accept method\]\(#\)
 - \[handle_close method\]\(#\)
 - \[handle_connect method\]\(#\)
 - \[handle_read method\]\(#\)
 - \[handle_write method\]\(#\)](#)
- [displayhook function \(sys module\)](#)
- [disposition attribute \(FieldStorage object\)](#)
- [disposition_options attribute \(FieldStorage object\)](#)
- [distributed computing](#)
- [distribution root directory
 - \[setup.py script\]\(#\)](#)
- [distribution utilities \[See distutils\]](#)
- [distributions
 - \[root directory of\]\(#\)](#)
- [distutils \(distribution utilities\) 2nd
 - \[creating prebuilt distributions\]\(#\)
 - \[distribution contents\]\(#\)
 - \[distribution root directory\]\(#\)
 - \[distutils module, Extensions class\]\(#\)
 - \[distutils module, setup function\]\(#\)
 - \[distutils package\]\(#\)
 - \[MANIFEST files\]\(#\)
 - \[providing metadata about distribution\]\(#\)
 - \[setup.cfg file\]\(#\)
 - \[setup.py script\]\(#\)](#)
- [div method \(operator module\)](#)
- [__div__ special method](#)
- [division](#)
- [divmod function \(built-in\) 2nd](#)
- [__divmod__ special method](#)
- [.dll files](#)
- [DLLs \(dynamic load libraries\)](#)

[interoperability of Python release and debugging builds](#)
[DNS \(Domain Name System\)](#)
[do_help function \(cmd module\)](#)
[do_tag method](#)
 [HTMLParser object](#)
 [sgmlib module](#)
[__doc__ attribute](#)
 [class object](#)
 [module object](#)
[docstrings 2nd 3rd](#)
[doctest module](#)
[doctype attribute \(Document object\)](#)
[Document class \(minidom module\) 2nd](#)
 [createComment method](#)
 [createElement method](#)
 [createTextNode method](#)
 [doctype attribute](#)
 [DocumentElement attribute](#)
 [getElementById method](#)
 [getElementsByTagName method](#)
 [getElementsByTagNameNS method](#)
 [methods](#)
[Document Object Model \[See DOM, parsing XML\]](#)
[Document Type Definition \(DTD\)](#)
[documentation](#)
 [embedding/extending Python](#)
[documentation strings \[See docstrings\]2nd \[See docstrings\]](#)
[documentElement attribute \(Document object\)](#)
[dollar sign \(\\$\)](#)
 [MULTILINE attribute](#)
 [regular expressions](#)
[DOM \(Document Object Model\), parsing XML 2nd \[See also minidom module\]](#)
 [minidom module](#)
 [pulldom module](#)
 [xml.dom package](#)
[Domain Name System \(DNS\)](#)
[DOMEventStream class \(pulldom module\)](#)
[DOMException class \(xml.dom package\)](#)
[DOTALL attribute \(re module\)](#)
[double quote \("\), string literals](#)
[down command \(pdb module\)](#)
[DST \(Daylight Saving Time\)](#)
[dst attribute \(DateTime class\)](#)
[DTD \(Document Type Definition\)](#)
[dumbdbm module](#)
 [open function](#)
[DumbWriter class \(formatter module\)](#)
[dump/dumps functions](#)
 [marshal module](#)
 [pickle/cPickle modules](#)
[dump_address_pair function \(Utils module\)](#)
[dup/dup2 functions \(os module\)](#)
[dynamic execution](#)
[dynamic load libraries \[See DLLs\]](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[EAFP \(easier to ask forgiveness than permission\)](#)

[Queue module and](#)

[easier to ask forgiveness than permission](#) [See EAFP]

[echo servers](#)

[TCP](#)

[UDP](#)

[edit function, textpad module](#)

[EditPythonPrefs icon \(Macintosh\)](#)

[eGenix GmbH](#)

[Element class \(minidom module\)](#) [2nd](#)

[getAttribute method](#)

[getAttributeNode method](#)

[getAttributeNodeNS method](#)

[getAttributeNS method](#)

[getElementsByTagName method](#)

[getElementsByTagNameNS method](#)

[hasAttribute method](#)

[hasAttributeNS method](#)

[methods of](#)

[removeAttribute method](#)

[setAttribute method](#)

[elif clause](#)

[else clause](#) [2nd](#)

[emacs program](#)

[email](#) [See email package]

[email package](#)

[Encoders module](#)

[functions](#)

[Generator module](#)

[Message module](#)

[Utils module](#)

[email protocols](#)

[poplib module](#)

[smtplib module](#)

[embedding/extending](#)

[CPython](#)

[Jython](#)

[Empty class \(Queue module\)](#)

[empty method](#)

[Queue object](#)

[scheduler object](#)

[emptyline function \(cmd module\)](#)

[enable command \(pdb module\)](#)

[enable function](#)

[cgitb module](#)

[gc module](#)

[encode function](#)

[base64 module](#)

[built-in](#)

[quopri module](#)

- [Utils module](#)
- [uu module](#)
- [encode method, string object](#)
- [encode_7or8bit function \(Encoders module\)](#)
- [encode_base64 function \(Encoders module\)](#)
- [encode_noop function \(Encoders module\)](#)
- [encode_quopri function \(Encoders module\)](#)
- [EncodedFile function \(codecs module\)](#)
- [Encoders module](#)
 - [encode_7or8bit function](#)
 - [encode_base64 function](#)
 - [encode_noop function](#)
 - [encode_quopri function](#)
- [encodestring function](#)
 - [base64 module](#)
 - [quopri module](#)
- [encoding binary data as text](#)
 - [base64 module](#)
 - [quopri module](#)
 - [uu module](#)
- [encodings](#)
 - [codecs](#)
 - [Latin-1](#)
 - [network](#)
- [encodings package](#)
- [end method \(match object\)](#)
- [end_headers method \(HTTPServer object\)](#)
- [end_tag method](#)
 - [HTMLParser object](#)
 - [sgmlib module](#)
- [endDocument method \(ContentHandler object\)](#)
- [endElement method \(ContentHandler object\)](#)
- [endElementNS method \(ContentHandler object\)](#)
- [endpos attribute \(match object\)](#)
- [endswith method \(string object\)](#)
- [enter method \(scheduler object\)](#)
- [enterabs method \(scheduler object\)](#)
- [entity references, HTML](#)
- [entitydefs attribute \(htmlentitydefs module\)](#)
- [Entry class \(Tkinter module\)](#)
 - [delete method](#)
 - [get method](#)
 - [insert method](#)
- [entryconfigure method \(Menu object\)](#)
- [environ attribute \(os module\)](#)
- [environment variables](#)
 - [name of, retrieving](#)
 - [process environment](#)
 - [Python interpreter and](#)
- [EnvironmentError exception](#)
- [epilogue attribute \(Message object\)](#)
- [epoch](#)
- [__eq__ special method](#)
- [equal sign \(=\)](#)
 - [comparisons](#)

- [struct format strings](#)
- [erase method \(Window object\)](#)
- [errno attribute \(os module\)](#)
- [errno module](#)
- [error handling](#)
 - [assert statement](#)
 - [__debug__ variable](#)
 - [error-checking strategies](#)
 - [errors vs. special cases](#)
 - [in large programs](#)
 - [logging errors](#)
- [error messages](#) [See also warnings module][See also warnings module]
 - [CGI scripting](#)
 - [code numbers](#)
 - [file printed to](#)
 - [internationalization and](#)
 - [stderr attribute \(sys module\)](#)
 - [traceback messages](#)
- [escape function](#)
 - [cgi module](#)
 - [re module](#)
 - [saxutils module](#)
- [eval function \(built-in\) 2nd](#)
- [eval method \(PythonInterpreter object\)](#)
- [Event class](#)
 - [threading module 2nd](#)
 - [Tkinter module](#)
- [Event object \(threading module\)](#)
 - [clear method](#)
 - [isSet method](#)
 - [set method](#)
 - [wait method](#)
- [Event object \(Tkinter module\)](#)
 - [attributes](#)
 - [char attribute](#)
 - [keysym attribute](#)
 - [num attribute](#)
 - [widget attribute](#)
 - [x_root attribute](#)
 - [y_root attribute](#)
- [event scheduler](#)
- [event-driven applications](#)
 - [GUI applications](#)
 - [network programs](#)
- [events](#) [See also sockets, event-driven programs][See also sockets, event-driven programs]
 - [binding callbacks to](#)
 - [keyboard](#)
 - [mouse](#)
- [exc_info function, sys module 2nd](#)
- [excepthook function \(sys module\) 2nd](#)
- [Exception class \(built-in\)](#)
- [exception classes](#)
 - [custom](#)
 - [DBAPI](#)
 - [standard](#)

- [exception handling](#)
 - [exception propagation](#)
 - [sys.excepthook](#)
 - [try statement](#)
 - [try/except](#)
 - [try/finally](#)
- [exceptions](#)
 - [C-coded Python extensions](#)
 - [exception objects](#)
 - [custom exception classes](#)
 - [standard exception classes](#)
 - [IOError exceptions](#)
 - [pending, gathering information about](#)
 - [raise statement](#)
 - [standard, hierarchy of](#)
- [exclamation point \(!\)](#)
 - [comparisons](#)
 - [pdb command](#)
 - [struct format strings](#)
- [exec method \(PythonInterpreter object\)](#)
- [exec statement](#)
 - [limiting use of 2nd](#)
- [execfile function \(built-in\)](#)
- [execfile method \(PythonInterpreter object\)](#)
- [execl function \(os module\)](#)
- [execle function \(os module\)](#)
- [execlp function \(os module\)](#)
- [executables, self-installing, packages distributed as](#)
- [execute method \(Cursor object\)](#)
- [executemany method \(Cursor object\)](#)
- [execution](#)
 - [dynamic](#)
 - [restricted](#)
 - [exec statement and](#)
 - [rexec module](#)
 - [sandbox environment](#)
- [execv function \(os module\)](#)
- [execve function \(os module\)](#)
- [execvp function \(os module\)](#)
- [execvpe function \(os module\)](#)
- [exists function \(os.path module\)](#)
- [exit function \(sys module\) 2nd](#)
- [exp function](#)
 - [cmath module](#)
 - [math module](#)
- [expand method \(match object\)](#)
- [expandNode method \(DomEventStream object\)](#)
- [expandtabs method \(string object\)](#)
- [expandvars function \(os.path module\)](#)
- [expect method \(Telnet object\)](#)
- [expression statements](#)
- [expressions](#)
 - [Boolean context](#)
 - [exec statement and](#)
 - [named/positional arguments](#)

[operator precedence in
returning results of
ext_modules argument \(distutils setup function\)](#)
[extend method \(list object\)](#)
[eXtensible Markup Language \[See XML\]](#)
[Extension class \(distutils module\)](#)
[extension modules 2nd](#)
[C-coded](#)
[errors in](#)
[portability and](#)
[Python implementations and](#)
[resources for further information](#)
[writing in lower-level languages](#)
[extra_compile_args argument \(distutils Extension class\)](#)
[extra_link_args argument \(distutils Extension class\)](#)
[extra_objects argument \(distutils Extension class\)](#)
[extsep attribute \(os module\)](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[F2PY library](#)

[fabs function](#)

[cmath module](#)

[math module](#)

[factory functions](#)

[fail method \(TestCase object\)](#)

[failIf method \(TestCase object\)](#)

[failIfEqual method \(TestCase object\)](#)

[failUnless method \(TestCase object\)](#)

[failUnlessEqual method \(TestCase object\)](#)

[failUnlessRaises method \(TestCase object\)](#)

[FancyURLopener class](#)

[prompt_user_passwd method](#)

[version method](#)

[Fast Fourier Transforms \(FFTs\)](#)

[FastCGI](#)

[fdopen function \(os module\)](#)

[Feasts module](#)

[February attribute \(mx.DateTime module\)](#)

[feed method](#)

[HTMLParser object](#)

[sgmlib module](#)

[XMLReader object](#)

[fetchall method \(Cursor object\)](#)

[fetchmany method \(Cursor object\)](#)

[fetchone method \(Cursor object\)](#)

[FFT module](#)

[FFTPACK/fftpack libraries](#)

[FFTs \(Fast Fourier Transforms\)](#)

[FieldStorage class \(cgi module\)](#)

[disposition attribute](#)

[disposition_options attribute](#)

[file attribute](#)

[filename attribute](#)

[getfirst method](#)

[getlist method](#)

[getvalue method](#)

[headers attribute](#)

[name attribute](#)

[type attribute](#)

[type_option attribute](#)

[value attribute](#)

[file attribute \(FieldStorage object\)](#)

[file descriptors](#)

[duplicating](#)

[operations on](#)

[OS-level](#)

[file extensions, order of, when searching filesystem for modules](#)

[file object \(file type\) \[2nd\]\(#\) \[3rd\]\(#\)](#)

[attributes](#)

- [close method](#)
- [closed attribute](#)
- [creating](#)
 - [designating buffering](#)
 - [sequential/nonsequential access](#)
 - [specifying file mode](#)
- [fileno method](#)
- [flush method](#)
- [isatty method](#)
- [iteration on](#)
- [memory-mapped](#) [See mmap object]
- [methods](#)
- [mode attribute](#)
- [mode of](#)
- [name attribute](#)
- [open, alternate way to create](#)
- [polymorphism and](#)
- [read method](#)
- [readline method](#)
- [readlines method](#)
- [seek method](#)
- [softspace attribute](#)
- [tell method](#)
- [truncate method](#)
- [write method](#)
- [writelines method](#)
- [xreadlines method](#)
- [file_size attribute \(zipfile module\)](#)
- [filecmp module](#)
 - [cmp function](#)
 - [cmpfiles function](#)
 - [dircmp function](#)
- [FileInput function \(fileinput module\)](#)
- [fileinput module](#)
 - [close method](#)
 - [FileInput function](#)
 - [filelineno function](#)
 - [filename function](#)
 - [input function](#)
 - [isfirstline function](#)
 - [isstdin function](#)
 - [lineno function](#)
 - [nextfile function](#)
- [filelineno function \(fileinput module\)](#)
- [filename attribute](#)
 - [FieldStorage object](#)
 - [os module](#)
 - [zipfile module](#)
- [filename function \(fileinput module\)](#)
- [fileno method \(file object\)](#)
- [files](#) [2nd](#) [See also file object][See also file object][3rd](#)
 - [buffering](#)
 - [comparing](#)
 - [compressed](#)
 - [gzip module](#)

- [tar archive](#)
- [zipfile module](#)
- [zlib module](#)
- [copying](#)
- [creating/opening](#)
- [.dll](#)
- [HTML, getting information from](#)
- [information about, retrieving](#)
- [__init__.py](#)
- [.jar, Jython and](#)
- [jython.jar](#)
- [MANIFEST](#)
- [msvcrt.dll](#)
- [.pythonrc.py](#)
- [removing](#)
- [renaming](#)
- [setting time on](#)
- [site.py](#)
- [.so](#)
- [as symbolic links](#)
- [text](#)
- [truncating](#)
- [filesystems](#)
 - [case-sensitive](#)
 - [operations of](#)
 - [permissions](#)
 - [searching for modules](#)
- [filter function \(built-in\)](#)
- [filterwarnings function \(warnings module\)](#)
- [find method](#)
 - [mmap object](#)
 - [string object](#)
- [findall method \(regular expression object\)](#)
- [first function \(bsddb module\)](#)
- [firstChild attribute \(Node object\)](#)
- [firstweekday function \(calendar module\)](#)
- [flag values, anydbm.open](#)
- [flags argument \(compile function\)](#)
- [flags attribute \(regular expression object\)](#)
- [flash method](#)
 - [Button object](#)
 - [Checkbutton object](#)
 - [Radiobutton object](#)
- [flat method \(array object\)](#)
- [__float__ special method](#)
- [float type \(built-in\) 2nd](#)
- [floating-point numbers](#)
 - [generating pseudo-random](#)
 - [literals](#)
 - [mathematical functions on](#)
 - [rounding off](#)
 - [in string formats](#)
- [FloatingPointError exception](#)
- [floor function](#)
 - [cmath module](#)

- [math module](#)
- [__floordiv__ special method](#)
- flush method
 - [file object](#)
 - [mmap object](#)
- fmod function
 - [cmath module](#)
 - [math module](#)
- [focus_set method \(Widget object\)](#)
- [Font class \(tkFont module\)](#)
 - [actual method](#)
 - [cget method](#)
 - [config method](#)
 - [copy method](#)
- for statement
 - [else clause](#)
 - [iterators 2nd](#)
 - [list comprehensions](#)
 - [range/xrange functions](#)
- [formal parameters](#)
- [format function \(locale module\)](#)
- [formatargspec function \(inspect module\)](#)
- [formatargvalues function \(inspect module\)](#)
- [formatdate function \(Utils module\)](#)
- [formatter attribute \(HTMLParser object\)](#)
- [formatter module](#)
 - [AbstractFormatter class](#)
 - [AbstractWriter class](#)
 - [DumbWriter class](#)
 - [NullFormatter class](#)
 - [NullWriter class](#)
- [formatting strings](#)
 - [common idioms](#)
 - [conversion characters](#)
 - [specifier syntax](#)
- [formatwarning function \(warnings module\)](#)
- Fortran
 - [-coded libraries](#)
 - [extending Python](#)
- forward slash (/)
 - [directory paths 2nd](#)
 - [Unix/Windows](#)
 - [division](#)
 - [division operator](#)
 - [determining behavior of](#)
 - double forward slash (//)
 - [truncating division](#)
- [found_terminator method \(async_chat object\)](#)
- [4Suite](#)
- [Frame class \(Tkinter module\)](#)
- [frame type](#)
- frexp function
 - [cmath module](#)
 - [math module](#)
- [Friday attribute \(mx.DateTime module\)](#)

- from statement
 - [avoiding from...import](#)
 - [importing modules from packages](#)
 - [module object](#)
- [fromfile method \(array object\)](#)
- [fromlist method \(array object\)](#)
- [fromstring function \(Numeric module\)](#)
- [fromstring method \(array object\)](#)
- [fstat function \(os module\)](#)
- [FTE editor](#)
- [FTP class \(ftplib module\)](#)
 - [connect method](#)
 - [cwd method](#)
 - [delete method](#)
 - [login method](#)
 - [mkd method](#)
 - [pwd method](#)
 - [quit method](#)
 - [rename method](#)
 - [retrbinary method](#)
 - [retrlines method](#)
 - [rmd method](#)
 - [sendcmd method](#)
 - [set_pasv method](#)
 - [size method](#)
 - [storbinary method](#)
 - [storlines method](#)
- [FTP protocol 2nd](#)
 - [ftplib module](#)
 - [twisted.protocols package](#)
- [FTP servers](#)
- [ftplib module 2nd](#)
- [Full class \(Queue module\)](#)
- [full method \(Queue object\)](#)
- [fullname argument \(distutils setup function\)](#)
- [func_code attribute \(method object\)](#)
- function object
 - [func_code attribute](#)
- functions
 - [attributes of](#)
 - [built-in](#)
 - [C-coded Python extension modules](#)
 - defining
 - [in a class body](#)
 - [function calls 2nd](#)
 - [arguments 2nd](#)
 - [generators](#)
 - [lambda expressions](#)
 - [local variables](#)
 - [namespaces](#)
 - [global statement](#)
 - [nested functions/scopes](#)
 - [parameters](#)
 - [recursion](#)
 - [return statement](#)

termination

[Team LiB]

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[Gadfly](#)

[gadfly function \(gadfly module\)](#)

[gadfly module](#)

[gadfly function](#)

[gfclient function](#)

[garbage attribute \(gc module\)](#)

[garbage collection 2nd](#)

[cyclic garbage](#)

[del statements and](#)

[disabling 2nd](#)

[finalizing classes](#)

[gc module](#)

[Jython](#)

[reference counts](#)

[weakref module](#)

[gc module 2nd](#)

[collect function](#)

[disable function 2nd](#)

[enable function](#)

[garbage attribute](#)

[get_debug function](#)

[get_objects function](#)

[get_referrers function](#)

[get_threshold function](#)

[isenable function](#)

[set_debug function](#)

[set_threshold function](#)

[gdbm library](#)

[gdbm module](#)

[open function](#)

[__ge__ special method](#)

[Generator class \(Generator module\)](#)

[Generator module](#)

[generators](#)

[geometry method \(Toplevel object\)](#)

[get method](#)

[dictionary object](#)

[Entry object](#)

[Listbox object](#)

[PythonInterpreter object](#)

[Queue object](#)

[Scale object](#)

[Text object](#)

[get_all method \(Message object\)](#)

[get_boundary method \(Message object\)](#)

[get_charsets method \(Message object\)](#)

[get_data method \(Request object\)](#)

[get_debug function \(gc module\)](#)

[get_filename method \(Message object\)](#)

[get_full_url method \(Request object\)](#)

[get_history_length function \(readline module\)](#)
[get_host method \(Request object\)](#)
[get_maintype method \(Message object\)](#)
[get_nowait method \(Queue object\)](#)
[get_objects function \(gc module\)](#)
[get_payload method \(Message object\)](#)
[get_referrers function \(gc module\)](#)
[get_selector method \(Request object\)](#)
[get_subtype method \(Message object\)](#)
[get_threshold function \(gc module\)](#)
[get_timeout method \(TimeoutSocket object\)](#)
[get_type method](#)
 [Message object](#)
 [Request object](#)
[get_unixfrom method \(Message object\)](#)
[getaddresses function \(Utils module\)](#)
[getargspec function \(inspect module\)](#)
[getargvalues function \(inspect module\)](#)
[getatime function \(os.path module\)](#)
[getattr function \(built-in\)](#)
[__getattr__ special method](#)
[getAttribute method \(Element object\)](#)
[__getattr__ special method 2nd 3rd](#)
[getAttributeNode method \(Element object\)](#)
[getAttributeNodeNS method \(Element object\)](#)
[getAttributeNS method \(Element object\)](#)
[getch function \(msvcrt module\)](#)
[getch method \(Window object\)](#)
[getche function \(msvcrt module\)](#)
[getcwd function \(os module\)](#)
[getdefaultencoding function \(sys module\)](#)
[getdefaultlocale function \(locale module\)](#)
[getDefaultSocketTimeout function \(timeoutsocket module\)](#)
[getdoc function \(inspect module\)](#)
[getElementById method \(Document object\)](#)
[getElementsByTagName method](#)
 [Document object](#)
 [Element object](#)
[getElementsByTagNameNS method](#)
 [Document object](#)
 [Element object](#)
[getfile function \(inspect module\)](#)
[getfirst method \(FieldStorage object\)](#)
[getfqdn function \(socket module\)](#)
[_getframe function \(sys module\) 2nd](#)
[getheader method \(HTTPResponse object\)](#)
[getHost method \(transports object\)](#)
[gethostbyaddr function \(socket module\)](#)
[gethostbyname_ex function \(socket module\)](#)
[getinfo function](#)
 [ZipFile class](#)
[__getinitargs__ special method](#)
[getitem method \(operator module\)](#)
[__getitem__ special method](#)
[getline function \(linecache module\)](#)

[getlist method \(FieldStorage object\)](#)
[getlocale function \(locale module\)](#)
[getmaintype method \(Message object\)](#)
[getmembers function \(inspect module\)](#)
[getmodule function \(inspect module\)](#)
[getmro function \(inspect module\)](#)
[getmtime function \(os.path module\)](#)
[getName method \(Thread object\)](#)
[getNameByQName method \(Attributes object\)](#)
[getopt function \(getopt module\)](#)
[GetoptError exception](#)
[getparam method \(Message object\)](#)
[getparams method \(Message object\)](#)
[getpass function \(getpass module\)](#)
[getpass module](#)
 [getpass function](#)
 [getuser function](#)
[getPeer method \(transports object\)](#)
[getpeername method \(socket object\)](#)
[getQNameByName method \(Attributes object\)](#)
[getQNames method \(Attributes object\)](#)
[getrecursionlimit function \(sys module\)](#)
[getrefcount function \(sys module\) 2nd](#)
[getresponse method \(HTTPConnection object\)](#)
[getsize function \(os.path module\)](#)
[getslice method \(operator module\)](#)
[getsource function \(inspect module\)](#)
[getsourcefile function \(inspect module\)](#)
[getsourcelines function \(inspect module\)](#)
[getstate method \(Random object\)](#)
[getsubtype method \(Message object\)](#)
[gettags method \(Canvas object\)](#)
[gettext module](#)
 [install function](#)
 [translation function](#)
[gettype method \(Message object\)](#)
[geturl method \(URL file-like object\)](#)
[getuser function \(getpass module\)](#)
[getvalue method](#)
 [FieldStorage object](#)
 [file object](#)
[getValueByQName method \(Attributes object\)](#)
[getweakrefcount function \(weakref module\)](#)
[getweakrefs function \(weakref module\)](#)
[getyz method \(Window object\)](#)
[gfclient function \(gadfly module\)](#)
[GIF \(Graphical Interchange Format\)](#)
[Glimmer program](#)
[global statement](#)
[global variables 2nd](#)
 [thread synchronization and](#)
[globals function \(built-in\)](#)
[GMT \(Greenwich Mean Time\)](#)
 [retrieving current](#)
[gmt function \(mx.DateTime module\)](#)

[gmticks method \(DateTime class\)](#)
[gmtime function](#)
 [mx.DateTime module](#)
 [time module](#)
[gmtime method \(DateTime class\)](#)
[gmtoffset method \(DateTime class\)](#)
[GNU Public License \(GPL\)](#)
[GNU Readline Library](#)
[gopher](#)
[GPL \(GNU Public License\)](#)
[grab_release method \(Widget object\)](#)
[grab_set method \(Widget object\)](#)
[Graphical Interchange Format \(GIF\)](#)
[graphical user interfaces](#) [See GUIs]
[greater than sign \(>\)](#)
 [comparisons](#)
 double greater than (>>)
 [right shift](#)
 [struct format strings](#)
[Greenwich Mean Time](#) [See GMT]
[Gregorian calendar](#)
[grid method \(Widget object\)](#)
[grid_forget method \(Widget object\)](#)
[grid_info method \(Widget object\)](#)
[group method](#)
 [match object](#)
 [NNTP object](#)
[groupdict method \(match object\)](#)
[groupindex attribute \(regular expression object\)](#)
[groups method \(match object\)](#)
[__gt__ special method](#)
[GUIs \(graphical user interfaces\)](#)
 [scripts, running standalone](#)
 [Tkinter](#)
 [toolkits](#)
[gunzip program](#) [2nd](#)
[gzip module](#)
 [GzipFile class](#)
 [open function](#)
[gzip program](#)
[GzipFile class \(gzip module\)](#)

[[Team LiB](#)]

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[handle function, cgi module](#)

[handle method](#)

[BaseRequestHandler object](#)

[HTTPServer object](#)

[handle_accept method \(dispatcher object\)](#)

[handle_charref method](#)

[HTMLParser object](#)

[sgmlib module](#)

[handle_close method \(dispatcher object\)](#)

[handle_comment method](#)

[HTMLParser object](#)

[sgmlib module](#)

[handle_connect method, dispatcher object](#)

[handle_data method](#)

[HTMLParser object](#)

[sgmlib module](#)

[handle_endtag method](#)

[HTMLParser object](#)

[sgmlib module](#)

[handle_entityref method](#)

[HTMLParser object](#)

[sgmlib module](#)

[handle_image method \(HTMLParser object\)](#)

[handle_read method \(dispatcher object\)](#)

[handle_starttag method](#)

[HTMLParser object](#)

[sgmlib module](#)

[handle_write method \(dispatcher object\)](#)

[has_data method \(Request object\)](#)

[has_key function \(bsddb module\)](#)

[has_key method \(dictionary object\)](#)

[hasattr function \(built-in\)](#)

[hasAttribute method \(Element object\)](#)

[hasAttributeNS method \(Element object\)](#)

[hasChildNodes method \(Node object\)](#)

[hash function \(built-in\) 2nd](#)

[__hash__ special method 2nd](#)

[hashopen function \(bsddb module\)](#)

[head method \(NNTP object\)](#)

[header lines](#)

[headers](#)

[headers attribute \(FieldStorage object\)](#)

[hex function \(built-in\)](#)

[__hex__ special method](#)

[hexadecimal literals](#)

[hexdigits attribute \(string module\)](#)

[hierarchy of standard exceptions](#)

[hour attribute](#)

[DateTime class](#)

[DateTimeDelta class](#)

[hours attribute \(DateTimeDelta class\)](#)

[HPUX, Python IDEs](#)

[HTML \(HyperText Markup Language\)](#)

[debugging](#)

[documents](#)

[outputting](#)

[parsing](#)

[entity references](#)

[files, getting information from](#)

[formatter module](#)

[generating 2nd](#) [See also Cheetah package]

[embedding Python code](#)

[by templating](#)

[htmlentitydefs module](#)

[htmllib module](#)

[parsing HTML](#)

[HTMLParser module](#)

[sgmlib module](#)

[tags](#)

[HTML forms, CGI scripting](#)

[HTML Version 2.0, tags defined in](#)

[htmlentitydefs module](#)

[htmllib module](#)

[HTMLParser class](#)

[anchor_bgn method](#)

[anchor_end method](#)

[anchorlist attribute](#)

[close method](#)

[do_tag method](#)

[end_tag method](#)

[feed method](#)

[formatter attribute](#)

[handle_charref method](#)

[handle_comment method](#)

[handle_data method](#)

[handle_endtag method](#)

[handle_entityref method](#)

[handle_image method](#)

[handle_starttag method](#)

[htmllib module](#)

[HTMLParser module](#)

[nofill attribute](#)

[save_bgn method](#)

[save_end method](#)

[start_tag method](#)

[HTMLParser module](#)

[HTMLParser class](#)

[htonl/htons functions \(socket module\)](#) [2nd](#)

[HTTP protocol](#) [See also [urllib module](#) [urllib2 module](#)][See also [urllib module](#) [urllib2 module](#)][2nd](#) [3rd](#)

[cookies and](#)

[httplib module](#)

[twisted.protocols package](#)

[HTTP servers](#)

[methods/attributes](#)

[sockets and](#)

[BaseHTTPServer module](#)

[CGIHTTPServer module](#)

[SimpleHTTPServer module](#)

[SimpleXMLRPCServer module](#)

[HTTPBasicAuthHandler class](#)

[HTTPConnection class](#)

[close method](#)

[getresponse method](#)

[request method](#)

[HTTPODigestAuthHandler class](#)

[httplib module 2nd](#)

[HTTPPasswordMgrWithDefaultRealm class](#)

[HTTPResponse object](#)

[getheader method](#)

[msg method](#)

[read method](#)

[reason method](#)

[status method](#)

[version method](#)

[https protocol 2nd](#)

[twisted.protocols package](#)

[HTTPSConnection class](#)

[HTTPServer class](#)

[command attribute](#)

[end_headers method](#)

[handle method](#)

[path method](#)

[rfile method](#)

[send_error method](#)

[send_header method](#)

[send_response method](#)

[wfile method](#)

[HyperText Markup Language \[See HTML\]](#)

[hyphen \(-\)](#)

[regular expressions](#)

[string formatting](#)

[subtraction](#)

[unary minus](#)

[hypot function](#)

[cmath module](#)

[math module](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[I/O operations](#)

[auxiliary modules for](#)

[fileinput](#)

[linecache](#)

[struct](#)

[xreadlines](#)

[error streams](#)

[failure of](#)

[optimizing](#)

[richer-text Input/output](#)

[console I/O](#)

[readline module](#)

[StringIO/cStringIO modules](#)

[text Input/output](#)

[getpass module](#)

[print statement](#)

[standard input](#)

[standard output/standard error](#)

[__iadd__ special method](#)

[__iand__ special method](#)

[IBM AS/400, installing Python](#)

[IBM DB/2](#)

[iconify method \(Toplevel object\)](#)

[id function \(built-in\)](#)

[identchars attribute \(cmd module\)](#)

[identifiers 2nd](#)

[characters not allowed in](#)

[identity function \(Numeric module\)](#)

[IDEs \(Integrated Development Environments\)](#)

[__idiv__ special method](#)

[IDLE \(Interactive DeveLopment Environment\)](#)

[debugging in](#)

[if statements](#)

[continue statements in place of](#)

[__ifloordiv__ special method](#)

[ignore command \(pdb module\)](#)

[IGNORECASE attribute \(re module\)](#)

[__ilshift__ special method](#)

[imag method \(array object\)](#)

[image_create method \(Text object\)](#)

[images, supported by Tkinter module](#)

[imaginary method \(array object\)](#)

[IMAP4 \(Internet Message Access Protocol Version 4\)](#)

[immutable objects](#)

[__imod__ special method](#)

[implementations of Python](#)

[__import__ function \(built-in\) 2nd 3rd](#)

[import statement](#)

[ImportError exception](#)

[__imul__ special method](#)

[include_dirs argument \(distutils Extension class\)](#)

[IndentationError exception](#)

index method

[list object](#)

[string object](#)

[Text object](#)

[Indexed-Sequential Access Method \(ISAM\)](#)

[IndexError exception](#)

indexing

[dictionaries](#)

[sequences](#)

[targets](#)

[indexOf method \(operator module\)](#)

[indices function \(Numeric module\)](#)

[industry-specific markup languages](#)

[inet_aton function \(socket module\)](#)

[inet_ntoa function \(socket module\)](#)

[info method \(URL file-like object\)](#)

[infolist function \(ZipFile class\)](#)

[InfoZip zlib compression library](#)

inheritance

[classic classes](#) [2nd](#)

[delegating to superclass methods](#)

[Deleting class attributes](#)

[overriding attributes](#)

[new-style object model](#)

[cooperative superclass method calling](#)

[method resolution order](#)

[__init__ special method](#) [2nd](#) [3rd](#)

[__init__.py file](#)

[innerproduct function \(Numeric module\)](#)

input function

[built-in](#) [2nd](#)

[safer variant of](#)

[fileinput module](#)

insert method

[Entry object](#)

[list object](#)

[Listbox object](#)

[Menu object](#)

[Text object](#)

[insert_cascade method \(Menu object\)](#)

[insert_checkbutton method \(Menu object\)](#)

[insert_command method \(Menu object\)](#)

[insert_radiobutton method \(Menu object\)](#)

[insert_separator method \(Menu object\)](#)

[insertBefore method \(Node object\)](#)

[insort function \(bisect module\)](#)

[inspect module](#) [2nd](#)

[currentframe function](#)

[formatargspec function](#)

[formatargvalues function](#)

[getargspec function](#) [2nd](#)

[getdoc function](#)

[getfile function](#)

- [getmembers function](#)
- [getmodule function](#)
- [getmro function](#)
- [getsource function](#)
- [getsourcefile function](#)
- [getsourcelines function](#)
- [isbuiltin function](#)
- [isclass function](#)
- [iscode function](#)
- [isframe function](#)
- [isfunction function](#)
- [ismethod function](#)
- [ismodule function](#)
- [isroutine function](#)
- [stack function](#)
- [insstr method \(Window object\)](#)
- [install function \(gettext module\)](#)
- [install_opener function \(urllib2 module\)](#)
- [Installer tool](#)
- [installing
 - \[C-coded Python extensions\]\(#\)
 - \[CPython\]\(#\)
 - \[Jython 2nd\]\(#\)
 - \[platform-specific installers, packages distributed as\]\(#\)
 - \[Python from binaries\]\(#\)
 - \[Python from source code
 - \\[Macintosh\\]\\(#\\)
 - \\[Unix\\]\\(#\\)
 - \\[Windows\\]\\(#\\)\]\(#\)
 - \[resident extension modules\]\(#\)](#)
- [instances
 - \[of classic classes
 - \\[attributes\\]\\(#\\)
 - \\[factory functions\\]\\(#\\)\]\(#\)
 - \[of new-style classes
 - \\[per-instance methods\\]\\(#\\)\]\(#\)](#)
- [__int__ special method](#)
- [int type \(built-in\) 2nd](#)
- [integers
 - \[bitwise operations on, numeric operations and\]\(#\)
 - \[converting numbers to\]\(#\)
 - \[converting to hexadecimal strings\]\(#\)
 - \[converting to octal strings\]\(#\)
 - \[largest in this version of Python, retrieving\]\(#\)
 - \[literals\]\(#\)
 - \[retrieving list of in arithmetic progression\]\(#\)](#)
- [Integrated Development Environments \(IDEs\)](#)
- [inter-process communication \[See IPC\]](#)
- [interact method \(Telnet object\)](#)
- [Interactive DeveLopment Environment \[See IDLE\]](#)
- [interactive sessions 2nd
 - \[isatty function \\(file object\\)\]\(#\)
 - \[Python interpreter\]\(#\)
 - \[readline module\]\(#\)
 - \[sys.displayhook\]\(#\)](#)

- [internal types](#)
- [internationalization](#)
 - [codecs module](#)
 - [currency formatting](#)
 - [gettext module](#)
 - [locale module](#)
 - [localization](#)
- [Internet Message Access Protocol Version 4 \(IMAP4\)](#)
- [Internet Protocol \(IP\)](#)
- [Internet servers](#)
- [interoperability, Python release and debugging builds](#)
- [intro attribute \(cmd module\)](#)
- [invert method \(operator module\)](#)
- [__invert__ special method](#)
- [invoke method](#)
 - [Button object](#)
 - [Checkbutton object](#)
 - [Menu object](#)
 - [Radiobutton object](#)
- [IOError exceptions 2nd](#)
- [__ior__ special method](#)
- [IP \(Internet Protocol\)](#)
- [IPC \(inter-process communication\)](#)
 - [cross-platform mechanism \[See mmap module\]](#)
 - [mmap object, using for](#)
 - [__ipow__ special method](#)
 - [__irshift__ special method](#)
- [is_multipart method \(Message object\)](#)
- [is_output method](#)
 - [Morsel object](#)
 - [SimpleCookie object](#)
 - [SmartCookie object](#)
- [is_zipfile function \(zipfile module\)](#)
- [isabs function \(os.path module\)](#)
- [isAlive method \(Thread object\)](#)
- [isalnum method \(string object\)](#)
- [isalpha method \(string object\)](#)
- [ISAM \(Indexed-Sequential Access Method\)](#)
- [ISAPI](#)
- [isatty method \(file object\)](#)
- [isbuiltin function \(inspect module\)](#)
- [isclass function \(inspect module\)](#)
- [iscode function \(inspect module\)](#)
- [iscontiguous method \(array object\)](#)
- [isDaemon method \(Thread object\)](#)
- [isdigit method \(string object\)](#)
- [isdir function \(os.path module\)](#)
- [isenabled function \(gc module\)](#)
- [isfile function \(os.path module\)](#)
- [isfirstline function \(fileinput module\)](#)
- [isframe function \(inspect module\)](#)
- [isfunction function \(inspect module\)](#)
- [isinstance function \(built-in\) 2nd 3rd](#)
- [isleap function \(calendar module\)](#)
- [islink function \(os.path module\)](#)

[islower method \(string object\)](#)
[ismethod function \(inspect module\)](#)
[ismodule function \(inspect module\)](#)
[ismount function \(os.path module\)](#)
[ISO 8601 formats, time/date values in ISO module](#)
[ISO-compliant C compiler, installing Python and iso_week attribute \(DateTime class\)](#)
[isroutine function \(inspect module\)](#)
[isSameNode method \(Node object\)](#)
[isSet method \(Event object\)](#)
[isspace method \(string object\)](#)
[isstdin function \(fileinput module\)](#)
[issubclass function \(built-in\) 2nd](#)
[istitle method \(string object\)](#)
[__isub__ special method](#)
[isupper method \(string object\)](#)
[itemcget method \(Canvas object\)](#)
[itemconfig method \(Canvas object\)](#)
[items](#)
 [returning largest/smallest](#)
[items method \(dictionary object\)](#)
[itemsize method \(array object\)](#)
[iter function \(built-in\) 2nd](#)
[__iter__ special method](#)
iteration
 [file object](#)
 [iterators](#)
 [creating](#)
 [Python versions](#)
[iteritems method \(dictionary object\)](#)
[iterkeys method \(dictionary object\)](#)
[itervalues method \(dictionary object\)](#)
[__itruediv__ special method](#)
[__ixor__ special method](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[January attribute \(mx.DateTime module\)](#)

[.jar files, Jython and](#)

[jarray module](#)

[array function](#)

[zeros function](#)

Java

[classes, subclassing](#)

[compiling Python into](#)

[adding Java-visible methods](#)

[jythonc command](#)

[Python applets/servlets](#)

[embedding Jython](#)

[Py class](#)

[PyObject class](#)

[PythonInterpreter class](#)

[Java Development Kit \(JDK\)](#)

[Java Native Interface \(JNI\)](#)

[Java packages, importing in Jython](#)

[accessibility](#)

[JavaBeans](#)

[Jython registry](#)

[subclassing Java classes](#)

[type conversions](#)

[Java Virtual Machines](#) [See JVMs]

[java.util collection classes](#)

[JavaBeans](#)

[JDK \(Java Development Kit\)](#)

[JNI \(Java Native Interface\)](#)

[join function \(os.path module\)](#)

join method

[string object](#)

[Thread object](#)

[July attribute \(mx.DateTime module\)](#)

[jumpahead method \(Random object\)](#)

[June attribute \(mx.DateTime module\)](#)

[JVMs \(Java Virtual Machines\)](#)

[Jython installation and](#)

[Jython](#)

[documentation](#)

[embedding in Java](#)

[Py class](#)

[PyObject class](#)

[PythonInterpreter class](#)

[garbage collection](#)

[importing Java packages](#)

[accessibility](#)

[JavaBeans](#)

[Jython registry](#)

[subclassing Java classes](#)

[type conversions](#)

[installing 2nd](#)

[Jython API](#)

[Py class](#)

[PyObject class](#)

[PythonInterpreter class](#)

[jython interpreter](#)

[jython.jar file](#)

[jythonc command](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[kbhit function \(msvcrt module\)](#)

[key attribute \(Morsel object\)](#)

[keyboard events](#)

[KeyboardInterrupt exception](#)

[keyed access](#)

[KeyError exception](#)

[keys function \(bsddb module\)](#)

[keys method \(dictionary object\)](#)

[keysym attribute \(Event object\)](#)

[keywords argument \(distutils setup function\)](#)

[keywords, list of](#)

[Komodo](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[Label class \(Tkinter module\)](#)

[lambda expressions](#)

[LAPACKlapack_lite libraries](#)

[last method](#)

[bsddb module](#)

[NNTP object](#)

[lastChild attribute \(Node object\)](#)

[lastcmd attribute \(cmd module\)](#)

[lastgroup attribute \(match object\)](#)

[lastindex attribute \(match object\)](#)

[layout manager](#)

[LBYL \(look before you leap\)](#)

[LC_COLLATE attribute \(locale module\)](#)

[LC_CTYPE attribute \(locale module\)](#)

[LC_MESSAGES attribute \(locale module\)](#)

[LC_MONETARY attribute \(locale module\)](#)

[LC_NUMERIC attribute \(locale module\)](#)

[LC_TIME attribute \(locale module\)](#)

[ldexp function](#)

[cmath module](#)

[math module](#)

[__le__ special method](#)

[leapdays function \(calendar module\)](#)

[len function \(built-in\) 2nd 3rd](#)

[__len__ special method 2nd](#)

[less than sign \(<\)](#)

[comparisons](#)

[double less than \(<<\)](#)

[left shift](#)

[struct format string](#)

[Lesser GPL \(LGPL\)](#)

[letters attribute \(string module\)](#)

[LGPL \(Lesser GPL\)](#)

[libraries argument \(distutils Extension class\)](#)

[library_dirs argument \(distutils Extension class\)](#)

[license argument \(distutils setup function\)](#)

[line-completion functionality](#)

[LinearAlgebra module](#)

[linecache module](#)

[checkcache function](#)

[clearcache function](#)

[getline function](#)

[lineno function \(fileinput module\)](#)

[linesep attribute \(os module\)](#)

[Linux](#)

[installing Python from binaries](#)

[Python IDEs](#)

[Red Hat Linux releases 6.x/7.x](#)

[Python v1.5.2 and](#)

[support for cryptographic-quality pseudo-random numbers](#)

[list command \(pdb module\)](#)

[list comprehensions](#)

[list method](#)

[NNTP object](#)

[POP3 object](#)

[list object \(list type\) 2nd](#)

[append method](#)

[count method](#)

[extend method](#)

[index method](#)

[insert method](#)

[pop method](#)

[remove method](#)

[reverse method](#)

[sort method](#)

[Listbox class \(Tkinter module\)](#)

[curselection method](#)

[delete method](#)

[get method](#)

[insert method](#)

[select_clear method](#)

[select_set method](#)

[listbox widgets](#)

[listdir function \(os module\)](#)

[listen method \(socket object\)](#)

[listenTCP method \(reactor object\)](#)

[listMethods method \(ServerProxy object\)](#)

[lists](#)

[maintaining order of](#)

[methods](#)

[modifying](#)

[optimizing operations on](#)

[sequence operations on](#)

[literals 2nd](#)

[ljust method \(string object\)](#)

[load method](#)

[SimpleCookie object](#)

[SmartCookie object](#)

[load/loads functions](#)

[marshal module](#)

[pickle/cPickle modules](#)

[loading modules 2nd](#)

[built-in](#)

[circular imports](#)

[custom importers](#)

[dictionary listing names](#)

[__import__ function](#)

[main program and](#)

[reload function](#)

[searching filesystem](#)

[specifying directory paths](#)

[sys.modules entries](#)

[local variables 2nd](#)

[LOCALE attribute \(re module\)](#)

[locale module](#)

- [atof function](#)
- [atoi function](#)
- [attributes](#)
- [format function](#)
- [getdefaultlocale function](#)
- [getlocale function](#)
- [localeconv function](#)
- [normalize function](#)
- [resetlocale function](#)
- [setlocale function](#)
- [str function](#)
- [strcoll function](#)
- [strxfrm function](#)
- [locale sensitivity, string module](#) [See locale module]
- [localeconv function \(locale module\)](#)
- [localName attribute \(Node object\)](#)
- [locals function \(built-in\)](#)
- [localtime function](#)
 - [mx.DateTime module](#)
 - [time module](#)
- [localtime method \(DateTime class\)](#)
- [lock object](#)
 - [acquire method](#)
 - [locked method](#)
 - [release method](#)
- [locked method \(lock object\)](#)
- [log function](#)
 - [cmath module](#)
 - [math module](#)
- [log10 function](#)
 - [cmath module](#)
 - [math module](#)
- [logging errors](#)
 - [by rebinding excepthook attribute](#) 2nd
- [login method](#)
 - [FTP object](#)
 - [SMTP object](#)
- [long integers](#)
 - [__long__ special method](#)
- [long type \(built-in\)](#) 2nd
- [Long-Running Web Processes \(LRWP\)](#)
- [look before you leap \(LBYL\)](#)
- [LookupError exception](#)
- [loop function \(asyncore module\)](#)
- [loops, optimizing](#)
- [loseConnection method \(transports object\)](#)
- [lower method \(string object\)](#)
- [lowercase attribute \(string module\)](#)
- [LRWP \(Long-Running Web Processes\)](#)
- [lseek function \(os module\)](#)
- [lshift method \(operator module\)](#)
 - [__lshift__ special method](#)
- [lstrip method \(string object\)](#)
 - [__lt__ special method](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[MA module](#)

[Macintosh](#)

[installing Python](#)

[internationalization](#)

[Mac OS 9/Mac OS X](#)

[Python IDE](#)

[Python interpreter on](#)

[MacPython, IDE included with](#)

[mail protocol](#)

[mailing lists](#)

[main program, module loading and](#)

[mainloop method \(Widget object\)](#)

[maintainer argument \(distutils setup function\)](#)

[maintainer_email argument \(distutils setup function\)](#)

[make utility, installing Python and](#)

[make_parser function \(xml.sax package\)](#)

[makedirs function \(os module\)](#)

[makefile method \(socket object\)](#)

[maketrans function \(string module\)](#)

[mandatory parameters](#)

[Mandrake Linux, installing Python](#)

[MANIFEST files](#)

[map function \(built-in\)](#)

[mappings](#)

[indexing, error](#)

[mutable](#)

[special methods for](#)

[March attribute \(mx.DateTime module\)](#)

[mark_gravity method \(Text object\)](#)

[mark_set method \(Text object\)](#)

[mark_unset method \(Text object\)](#)

[markup](#)

[marshal module](#)

[dump/dumps functions](#)

[load/loads functions](#)

[polymorphism and](#)

[marshaling](#)

[match method \(regular expression object\) 2nd](#)

[match object](#)

[attributes](#)

[end method](#)

[expand method](#)

[group method](#)

[groupdict method](#)

[groups method](#)

[span method](#)

[start method](#)

[math module](#)

[acos function](#)

[acosh function](#)

- [asin function](#)
- [asinh function](#)
- [atan/atan2 functions](#)
- [atanh function](#)
- [ceil function](#)
- [cos function](#)
- [cosh function](#)
- [exp function](#)
- [fabs function](#)
- [floor function](#)
- [fmod function](#)
- [frexp function](#)
- [hypot function](#)
- [ldexp function](#)
- [log function](#)
- [log10 function](#)
- [modf function](#)
- [pow function](#)
- [sin function](#)
- [sinh function](#)
- [sqrt function](#)
- [tan function](#)
- [matrixmultiply function \(Numeric module\)](#)
- [max function \(built-in\) 2nd](#)
- [maxint attribute \(sys module\)](#)
- [maxsize method \(Toplevel object\)](#)
- [May attribute \(mx.DateTime module\)](#)
- [mbcs codec \(Windows\)](#)
- memory
 - [array type and leaks, exposing](#)
 - [running out of](#)
 - [saving, __slots__ attribute](#)
 - [storing array object](#)
- [MemoryError exception](#)
- [Menu class \(Tkinter module\)](#)
 - [add method](#)
 - [add_cascade method](#)
 - [add_checkbutton method](#)
 - [add_command method](#)
 - [add_radiobutton method](#)
 - [add_separator method](#)
 - [delete method](#)
 - [entryconfigure method](#)
 - [insert method](#)
 - [insert_cascade method](#)
 - [insert_checkbutton method](#)
 - [insert_command method](#)
 - [insert_radiobutton method](#)
 - [insert_separator method](#)
 - [invoke method](#)
 - [post method](#)
 - [unpost method](#)
- [menu widgets](#)
 - [entry options](#)

Message class

- [add_header method](#)
- [add_payload method](#)
- [as_string method](#)
- [epilogue attribute](#)
- [get_all method](#)
- [get_boundary method](#)
- [get_charsets method](#)
- [get_filename method](#)
- [get_maintype method](#)
- [get_params method](#)
- [get_payload method](#)
- [get_subtype method](#)
- [get_type method](#)
- [get_unixfrom method](#)
- [getmaintype method](#)
- [getparam method](#)
- [getsubtype method](#)
- [gettype method](#)
- [is_multipart method](#)
- [Message module](#)
- [mimetools module](#)
- [preamble attribute](#)
- [rfc822 module](#)
- [set_boundary method](#)
- [set_payload method](#)
- [set_unixfrom method](#)
- [walk method](#)

[Message module](#)

[Message class](#)

[message_from_file function \(Parser module\)](#)

[message_from_string function \(Parser module\)](#)

[metaclasses](#)

[custom example](#)

[defining](#)

[how Python determines](#)

[method object, func_code attribute](#)

[methodHelp method \(ServerProxy object\)](#)

[methods 2nd](#)

[bound](#)

[callable attributes as](#)

[class-level](#)

[class](#)

[static](#)

[cooperative superclass](#)

[dictionary](#)

[Java-visible, adding](#)

[lists](#)

[per-instance](#)

[resolution order in new-style object model](#)

[special 2nd](#)

[for containers](#)

[general purpose](#)

[for numeric objects](#)

[superclass, delegating to](#)

[unbound](#)
[methodSignature method \(ServerProxy object\)](#)
[Microsoft .NET](#)
[Microsoft Installer \(MSI\)](#)
[Microsoft Intermediate Language \(MSIL\)](#)
[Microsoft Jet](#)
[Microsoft SQL Server](#)
[Microsoft web servers, installing Python CGI scripts on](#)
[MIME \(Multipurpose Internet Mail Extensions\) 2nd](#)
[MIMEAudio class \(MIMEAudio module\)](#)
[MIMEBase class \(MIMEBase module\)](#)
[MIMEImage class \(MIMEImage module\)](#)
[MIMEMessage class \(MIMEMessage module\)](#)
[MIMEText class \(MIMEText module\)](#)
[mimetools module, Message class](#)
[min function \(built-in\) 2nd](#)
[minidom module](#)
[Attr class](#)
[AttributeList class](#)
[Document class 2nd](#)
[Document object](#)
[Element class 2nd](#)
[Node class 2nd](#)
[parse function](#)
[parseString function](#)
[parsing XHTML](#)
[XHTML, changing/outputting](#)
[minsize method \(Toplevel object\)](#)
minute attribute
[DateTime class](#)
[DateTimeDelta class](#)
[minutes attribute \(DateTimeDelta class\)](#)
[mkd method \(FTP object\)](#)
[mkdir function \(os module\)](#)
mktime function
[mx.DateTime module](#)
[time module](#)
[mktime_tz function \(Utils module\)](#)
[MLab module](#)
[mmap function \(mmap module\)](#)
[mmap module](#)
[mmap object](#)
[close method](#)
[find method](#)
[flush method](#)
[move method](#)
[read method](#)
[read_byte method](#)
[readline method](#)
[resize method](#)
[seek method](#)
[size method](#)
[tell method](#)
[using for IPC](#)
[write method](#)

- [write_byte method](#)
- [mod method \(operator module\)](#)
- [__mod__ special method](#)
- [mod_python](#)
- [mode attribute \(file object\)](#)
- [modf function](#)
 - [cmath module](#)
 - [math module](#)
- [modifying lists](#)
- [module object](#)
 - [__all__ attribute](#)
 - [__dict__ attribute](#)
 - [__doc__ attribute](#)
 - [__name__ attribute](#)
- [modules](#) [See also built-in modules extension modules][See also built-in modules extension modules] [2nd](#) [3rd](#)
 - [DBAPI-compliant](#)
 - [loading](#) [2nd](#)
 - [circular imports](#)
 - [custom importers](#)
 - [dictionary listing names](#)
 - [__import__ function](#)
 - [main program and](#)
 - [reload function](#)
 - [searching filesystem](#)
 - [specifying directory paths](#)
 - [sys.modules entries](#)
 - [module initialization, Python C API extensions](#)
 - [module object](#)
 - [attributes](#)
 - [built-in](#)
 - [docstrings](#)
 - [from statement](#)
 - [import statement](#)
 - [module-private variables](#)
 - [nesting](#)
 - [packages and](#)
 - [resident extension, installing](#)
 - [returning dictionary of](#)
- [modules attribute \(sys module\)](#) [2nd](#)
- [modules function \(sys module\)](#)
 - [__import__ function and](#)
- [Monday attribute \(mx.DateTime module\)](#)
- [month attribute \(DateTime class\)](#)
- [Month attribute \(mx.DateTime module\)](#)
- [month function \(calendar module\)](#)
- [monthcalendar function \(calendar module\)](#)
- [monthrange function \(calendar module\)](#)
- [Morsel class \(Cookie module\)](#)
 - [coded_value attribute](#)
 - [is_output method](#)
 - [key attribute](#)
 - [output method](#)
 - [OutputString method](#)
 - [set method](#)
 - [value attribute](#)

- [mouse events](#)
- [move method](#)
 - [mmap object](#)
 - [Window object](#)
- [msg method \(HTTPResponse object\)](#)
- [MSI \(Microsoft Installer\)](#)
- [MSIL \(Microsoft Intermediate Language\)](#)
- [mssqldb module](#)
- [msvcrt module](#)
 - [getch function](#)
 - [getche function](#)
 - [kbhit function](#)
 - [ungetch function](#)
- [msvcrt.dll file](#)
- [mul method \(operator module\)](#)
- [__mul__ special method](#)
- [MULTILINE attribute \(re module\)](#)
- [Multipurpose Internet Mail Extensions](#) [See MIME]
- [mutable objects](#)
 - [shelve module and](#)
- [mx package](#)
- [mx.DateTime module](#)
 - [April attribute](#)
 - [attributes 2nd](#)
 - [August attribute](#)
 - [cmp function](#)
 - [Date function](#)
 - [DateFromTicks function](#)
 - [DateTime class](#)
 - [DateTime function](#)
 - [DateTimeDelta class](#)
 - [DateTimeFrom function](#)
 - [DateTimeFromAbsDays function](#)
 - [DateTimeFromCOMDays function](#)
 - [December attribute](#)
 - [February attribute](#)
 - [Friday attribute](#)
 - [gmt function](#)
 - [gmtime function](#)
 - [January attribute](#)
 - [July attribute](#)
 - [June attribute](#)
 - [localtime function](#)
 - [March attribute](#)
 - [May attribute](#)
 - [methods](#)
 - [mktime function](#)
 - [Monday attribute](#)
 - [Month attribute](#)
 - [November attribute](#)
 - [now function](#)
 - [October attribute](#)
 - [oneDay attribute](#)
 - [oneHour attribute](#)
 - [oneMinute attribute](#)

[oneSecond attribute](#)

[oneWeek attribute](#)

[RelativeDateTime type](#)

[Saturday attribute](#)

[September attribute](#)

[Sunday attribute](#)

[Thursday attribute](#)

[Timestamp function](#)

[TimestampFrom function](#)

[TimestampFromTicks function](#)

[today function](#)

[Tuesday attribute](#)

[utctime function](#)

[Wednesday attribute](#)

[Weekday attribute](#)

[mxODBC module](#)

[MySQL](#)

[MySQLdb module](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[name argument \(distutils setup function\)](#)

[__name__ attribute](#)

[class object](#)

[module object](#)

[name attribute](#)

[FieldStorage object](#)

[file object](#)

[__name__ attribute](#)

[function object](#)

[name attribute](#)

[os module](#)

[named arguments](#)

[NameError exception](#)

[namelist function \(ZipFile class\)](#)

[namespaces](#)

[Namespaces](#)

[namespaces](#)

[current local](#)

[global statement](#)

[nested functions/scopes](#)

[namespaceURI attribute \(Node object\)](#)

[__ne__ special method](#)

[neg method \(operator module\)](#)

[__neg__ special method](#)

[nested functions](#)

[nested scopes](#)

[network encodings](#)

[network news](#)

[nntplib module](#)

[methods](#)

[response strings](#)

[Network News Transport Protocol](#) [See NNTP]

[network protocol modules](#)

[client-side](#)

[distributed computing](#)

[email protocols](#)

[FTP protocol](#)

[HTTP protocol](#)

[https protocol](#)

[network news](#)

[telnet protocol](#)

[URL access](#)

[server-side](#)

[Internet](#)

[__new__ special method](#) [2nd](#) [3rd](#)

[new-style classes](#) [See classes, new-style]

[newgroups method \(NNTP object\)](#)

[newline \(\n\), string literals](#)

[newnews method \(NNTP object\)](#)

[newsgroups](#)

[next command \(pdb module\)](#)

[next method](#)

[bsddb module](#)

[NNTP object](#)

[nextfile function \(fileinput module\)](#)

[nextSibling attribute \(Node object\)](#)

[NIST module](#)

[NNTP \(Network News Transport Protocol\) 2nd](#)

[NNTP class](#)

[article method](#)

[body method](#)

[group method](#)

[head method](#)

[last method](#)

[list method](#)

[newgroups method](#)

[newnews method](#)

[next method](#)

[post method](#)

[quit method](#)

[stat method](#)

[nntplib module 2nd](#)

[methods](#)

[response strings](#)

[Node class \(minidom module\) 2nd](#)

[appendChild method](#)

[attributes attribute](#)

[childNodes attribute](#)

[firstChild attribute](#)

[hasChildNodes method](#)

[insertBefore method](#)

[isSameNode method](#)

[lastChild attribute](#)

[localName attribute](#)

[methods of](#)

[namespaceURI attribute](#)

[nextSibling attribute](#)

[nodeName attribute](#)

[nodeType attribute](#)

[nodeValue attribute](#)

[normalize method](#)

[ownerDocument method](#)

[parentNode method](#)

[prefix method](#)

[previousSibling method](#)

[removeChild method](#)

[replaceChild method](#)

[toprettyxml method](#)

[toxml method](#)

[writexml method](#)

[nodelay method \(Window object\)](#)

[nodeName attribute \(Node object\)](#)

[nodeType attribute \(Node object\)](#)

[nodeValue attribute \(Node object\)](#)

[nofill attribute \(HTMLParser object\)](#)

[nok_built_in_names attributes \(RExec object\)](#)
[None type](#)
[nonpure distributions](#)
[nonzero function \(Numeric module\)](#)
[__nonzero__ special method](#)
[normalDate.py](#)
[normalize function \(locale module\)](#)
[normalize method \(Node object\)](#)
[normcase function \(os.path module\)](#)
[normpath function \(os.path module\)](#)
[not_ method \(operator module\)](#)
[notify method \(Condition class\)](#)
[notifyAll method \(Condition class\)](#)
[NotImplementedError exception](#)
[November attribute \(mx.DateTime module\)](#)
[now function \(mx.DateTime module\)](#)
[NullFormatter class \(formatter module\)](#)
[NullWriter class \(formatter module\)](#)
[num attribute \(Event object\)](#)
[numarray module](#)
[numbers](#)
 [converting](#)
 [dividing](#)
 floating-point
 [converting to](#)
 [generating pseudo-random](#)
 [math functions on](#)
 [rounding off](#)
 [integer literals](#)
 [pseudo-random](#)
 [returning absolute value of](#)
[Numeric module 2nd 3rd](#)
 [allclose function](#)
 [arange function](#)
 [argmax function](#)
 [argmin function](#)
 [argsort function](#)
 [array function](#)
 [array module and](#)
 [array object](#)
 [indexing](#)
 [shape attribute](#)
 [slicing](#)
 [type codes](#)
 [array object \(Numeric module\)](#)
 [storing](#)
 [array2string function](#)
 [arrayrange function](#)
 [attributes](#)
 [average function](#)
 [blitz function](#)
 [choose function](#)
 [clip function](#)
 [compress function](#)
 [concatenate function](#)

- [convolve function](#)
- [cross_correlate function](#)
- [diagonal function](#)
- [extending CPython with Fortran](#)
- [fromstring function](#)
- [identity function](#)
- [indices function](#)
- [innerproduct function](#)
- [matrixmultiply function](#)
- [methods](#)
- [nonzero function](#)
- [numeric objects, special methods for](#)
- [ones function](#)
- [optional modules supplied by](#)
- [put function](#)
- [putmask function](#)
- [rank function](#)
- [ravel function](#)
- [repeat function](#)
- [reshape function](#)
- [resize function](#)
- [searchsorted function](#)
- [shape attribute](#)
- [shape function](#)
- [size function](#)
- [sort function](#)
- [swapaxes function](#)
- [take function](#)
- [trace function](#)
- [transpose function](#)
- [ufunc object supplied by](#)
- [ufuncs](#)
- [where function](#)
- [zeros function](#)
- [numeric operations](#)
 - [arithmetic operations](#)
 - [bitwise operations on integers](#)
 - [coercion/conversions](#)
 - [comparing](#)
- [numeric processing](#) [2nd](#) [See also operators; built-in functions]
 - [array module](#)
 - [math/cmath modules](#)
 - [Numeric module](#) [See Numeric module]
 - [operations on arrays](#)
 - [broadcasting](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[O_APPEND attribute \(os module\)](#)

[O_BINARY attribute \(os module\)](#)

[O_CREAT attribute \(os module\)](#)

[O_DSYNC attribute \(os module\)](#)

[O_EXCL attribute \(os module\)](#)

[O_NDELAY attribute \(os module\)](#)

[O_NOCTTY attribute \(os module\)](#)

[O_NONBLOCK attribute \(os module\)](#)

[O_RDONLY attribute \(os module\)](#)

[O_RDWR attribute \(os module\)](#)

[O_RSYNC attribute \(os module\)](#)

[O_SYNC attribute \(os module\)](#)

[O_TRUNC attribute \(os module\)](#)

[O_WRONLY attribute \(os module\)](#)

[object models](#)

[classic](#)

[inheritance in](#)

[new-style](#)

[inheritance in](#)

[object type \(built-in\) 2nd](#)

[__repr__ method](#)

[object-oriented Python](#)

[objects](#)

[assigning](#) [See assignment statements]

[first-class, classes as](#)

[mutable/immutable](#)

[shelve module and](#)

[serializing/deserializing](#)

[oct function \(built-in\)](#)

[__oct__ special method](#)

[octal literals](#)

[octal strings, converting integers to](#)

[octdigits attribute \(string module\)](#)

[October attribute \(mx.DateTime module\)](#)

[ODBC \(Open DataBase Connectivity\)](#)

[odbc module](#)

[ok_builtin_modules attributes \(RExec object\)](#)

[ok_path attributes \(RExec object\)](#)

[ok_posix_names attributes \(RExec object\)](#)

[ok_sys_names attributes \(RExec object\)](#)

[onecmd function \(cmd module\)](#)

[oneDay attribute \(mx.DateTime module\)](#)

[oneHour attribute \(mx.DateTime module\)](#)

[oneMinute attribute \(mx.DateTime module\)](#)

[ones function \(Numeric module\)](#)

[oneSecond attribute \(mx.DateTime module\)](#)

[oneWeek attribute \(mx.DateTime module\)](#)

[Open DataBase Connectivity \(ODBC\)](#)

[open function](#) [See also open function (built-in)][See also open function (built-in)]

[anydbm module](#)

- [codecs module](#)
- [dbhash module](#)
- [dbm module](#)
- [dumbdbm module](#)
- [gdbm module](#)
- [gzip module](#)
- [os module](#)
- [shelve module](#)
- open function (built-in)
 - [creating file object](#)
 - [designating buffering](#)
 - [sequential/nonsequential access](#)
 - [specifying file mode](#)
 - [restricted execution](#)
- open method (Telnet object)
- [OpenDirector class](#)
- [OpenerDirector class, handler classes](#)
- operations
 - [arithmetic](#)
 - [dictionary](#)
 - [in-place](#)
 - [numeric](#)
 - [bitwise operations on integers](#)
 - [coercion/conversions](#)
 - [comparing](#)
 - [sequence](#)
 - [coercion/conversions](#)
 - [concatenation](#)
 - [indexing](#)
 - [lists](#)
 - [slicing](#)
 - [strings](#)
 - [tuples](#)
- operator module
 - [abs method](#)
 - [add method](#)
 - [and_ method](#)
 - [concat method](#)
 - [contains method](#)
 - [countOf method](#)
 - [delitem method](#)
 - [delslice method](#)
 - [div method](#)
 - [getitem method](#)
 - [getslice method](#)
 - [indexOf method](#)
 - [invert method](#)
 - [lshift method](#)
 - [mod method](#)
 - [mul method](#)
 - [neg method](#)
 - [not_ method](#)
 - [or_ method](#)
 - [pos method](#)
 - [repeat method](#)

- [rshift method](#)
- [setitem method](#)
- [setslice method](#)
- [sub method](#)
- [truth method](#)
- [xor_ method](#)
- operators
 - [list of](#)
 - [precedence in expressions](#)
- [optimization 2nd](#)
 - [benchmarking](#)
 - [developing Python applications](#)
 - [large-scale](#)
 - [dictionary operations](#)
 - [list operations](#)
 - [string operations](#)
 - [profiling](#)
 - [pstats module](#)
 - [small-scale](#)
 - [avoiding exec/from...import statements](#)
 - [building strings from pieces](#)
 - [optimizing I/O](#)
 - [optimizing loops](#)
 - [searching/sorting](#)
- [optimize flag](#)
- [optional parameters](#)
- options, command-line
 - [parsing](#)
 - [Python interpreter](#)
- [__or__ special method](#)
- [or_ method \(operator module\)](#)
- [Oracle RDBMS](#)
- [ord function \(built-in\)](#)
- [org.python.core package](#)
- [os module](#)
 - [access function](#)
 - [chdir function](#)
 - [chmod function](#)
 - [close function](#)
 - [curdir attribute](#)
 - [defpath attribute](#)
 - [dup/dup2 functions](#)
 - [environ attribute](#)
 - [errno attribute](#)
 - [execl function](#)
 - [execle function](#)
 - [execlp function](#)
 - [execlv function](#)
 - [execve function](#)
 - [execvp function](#)
 - [execvpe function](#)
 - [extsep attribute](#)
 - [fdopen function](#)
 - [file descriptor operations](#)
 - [file/directory functions](#)

[filename attribute](#)
[filesystem operations](#)
[fstat function](#)
[getcwd function](#)
[linesep attribute](#)
[listdir function](#)
[lseek function](#)
[makedirs function](#)
[mkdir function](#)
[name attribute](#)
[O_APPEND attribute](#)
[O_BINARY attribute](#)
[O_CREAT attribute](#)
[O_DSYNC attribute](#)
[O_EXCL attribute](#)
[O_NDELAY attribute](#)
[O_NOCTTY attribute](#)
[O_NONBLOCK attribute](#)
[O_RDONLY attribute](#)
[O_RDWR attribute](#)
[O_RSYNC attribute](#)
[O_SYNC attribute](#)
[O_TRUNC attribute](#)
[O_WRONLY attribute](#)
[open function](#)
[OSError exceptions](#)
[P_NOWAIT attribute](#)
[P_WAIT attribute](#)
[pardir attribute](#)
[path-string attributes of](#)
[pathsep attribute](#)
[pipe function](#)
[popen function](#)
[popen2 function](#)
[popen3 function](#)
[popen4 function](#)
[read function](#)
[remove function](#)
[removedirs function](#)
[rename/renames functions](#)
[rmdir function](#)
[running other programs](#)
[sep attribute](#)
[spawnv/spawnve functions](#)
[stat function](#)
[strerror attribute](#)
[system function](#)
 [running other programs](#)
[tempnam function](#)
[tmpnam function](#)
[unlink function](#)
[utime function](#)
[write function](#)
os.path module
 [abspath function](#)

[basename function](#)
[commonprefix function](#)
[dirname function](#)
[exists function](#)
[expandvars function](#)
[getatime function](#)
[getmtime function](#)
[getsize function](#)
[isabs function](#)
[isdir function](#)
[isfile function](#)
[islink function](#)
[ismount function](#)
[join function](#)
[normcase function](#)
[normpath function](#)
[split function](#)
[splitdrive function](#)
[splittext function](#)
[walk function](#)

[OS/2, installing Python](#)

[OSError exceptions](#) [2nd](#)

[os module](#)

[outer attribute \(ufunc object\)](#)

output method

[Morsel object](#)

[SimpleCookie object](#)

[SmartCookie object](#)

[OutputString method \(Morsel object\)](#)

[OverflowError exception](#)

[overrideredirect method \(Toplevel object\)](#)

[ownerDocument method \(Node object\)](#)

[ownerElement attribute \(Attr object\)](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[p command \(pdb module\)](#)

[P_NOWAIT attribute \(os module\)](#)

[P_WAIT attribute \(os module\)](#)

[pack function \(struct module\)](#)

[pack method \(Widget object\)](#)

[pack_forget method \(Widget object\)](#)

[pack_info method \(Widget object\)](#)

[packages](#)

[packages argument \(distutils setup function\)](#)

[parameters](#)

[paramstyle attribute \(DBAPI-compliant modules\)](#)

[pardir attribute \(os module\)](#)

[parent widgets](#) [2nd](#)

[parentheses \(\)](#)

[class statements](#)

[def statement](#)

[function calls](#)

[line continuation](#)

[plain assignment statements](#)

[regular expressions](#)

[string formatting](#)

[tuple creation](#)

[parentNode method \(Node object\)](#)

[parse function](#)

[minidom module](#)

[pulldom module](#)

[parse_and_bind function \(readline module\)](#)

[parseaddr function \(Utils module\)](#)

[parsedate function \(Utils module\)](#)

[parsedate_tz function \(Utils module\)](#)

[parser function \(xml.sax package\)](#)

[Parser module](#)

[message_from_file function](#)

[message_from_string function](#)

[parseString function](#)

[minidom module](#)

[pulldom module](#)

[xml.sax package](#)

[pass statement](#)

[pass_method \(POP3 object\)](#)

[path attribute \(sys module\)](#) [2nd](#)

[path method \(HTTPServer object\)](#)

[path module](#)

[PATH variable](#)

[lack of](#)

[python interpreter and](#)

[path-string attributes \(os module\)](#)

[pathsep attribute \(os module\)](#)

[pattern attribute \(regular expression object\)](#)

[PBF \(Python Business Forum\)](#)

[pdb module](#)

- [alias command](#)
- [args command](#)
- [break command](#)
- [clear command](#)
- [condition command](#)
- [continue command](#)
- [disable command](#)
- [down command](#)
- [enable command](#)
- [ignore command](#)
- [list command](#)
- [next command](#)
- [p command](#)
- [quit command](#)
- [return command](#)
- [step command](#)
- [tbreak command](#)
- [unalias command](#)
- [up command](#)
- [where command](#)

[PEPs \(Python Enhancement Proposals\)](#)

[per-instance methods](#)

percent sign (%)

[HTML templates](#)

[remainder](#)

[string formatting](#)

[performance](#) [See also optimization][See also optimization]

[arrays and](#)

[asyncore/asynchat modules](#)

[CGI scripts](#)

[DBM modules](#)

[extension modules, special-purpose](#)

[fileinput module](#)

[pickle/cPickle modules](#)

[slicing array object](#)

[supporting many Python versions and](#)

[threads](#)

[synchronizing](#)

[Twisted package](#)

period (.)

[attributes](#)

[attribute reference](#)

[instance objects](#)

[current directory designation](#)

[DOTALL attribute](#)

[regular expressions](#)

[string formatting](#)

[permissions](#)

[Personal Web Server \(PWS\)](#)

[pformat function \(pprint module\)](#)

[PhotoImage class](#)

[pickle function \(copy_reg module\)](#)

[pickle module](#)

[dump/dumps functions](#)

- [load/loads functions](#)
- [Pickler function](#)
- [pickling customization with copy_reg module](#)
- [Unpickler function](#)
- [Pickler function \(pickle/cPickle modules\)](#)
- [PIL \(Python Imaging Library\)](#)
- [pipe function \(os module\)](#)
- [pkzip/pkunzip programs](#)
- [place method \(Widget object\)](#)
- [place_forget method \(Widget object\)](#)
- [place_info method \(Widget object\)](#)
- [plain assignment statements](#)
- [platform attribute \(sys module\)](#)
- [platforms argument \(distutils setup function\)](#)
- [platforms, specifying 2nd](#)
- plus sign (+)
 - [addition](#)
 - [DateTime instances](#)
 - [DateTimeDelta instances](#)
 - [regular expressions](#)
 - [sequence concatenation](#)
 - [string formatting](#)
 - [unary plus 2nd](#)
- [plus sign-question mark \(+?\), regular expressions](#)
- polymorphism
 - [file-like object and](#)
 - [type checking and](#)
- [POP mailboxes, accessing](#)
- [pop method \(list object\)](#)
- [POP3 \(Post Office Protocol Version 3\)](#)
 - [twisted.protocols package](#)
- [POP3 class \(poplib module\)](#)
 - [delete method](#)
 - [list method](#)
 - [pass_ method](#)
 - [quit method](#)
 - [retr method](#)
 - [set_debuglevel method](#)
 - [stat method](#)
 - [top method](#)
 - [user method](#)
- [popen function \(os module\)](#)
- [popen2 function \(os module\)](#)
- [popen3 function \(os module\)](#)
- [popen4 function \(os module\)](#)
- [popitem method \(dictionary object\)](#)
- [poplib module 2nd](#)
 - [POP3 class](#)
- portability
 - [DBM modules](#)
 - [distributing Python modules](#)
 - [error code numbers](#)
 - [extension modules and](#)
 - [os module and](#)
 - [platform-dependent errors](#)

[Portable PixMap \(PPM\)](#)
[pos attribute \(match object\)](#)
[pos method \(operator module\)](#)
[__pos__ special method](#)
[positional arguments](#)
[post method](#)
 [Menu object](#)
 [NNTP object](#)
[Post Office Protocol Version 3 \[See POP3\]](#)
[postcmd function \(cmd module\)](#)
[PostgreSQL](#)
[postloop function \(cmd module\)](#)
[pound sign \(#\)](#)
 [comments](#)
 [regular expressions](#)
 [string formatting](#)
[pow function](#)
 [built-in](#)
 [cmath module](#)
 [math module](#)
[pow function \(built-in\)](#)
[__pow__ special method](#)
[PowerArchiver, uncompressing/unpacking](#)
[PPM \(Portable PixMap\)](#)
[pprint function \(pprint module\)](#)
[pprint module](#)
 [pformat function](#)
 [pprint function](#)
[prcal function \(calendar module\)](#)
[preamble attribute \(Message object\)](#)
[precmd function \(cmd module\)](#)
[prefix method \(Node object\)](#)
[preloop function \(cmd module\)](#)
[PrettyPrinter class](#)
[previous function \(bsddb module\)](#)
[previousSibling method \(Node object\)](#)
[print statement](#)
[print_callees method \(Stats object\)](#)
[print_callers method \(Stats object\)](#)
[print_exc function \(traceback module\)](#)
[print_stats method \(Stats object\)](#)
[printable attribute \(string module\)](#)
[printdir function \(ZipFile class\)](#)
[printing, complicated data in readable format](#)
[prmonth function \(calendar module\)](#)
[process environment](#)
[processes](#)
[Profile class](#)
[profile module, run function](#)
[profiling 2nd](#)
[program termination](#)
[programming paradigms, ability to mix and match in Python](#)
[programs, running other](#)
[prompt attribute \(cmd module\)](#)
[prompt string, Python interactive sessions](#)

[prompt_user_passwd method \(FancyURLopener object\)](#)
[property type \(built-in\) 2nd](#)
[Protocol class](#)
 [connectionLost method](#)
 [connectionMade method](#)
 [dataReceived method](#)
[protocol method \(Toplevel object\)](#)
[protocol module](#)
 [protocol handlers](#)
 [reactors object](#)
 [transports object](#)
[proxy function \(weakref module\)](#)
[ProxyBasicAuthHandler class](#)
[ProxyDigestAuthHandler class](#)
[ps1, ps2 attribute \(sys module\)](#)
[pseudo-random numbers](#)
[PSF \(Python Software Foundation\)](#)
[PSP \(Python Server Pages\)](#)
 [embedding Python code in HTML](#)
[pstats module](#)
[psycopg module](#)
[.pth files, module loading and](#)
[PTL \(Python Template Language\)](#)
[pulldom module](#)
 [DOMEventStream class](#)
 [parse function](#)
 [parseString function](#)
 [parsing XHTML](#)
[punctuation](#)
 [in regular expressions](#)
 [in URLs](#)
[punctuation attribute \(string module\)](#)
[pure distributions](#)
[push method \(async_chat object\)](#)
[pushbutton widgets](#)
[put function \(Numeric module\)](#)
[put method \(Queue object\)](#)
[put_nowait method \(Queue object\)](#)
[putmask function \(Numeric module\)](#)
[pwd method \(FTP object\)](#)
[PWS \(Personal Web Server\)](#)
[Py class \(Jython API\)](#)
[.py files](#)
[Py_BuildValue function \(Python C API\)](#)
[Py_CompileString function \(Python C API\)](#)
[Py_Finalize function \(Python C API\)](#)
[Py_InitModule3 function \(Python C API\)](#)
[py_modules argument \(distutils setup function\)](#)
[Py_SetProgramName function \(Python C API\)](#)
[py2exe tool](#)
[PyApache](#)
[PyArg_ParseTuple function \(Python C API\)](#)
[PyArg_ParseTupleAndKeywords function \(Python C API\)](#)
[.pyc files](#)
[PyCallable_Check function \(Python C API\)](#)

[PyDict_GetItem function \(Python C API\)](#)
[PyDict_GetItemString function \(Python C API\)](#)
[PyDict_Merge function \(Python C API\)](#)
[PyDict_MergeFromSeq2 function \(Python C API\)](#)
[PyDict_Next function \(Python C API\)](#)
[PyErr_Clear function \(Python C API\)](#)
[PyErr_ExceptionMatches function \(Python C API\)](#)
[PyErr_Format function \(Python C API\)](#)
[PyErr_NewException function \(Python C API\)](#)
[PyErr_NoMemory function \(Python C API\)](#)
[PyErr_Occurred function \(Python C API\)](#)
[PyErr_Print function \(Python C API\)](#)
[PyErr_SetFromErrno function \(Python C API\)](#)
[PyErr_SetFromErrnoWithFilename function \(Python C API\)](#)
[PyErr_SetObject function \(Python C API\)](#)
[PyEval_CallObject function \(Python C API\)](#)
[PyEval_CallObjectWithKeywords function \(Python C API\)](#)
[PyEval_EvalCode function \(Python C API\)](#)
[PyException exception](#)
[PyFloat_AS_DOUBLE function \(Python C API\)](#)
[Pyfort library](#)
[PyImport_AppendInittab function \(Python C API\)](#)
[PyImport_Import function \(Python C API\)](#)
[PyIter_Check function \(Python C API\)](#)
[PyIter_Next function \(Python C API\)](#)
[PyList_GET_ITEM function \(Python C API\)](#)
[PyList_New function \(Python C API\)](#)
[PyList_SET_ITEM function \(Python C API\)](#)
[PyModule_AddIntConstant function \(Python C API\)](#)
[PyModule_AddObject function \(Python C API\)](#)
[PyModule_AddStringConstant function \(Python C API\)](#)
[PyModule_GetDict function \(Python C API\)](#)
[PyModule_New function \(Python C API\)](#)
[PyNumber_Absolute function \(Python C API\)](#)
[PyNumber_Add function \(Python C API\)](#)
[PyNumber_And function \(Python C API\)](#)
[PyNumber_Check function \(Python C API\)](#)
[PyNumber_Divide function \(Python C API\)](#)
[PyNumber_Divmod function \(Python C API\)](#)
[PyNumber_Float function \(Python C API\)](#)
[PyNumber_FloorDivide function \(Python C API\)](#)
[PyNumber_Int function \(Python C API\)](#)
[PyNumber_Invert function \(Python C API\)](#)
[PyNumber_Long function \(Python C API\)](#)
[PyNumber_Lshift function \(Python C API\)](#)
[PyNumber_Multiply function \(Python C API\)](#)
[PyNumber_Negative function \(Python C API\)](#)
[PyNumber_Or function \(Python C API\)](#)
[PyNumber_Positive function \(Python C API\)](#)
[PyNumber_Power function \(Python C API\)](#)
[PyNumber_Remainder function \(Python C API\)](#)
[PyNumber_Rshift function \(Python C API\)](#)
[PyNumber_Subtract function \(Python C API\)](#)
[PyNumber_TrueDivide function \(Python C API\)](#)
[PyNumber_Xor function \(Python C API\)](#)

- [.pyo files](#)
- [PyObject class \(Jython API\)](#)
- [PyObject object](#)
 - [__call__ method](#)
 - [__tojava__ method](#)
- [PyObject_CallFunction function \(Python C API\)](#)
- [PyObject_CallMethod function \(Python C API\)](#)
- [PyObject_Cmp function \(Python C API\)](#)
- [PyObject_DelAttrString function \(Python C API\)](#)
- [PyObject_DelItem function \(Python C API\)](#)
- [PyObject_DelItemString function \(Python C API\)](#)
- [PyObject_GetAttrString function \(Python C API\)](#)
- [PyObject_GetItem function \(Python C API\)](#)
- [PyObject_GetItemString function \(Python C API\)](#)
- [PyObject_GetIter function \(Python C API\)](#)
- [PyObject_HasAttrString function \(Python C API\)](#)
- [PyObject_IsTrue function \(Python C API\)](#)
- [PyObject_Length function \(Python C API\)](#)
- [PyObject_Repr function \(Python C API\)](#)
- [PyObject_RichCompare function \(Python C API\)](#)
- [PyObject_RichCompareBool function \(Python C API\)](#)
- [PyObject_SetAttrString function \(Python C API\)](#)
- [PyObject_SetItem function \(Python C API\)](#)
- [PyObject_SetItemString function \(Python C API\)](#)
- [PyObject_Str function \(Python C API\)](#)
- [PyObject_Type function \(Python C API\)](#)
- [PyObject_Unicode function \(Python C API\)](#)
- [pyrepl package for Unix](#)
- [Pyrex](#)
- [PyRun_File function \(Python C API\)](#)
- [PyRun_String function \(Python C API\)](#)
- [pyRXP](#)
- [PySequence_Contains function \(Python C API\)](#)
- [PySequence_DelSlice function \(Python C API\)](#)
- [PySequence_Fast function \(Python C API\)](#)
- [PySequence_Fast_GET_ITEM function \(Python C API\)](#)
- [PySequence_Fast_GET_SIZE function \(Python C API\)](#)
- [PySequence_GetSlice function \(Python C API\)](#)
- [PySequence_List function \(Python C API\)](#)
- [PySequence_SetSlice function \(Python C API\)](#)
- [PySequence_Tuple function \(Python C API\)](#)
- [PyString_AS_STRING function \(Python C API\)](#)
- [PyString_AsStringAndSize function \(Python C API\)](#)
- [PyString_FromFormat function \(Python C API\)](#)
- [PyString_FromStringAndSize function \(Python C API\)](#)
- [PySys_SetArgv function \(Python C API\)](#)
- [Python 2nd \[See also CPython Jython\]\[See also CPython Jython\]](#)
 - [compiling into Java](#)
 - [adding Java-visible methods](#)
 - [jythonc command](#)
 - [Python applets/servlets](#)
 - [development](#)
 - [development environments \[See development environments\]](#)
 - [documentation](#)
 - [embedding in HTML](#)

- [embedding/extending](#) [See CPython, extending]
- [extension modules](#) [See extension modules see also CPython]
- [extensions](#) [See CPython, extending]
- [implementations](#)
- [installing](#) [See installing]
- [interpreter](#)
 - [command-line options](#)
 - [command-line syntax](#)
 - [environment variables](#)
 - [interactive sessions](#)
 - [prompt strings, specifying](#)
- [language](#) [2nd](#)
- [indentation](#) [2nd](#)
- [lexical structure](#)
- [library](#)
- [modules](#) [See modules]
- [newsgroups/ mailing lists](#)
- [object models](#)
 - [classic](#)
 - [new-style](#)
- [object-orientation](#) [See also Python, object models] [2nd](#)
- [programming paradigms](#)
- [programs](#)
 - [documenting](#)
 - [running](#)
- [resources](#)
 - [business uses of Python](#)
 - [extension modules](#)
 - [print](#)
 - [Python Journal](#)
 - [recipes](#)
 - [source](#)
- [running other programs](#)
- [SIGs](#)
- [upgrades, overwriting customizations](#)
- [versions](#) [2nd](#)
 - [datetime module](#)
 - [Forum releases](#)
 - [logging](#)
 - [Python-in-a-tie releases](#)
 - [SimpleXMLRPCServer module, defect in](#)
 - [sockets with timeout behavior](#)
 - [supporting many different](#)
 - [time module](#) [2nd](#)
 - [type objects](#)
- [Python .NET](#)
- [Python Business Forum \(PBF\)](#)
- [Python C API, extending CPython with](#)
 - [building/installing C-coded Python extensions](#)
- [Python Database API 2.0 standard \(DBAPI 2.0\)](#)
- [Python Enhancement Proposals \(PEPs\)](#)
- [Python Imaging Library \(PIL\)](#)
- [Python Labs, Zope Corporation](#)
- [Python Server Pages \(PSP\)](#)
- [Python Software Foundation \(PSF\)](#)

[Python Template Language \(PTL\)](#)
[Python-in-a-tie releases](#)
[python.path option](#)
[PYTHONHOME variable](#)
[PythonInterpreter class \(Jython API\)](#)
 [eval method](#)
 [exec method](#)
 [execfile method](#)
 [get method](#)
 [set method](#)
[PythonInterpreter icon \(Macintosh\)](#)
[PYTHONPATH variable](#)
 [module loading](#)
[.pythonrc.py file](#)
[PYTHONSTARTUP variable](#)
 [user customization and](#)
[pythonw interpreter](#)
[PythonWin](#)
[PythonWorks](#)
[PyTuple_GET_ITEM function \(Python C API\)](#)
[PyTuple_New function \(Python C API\)](#)
[PyTuple_SET_ITEM function \(Python C API\)](#)
[.pyw files](#)
[PyXML](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[QNX, installing Python](#)

[QP encoding \(Quoted Printable encoding\)](#)

[qsize method \(Queue object\)](#)

[question mark \(?\), regular expressions](#)

[Queue class \(Queue module\)](#)

[empty method](#)

[full method](#)

[get method](#)

[get_nowait method](#)

[put method](#)

[put_nowait method](#)

[qsize method](#)

[in threaded program architecture](#)

[Queue module](#)

[Empty class](#)

[Full class](#)

[Queue class](#)

[--quiet option, package installation](#)

[quit command \(pdb module\)](#)

[quit method](#)

[FTP object](#)

[NNTP object](#)

[POP3 object](#)

[SMTP object](#)

[Widget object](#)

[Quixote](#)

[quopri module](#)

[decode function](#)

[decodestring function](#)

[encode function](#)

[encodestring function](#)

[quote function](#)

[urllib module](#)

[Utils module](#)

[quote_plus function \(urllib module\)](#)

[quoteattr function \(saxutils module\)](#)

[Quoted Printable encoding \(QP encoding\)](#)

[quoted strings](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[r_add_module method \(RExec object\)](#)
[r_eval method \(RExec object\)](#)
[r_exec method \(RExec object\)](#)
[r_execfile method \(RExec object\)](#)
[r_import method \(RExec object\)](#)
[r_open method \(RExec object\)](#)
[r_reload method \(RExec object\)](#)
[r_unload method \(RExec object\)](#)
[__radd__ special method](#)
[Radiobutton class \(Tkinter module\)](#)
 [deselect method](#)
 [flash method](#)
 [invoke method](#)
 [select method](#)
[raise statement](#)
[__rand__ special method](#)
[Random class](#)
 [choice method](#)
 [getstate method](#)
 [jumpahead method](#)
 [random method](#)
 [randrange method](#)
 [seed method](#)
 [setstate method](#)
 [shuffle method](#)
 [uniform method](#)
[random method \(Random object\)](#)
[random module 2nd](#)
[RandomArray module](#)
[randrange method \(Random object\)](#)
[range function \(built-in\) 2nd](#)
[rank function \(Numeric module\)](#)
[ravel function \(Numeric module\)](#)
[raw strings](#)
[raw_input function \(built-in\) 2nd](#)
[RDBMS \(relational database management system\)](#)
[RDF \(Resource Description Framework\)](#)
[__rdiv__ special method](#)
[__rdivmod__ special method](#)
[re attribute \(match object\)](#)
[re module 2nd](#)
 [compile function 2nd](#)
 [flags argument](#)
 [DOTALL attribute](#)
 [escape function](#)
 [IGNORECASE attribute](#)
 [LOCALE attribute](#)
 [MULTILINE attribute](#)
 [UNICODE attribute](#)
 [VERBOSE attribute](#)

- reactor object
 - [callLater method](#)
 - [cancelCallLater method](#)
 - [listenTCP method](#)
 - [run method](#)
 - [stop method](#)
- read function
 - [os module](#)
 - [ZipFile class](#)
- read method
 - [file object](#)
 - [HTTPResponse object](#)
 - [mmap object](#)
 - [URL file-like object](#)
- read-only file mode
- [read_all method \(Telnet object\)](#)
- [read_byte method \(mmap object\)](#)
- [read_eager method \(Telnet object\)](#)
- [read_history_file function \(readline module\)](#)
- [read_init_file function \(readline module\)](#)
- [read_some method \(Telnet object\)](#)
- [read_until method \(Telnet object\)](#)
- readline method
 - [file object](#)
 - [mmap object](#)
 - [URL file-like object](#)
- readline module
 - [get_history_length function](#)
 - [parse_and_bind function](#)
 - [read_history_file function](#)
 - [read_init_file function](#)
 - [set_completer function](#)
 - [set_history_length function](#)
 - [write_history_file function](#)
- [ReadLine package for Windows](#)
- readlines method
 - [file object](#)
 - [URL file-like object](#)
- [real method \(array object\)](#)
- [reason method \(HTTPResponse object\)](#)
- [rebinding, references](#)
- [recursion](#)
- [RecursionLimitExceeded exception](#)
- [recv method \(socket object\)](#)
- [recvfrom method \(socket object\)](#)
- [RedHat Package Manager \(RPM\)](#)
- [reduce attribute \(ufunc object\)](#)
- [reduce function \(built-in\)](#)
- [reduceat attribute \(ufunc object\)](#)
- [ref function \(weakref module\)](#)
- [references 2nd](#) [See also attributes variables][See also attributes variables]
 - [accessing nonexistent](#)
 - [assignment statements](#)
 - [binding 2nd](#)
 - [failure of](#)

- [rebinding](#) [2nd](#)
- [reference counting, C-coded extension modules](#)
- [reference loops](#)
- [unbinding](#) [2nd](#)
- [weak](#)
- [refresh method \(Window object\)](#)
- [register function \(atexit module\)](#)
- [register_function method](#)
 - [SimpleXMLRPCServer object](#)
- [register_instance method](#)
 - [SimpleXMLRPCServer object](#)
- [regular expression object](#)
 - [attributes](#)
 - [findall method](#)
 - [match method](#) [2nd](#)
 - [search method](#) [2nd](#)
 - [split method](#)
 - [sub method](#)
 - [subn method](#)
- [regular expressions](#)
 - [alternatives](#)
 - [anchoring at string start/end](#)
 - [common idioms](#)
 - [groups](#)
 - [match object](#)
 - [matching vs. searching](#)
 - [optional flags](#)
 - [pattern-string syntax](#)
 - [re module](#)
 - [sets of characters](#)
 - [whitespace](#)
- [relational database management system \(RDBMS\)](#)
- [RelativeDateTime type](#)
- [release method](#)
 - [Condition class](#)
 - [lock object](#)
 - [Semaphore object](#)
- [reload function \(built-in\)](#) [2nd](#)
- [Remote Procedure Call \(RPCs\)](#)
- [remove function \(os module\)](#)
- [remove method \(list object\)](#)
- [removeAttribute method \(Element object\)](#)
- [removeChild method \(Node object\)](#)
- [removedirs function \(os module\)](#)
- [rename method \(FTP object\)](#)
- [rename/renames functions \(os module\)](#)
- [repeat function \(Numeric module\)](#)
- [repeat method \(operator module\)](#)
- [replace method \(string object\)](#)
- [replaceChild method \(Node object\)](#)
- [report_unbalanced method \(sgmlib module\)](#)
- [Repr class \(repr module\)](#)
- [repr function](#)
 - [built-in](#)
 - [alternative to](#)

- [repr module](#)
- [__repr__ method \(object type\)](#)
- [repr module](#)
 - [Repr class](#)
 - [repr function](#)
- [__repr__ special method](#)
- [Request class](#)
 - [add_data method](#)
 - [add_header method](#)
 - [get_data method](#)
 - [get_full_url method](#)
 - [get_host method](#)
 - [get_selector method](#)
 - [get_type method](#)
 - [has_data method](#)
 - [set_proxy method](#)
- [request method](#)
 - [BaseRequestHandler object](#)
 - [HTTPConnection object](#)
- [reset method \(XMLReader object\)](#)
- [resetlocale function \(locale module\)](#)
- [resetwarnings function \(warnings module\)](#)
- [reshape function \(Numeric module\)](#)
- [resizable method \(Toplevel object\)](#)
- [resize function \(Numeric module\)](#)
- [resize method \(mmap object\)](#)
- [Resource Description Framework \(RDF\)](#)
- [resources](#)
 - [extension modules](#)
 - [PBF](#)
 - [print](#)
 - [Python Cookbook](#)
 - [Python Journal](#)
 - [Python on Windows](#)
 - [Python source code](#)
- [restricted execution](#)
 - [exec statement and](#)
 - [rexec module](#)
 - [sandbox environment](#)
- [retr method \(POP3 object\)](#)
- [retrbinary method \(FTP object\)](#)
- [retrlines method \(FTP object\)](#)
- [return command \(pdb module\)](#)
- [return statement](#)
- [reverse method \(list object\)](#)
- [RExec class](#)
 - [nok_built_in_names attributes](#)
 - [ok_built_in_modules attributes](#)
 - [ok_path attributes](#)
 - [ok_posix attributes](#)
 - [ok_sys_names attributes](#)
 - [r_add_module method](#)
 - [r_eval method](#)
 - [r_exec method](#)
 - [r_execfile method](#)

- [r_import method](#)
- [r_open method](#)
- [r_reload method](#)
- [r_unload method](#)
- [s_eval method](#)
- [s_exec method](#)
- [s_execfile method](#)
- [s_import method](#)
- [s_reload method](#)
- [s_unload method](#)
- [rexec module](#)
- [rfc822 module, Message class](#)
- [rfile method \(HTTPServer object\)](#)
- [rfind method \(string object\)](#)
- [richer-text input/output](#)
 - [console I/O](#)
 - [Console module](#)
 - [curses package](#)
 - [msvcrt module](#)
 - [WConio module](#)
 - [readline module](#)
- [rindex method \(string object\)](#)
- [RISC OS, installing Python](#)
- [rjust method \(string object\)](#)
- [rlcompleter module](#)
- [RLock class \(threading module\) 2nd](#)
- [__rshift__ special method](#)
- [rmd method \(FTP object\)](#)
- [rmdir function \(os module\)](#)
- [__rmod__ special method](#)
- [rmtree function \(shutil module\)](#)
- [__rmul__ special method](#)
- [rreopen function \(bsddb module\)](#)
- [rollback method \(Connection object\)](#)
- [__ror__ special method](#)
- [round function \(built-in\)](#)
- [rowcount attribute \(Cursor object\)](#)
- [RPCs \(Remote Procedure Calls\)](#)
- [RPM \(RedHat Package Manager\)](#)
 - [installing Python from binaries](#)
- [__rpow__ special method](#)
- [__rrshift__ special method](#)
- [rshift method \(operator module\)](#)
- [__rshift__ special method](#)
- [rstrip method \(string object\)](#)
- [__rsub__ special method](#)
- [run function, profile module](#)
- [run method](#)
 - [reactor object](#)
 - [scheduler object](#)
 - [Thread object](#)
- [runtime_library_dirs argument \(distutils Extension class\)](#)
- [RuntimeWarning class](#)
- [__rxor__ special method](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[s_eval method \(RExec object\)](#)

[s_exec method \(RExec object\)](#)

[s_execfile method \(RExec object\)](#)

[S_IFMT function \(stat module\)](#)

[S_IMODE function \(stat module\)](#)

[s_import method \(RExec object\)](#)

[S_ISBLK function \(stat module\)](#)

[S_ISCHR function \(stat module\)](#)

[S_ISDIR function \(stat module\)](#)

[S_ISFIFO function \(stat module\)](#)

[S_ISLNK function \(stat module\)](#)

[S_ISREG function \(stat module\)](#)

[S_ISSOCK function \(stat module\)](#)

[s_reload method \(RExec object\)](#)

[s_unload method \(RExec object\)](#)

[sandbox environment, restricted execution](#)

[SAP DB](#)

[sapdbapi module](#)

[Saturday attribute \(mx.DateTime module\)](#)

[save_bgn method \(HTMLParser object\)](#)

[save_end method \(HTMLParser object\)](#)

[savespace method \(array object\)](#)

[SAX \(Simple API for XML\)](#)

[parsing XHTML](#)

[parsing XML 2nd](#) [See also [xml.sax](#) package]

[SAXException class \(xml.sax package\)](#)

[saxutils module](#)

[escape function](#)

[quoteattr function](#)

[XMLGenerator class](#)

[Scale class \(Tkinter module\)](#)

[get method](#)

[set method](#)

[sched module](#)

[event scheduler function](#)

[scheduler class](#)

[cancel method](#)

[empty method](#)

[enter method](#)

[enterabs method](#)

[run method](#)

[scheduler function \(sched module\)](#)

[SciTE program](#)

[scripts 2nd](#) [See also [server-side scripting](#)][See also [server-side scripting](#)]

[CGI](#)

[debugging](#)

[performance characteristics](#)

[Python, installing](#)

[GUI, running standalone](#)

[setup.py](#)

[scripts argument \(distutils setup function\)](#)
[Scrollbar class \(Tkinter module\)](#)
[SCXX library](#)
search method
 [regular expression object](#) [2nd](#)
 [Text object](#)
[searchsorted function \(Numeric module\)](#)
second attribute
 [DateTime class](#)
 [DateTimeDelta class](#)
[seconds attribute \(DateTimeDelta class\)](#)
[Secret Labs, Python IDE offered by](#)
security
 [cookies and](#)
 [cryptographic-quality pseudo-random numbers](#)
 [denial-of-service attacks](#)
 [eval function](#)
 [isolating untrusted code](#)
 [passwords](#)
 [pickle/cPickle modules](#)
[see method \(Text object\)](#)
[seed method \(Random object\)](#)
seek method
 [file object](#)
 [mmap object](#)
[select function \(select module\)](#)
select method
 [Checkbutton object](#)
 [Radiobutton object](#)
[select module](#)
 [select function](#)
[select_clear method \(Listbox object\)](#)
[select_set method \(Listbox object\)](#)
[self parameter](#) [2nd](#)
[Semaphore class \(threading module\)](#) [2nd](#) [3rd](#)
 [acquire method](#)
 [release method](#)
semicolon (;)
 [statement separators](#)
 [Windows directory paths](#)
[send method \(socket object\)](#)
[send_error method \(HTTPServer object\)](#)
[send_header method \(HTTPServer object\)](#)
[send_response method \(HTTPServer object\)](#)
[sendall method \(socket object\)](#)
[sendcmd method \(FTP object\)](#)
[sendmail method \(SMTP object\)](#)
[sendto method \(socket object\)](#)
[sep attribute \(os module\)](#)
[September attribute \(mx.DateTime module\)](#)
[sequence repetition](#)
[sequences](#)
 [comprehensions](#)
 [immutable, strings as](#)
 [indexing, error](#)

- [inserting items](#)
- [items in arithmetic progression](#)
- [iterators](#)
- [lists](#)
 - [methods](#)
 - [operations on](#)
- [mutable](#)
 - [arrays](#)
- [operations on](#)
 - [coercion/conversions](#)
 - [concatenation](#)
 - [indexing](#)
 - [slicing](#)
- [reducing to single value](#)
- [special methods for](#)
- [strings](#)
 - [methods](#)
 - [operations on](#)
 - [raw strings](#)
 - [Unicode strings](#)
- [tuples](#)
 - [operations on](#)
- [serialization 2nd](#)
 - [marshal module](#)
 - [pickle/cPickle modules](#)
 - [customization with copy_reg module](#)
 - [shelve module](#)
- [serve_forever method \(server object\)](#)
- [server method \(BaseRequestHandler object\)](#)
- [server object, serve_forever method](#)
- [server-side scripting](#)
 - [ASP](#)
 - [custom Python servers](#)
 - [FastCGI](#)
 - [LRWP](#)
 - [PyApache/mod_python](#)
 - [Quixote](#)
 - [Webware](#)
- [ServerProxy class](#)
 - [listMethods method](#)
 - [methodHelp method](#)
 - [methodSignature method](#)
 - [xmlrpclib module](#)
- [servers](#)
 - [Apache](#)
 - [FastCGI for](#)
 - [installing Python CGI scripts](#)
 - [PyApache/mod_python for](#)
 - [custom Python](#)
 - [FTP](#)
 - [HTTP](#)
 - [methods/attributes](#)
 - [sockets and](#)
 - [Internet](#)
 - [Microsoft web, installing Python CGI scripts on](#)

[SMTP](#)
[TCP echo](#)
[Telnet](#)
[UDP echo](#)
[web, subclassing BaseHTTPServer](#)
[Xitami](#)
 [installing Python CGI scripts on](#)
 [LRWP for](#)
[XML-RPC](#)
[servlets, Jython](#)
[set method](#)
 [Event object](#)
 [Morsel object](#)
 [PythonInterpreter object](#)
 [Scale object](#)
[set_boundary method \(Message object\)](#)
[set_completer function \(readline module\)](#)
[set_debug function \(gc module\)](#)
[set_debuglevel method \(POP3 object\)](#)
[set_history_length function \(readline module\)](#)
[set_location function \(bsddb module\)](#)
[set_pasv method \(FTP object\)](#)
[set_payload method \(Message object\)](#)
[set_proxy method \(Request object\)](#)
[set_terminator method \(async_chat object\)](#)
[set_threshold function \(gc module\)](#)
[set_timeout method \(TimeoutSocket object\)](#)
[set_unixfrom method \(Message object\)](#)
[setattr function \(built-in\)](#)
[__setattr__ special method](#) 2nd
[setAttribute method \(Element object\)](#)
[setDaemon method \(Thread object\)](#)
[setDefault method \(dictionary object\)](#)
[setDefaultencoding function \(sys module\)](#)
[setDefaultSocketTimeout function \(timeoutsocket module\)](#)
[setfirstweekday function \(calendar module\)](#)
[setitem method \(operator module\)](#)
[__setitem__ special method](#)
[setlocale function \(locale module\)](#)
[setName method \(Thread object\)](#)
[setprofile function \(sys module\)](#)
[setrecursionlimit function \(sys module\)](#) 2nd
[sets, special methods for](#)
[setslice method \(operator module\)](#)
[setstate method \(Random object\)](#)
[settrace function \(sys module\)](#)
[setup function \(distutils module\)](#)
[setUp method \(TestCase object\)](#)
[setup.cfg file](#)
[setup.py script](#)
[SGML \(Standard General Markup Language\)](#)
[sgmlib module](#)
 [close method](#)
 [do_tag method](#)
 [end_tag method](#)

- [feed method](#)
- [handle_charref method](#)
- [handle_comment method](#)
- [handle_data method](#)
- [handle_endtag method](#)
- [handle_entityref method](#)
- [handle_starttag method](#)
- [report_unbalanced method](#)
- [SGMLParser class](#)
- [start_tag method](#)
- [unknown_charref method](#)
- [unknown_endtag method](#)
- [unknown_entityref method](#)
- [unknown_starttag method](#)
- [SGMLParser class](#)
 - [HTMLParser class, compared to sgmlib module](#)
- [shape attribute \(Numeric module\)](#)
- [shape function \(Numeric module\)](#)
- [shape method \(array object\)](#)
- [Sharp Zaurus, installing Python](#)
- [shelve module](#)
- [showwarning function \(warnings module\)](#)
- [shuffle method \(Random object\)](#)
- [shutil module](#)
 - [copy function](#)
 - [copy2 function](#)
 - [copyfile function](#)
 - [copyfileobj function](#)
 - [copymode function](#)
 - [copystat function](#)
 - [copytree function](#)
 - [rmtree function](#)
- [SIGs \(Special Interest Groups\)](#)
- [Simple API for XML \[See SAX\]](#)
- [Simple Mail Transport Protocol \[See SMTP\]](#)
- [simple statements](#)
- [SimpleCookie class \(Cookie module\)](#)
 - [is_output method](#)
 - [load method](#)
 - [output method](#)
- [SimpleHTTPServer module 2nd](#)
- [SimpleXMLRPCServer class](#)
 - [register_function method](#)
 - [register_instance method](#)
- [SimpleXMLRPCServer module 2nd](#)
- [Simplified Wrapper and Interface Generator \(SWIG\)](#)
- [sin function](#)
 - [cmath module](#)
 - [math module](#)
- [single quote \('\)](#)
- [sinh function](#)
 - [cmath module](#)
 - [math module](#)
- [site customization](#)

- [site module](#)
- [site.py file](#)
- [sitecustomize module 2nd](#)
- [size function \(Numeric module\)](#)
- [size method](#)
 - [FTP object](#)
 - [mmap object](#)
- [sleep function \(time module\)](#)
- [slice function \(built-in\)](#)
- [slice object](#)
- [slicing](#)
 - [array object](#)
 - [sequences](#)
 - [targets](#)
- [__slots__ attribute](#)
- [SmartCookie class \(Cookie module\)](#)
 - [is_output method](#)
 - [load method](#)
 - [output method](#)
- [SMTP \(Simple Mail Transport Protocol\)](#)
 - [servers](#)
 - [twisted.protocols package](#)
- [SMTP class](#)
 - [connect method](#)
 - [login method](#)
 - [quit method](#)
 - [sendmail method](#)
- [smtpplib module 2nd](#)
- [.so files](#)
- [socket class](#)
 - [accept method](#)
 - [bind method](#)
 - [close method](#)
 - [connect method 2nd](#)
 - [getpeername method](#)
 - [listen method](#)
 - [makefile method](#)
 - [recv method](#)
 - [recvfrom method](#)
 - [send method](#)
 - [sendall method](#)
 - [sendto method](#)
- [socket function \(socket module\)](#)
- [socket module](#)
 - [getfqdn function](#)
 - [gethostbyaddr function](#)
 - [gethostbyname_ex function](#)
 - [htonl/htons functions 2nd](#)
 - [inet_aton function](#)
 - [inet_ntoa function](#)
 - [socket class](#)
 - [socket function](#)
- [sockets 2nd](#) [See also socket module][See also socket module]
 - [event-driven programs](#)
 - [asynchat module](#)

- [asyncore module](#)
- [select module](#)
- [Twisted package](#)
- [HTTP servers](#)
 - [BaseHTTPServer module](#)
 - [GCIHTTPServer module](#)
 - [SimpleHTTPServer module](#)
 - [SimpleXMLRPCServer module](#)
- [TCP echo servers](#)
- [timeoutsocket module](#)
- [UDP echo servers](#)
- [SocketServer module](#)
 - [BaseRequestHandler class](#)
- [softspace attribute \(file object\)](#)
- [Solaris, Python IDEs](#)
- [Sony PlayStation 2, installing Python](#)
- [sort function \(Numeric module\)](#)
- [sort method \(list object\)](#)
- [sort_stats method \(Stats object\)](#)
- [source code](#)
 - [building with Visual C++](#)
 - [for debugging](#)
 - [installing from](#)
 - [on Macintosh](#)
 - [on Unix](#)
 - [on Windows](#)
 - [latest version](#)
 - [resources for further information](#)
 - [uncompressing/unpacking](#)
- [source files](#) [See also modules][See also modules][2nd](#)
 - [as modules](#)
 - [Python modules in distribution utilities](#)
- [Source Navigator \(Red Hat\)](#)
- [spacesaver method \(array object\)](#)
- [span method \(match object\)](#)
- [spawnv/spawnve functions \(os module\)](#)
- [Special Interest Groups \(SIGs\)](#)
- [special methods](#)
 - [__abs__](#)
 - [__dd__](#)
 - [__and__](#)
 - [__call__](#)
 - [__cmp__](#)
 - [__coerce__](#)
 - [__complex__](#)
- [for containers](#)
 - [__del__](#)
 - [__delattr__](#) [2nd](#)
 - [__div__](#)
 - [__divmod__](#)
 - [__eq__](#)
 - [__float__](#)
 - [__floordiv__](#)
 - [__ge__](#)
- [general purpose](#)

[__getattr__](#)
[__getattribute__](#) 2nd 3rd
[__getinitargs__](#)
[__gt__](#)
[__hash__](#) 2nd
[__hex__](#)
[__iadd__](#)
[__iand__](#)
[__idiv__](#)
[__ifloordiv__](#)
[__lshift__](#)
[__imod__](#)
[__imul__](#)
[__init__](#) 2nd 3rd
[__int__](#)
[__invert__](#)
[__ior__](#)
[__ipow__](#)
[__irshift__](#)
[__isub__](#)
[__itruediv__](#)
[__ixor__](#)
[__le__](#)
[__long__](#)
[__lshift__](#)
[__lt__](#)
[__mod__](#)
[__mul__](#)
[__ne__](#)
[__neg__](#)
[__new__](#) 2nd 3rd
[__nonzero__](#)
for numeric objects
[__oct__](#)
[__or__](#)
[__pos__](#)
[__pow__](#)
[__radd__](#)
[__rand__](#)
[__rdiv__](#)
[__rdivmod__](#)
[__repr__](#)
[__rshift__](#)
[__rmod__](#)
[__rmul__](#)
[__ror__](#)
[__rpow__](#)
[__rrshift__](#)
[__rshift__](#)
[__rsub__](#)
[__rxor__](#)
[__setattr__](#) 2nd
[__str__](#) 2nd
[__sub__](#)
[__unicode__](#)

- [__xor__](#)
- [specified attribute \(Attr object\)](#)
- [split function \(os.path module\)](#)
- [split method](#)
 - [regular expression object](#)
 - [string object](#)
- [splitdrive function \(os.path module\)](#)
- [splitext function \(os.path module\)](#)
- [splitlines method \(string object\)](#)
- [Spyce](#)
 - [Cheetah and](#)
- [SQL \(Structured Query Language\)](#)
 - [executing SQL statements](#)
- [sqrt function](#)
 - [cmath module](#)
 - [math module](#)
- [square brackets \(\[\]\)](#)
 - [indexing](#)
 - [item indexes](#)
 - [line continuation](#)
 - [list creation](#)
 - [lists](#)
 - [plain assignment statements](#)
 - [python command-line syntax](#)
 - [regular expressions 2nd](#)
 - [slicing](#)
- [ST_ATIME attribute \(stat module\)](#)
- [ST_CTIME attribute \(stat module\)](#)
- [ST_DEV attribute \(stat module\)](#)
- [ST_GID attribute \(stat module\)](#)
- [ST_INO attribute \(stat module\)](#)
- [ST_MODE attribute \(stat module\)](#)
- [ST_MTIME attribute \(stat module\)](#)
- [ST_NLINK attribute \(stat module\)](#)
- [ST_SIZE attribute \(stat module\)](#)
- [ST_UID attribute \(stat module\)](#)
- [stack function \(inspect module\)](#)
- [standard error](#)
- [Standard General Markup Language \(SGML\)](#)
- [standard input](#)
- [standard output](#)
 - [writing prompt to](#)
- [StandardError exception](#)
- [start method](#)
 - [match object](#)
 - [Thread object](#)
- [start_tag method](#)
 - [HTMLParser object](#)
 - [sgmlib module](#)
- [startDocument method, ContentHandler object](#)
- [startElement method, ContentHandler object](#)
- [startElementNS method, ContentHandler object](#)
- [startswith method \(string object\)](#)
- [stat function \(os module\)](#)
- [stat method](#)

- [NNTP object](#)
- [POP3 object](#)
- stat module
 - [attributes](#)
 - [functions](#)
- [state method \(Toplevel object\)](#)
- statements
 - [assigning values to variables](#) [See assignment statements]
 - [compound](#)
 - [simple](#)
 - [SQL, executing](#)
- [static methods](#)
- [staticmethod type \(built-in\)](#) [2nd](#) [3rd](#)
- [Stats class](#)
 - [add method](#)
 - [print_callees method](#)
 - [print_callers method](#)
 - [print_stats method](#)
 - [sort_stats method](#)
 - [strip_dirs method](#)
- [status method \(HTTPResponse object\)](#)
- [stderr attribute \(sys module\)](#) [2nd](#)
- [stdin attribute \(sys module\)](#) [2nd](#)
- [stdout attribute \(sys module\)](#)
- [step command \(pdb module\)](#)
- [stop method \(reactor object\)](#)
- [StopIteration exception](#)
- [storbinary method \(FTP object\)](#)
- [storlines method \(FTP object\)](#)
- [__str__ special method](#) [2nd](#)
- [str type \(built-in\)](#) [2nd](#) [3rd](#)
 - [date/time string conversions](#)
 - [locale module](#)
- [strcoll function \(locale module\)](#)
- [streams](#)
- [strerror attribute \(os module\)](#)
- [strftime function \(time module\)](#)
 - [fine-grained string formatting](#)
- strftime method
 - [DateTime class](#)
 - [DateTimeDelta class](#)
- [string attribute \(match object\)](#)
- [string module](#)
 - [ascii_letters attribute](#)
 - [ascii_lowercase attribute](#)
 - [ascii_uppercase attribute](#)
 - [digits attribute](#)
 - [hexdigits attribute](#)
 - [letters attribute](#)
 - [locale sensitivity](#) [See locale module]
 - [lowercase attribute](#)
 - [maketrans function](#)
 - [octdigits attribute](#)
 - [printable attribute](#)
 - [punctuation attribute](#)

[uppercase attribute](#)

[whitespace attribute](#)

string object

[capitalize method](#)

[center method](#)

[count method](#)

[encode method](#)

[endswith method](#)

[expandtabs method](#)

[find method](#)

[index method](#)

[isalnum method](#)

[isalpha method](#)

[isdigit method](#)

[islower method](#)

[isspace method](#)

[istitle method](#)

[isupper method](#)

[join method](#)

[ljust method](#)

[lower method](#)

[lstrip method](#)

[methods of](#)

[replace method](#)

[rfind method](#)

[rindex method](#)

[rjust method](#)

[rstrip method](#)

[split method](#)

[splitlines method](#)

[startswith method](#)

[strip method](#)

[swapcase method](#)

[title method](#)

[translate method](#)

[upper method](#)

[StringIO module](#)

[strings](#)

[case sensitivity](#)

[concatenating](#)

[converting](#)

[date/time types](#)

[to floating-point numbers](#)

[to Unicode](#)

[denoting current directory](#)

[escape sequences, table of](#)

[formatting](#)

[common idioms](#)

[conversion characters](#)

[format specifier syntax](#)

[hexadecimal, converting integers](#)

[as immutable sequences](#)

[interned](#)

[line termination](#)

[methods](#)

[mmap object and mutable occurrences of, returning](#)
[octal, converting integers to](#)
[optimizing operations on raw strings](#)
[searching](#)
[sequence operations on](#)
[sorting, internationalization and Unicode strings](#)
[Unicode, Tkinter and whitespace in](#)
[strip method \(string object\)](#)
[strip_dirs method \(Stats object\)](#)
[strptime function \(time module\)](#)
[struct module](#)
 [calcsize function 2nd](#)
 [format characters](#)
 [pack function](#)
[Structured Query Language \[See SQL\]](#)
[strxfrm function \(locale module\)](#)
sub method
 [operator module](#)
 [regular expression object](#)
[__sub__ special method](#)
[subclass relationships](#)
[subn method \(regular expression object\)](#)
[Sunday attribute \(mx.DateTime module\)](#)
[super type \(built-in\) 2nd](#)
[superclass methods, delegating to](#)
[SUSE, installing Python](#)
[swapaxes function \(Numeric module\)](#)
[swapcase method \(string object\)](#)
[SWIG \(Simplified Wrapper and Interface Generator\)](#)
[SynEdit program](#)
[SyntaxError exception](#)
[SyntaxWarning exception](#)
sys module
 [_getframe function](#)
 [argv attribute](#)
 [attributes](#)
 [displayhook function](#)
 [exc_info function 2nd](#)
 [excepthook function 2nd](#)
 [exit function 2nd](#)
 [getdefaultencoding function](#)
 [_getframe function](#)
 [getrecursionlimit function](#)
 [getrefcount function 2nd](#)
 [maxint attribute](#)
 [module loading](#)
 [modules attribute 2nd](#)
 [__import__ function and](#)
 [path attribute 2nd](#)
 [platform attribute](#)

[ps1, ps2 attribute](#)
[setdefaultencoding function](#)
[setprofile function](#)
[setrecursionlimit function](#) 2nd
[settrace function](#)
[stderr attribute](#) 2nd
[stdin attribute](#) 2nd
[stdout attribute](#)
[tracebacklimit attribute](#)
[version attribute](#)
[sys.excepthook file](#)
[sys.stderr file](#)
[system function \(os module\)](#)
 [running other programs](#)
[system testing](#)
[SystemError exception](#)
[SystemExit exception](#) 2nd

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[tabs, converting to spaces](#)

[tag_add method \(Text object\)](#)

[tag_bind method](#)

[Canvas object](#)

[Text object](#)

[tag_cget method \(Text object\)](#)

[tag_config method \(Text object\)](#)

[tag_delete method \(Text object\)](#)

[tag_lower method \(Text object\)](#)

[tag_names method \(Text object\)](#)

[tag_raise method \(Text object\)](#)

[tag_ranges method \(Text object\)](#)

[tag_remove method \(Text object\)](#)

[tag_unbind method](#)

[Canvas object](#)

[Text object](#)

[tags](#)

[HTML](#)

[HTML v2.0](#)

[take function \(Numeric module\)](#)

[tan function](#)

[cmath module](#)

[math module](#)

[tar program](#)

[targets of assignments 2nd](#)

[tbreak command \(pdb module\)](#)

[TCP echo servers](#)

[TCPServer class](#)

[tearDown method \(TestCase object\)](#)

[tell method](#)

[file object](#)

[mmap object](#)

[Telnet class](#)

[close method](#)

[expect method](#)

[interact method](#)

[open method](#)

[read_all method](#)

[read_eager method](#)

[read_some method](#)

[read_until method](#)

[write method](#)

[telnet protocol 2nd](#)

[twisted.protocols package](#)

[Telnet servers](#)

[telnetlib module 2nd 3rd](#)

[Template class \(Cheetah.Template module\)](#)

[Template module \(Cheetah package\)](#)

[tempnam function \(os module\)](#)

[termination functions](#)

[test-first coding](#)

[TestCase class](#)

[assert_ method](#)

[assertEqual method](#)

[assertNotEqual method](#)

[assertRaises method](#)

[fail method](#)

[failIf method](#)

[failIfEqual method](#)

[failUnless method](#)

[failUnlessEqual method](#)

[failUnlessRaises method](#)

[setUp method](#)

[tearDown method](#)

[unittest module](#)

[testing 2nd](#)

[doctest module](#)

[system testing](#)

[unit testing](#)

[large amounts of data](#)

[unittest module](#)

[testzip function \(ZipFile class\)](#)

[Text class \(Tkinter module\)](#)

[compare method](#)

[delete method](#)

[get method](#)

[image_create method](#)

[index method](#)

[insert method](#)

[mark_gravity method](#)

[mark_set method](#)

[mark_unset method](#)

[search method](#)

[see method](#)

[tag_add method](#)

[tag_bind method](#)

[tag_cget method](#)

[tag_config method](#)

[tag_delete method](#)

[tag_lower method](#)

[tag_names method](#)

[tag_raise method](#)

[tag_ranges method](#)

[tag_remove method](#)

[tag_unbind method](#)

[window_create method](#)

[xview method](#)

[yview method](#)

[text editors with Python support](#)

[text files](#)

[text file mode](#)

[text input/output](#)

[getpass module](#)

[input \(built-in function\) 2nd](#)

[print statement](#)

[raw-input \(built-in function\) 2nd](#)
[standard input](#)
[standard output/standard error](#)
[text widgets](#)
 [coupling with scrollbars](#)
 [fonts](#)
 [indices](#)
 [marks on](#)
 [tags on](#)
[Textpad class \(textpad module\)](#)
[textpad module](#)
 [edit function](#)
 [Textpad class](#)
[.tgz file extension](#)
[theKompany, Python IDE offered by](#)
[Thread class \(threading module\)](#)
 [getName method](#)
 [isAlive method](#)
 [isDaemon method](#)
 [join method](#)
 [run method](#)
 [setDaemon method](#)
 [setName method](#)
 [start method](#)
[thread module](#)
[threaded program architecture](#)
 [polling](#)
 [thread pool](#)
[threading module](#)
 [Condition class 2nd](#)
 [currentThread function](#)
 [Event class 2nd](#)
 [RLock class](#)
 [Semaphore class 2nd](#)
 [Thread class](#)
 [Thread object](#)
 [thread synchronization](#)
 [Condition class](#)
 [Event object](#)
 [Lock/RLock objects](#)
 [Semaphore object](#)
[ThreadingTCPServer class](#)
[ThreadingUDPServer class](#)
[threads 2nd](#) [See also [threaded program architecture](#) [threading module](#)][See also [threaded program architecture](#) [threading module](#)]
[locks](#)
 [multithreaded access](#)
 [Queue module](#)
 [suspending](#)
 [synchronizing](#)
 [Condition class](#)
 [Event object](#)
 [Lock/RLock objects](#)
 [Semaphore object](#)
[thread safety, DBAPI](#)

[Thursday attribute \(mx.DateTime module\)](#)

[ticks method \(DateTime class\)](#)

[tilde \(~\), bitwise NOT](#)

[Time function \(DBAPI-compliant modules\)](#)

[time function \(time module\)](#)

[time module](#)

[asctime function](#)

[clock function](#)

[ctime function](#)

[functions](#)

[Python v2.2 and](#)

[gmtime function](#)

[localtime function](#)

[mktime function](#)

[sleep function](#)

[strftime function](#)

[fine-grained string formatting](#)

[strptime function](#)

[time function](#)

[timezone attribute](#)

[tzname attribute](#)

[time operations](#) [See also time module time/date values][See also time module time/date values][2nd](#)

[local time zone, retrieving](#)

[time-tuple](#)

[time-tuple](#)

[time/date values](#)

[compressed files](#)

[computing moveable feast days](#)

[converting](#)

[current CPU time, retrieving](#)

[directory paths](#)

[internationalization and](#)

[in ISO 8601](#)

[time-tuple](#)

[TimeDelta function \(DateTimeDelta class\)](#)

[TimeDeltaFrom function \(DateTimeDelta class\)](#)

[TimeFromTicks function \(DateTimeDelta class\)](#)

[TimeFromTicks function \(DBAPI-compliant modules\)](#)

[timegm function \(calendar module\)](#)

[timeoutsocket module](#)

[getDefaultSocketTimeout function](#)

[setDefaultSocketTimeout function](#)

[TimeoutSocket object](#)

[get_timeout method](#)

[set_timeout method](#)

[Timestamp function](#)

[DBAPI-compliant modules](#)

[mx.DateTime module](#)

[TimestampFrom function \(mx.DateTime module\)](#)

[TimestampFromTicks function](#)

[DBAPI-compliant modules](#)

[mx.DateTime module](#)

[timezone attribute \(time module\)](#)

[title method](#)

[string object](#)

- [Toplevel object](#)
- [tkFont module](#)
- [Tkinter events](#)
 - [binding callbacks to events](#)
 - [Event object](#)
 - [keyboard](#)
 - [methods related to](#)
 - [mouse](#)
- [Tkinter GUIs](#)
- [Tkinter module](#)
 - [attributes](#)
 - [Button class](#)
 - [Canvas class](#)
 - [Checkbutton class](#)
 - [Entry class](#)
 - [Event class](#)
 - [events](#) [See Tkinter events]
 - [Frame class](#)
 - [geometry management](#)
 - [the Gridder](#)
 - [the Packer](#)
 - [the Placer](#)
 - [images](#)
 - [Label class](#)
 - [Listbox class](#)
 - [Menu class](#)
 - [Radiobutton class](#)
 - [Scale class](#)
 - [Scrollbar class](#)
 - [Text class](#)
 - [Toplevel class](#)
 - [variable object](#)
 - [widgets supplied by](#)
 - [options](#)
- [tmpnam function \(os module\)](#)
- [today function \(mx.DateTime module\)](#)
- [tofile method \(array object\)](#)
- [toggle method \(Checkbutton object\)](#)
- [__tojava__ method \(PyObject object\)](#)
- [tokens](#)
 - [delimiters](#)
 - [identifiers](#)
 - [keywords](#)
 - [literals](#)
 - [operators](#)
- [tolist method, array object 2nd](#)
- [toolkits](#)
- [top method \(POP3 object\)](#)
- [Toplevel class \(Tkinter module\)](#)
 - [deiconify method](#)
 - [geometry method](#)
 - [iconify method](#)
 - [maxsize method](#)
 - [minsize method](#)
 - [overrideredirect method](#)

- [protocol method](#)
- [resizable method](#)
- [state method](#)
- [title method](#)
- [withdraw method](#)
- [toprettyxml method \(Node object\)](#)
- [tostring method \(array object\) 2nd](#)
- [toxml method \(Node object\)](#)
- [trace function \(Numeric module\)](#)
- [traceback messages](#)
- [traceback module](#)
 - [print_exc function](#)
- [tracebacklimit attribute \(sys module\)](#)
- [translate method \(string object\)](#)
- [translation function \(gettext module\)](#)
- [translation tables, building](#)
- [transports object](#)
 - [getHost method](#)
 - [getPeer method](#)
 - [loseConnection method](#)
 - [write method](#)
- [transpose function \(Numeric module\)](#)
- [troubleshooting](#)
 - [error-specific information](#)
 - [memory leaks](#)
- [truncate method \(file object\)](#)
- [truncating division, performing true division on integers](#)
- [truth method \(operator module\)](#)
- [try statement](#)
 - [exception handling](#)
 - [try/except form 2nd](#)
 - [try/finally form](#)
 - [try/except form, running restricted code in](#)
- [Tuesday attribute \(mx.DateTime module\)](#)
- [tuple method](#)
 - [DateTime class](#)
 - [DateTimeDelta class](#)
- [tuple type \(built-in\) 2nd](#)
- [tuples](#)
 - [returning list of](#)
 - [sequence operations on](#)
 - [in string formats](#)
- [Twisted package 2nd](#)
 - [performance characteristics](#)
 - [twisted.internet/twisted.protocols packages](#)
- [twisted.internet package](#)
- [twisted.protocols package](#)
- [type attribute \(FieldStorage object\)](#)
- [type checking](#)
- [type codes](#)
 - [array module](#)
 - [Numeric arrays](#)
- [type type \(built-in\) 2nd 3rd](#)
- [type_option attribute \(FieldStorage object\)](#)
- [typecode method \(array object\)](#)

[TypeError exception 2nd](#)

[types](#)

[built-in](#)

[defining new with C-coded Python extensions](#)

[internal](#)

[type object](#)

[types module](#)

[DictionaryType attribute](#)

[DictType attribute](#)

[tzname attribute \(time module\)](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[UDP echo servers](#)

[UDPServer class](#)

[ufunc object](#)

[accumulate attribute](#)

[attributes](#)

[outer attribute](#)

[reduce attribute](#)

[reduceat attribute](#)

[ufuncs \(universal functions\), Numeric module](#)

[unalias command \(pdb module\)](#)

[unbind method \(Widget object\)](#)

[unbind_all method \(Widget object\)](#)

[unbinding](#) [\[See references, unbinding\]](#)

[unbound methods](#) [2nd](#) [\[See also methods\]](#)[\[See also methods\]](#)

[UnboundLocalError exception](#)

[undef_macros argument \(distutils Extension class\)](#)

[underscore \(_\)](#)

[class-private variables](#)

[gettext module](#)

[identifiers](#) [2nd](#)

[interactive sessions](#)

[module-private variables](#)

[special methods](#)

[ungetch function \(msvcrt module\)](#)

[unichr function \(built-in\)](#)

[Unicode](#)

[alphanumeric designation](#)

[converting strings to](#)

[UNICODE attribute \(re module\)](#)

[Unicode Character Database](#)

[__unicode__ special method](#)

[Unicode strings](#) [2nd](#)

[codecs module](#)

[encoding/decoding](#)

[as immutable sequences](#)

[Tkinter and](#)

[unicode type \(built-in\)](#) [2nd](#) [3rd](#) [4th](#)

[unicodedata module](#)

[UnicodeError exception](#)

[uniform method \(Random object\)](#)

[Uniform Resource Locators](#) [\[See URLs\]](#)

[unit testing](#)

[large amounts of data](#)

[unittest module](#)

[TestCase class](#)

[universal newlines](#)

[Unix](#)

[binary/text file modes](#)

[dbm module](#)

[installing Python from source](#)

- [mmap function](#)
- [permission bits](#)
 - [copying](#)
- [Python IDEs](#)
- [running Python scripts](#)
- [text editors with Python support](#)
- [Unix-to-Unix \(UU\) encoding](#)
- [unknown_charref method \(sgmllib module\)](#)
- [unknown_endtag method \(sgmllib module\)](#)
- [unknown_entityref method \(sgmllib module\)](#)
- [unknown_starttag method \(sgmllib module\)](#)
- [unlink function \(os module\)](#)
- [unpack function \(struct module\)](#)
- [Unpickler function \(pickle/cPickle modules\)](#)
- [unpost method \(Menu object\)](#)
- [unquote function](#)
 - [urllib module](#)
 - [Utils module](#)
- [unquote_plus function \(urllib module\)](#)
- [unzip program](#)
- [up command \(pdb module\)](#)
- [update method](#)
 - [dictionary object](#)
 - [Widget object](#)
- [update_idletasks method \(Widget object\)](#)
- [upper method \(string object\)](#)
- [uppercase attribute \(string module\)](#)
- [URL access](#)
 - [authentication](#)
 - [urllib module](#)
 - [FancyURLopener class \(urllib module\)](#)
 - [urllib2 module](#)
 - [OpenDirector class](#)
 - [Request class](#)
 - [urlparse module](#)
- [url argument \(distutils setup function\)](#)
- [URL file-like object](#)
 - [close method](#)
 - [geturl method](#)
 - [info method](#)
 - [read method](#)
 - [readline method](#)
 - [readlines method](#)
- [urlcleanup function \(urllib module\)](#)
- [urlencode function \(urllib module\)](#)
- [urljoin function \(urlparse module\)](#)
- [urllib module 2nd](#)
 - [FancyURLopener class](#)
 - [quote function](#)
 - [quote_plus function](#)
 - [unquote function](#)
 - [unquote_plus function](#)
 - [urlcleanup function](#)
 - [urlencode function](#)
 - [urlopen function](#)

- [urlretrieve function](#)
- [urllib2 module 2nd](#)
 - [build_opener function](#)
 - [install_opener function](#)
 - [OpenDirector class](#)
 - [OpenerDirector class, handler classes](#)
 - [Request class](#)
 - [urlopener function](#)
- [urlopen function](#)
 - [urllib module](#)
 - [urllib2 module](#)
- [urlparse module 2nd](#)
 - [urljoin function](#)
 - [urlsplit function](#)
 - [urlunsplit function](#)
- [urlretrieve function \(urllib module\)](#)
- [URLs \(Uniform Resource Locators\) 2nd](#)
 - [access to network protocols \[See URL access\]](#)
 - [analyzing/synthesizing](#)
 - [outgoing](#)
 - [reading data from](#)
- [urlsplit function \(urlparse module\)](#)
- [urlunsplit function \(urlparse module\)](#)
- [use_rawinput attribute \(cmd module\)](#)
- [Usenet News \[See network news\]](#)
- [user customization](#)
- [user input, errors depending on](#)
- [user method \(POP3 object\)](#)
- [user module](#)
- [UserDict class \(UserDict module\)](#)
- [UserDict module](#)
 - [data attribute](#)
 - [UserDict class](#)
- [UserList class \(UserList module\)](#)
- [UserList module](#)
 - [data attribute](#)
 - [UserList class](#)
- [UserString class \(UserString module\)](#)
- [UserString module](#)
 - [data attribute](#)
 - [UserString class](#)
- [UserWarning class](#)
- [UTC \(Coordinated Universal Time\)](#)
- [utc function \(mx.DateTime module\)](#)
- [utctime function \(mx.DateTime module\)](#)
- [Utils module \(email package\)](#)
 - [decode function](#)
 - [dump_address_pair function](#)
 - [encode function](#)
 - [formatdate function](#)
 - [getaddresses function](#)
 - [mktime_tz function](#)
 - [parseaddr function](#)
 - [parsedate function](#)
 - [parsedate_tz function](#)

[quote function](#)

[unquote function](#)

[utime function \(os module\)](#)

[UU \(Unix-to-Unix\) encoding](#)

[uu module](#)

[decode function](#)

[encode function](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

value attribute

[FieldStorage object](#)

[Morsel object](#)

[ValueError exception](#) [2nd](#) [3rd](#) [4th](#)

[values method \(dictionary object\)](#)

[variables](#)

[assignment statements](#)

[binding](#)

[built-in](#)

[class-private](#)

[global, thread synchronization and](#)

[module-private](#)

[rebinding](#)

[referencing, error](#)

[sorted list of](#)

[unbinding](#)

[vars function \(built-in\)](#)

[VERBOSE attribute \(re module\)](#)

[version argument \(distutils setup function\)](#)

[version attribute \(sys module\)](#)

version method

[FancyURLopener object](#)

[HTTPResponse object](#)

[versions of Python](#)

[Forum releases](#)

[Python-in-a-tie releases](#)

v2.2

[SimpleXMLRPCServer module, defect in](#)

[time module, functions](#)

[time module, strptime function](#)

[type objects](#)

v2.3

[datetime module](#)

[logging](#)

[sockets with timeout behavior](#)

vertical bar (|)

[bitwise OR](#)

[regular expressions](#) [2nd](#)

[vim program](#)

Visual C++

[building Python source](#)

[for debugging](#)

[interoperability of Python release and debugging builds](#)

[runtime library, accessing extras supplied by](#)

[Visual Python](#)

[Visual Studio .NET IDE](#)

[VxWorks, installing Python](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[W3C \(World Wide Web Consortium\)](#)

[wait method](#)

[Condition class](#)

[Event object](#)

[wait_variable method \(Widget object\)](#)

[wait_visibility method \(Widget object\)](#)

[wait_window method \(Widget object\)](#)

[walk function \(os.path module\)](#)

[walk method \(Message object\)](#)

[warn function \(warnings module\)](#)

[warnings module](#)

[filterwarnings function](#)

[formatwarning function](#)

[resetwarnings function](#)

[showwarning function](#)

[warn function](#)

[WConio module](#)

[weak references](#)

[WeakKeyDictionary class \(weakref module\)](#)

[weakref module 2nd](#)

[getweakrefcount function](#)

[getweakrefs function](#)

[proxy function](#)

[ref function](#)

[WeakKeyDictionary class](#)

[WeakValueDictionary class](#)

[WeakValueDictionary class \(weakref module\)](#)

[weave package](#)

[web servers, subclassing BaseHTTPServer](#)

[Webware 2nd](#)

[Cheetah and](#)

[Wednesday attribute \(mx.DateTime module\)](#)

[Weekday attribute \(mx.DateTime module\)](#)

[weekday function \(calendar module\)](#)

[wfile method \(HTTPServer object\)](#)

[where command \(pdb module\)](#)

[where function \(Numeric module\)](#)

[whichdb function \(whichdb module\)](#)

[whichdb module](#)

[whichdb function](#)

[while statements](#)

[else clause](#)

[whitespace](#)

[line indents in Python programs](#)

[regular expressions](#)

[separating tokens](#)

[strings of](#)

[whitespace attribute \(string module\)](#)

[widget attribute \(Event object\)](#)

[Widget class \(Tkinter module\)](#)

- [after method](#)
- [after_cancel method](#)
- [after_idle method](#)
- [bind method](#)
- [bind_all method](#)
- [cget method](#)
- [config method](#)
- [focus_set method](#)
- [grab_release method](#)
- [grab_set method](#)
- [grid method](#)
- [grid_forget method](#)
- [grid_info method](#)
- [mainloop method](#)
- [pack method](#)
- [pack_forget method](#)
- [pack_info method](#)
- [place method](#)
- [place_forget method](#)
- [place_info method](#)
- [quit method](#)
- [unbind method](#)
- [unbind_all method](#)
- [update method](#)
- [update_idletasks method](#)
- [wait_variable method](#)
- [wait_visibility method](#)
- [wait_window method](#)
- [wininfo_height method](#)
- [wininfo_width method](#)

[widgets 2nd](#)

- [canvas](#)
 - [lines](#)
 - [polygons](#)
 - [rectangles](#)
 - [text](#)
- [checkboxes](#)
- [child/parent](#)
- [color options](#)
- [container](#)
 - [frames](#)
 - [top-level windows](#)
- [length options](#)
- [listboxes](#)
- [menus](#)
 - [entry options](#)
- [pushbuttons](#)
- [radiobuttons](#)
- [scrollbars](#)
- [text](#)
 - [coupling with scrollbars](#)
 - [fonts](#)
 - [indices](#)
 - [marks on](#)
 - [tags on](#)

- [text entry fields](#)
- [Tkinter module](#)
- [win32all extensions](#)
- [win32all package](#)
- Window class (curses module)
 - [addstr method](#)
 - [clrtobot method](#)
 - [clrtoeol method](#)
 - [delch method](#)
 - [deleteln method](#)
 - [erase method](#)
 - [getch method](#)
 - [getyz method](#)
 - [insstr method](#)
 - [move method](#)
 - [nodelay method](#)
 - [refresh method](#)
- [window_create method \(Text object\)](#)
- Windows
 - [applications, embedding/extending Python with COM](#)
 - [CGI scripting on](#)
 - [file ownership](#)
 - [installing Python from binaries](#)
 - [binary package for 32-bit version of](#)
 - [installing Python from source](#)
 - [building for debugging](#)
 - [building source with Visual C++](#)
 - [uncompressing/unpacking source code](#)
 - [internationalization](#)
 - [keys into os.environ](#)
 - [mbsc codec](#)
 - [mmap function](#)
 - [py2exe tool](#)
 - [Python IDEs](#)
 - [Python scripts](#)
 - [resource for further information](#)
 - [text editors with Python support](#)
- [WindowsError exception](#)
- [winfo_height method \(Widget object\)](#)
- [winfo_width method \(Widget object\)](#)
- [Wing IDE](#)
- [winutils.zip utilities](#)
- [WinZip program](#)
 - [uncompressing/unpacking tar archive files](#)
- [withdraw method \(Toplevel object\)](#)
- [World Wide Web Consortium \(W3C\)](#)
- [wrapper function \(wrapper module\)](#)
- [wrapper module, wrapper function](#)
- write function
 - [os module](#)
 - [ZipFile class](#)
- write method
 - [file object](#)
 - [mmap object](#)
 - [transports object](#)

[write-only file mode](#)
[write_byte method \(mmap object\)](#)
[write_history_file function \(readline module\)](#)
[writelines method \(file object\)](#)
[writeread_all method \(Telnet object\)](#)
[writestr function \(ZipFile class\)](#)
[writexml method \(Node object\)](#)
[wxWindows toolkit](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[x_root attribute \(Event object\)](#)

[XHTML](#)

[changing/outputting with minidom](#)

[parsing](#)

[with minidom module](#)

[with pulldom module](#)

[with xml.sax](#)

[Xitami servers](#)

[installing Python CGI scripts on](#)

[LRWP for](#)

[XLink](#)

[XML \(eXtensible Markup Language\)](#)

[generating](#)

[parsing](#)

[with DOM](#)

[with SAX](#)

[Python support for](#)

[xml package](#)

[XML-RPC 2nd](#)

[xmlrpclib module](#)

[XML-RPC servers 2nd](#)

[xml.dom package](#)

[DOMException class](#)

[xml.sax package](#)

[attributes](#)

[ContentHandler class](#)

[incremental parsing](#)

[make_parser function](#)

[parser function](#)

[parseString function](#)

[SAXException class](#)

[saxutils module](#)

[XMLGenerator class \(saxutils module\)](#)

[XMLReader object](#)

[close method](#)

[feed method](#)

[reset method](#)

[xmlrpclib module](#)

[Binary class](#)

[binary function](#)

[Boolean class](#)

[boolean function](#)

[DateTime class](#)

[ServerProxy class](#)

[xmlrpclib protocol](#)

[__xor__ special method](#)

[xor_ method \(operator module\)](#)

[XPath](#)

[XPather](#)

[xrange function \(built-in\) 2nd](#)

[xreadlines function \(xreadlines module\)](#)

[xreadlines method \(file object\)](#)

[xreadlines module](#)

[xreadlines function](#)

[XSLT](#)

[xview method \(Text object\)](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[y_root attribute \(Event object\)](#)

[year attribute \(DateTime class\)](#)

[yield keyword](#)

[yview method \(Text object\)](#)

[\[Team LiB \]](#)

[\[Team LiB \]](#)

[\[SYMBOL\]](#) [\[A\]](#) [\[B\]](#) [\[C\]](#) [\[D\]](#) [\[E\]](#) [\[F\]](#) [\[G\]](#) [\[H\]](#) [\[I\]](#) [\[J\]](#) [\[K\]](#) [\[L\]](#) [\[M\]](#) [\[N\]](#) [\[O\]](#) [\[P\]](#) [\[Q\]](#) [\[R\]](#) [\[S\]](#) [\[T\]](#) [\[U\]](#) [\[V\]](#) [\[W\]](#) [\[X\]](#) [\[Y\]](#) [\[Z\]](#)

[ZeroDivisionError exception](#)

[zeros function](#)

[jarray module](#)

[Numeric module](#)

[ZIP files](#)

[zip function \(built-in\)](#)

[zip program](#)

[ZipFile class \(zipfile module\)](#)

[close method](#)

[getinfo function](#)

[infolist function](#)

[namelist function](#)

[printdir function](#)

[read function](#)

[testzip function](#)

[write function](#)

[writestr function](#)

[zipfile module](#)

[is_zipfile function](#)

[ZipFile class](#)

[ZipInfo class](#)

[ZipInfo class \(zipfile module\)](#)

[attributes](#)

[zlib module](#)

[compress function](#)

[decompress function](#)

[Zope](#)

[\[Team LiB \]](#)